**OpenM++** wiki

# **Table of contents**

#### Home

## **Getting Started**

Windows: Quick Start for Model Users
Windows: Quick Start for Model Developers
Linux: Quick Start for Model Users
Linux: Quick Start for Model Developers
MacOS: Quick Start for Model Users
MacOS: Quick Start for Model Developers
Model Run: How to Run the Model
MIT License, Copyright and Contribution

### Model development in OpenM++

Model Code: Programming a model Windows: Create and Debug Models Linux: Create and Debug Models MacOS: Create and Debug Models using Xcode Modgen: Convert case-based model to openM++ Modgen: Convert time-based model to openM++ Modgen: Convert Modgen models and usage of C++ in openM++ code Model Localization: Translation of model messages

## Using OpenM++

How To: Set Model Parameters and Get Results Model Run: How model finds input parameters Model Output Expressions Model Run Options and ini-file OpenM++ Compiler (omc) Run Options OpenM++ ini-file format UI: How to start user interface UI: openM++ user interface UI: OpenM++ user interface UI: Create new or edit scenario UI: Upload input scenario or parameters UI: Run the Model UI: Compare model run results UI: Aggregate and Compare Microdata UI: Disk space usage and cleanup UI Localization: Translation of openM++

# **Model Development Topics**

Authored Model Documentation Built-in Attributes Censor Event Time Create Import Set Derived Tables Entity Attributes in C++ **Entity Function Hooks Entity Member Packing Entity Tables Events Event Trace External Names** Generated Model Documentation Illustrative Model Align1 Lifecycle Attributes Local Random Streams Memory Use Microdata Output Model Code Model Documentation Model Languages **Model Localization Model Metrics Report** Model Resource Use Model Symbols Parameter and Table Display and Content Population Size and Scaling Symbol Labels and Notes Tables Test Models Time-like and Event-like Attributes Use Modules Weighted Tabulation File-based Parameter Values

## OpenM++ web-service: API and cloud setup

Oms: openM++ web-service Oms: openM++ web-service API Oms: How to prepare model input parameters Oms: Cloud and model runs queue

# Using OpenM++ from Python and R

Use R to save output table into CSV file Use R to save output table into Excel Run model from R: simple loop in cloud Run RiskPaths model from R: advanced run in cloud Run RiskPaths model in cloud from local PC Run model from R and save results in CSV file Run model from R: simple loop over model parameter Run RiskPaths model from R: advanced parameters scaling Run model from Python: simple loop over model parameter Run RiskPaths model from Python: advanced parameters scaling Windows: Use Docker to get latest version of OpenM++ Linux: Use Docker to get latest version of OpenM++ RedHat 8: Use Docker to get latest version of OpenM++

## **OpenM++ Development**

Quick Start for OpenM++ Developers Setup Development Environment 2018, June: OpenM++ HPC cluster: Test Lab Development Notes: Defines, UTF-8, Databases, etc.

## **OpenM++ Design, Roadmap and Status**

2012, December: OpenM++ Design
2012, December: OpenM++ Model Architecture, December 2012
2012, December: Roadmap, Phase 1
2013, May: Prototype version
2013, September: Alpha version
2014, March: Project Status, Phase 1 completed
2016, December: Task List
2017, January: Design Notes. Subsample As Parameter problem. Completed

# OpenM++ web-service API

Oms: openM++ web-service

Oms: openM++ web-service API

## **GET Model Metadata**

GET model list

GET model list including text (description and notes)

GET model definition metadata

- GET model metadata including text (description and notes)
- GET model metadata including text in all languages

### **GET Model Extras**

- **GET** model languages
- GET model language-specific strings
- **GET** model profile
- GET list of profiles

#### GET Model Run results metadata

- GET list of model runs
- GET list of model runs including text (description and notes)
- GET status of model run
- GET status of model run list
- GET status of first model run
- GET status of last model run
- GET status of last completed model run
- GET model run metadata and status
- GET model run including text (description and notes)
- GET model run including text in all languages

#### GET Model Workset metadata: set of input parameters

- GET list of model worksets
- GET list of model worksets including text (description and notes)
- **GET** workset status
- GET model default workset status
- GET workset including text (description and notes)
- GET workset including text in all languages

#### Read Parameters, Output Tables or Microdata values

Read parameter values from workset Read parameter values from workset (enum id's) Read parameter values from model run Read parameter values from model run (enum id's) Read output table values from model run Read output table values from model run (enum id's) Read output table calculated values from model run Read output table calculated values from model run (enum id's) Read output table values and compare model runs Read output table values and compare model runs (enun id's) Read microdata values from model run Read microdata values from model run (enum id's) Read aggregated microdata from model run Read aggregated microdata from model run (enum id's) Read microdata run comparison Read microdata run comparison (enum id's)

#### **GET Parameters, Output Tables or Microdata values**

- GET parameter values from workset
- GET parameter values from model run
- GET output table expression(s) from model run
- GET output table calculated expression(s) from model run
- GET output table values and compare model runs
- GET output table accumulator(s) from model run
- GET output table all accumulators from model run
- GET microdata values from model run
- GET aggregated microdata from model run
- GET microdata run comparison

#### GET Parameters, Output Tables or Microdata as CSV

GET csv parameter values from workset

- GET csv parameter values from workset (enum id's)
- GET csv parameter values from model run
- GET csv parameter values from model run (enum id's)
- GET csv output table expressions from model run
- GET csv output table expressions from model run (enum id's)
- GET csv output table accumulators from model run
- GET csv output table accumulators from model run (enum id's)

- GET csv output table all accumulators from model run
- GET csv output table all accumulators from model run (enum id's)
- GET csv calculated table expressions from model run
- GET csv calculated table expressions from model run (enum id's)
- GET csv model runs comparison table expressions
- GET csv model runs comparison table expressions (enum id's)
- GET csv microdata values from model run
- GET csv microdata values from model run (enum id's)
- GET csv aggregated microdata from model run
- GET csv aggregated microdata from model run (enum id's)
- GET csv microdata run comparison
- GET csv microdata run comparison (enum id's)

#### GET Modeling Task metadata and task run history

- GET list of modeling tasks
- GET list of modeling tasks including text (description and notes)
- GET modeling task input worksets
- GET modeling task run history
- GET status of modeling task run
- GET status of modeling task run list
- GET status of modeling task first run
- GET status of modeling task last run
- GET status of modeling task last completed run
- GET modeling task including text (description and notes)
- GET modeling task text in all languages

#### Update Model Profile: set of key-value options

PATCH create or replace profile

DELETE profile

POST create or replace profile option

**DELETE** profile option

#### Update Model Workset: set of input parameters

POST update workset read-only status PUT create new workset PUT create or replace workset PATCH create or merge workset DELETE workset POST delete multiple worksets DELETE parameter from workset PATCH update workset parameter values PATCH update workset parameter values (enum id's) PATCH update workset parameter(s) value notes PUT copy parameter from model run into workset PATCH merge parameter from model run into workset PUT copy parameter from workset to another PATCH merge parameter from workset to another

#### **Update Model Runs**

PATCH update model run text (description and notes)

**DELETE** model run

POST delete model runs

PATCH update run parameter(s) value notes

## **Update Modeling Tasks**

PUT create or replace modeling task

PATCH create or update modeling task

DELETE modeling task

### Run Models: run models and monitor progress

POST a request to run the model

GET state of current model run

PUT stop model run

#### Download model, model run results or input parameters

- GET download log file
- GET model download log files
- GET all download log files
- GET download files tree
- POST initiate entire model download
- POST initiate model run download
- POST initiate model workset download
- DELETE download files
- DELETE all download files

## Upload model runs or worksets (input scenarios)

- GET upload log file GET all upload log files for the model
- GET all upload log files
- GET upload files tree
- POST initiate model run upload
- POST initiate workset upload
- **DELETE** upload files
- DELETE all upload files

## User: manage user settings and data

 $\operatorname{GET}\nolimits$  user views for the model

PUT user views for the model

DELETE user views for the model

## Model run jobs and service state

GET service configuration

GET job service state

GET disk usage state

POST refresh disk space usage info

GET state of active model run job GET state of model run job from queue GET state of model run job from history PUT model run job into other queue position DELETE state of model run job from history Administrative: manage web-service state

POST a request to refresh models catalog POST a request to close models catalog POST a request to close model database POST a request to open database file POST a request to cleanup database file GET the list of database cleanup log(s) GET database cleanup log file(s) POST a request to pause model run queue POST a request to pause all model runs queue PUT a request to shutdown web-service

# Home

This is the home of the OpenM++ wiki. It consists mostly of links to other topics, organized into sections. For a brief description of what OpenM++ can bring to a micro-simulation or agent-based modelling project please see the Features section. Our Glossary contains brief explanations of some of the terms used in this wiki.

# **Quick links**

- Table of Contents
- Glossary
- Contact us

## Contents

- Introduction to OpenM++
- Getting started
- Model development
- Model use
- Model API and how to run models in cloud
- Model scripting
- Docker
- Features
- for programmers: OpenM++ development
- for programmers: OpenM++ design
- for programmers: OpenM++ source code
- Contact us

# Introduction to OpenM++

OpenM++ is an open source platform to develop, use, and deploy micro-simulation or agent-based models. OpenM++ was designed to enable non-programmers to develop simple or complex models. Click here for an overview of OpenM++ features.

## [back to contents]

# **Getting started**

This section describes how to get OpenM++ installed and working on Windows, Linux, or MacOS, for model users or for model developers. The installation kits include a collection of simple illustrative models. That same collection of models is also present in the cloud, where it can be accessed from any web browser, with no installation required. For more information on the OpenM++ cloud collection, please Contact us.

- Download OpenM++ for Windows, Linux or MacOS↗
- Windows: Quick Start for Model Users
- Windows: Quick Start for Model Developers
- Linux: Quick Start for Model Users
- Linux: Quick Start for Model Developers
- MacOS: Quick Start for Model Users
- MacOS: Quick Start for Model Developers
- Model Run: How to Run the Model

# Model development

Platform-independent information:

• Model Development Topics: A list of topics related to model development in OpenM++

Platform-specific information:

- Windows: Create and Debug Models
- Linux: Create and Debug Models
- MacOS: Create and Debug Models
- MacOS: Create and Debug Models using Xcode

Modgen-specific information:

- Modgen: Convert case-based model to openM++
- Modgen: Convert time-based model to openM++
- Modgen: Convert Modgen models and usage of C++ in openM++ code

## [back to contents]

# Model use

This section describes how to use a model once built.

- How To: Set Model Parameters and Get Results
- Model Data Import-Export: How to Use dbcopy 
   A
- Model Run: How model finds input parameters
- Model Output Expressions
- Model Run Options and ini-file
- OpenM++ ini-file format
- UI: How to start user interface
- UI: openM++ user interface
- UI: Create new or edit scenario
- UI: Upload input scenario or parameters
- UI: Run the Model
- UI: Compare model run results
- UI: Aggregate and Compare Microdata
- UI Localization: Translation of openM++

#### *Modgen-specific* information:

• Modgen: CsvToDat utility: Command-line utility to convert CSV parameters to DAT format

## [back to contents]

# Model API and how to run models in cloud

The model API provides programmatic access to scenario management, model inputs, model runs, and model outputs. It is implemented by the OpenM++ oms web service, which uses standard JSON to communicate with a controlling application. The worked examples in Model scripting

provide practical illustrations of how to use the model API and the oms service to automate an analysis. Incidentally, the browser-based OpenM++ user interface uses the model API and the oms service for all model-specific operations. It is also possible to create workspace for model users in cloud using oms web-service.

- Oms: openM++ web-service
- Oms: openM++ web-service API
- Oms: How to prepare model input parameters
- Oms: Cloud and model runs queue
- Documentation and source code: Go library and tools ↗

#### [back to contents]

# Model scripting

The topics in this section illustrate model-based analysis in two different scripting environments: Python and R. The Model API is used in these environments to create scenarios, run the model iteratively, and retrieve results for graphical presentation in the scripting environment.

- Use R to save output table into CSV file
- Use R to save output table into Excel
- Run model from R: simple loop in cloud
- Run RiskPaths model from R: advanced run in cloud
- Run RiskPaths model in cloud from local PC
- Run model from R and save results in CSV file
- Run model from R: simple loop over model parameter
- Run RiskPaths model from R: advanced parameters scaling
- Run model from Python: simple loop over model parameter
- Run RiskPaths model from Python: advanced parameters scaling
- OpenMpp R package documentation ↗

#### [back to contents]

## Docker

Docker is a technology used here to quickly replicate preconfigured operating system environments containing OpenM++ functionality.

- Windows: Use Docker to get latest version of OpenM++
- Linux: Use Docker to get latest version of OpenM++
- RedHat 8: Use Docker to get latest version of OpenM++
- DockerHub: image to run openM++ models ↗
- DockerHub: image to build latest openM++ version ↗

# [back to contents]

## **Features**

Here is a summary of some OpenM++ features:

#### General features:

- open source: OpenM++ and all components are licensed under the very broad MIT license.
- cross-platform: Model development and use on Windows, Linux, or MacOS.

- standards-based: Uses industry standard formats and technologies.
- zero-footprint: File-based installation requires no elevation of privileges.

Model developer features:

- high-level language: Model types, parameters, entities, events, tables, etc. are specified using a compact domain-specific language targeted to microsimulation.
- scalable complexity: From simple 'toy' models to highly complex models.
- modularity: New events and processes can be added to a model in a new module, often with little or no modification to existing modules.
- continuous or discrete time, or a mixture.
- supports multiple versions: Multiple OpenM++ versions can be installed and a single environment variable used to choose among them.
- result compare: Supports rapid comparison of all model outputs during incremental model development.

#### Computational features:

- scalable computation: Designed to scale linearly with population size or replicates when possible, N log N scaling for typical interacting populations.
- grid-enabled, cloud-enabled: Supports MPI for multi-processing to distribute execution of replicates to a small or large computational grid or to the cloud, with automatic result assembly.
- multi-threaded: Supports multi-threading for parallel execution of replicates on desktop or server.
- on-the-fly tabulation: Tables are computed during the simulation, eliminating the need to output voluminous microdata for subsequent tabulation.
- computationally efficient: The model specification is transformed to C++ which is processed by an optimizing C++ compiler to produce a highly efficient executable program.

#### Usability features:

- generated UI: A model-specific UI is generated from the model specification.
- browser-based UI: The UI requires only a browser, and runs on almost any modern browser.
- cloud-enabled: Models can be deployed to a cloud and accessed remotely over the web, from a browser.
- multilingual support: For UI and for model, with real-time language switching

#### Analyst features:

- continuous time tabulation: Powerful but easy to use language constructs to tabulate time-in-state, empirical hazards, transitions counts, state changes, etc.
- replicate support: All tables can have underlying replicate simulations to assess the uncertainty of any cell of any output table. Statistical measures of uncertainty are computed for all cells of all tables.
- automation: Models can be controlled by scripts, eg Python or R.
- import/export: Models and runs can be moved between databases, or to standard formats for upstream preparation of inputs or for downstream analysis of outputs.
- dynamic run control: A computational grid can process runs dynamically to enable whole-model estimation or calibration, with a controlling script reading run results and preparing new runs for execution.

The OpenM++ language is based on the Modgen A language developed at Statistics Canada. With minor modifications to model source code, existing Modgen models can work with either Modgen or OpenM++.

#### [back to contents]

## **OpenM++ development**

This section contains technical information for programmers interested in OpenM++ itself, as opposed to model developers or model users. It

describes how to set up a programming environment to build and modify OpenM++.

- Quick Start for OpenM++ Developers
- Setup Development Environment
- 2018, June: OpenM++ HPC cluster: Test Lab
- Development Notes: Defines, UTF-8, Databases, etc.

### [back to contents]

### OpenM++ design

This section contains technical and project information of interest to programmers or system architects. It dates from the inception and 'alpha' days of the OpenM++ project. The road map diagram remains somewhat relevant and may be useful for a broad overview of the major components of OpenM++ from the perspective of a programmer or system architect.

#### Project Status: production stable since February 2016

- 2012, December: OpenM++ Design
- 2012, December: OpenM++ Model Architecture, December 2012
- 2012, December: Roadmap, Phase 1
- 2013, May: Prototype version
- 2013, September: Alpha version
- 2014, March: Project Status, Phase 1 completed
- 2016, December: Task List
- 2017, January: Design Notes. Subsample As Parameter problem. Completed

#### [back to contents]

#### **OpenM++** source code

This section contains technical information for programmers interested in OpenM++ itself, as opposed to model developers or model users. It contains links to the OpenM++ source code and to the documentation of that source code.

- GitHub: Run-time and compiler c++ Source code ↗
- Source code documentation: Runtime library >>
- Source code documentation: Compiler ↗
- GitHub: Go library, web-service and db tools Source Code A
- Source code documentation: Go library and tools ↗
- GitHub: openMpp R package ↗
- Source code documentation: openMpp R package ↗
- GitHub: Source code to build Docker images ↗
- GitHub: OpenM++ UI frontend ↗

#### [back to contents]

## **Contact Us**

- OpenM++ web-site ↗
- E-mail: openmpp dot org at gmail dot com

- License, Copyright and Contribution: OpenM++ is Open Source and Free
- MIT License
   ↗
- OpenM++ on GitHub
   ↗
- OpenM++ on DockerHub 

   ↗

[back to contents]

# Windows: Quick Start for Model Users

# Where is OpenM++

- Download:
  - desktop version: binary files and source code openmpp\_win\_YYYMMDD.zip
  - cluster version: binary files and source code openmpp\_win\_mpi\_YYYYMMDD.zip
  - Docker image to run openM++ models: openmpp/openmpp-run
- Documentation: this wiki

It is recommended to start from desktop version of openM++.

You need to use cluster version of openM++ to run the model on multiple computers in your network, in cloud or HPC cluster environment. OpenM++ is using MPI to run the models on multiple computers. Please check Model Run: How to Run the Model page for more details.

You can use Docker containers to avoid installation of multiple additional components in your host computer. Because all necessary software will be installed in container your host system will be clean.

# **Prerequisites**

You may need to install Microsoft Visual C++ redistributable runtime, unless it is already installed as a part of some other software package:

💽 Microsoft Edge	Microsoft Corporation	2021-11-15
Microsoft OneDrive	Microsoft Corporation	2021-11-18
Microsoft Teams	Microsoft Corporation	2021-08-24
Microsoft Visual C++ 2015-2019 Redistributable (x64) - 14.28.29913		2021-11-09
Hicrosoft Visual C++ 2015-2019 Redistributable (x86) - 14.28.29913	Microsoft Corporation	2021-11-09

If it is not present then please follow Microsoft instructions about: Visual C++ Redistributable.

## Run on Windows computer

- download and unzip Windows desktop binaries openmpp\_win\_YYYYMMDD.zip into C:\SomeDir\
- run modelOne model with single subsample on local machine:

```
C:
cd \SomeDir\openmpp_win_20180205\models\bin
modelOne.exe
```

2014-03-17 17:14:24.0023 Model: modelOne 2014-03-17 17:14:24.0070 Reading Parameters 2014-03-17 17:14:24.0085 Running Simulation 2014-03-17 17:14:24.0101 Writing Output Tables 2014-03-17 17:14:24.0179 Done.

• run modelOne model with 16 subsamples and 4 threads:

```
modelOne.exe -OpenM.Subvalues 16 -OpenM.Threads 4
```

2017-06-06 17:35:29.0421 modelOne 2017-06-06 17:35:29.0435 One-time initialization 2017-06-06 17:35:29.0454 Run: 106 2017-06-06 17:35:29.0456 Reading Parameters 2017-06-06 17:35:29.0460 Running Simulation 2017-06-06 17:35:29.0464 Writing Output Tables

2017-06-06 17:35:29.0870 Done.

• run other models (i.e. NewCaseBased, NewTimeBased, RiskPaths):

NewCaseBased.exe -OpenM.Subvalues 8 -OpenM.Threads 2

• run RiskPaths model with new parameter value CanDie = true and all other parameter values the same as in previous model run:

2020-08-14 17:27:48.574 RiskPaths 2020-08-14 17:27:48.610 Run: 103 2020-08-14 17:27:48.618 Sub-value: 0 2020-08-14 17:27:48.628 member=0 Simulation progress=0% cases=0

• run modelOne to compute modeling task "taskOne":

modelOne.exe -OpenM.Subvalues 16 -OpenM.Threads 4 -OpenM.TaskName taskOne

• in case if previous model run fail, for example, due to power outage, then it can be "restarted":

modelOne.exe -OpenM.RestartRunId 1234

output may vary depending on the stage where previous modelOne run failed, but still similar to above.

Note: We recommend to use normal Windows command line cmd.exe. If you are using Windows PowerShell then it may be necessary to put "guotes" around command line options, e.g.

model.exe "-OpenM.Subvalues" 16

## Run on multiple computers over network, in HPC cluster or cloud

- download and unzip Windows cluster binaries openmpp\_win\_mpi\_YYYYMMDD.zip into C:\AnyDir. Please notice name of cluster version archive has *mpi* in it, i.e. openmpp\_win\_mpi\_20180205.zip and is located in a subdirectory *mpi*.
- if you are using regular Windows computers in your organization network (like Windows 7 or 10 and not MS HPC servers or Azure) then:
  - make sure you have latest version of Microsoft MPI Redistributable installed.
  - or pull Docker image docker pull openmpp/openmpp-run:windows-1903 to run models inside the container (see below).
- run modelOne model with single subsample on local machine:

C: cd \AnyDir\openmpp\_win\_mpi\_20180205\models\bin modelOne\_mpi.exe

2014-03-17 17:14:24.0023 Model: modelOne 2014-03-17 17:14:24.0070 Reading Parameters 2014-03-17 17:14:24.0085 Running Simulation 2014-03-17 17:14:24.0101 Writing Output Tables 2014-03-17 17:14:24.0179 Done.

• run two instances of modelOne to compute 16 subsamples and 4 threads:

mpiexec -n 2 modelOne\_mpi.exe -OpenM.Subvalues 16 -OpenM.Threads 4

• run other models (i.e. NewCaseBased, NewTimeBased, RiskPaths):

mpiexec -n 8 NewCaseBased\_mpi.exe -OpenM.Subvalues 64 -OpenM.Threads 4

Microsoft recommends to install HPC Pack which simplifies your computational resources management rather than using mpiexec as above. It is also possible to use Microsoft Azure cloud where compute nodes available for you on demand.

### Run models using Docker container

- download and unzip openmpp\_win\_YYYYMMDD.zip into C:\AnyDir.
- make sure you have Docker for Windows installed, see Microsoft documentation for more details.
- pull Docker image:

docker pull openmpp/openmpp-run:windows-1903

• run modelOne model with single subsample:

docker run -v C:\AnyDir\models\bin:C:\ompp openmpp/openmpp-run:windows-1903 modelOne.exe

2014-03-17 17:14:24.0023 Model: modelOne 2014-03-17 17:14:24.0070 Reading Parameters 2014-03-17 17:14:24.0085 Running Simulation 2014-03-17 17:14:24.0101 Writing Output Tables 2014-03-17 17:14:24.0179 Done.

• run two instances of modelOne to compute 16 subsamples and 4 threads:

docker run -v C:\AnyDir\models\bin:C:\ompp openmpp/openmpp-run:windows-1903 mpiexec -n 2 modelOne\_mpi.exe -OpenM.Subvalues 16 -OpenM.Threads 4

2017-06-06 17:52:06.0143 modelOne 2017-06-06 17:52:06.0145 modelOne 2017-06-06 17:52:06.0179 Parallel run of 2 modeling processes, 4 thread(s) each 2017-06-06 17:52:06.0179 One-time initialization 2017-06-06 17:52:06.0192 Run: 106 2017-06-06 17:52:06.0192 Run: 106 2017-06-06 17:52:06.0192 Reading Parameters 2017-06-06 17:52:06.0532 Writing Output Tables 2017-06-06 17:52:06.0599 Done. 2017-06-06 17:52:06.0599 Done.

• run other models (i.e. NewCaseBased, NewTimeBased, RiskPaths):

docker run -v C:\AnyDir\models\bin:C:\ompp openmpp/openmpp-run:windows-1903 mpiexec -n 8 NewCaseBased\_mpi.exe -OpenM.Subvalues 64 -OpenM.Threads 4

# Windows: Quick Start for Model Developers

# Step by Step

- Download desktop version zip archive: openmpp\_win\_YYYYMMDD.zip binary files and source code
- Extract zip archive to C:\openmpp\_win\_20210112\
- Build the example RiskPaths model and run the Default scenario
  - Open C:\openmpp\_win\_20210112\models\RiskPaths\RiskPaths-ompp.sln using Visual Studio 2022
  - 'Rebuild' in Visual Studio 2022 to build the model and run the Default scenario
  - (optional) Enable in project Properties -> OpenM++ -> "Run scenario after build" to examine model run results
  - (optional) Enable "Export model run results into csv files" to create CSV files containing values of model parameters and output tables
  - · (optional) Enable "Open model web UI" to modify parameters, run the model and view model results
- (optional) to enable model development from any directory, independent of C:\openmpp\_win\_20210112 location, do any of:
  - open a Command Prompt window and type the command: setx OM\_ROOT C:\openmpp\_win\_20210112
  - open your model Model.vcrproj file in Notepad and update line:

<OM\_ROOT>C:\openmpp\_win\_20210112</OM\_ROOT>

## • How to: create and debug models on Windows

# OpenM++ Models: desktop? clusters? MPI?

It is recommended to start from desktop version of openM++.

You need to use cluster version of openM++ to run the model on multiple computers in your network, in cloud or HPC cluster environment. OpenM++ is using MPI to run the models on multiple computers. Please check Model Run: How to Run the Model page for more details.

# **Build on Windows**

Tested platforms:

- Windows 10, 11
- · Visual Studio 2022, including Community Edition, Visual Studio 2019 also works, but not tested regularly
- (optional) Microsoft MPI SDK Redistributable Package

Note: It may work on any Windows 7 and above or 2008R2 and above, 32 and 64 bits, with Visual Studio 2017. However we are not testing it on older versions of Windows or Visual Studio.


# Build debug version of the model

You can use any of test models solution, except of modelOne, as starting point to develop your own model. Below we are using NewCaseBased model as example.

To build and run debug version of the model use desktop (non-MPI) version of openM++:

- download and unzip openmpp\_win\_YYYYMMDD.zip Windows desktop binaries into C:\openmpp\_win\_20210112\
- build Debug version of the model using solution: C:\openmpp\_win\_20210112\models\NewCaseBased\NewCaseBased-ompp.sln
- (optional) Rebuild the model and run it:
  - go to menu: Project -> Properties -> Configuration Properties -> OpenM++
  - change: Run Options -> Run the scenario after build -> Yes
  - Rebuild project

At bottom Output window of Visual Studio you will see something like:




# Build cluster version of the model to run on multiple computers over network

Make sure you have latest version of Microsoft MPI SDK and MPI Redistributable installed.

- download and unzip openmpp\_win\_mpi\_YYYYMMDD.zip Windows cluster binaries into C:\openmpp\_win\_mpi\_20180205. Please notice
  name of cluster version archive has *mpi* in it, i.e. openmpp\_win\_mpi\_20180205.zip.
- Rebuild the model and run it:
  - go to menu: Project -> Properties -> Configuration Properties -> OpenM++
  - change: Build Options -> Grid computing (MPI) -> MPI-enabled Executable (MPI)

- change: Run Options -> Number of processes to launch -> use 2 or more (depends on your cluster configuration)
- change: Run Options -> Run the scenario after build -> Yes
- Rebuild Model project

At bottom Output window of Visual Studio you will see something like:




Note: you can build Debug version of the model and run it on cluster, but actual debuging on cluster is far from being trivial.

# Using older versions of Visual Studio

OpenM++ tested on current version of Windows 10 and Visual Studio and it is likely works on previous versions too, but it is not tested. If you experiencing an issues with model build please try below recepies.

#### If you getting link unresolved external symbol errors:

You may get linkage errors if your model obj files incompatible with object files in openM++ library or Microsoft VC++ libraries. For example, build error messages may look like:



1. Clean existing model intermediate files and build model again. Assuming your model directory is C:\openmpp\_win\_20210304\models\RiskPaths then remove following directories:

C:\openmpp\_win\_20210304\models\RiskPaths\ompp\bin\ C:\openmpp\_win\_20210304\models\RiskPaths\ompp\build\ C:\openmpp\_win\_20210304\models\RiskPaths\ompp\src\


- 2. If you are using Visual Studio 2019 or 2017 then recepie above may not solve the problem. In that case you need to rebuild libopenm openM++ model run-time libarary.
- 3. Open solution C:\openmpp\_win\_20210304\openm\openm.sln :

×	Microsoft Visual Studio				
File	-	ig Team Tools Test	· · ·		
	3 - ව 🛛 🔁 🖕 🗳 👘 🤊	- C -	👻 🕨 Attach 👻	₽ =	
Server Explorer	💙 Open Project				×
	$\leftarrow \rightarrow \checkmark \uparrow$ $\rightarrow$ This PC	> Local Disk (C:) > openmpp	p_win_20210304 > openm >	ٽ ~	,○ Search openm
Toolbox	Organize 🔻 New folder				## 🕶 🔲 ?
ax	etc Excel html include lib licenses log models ompp-docker ompp-go ompp-mac ompp-mac ompp-r	^	ibopenm ibsqlite omc openm.xcworkspace	use VS2017 and open solutio C:\openmpp_win_20210304\	
	openm	×		1	
	File name:	openm.sln		~	All Project Files (*.sln;*.dsw;*.vc ∨
					Open 🗲 Cancel

- Rebuild libopenm library:
  - Visual Studio menu -> Build -> Batch Build...
  - select all libopenm projects: Debug / Release / x64 / Win32
  - click on Rebuild

atch Build							?	×
Check the project o	onfigurations to b	uild:						
Project	Configuration	Platform	Solution Config		Build		Build	
ibopenm	Debug	Win32	Debug Win32	Ŷ		$\sim$	Rebuild	
ibopenm	Debug	x64	Debug x64	Ŷ	✓	l	Kebulu	
libopenm	Release	Win32	Release Win32	v	✓		Clean	
ibopenm	Release	x64	Release x64	Ŷ				
ibopenm_omc	Debug	Win32	Debug Win32	Ý				
ibopenm_omc	Debug	x64	Debug x64	Ý			Select All	
libopenm_omc	Release	Win32	Release Win32	Ŷ			Deselect All	
ibopenm_omc	Release	x64	Release x64	Ŷ				
libsqlite	Debug	Win32	Debug Win32	Ŷ				
libsqlite	Debug	x64	Debug x64	Ý				
ei ei	D 1	W: 22	D 1 040 00			$\sim$		

• Open your model solution and do rebuild. It is expected to work and you should be able to debug your model even with Visual Studio 2017:



#### If you getting build error MSB8036:


C:\Program Files (x86)\Microsoft Visual Studio\2017\Community\Common7\IDE\VC\VCTargets\Platforms\Win32\PlatformToolsets\v141\Toolset.targets(34,5): error MSB8036: The Windows SDK version 10.0.14393.0 was not found.

Install the required version of Windows SDK or change the SDK version in the project property pages or by right-clicking the solution and selecting "Retarget solution".

then do one of:

• "Retarget solution"

- use Visual Studio 2019
- install Windows 8.1 SDK and UCRT SDK:



# Linux: Quick Start for Model Users

# Where is OpenM++

- Download:
  - desktop version: binary files and source code openmpp\_debian\_YYYYMMDD.tar.gz
  - cluster version: binary files and source code openmpp\_debian\_mpi\_YYYYMMDD.tar.gz
  - Docker image to run openM++ models: openmpp/openmpp-run:debian
- Documentation: this wiki

It is recommended to start from desktop version of openM++.

You need to use cluster version of openM++ to run the model on multiple computers in your network, in cloud or HPC cluster environment. OpenM++ is using MPI to run the models on multiple computers. Please check Model Run: How to Run the Model page for more details.

You can use Docker containers to avoid installation of multiple additional components in your host computer. Because all necessary software will be installed in container your host system will be clean.

## Run on Linux computer

• download and unpack openM++, i.e.:

wget https://github.com/openmpp/main/releases/download/v1.2.0/openmpp\_debian\_20190508.tar.gz tar xzf openmpp\_debian\_20190508.tar.gz

• run modelOne model with single subsample on local machine:

```
cd openmpp_debian_20190508/models/bin/
./modelOne
```

```
2017-06-06 19:24:53.0747 modelOne
2017-06-06 19:24:53.0763 Run: 105
2017-06-06 19:24:53.0763 Reading Parameters
2017-06-06 19:24:53.0764 Running Simulation
2017-06-06 19:24:53.0765 Writing Output Tables
2017-06-06 19:24:53.0790 Done.
```

run modelOne model with 16 subsamples and 4 threads:

./modelOne -OpenM.Subvalues 16 -OpenM.Threads 4

2017-06-06 19:25:38.0721 modelOne 2017-06-06 19:25:38.0735 Run: 106 2017-06-06 19:25:38.0735 Reading Parameters

2017-06-06 19:25:38.0906 Done.

• run other models (i.e. NewCaseBased, NewTimeBased, RiskPaths):

./NewCaseBased -OpenM.Subvalues 32 -OpenM.Threads 4

• run RiskPaths model with new parameter value CanDie = true and all other parameter values the same as in previous model run:

RiskPaths -Parameter.CanDie true -OpenM.BaseRunId 102

2020-08-14 17:27:48.574 RiskPaths 2020-08-14 17:27:48.610 Run: 103 2020-08-14 17:27:48.618 Sub-value: 0 2020-08-14 17:27:48.628 member=0 Simulation progress=0% cases=0

2020-08-14 17:27:54.883 Done.

• run modelOne to compute modeling task "taskOne":

./modelOne -OpenM.Subvalues 16 -OpenM.Threads 4 -OpenM.TaskName taskOne

2017-06-06 19:27:08.0704 Writing Output Tables 2017-06-06 19:27:08.0812 Done.

• in case if previous model run fail, for example, due to power outage, then it can be "restarted":

./modelOne -OpenM.RestartRunId 1234

output may vary depending on the stage where previous modelOne run failed, but still similar to above.

### Run on multiple computers over network, in HPC cluster or cloud

• make sure you have MPI run-time installed and ready to use. For example, on RedHat you may need to load it by following commands:

module load mpi/openmpi-x86\_64

As an alternative to MPI installation you can pull Docker image docker pull openmpp/openmpp-run:debian to run models inside the container (see below).

• download and unpack cluster version of openM++, i.e.:

wget https://github.com/openmpp/main/releases/download/v1.2.0/openmpp\_debian\_mpi\_20190508.tar.gz tar xzf openmpp\_debian\_mpi\_20190508.tar.gz

please notice name of cluster version archive has *mpi* in it, i.e. openmpp\_debian\_mpi\_20190508.tar.gz

• run modelOne model with single subsample on local machine:

cd openmpp\_debian\_mpi\_20190508/models/bin/ ./modelOne\_mpi

2017-06-06 19:30:52.0690 Run: 105 2017-06-06 19:30:52.0690 Reading Parameters 2017-06-06 19:30:52.0691 Running Simulation 2017-06-06 19:30:52.0691 Writing Output Tables 2017-06-06 19:30:52.0716 Done.

• run two instances of modelOne to compute 16 subsamples and 4 threads:

mpiexec -n 2 modelOne\_mpi -OpenM.Subvalues 16 -OpenM.Threads 4

2017-06-06 19:43:01.0800 Writing Output Table: 2017-06-06 19:43:01.0878 Done. 2017-06-06 19:43:01.0880 Done.

• run other models (i.e. NewCaseBased, NewTimeBased, RiskPaths):

It is recommended to install SLURM or Torque to simplify your computational resources management rather than using mpiexec as above. It is also possible to use Google Cloud, Amazon or even Microsoft Azure cloud where compute nodes available for you on demand.

## Run models using Docker container

- make sure you have Docker installed, for example, on Ubuntu: sudo apt-get install docker .
- pull Docker image:

docker pull openmpp/openmpp-run:debian

- image build for user ompp, UID=1999, GID=1999 and you may need to do one of:
  - add same user ompp, UID=1999, GID=1999 to your host system and login as user ompp
  - or as shown below use environment variables OMPP\_\* to map your current user name, UID, GID, HOME to container user
- download and unpack cluster version of openM++, i.e.:

```
wget https://github.com/openmpp/main/releases/download/v1.2.0/openmpp_debian_mpi_20200621.tar.gz tar xzf openmpp_debian_mpi_20200621.tar.gz
```

please notice name of cluster version archive has mpi in it, i.e. openmpp\_debian\_mpi\_20200621.tar.gz

• run modelOne model with single subsample on local machine:

```
docker run \
-v $HOME/models/bin:/home/models \
-e OMPP_USER=models -e OMPP_GROUP=models -e OMPP_UID=$UID -e OMPP_GID=`id -g` \
openmpp/openmpp-run:debian \
./modelOne_mpi
```

```
2017-06-06 19:30:52.0690 Run: 105
2017-06-06 19:30:52.0690 Reading Parameters
2017-06-06 19:30:52.0691 Running Simulation
2017-06-06 19:30:52.0691 Writing Output Tables
2017-06-06 19:30:52.0716 Done.
```

For explanation of:

```
-v $HOME/models/bin:/home/models \
-e OMPP_USER=models -e OMPP_GROUP=models -e OMPP_UID=$UID -e OMPP_GID=`id -g` \
```

please take a look at User, group, home\_directory topic.

• run two instances of modelOne to compute 16 subsamples and 4 threads:

```
docker run \
-v $HOME/models/bin:/home/models \
-e OMPP_USER=models -e OMPP_GROUP=models -e OMPP_UID=$UID -e OMPP_GID=`id -g` \
openmpp/openmpp-run:debian \
mpiexec -n 2 modelOne_mpi -OpenM.Subvalues 16 -OpenM.Threads 4
```

2017-06-06 19:43:01.0880 Done.

• run other models (i.e. NewCaseBased, NewTimeBased, RiskPaths):

docker run \ ....user, UID, GID, HOME.... \ openmpp/openmpp-run:debian \ mpiexec -n 8 NewCaseBased\_mpi -OpenM.Subvalues 64 -OpenM.Threads 4

# Linux: Quick Start for Model Developers

# Where is OpenM++

- Download:
  - desktop version: binary files and source code openmpp\_debian\_YYYYMMDD.tar.gz
  - cluster version: binary files and source code openmpp\_debian\_mpi\_YYYYMMDD.tar.gz
- How to: create and debug models on Linux

It is recommended to start from desktop version of openM++.

You need to use cluster version of openM++ to run the model on multiple computers in your network, in cloud or HPC cluster environment. OpenM++ is using MPI to run the models on multiple computers. Please check Model Run: How to Run the Model page for more details.

# **Build on Linux**

Tested platforms:

- Debian stable (12) 11 and 10, MX Linux 23, 21 and 19, Ubuntu 22.04, RedHat 9+
- g++ >= 8.3
- (optional) MPI, i.e.: OpenMPI >= 3.1 or MPICH (other MPI implementations expected to work but not tested)
- (optional) OpenMPI >= 4.0 on RedHat >= 8.3 (OpenMPI was broken on RedHat 8.1)

Note: It does work on most of latest Linux distributions, we just not testing regularly on every Linux version.

It is also occasionally tested on openSUSE, Mint, Manjaro, Solus and others.

It is not supported, but may also work on older versions, for example Ubuntu 20.04, Ubuntu 18.04 and RedHat 8.

# Build on Ubuntu 20.04

There is a minor incompatibility of shared libraries between Ubuntu 20.04 and Debian 10. As result you need to rebuild our model run-time libraries before building you own model:

• download and unpack openM++ into any folder:

```
wget https://github.com/openmpp/main/releases/download/v1.8.6/openmpp_debian_20210415.tar.gz tar xzf openmpp_debian_20210415.tar.gz
```

• rebuild model run-time libraries:

```
cd openmpp_debian_20210415/openm
wget https://github.com/openmpp/main/releases/download/v1.8.6/openmpp_debian_20210415.tar.gz
tar xzf openmpp_debian_20210415.tar.gz
```

# Build debug version of the model

You can use any of test models makefile, except of modelOne, as starting point to develop your own model. Below we are using NewCaseBased model as example.

To build and run debug version of the model use desktop (non-MPI) version of openM++:

• check your g++ --version:

```
g++ (Debian 8.3.0-6) 8.3.0
g++ (Ubuntu 9.3.0-10ubuntu2) 9.3.0
g++ (GCC) 8.3.1 20191121 (Red Hat 8.3.1-5)
```

download and unpack openM++

wget https://github.com/openmpp/main/releases/download/v1.8.3/openmpp\_debian\_20210304.tar.gz tar xzf openmpp\_debian\_20210304.tar.gz

 build debug version of NewCaseBased model and "publish" it ("publish" do create NewCaseBased.sqlite database with default input data set)

```
cd openmpp_debian_20210304/models/NewCaseBased/
make all publish
```

run the model

cd ompp-linux/bin ./NewCaseBasedD

## Build release version of the model

Make executable, "publish" and run NewCaseBased test model:

```
cd openmpp_debian_20210304/models/NewCaseBased/
make RELEASE=1 clean-all
make RELEASE=1 all publish
cd ompp-linux/bin
./NewCaseBased
```

# Rebuild all test models

Make executables, "publish" (create model.sqlite database file) and run all test models:

```
cd openmpp_debian_20210304/models/
make RELEASE=1 clean-all
make RELEASE=1 all publish run publish-all
```

results are in openmpp\_debian\_20210304/models/bin directory

## OM\_ROOT: How to separate model folder and openM++ release folder

If you want to keep model development folder(s) outside of openM++ release directory then set **OM\_ROOT** environment variable to specify openM++ release location. For example if your model is in **\$HOME/my-models/BestModel** then to build it do any of:

```
cd my-models/BestModel

OM_ROOT=openmpp_debian_20210304 make all publish run

Or edit $HOME/my-models/BestModel/makefile to set OM_ROOT :

ifndef OM_ROOT

OM_ROOT = $(HOME)/openmpp_debian_20210304

endif
```

Or add export OM\_ROOT=\$HOME/openmpp\_debian\_20210304 into your .bash\_profile

## Build cluster version of the model to run on multiple computers over network

Make sure you have MPI installed and configured. For example, on RedHat you may need to load MPI module: module load mpi/openmpi-x86\_64

download and unpack cluster version of openM++, i.e.:

wget https://github.com/openmpp/main/releases/download/v1.8.3/openmpp\_debian\_mpi\_20210304.tar.gz tar xzf openmpp\_debian\_mpi\_20210304.tar.gz

please notice name of cluster version archive has *mpi* in it, i.e. openmpp\_debian\_mpi\_20210304.tar.gz

• make executable and "publish" (create model.sqlite database file) of NewCaseBased test model:

cd openmpp\_debian\_mpi\_20210304/models/NewCaseBased/ make RELEASE=1 OM\_MSG\_USE=MPI all publish

• run 3 instances of NewCaseBased on 3 hosts to compute 16 subsamples using 4 threads

#### cd ompp-linux/bin

mpirun -n 3 -H omm,om1,om2 NewCaseBased\_mpi -OpenM.Subvalues 16 -OpenM.Threads 4

You can use any of test models makefile, except of modelOne, as starting point to develop your own model.

# MacOS: Quick Start for Model Users

# Where is OpenM++

- Download latest binary files and source code: openmpp\_mac\_YYYYMMDD.tar.gz
- Documentation: this wiki

You can have multiple versions of openM++ installed on your computer. OpenM++ distributed as tar.gz archive, you can unpack into any directory and it is ready to use. In the documentation that directory called OM ROOT.

OpenM++ does not update any system shared resources and you can remove it any time by simply deleting openM++ directory.

It is possible to run openM++ models:

- from terminal command line as described below
- using openM++ UI on your local computer: UI: openM++ user interface
- from Xcode model debug session: MacOS: Quick Start for Model Developers

On Linux and/or Windows you also can run model in cloud or on high perfomance cluster (HPC). Please also check Model Run: How to Run the Model page for more details.

# Run openM++ models from terminal command line

• download and unpack openM++ using Safari or, for example, curl:

```
curl -L -o om.tar.gz https://github.com/openmpp/main/releases/download/v1.6.0/openmpp_mac_20200621.tar.gz tar xzf om.tar.gz
```

• run modelOne model with single sub-sample on local machine:

```
cd openmpp_mac_20200621/models/bin/
./modelOne
```

2017-06-06 19:24:53.0747 modelOne 2017-06-06 19:24:53.0763 Run: 105 2017-06-06 19:24:53.0763 Reading Parameters 2017-06-06 19:24:53.0764 Running Simulation 2017-06-06 19:24:53.0765 Writing Output Tables 2017-06-06 19:24:53.0790 Done.

• run modelOne model with 16 sub-samples and 4 threads:

./modelOne -OpenM.Subvalues 16 -OpenM.Threads 4

• run other models (i.e. NewCaseBased, NewTimeBased, RiskPaths):

./NewCaseBased -OpenM.Subvalues 32 -OpenM.Threads 4

• run RiskPaths model with new parameter value CanDie = true and all other parameter values the same as in previous model run:

RiskPaths -Parameter.CanDie true -OpenM.BaseRunId 102

2020-08-14 17:27:48.574 RiskPaths 2020-08-14 17:27:48.610 Run: 103 2020-08-14 17:27:48.618 Sub-value: 0 2020-08-14 17:27:48.628 member=0 Simulation progress=0% cases=0

2020-08-14 17:27:54.883 Done.

• run modelOne to compute modeling task "taskOne":

./modelOne -OpenM.Subvalues 16 -OpenM.Threads 4 -OpenM.TaskName taskOne

2017-06-06 19:27:08.0401 modelOne 2017-06-06 19:27:08.0421 Run: 107 2017-06-06 19:27:08.0421 Reading Parameters

2017-06-06 19:27:08.0593 Run: 108 2017-06-06 19:27:08.0593 Reading Parameters

2017-06-06 19:27:08.0704 Writing Output Tables 2017-06-06 19:27:08.0812 Done.

• in case if previous model run fail, for example, due to power outage, then it can be "restarted":

```
./modelOne -OpenM.RestartRunId 1234
```

output may vary depending on the stage where previous modelOne run failed, but still similar to above.

# MacOS: Quick Start for Model Developers

# Where is OpenM++

- Download: latest binary files and source code
- How to: create and debug models on MacOS

Also, please check Model Run: How to Run the Model page for more details.

# **Prerequisites**

- Tested on: tested on MacOS latest, may work starting from Catalina 10.15 and Big Sur 11.1+
- Install Xcode and command line developer tools, if not installed already by Xcode: xcode-select --install .
- (optional) Install Visual Studio Code for cross-platform development: https://code.visualstudio.com/docs/?dv=osx
- Check if clang, make and sqlite3 are installed on your computer:

g++version
 Apple clang version 11.0.0 (clang-1100.0.33.12)
makeversion
 GNU Make 3.81
sqlite3version
 3.28.0 2019-04-15 14:49:49

## MacOS security issue

Make sure you are using tight security settings on your Mac and antivirus software, if necessary. We are trying our best to keep development machines clean, but cannot provide any guarantee.

On Big Sur it is very likely to get an security error when you are trying to run any downloaded executable:

? "oms" annot be opened because the developer cannot be verified.						
macOS cannot verify that this app is free from malware.						
Safari downloaded this file today at 12:10 AM from github- releases.githubusercontent.com						
Move to Trash	Cancel					

- please reply "Cancel" to that question (click "Cancel" button).
- remove quarantine attribute from openM++ installation directory, for example:

xattr -r -d com.apple.quarantine ~/openmpp\_mac\_20200621

# Build debug version of the model from terminal command line

You can use any of test models makefile, except of modelOne, as starting point to develop your own model. Below we are using NewCaseBased model as example.

#### To build and run debug version of the model:

• download and unpack latest openM++ release using Safari or curl:

curl -L -o om.tar.gz https://github.com/openmpp/main/releases/download/v1.6.0/openmpp\_mac\_20200621.tar.gz tar -xzf om.tar.gz

• remove quarantine attribute from openM++ installation directory:

xattr -r -d com.apple.quarantine openmpp\_mac\_20200621

 build debug version of NewCaseBased model and "publish" it ("publish" do create NewCaseBased.sqlite database with default input data set)

cd openmpp\_mac\_20200621/models/NewCaseBased/ make all publish

· run the model

cd ompp-mac/bin ./NewCaseBasedD

• you can also build and run the model using make:

2017-06-06 19:59:12.0520 Done

# Build release version of the model from terminal command line

Make executable, "publish" and run NewCaseBased test model:

```
cd openmpp_mac_20200621/models/NewCaseBased/
make RELEASE=1 clean-all
make RELEASE=1 all publish
cd ompp-mac/bin
./NewCaseBased
```

# Rebuild all test models

Make executables, "publish" (create model.sqlite database file) and run all test models:

```
cd openmpp_mac_20200621/models/
make RELEASE=1 clean-all
make RELEASE=1 all publish run publish-all
```

results are in openmpp\_mac\_20200621/models/bin directory

## OM\_ROOT: How to separate model folder and openM++ release folder

If you want to keep model development folder(s) outside of openM++ release directory then set **OM\_ROOT** environment variable to specify openM++ release location. For example if your model is in **\$HOME/my-models/BestModel** then to build it do any of:

cd my-models/BestModel OM\_ROOT=openmpp\_mac\_20200621 make all publish run


Or edit \$HOME/my-models/BestModel/makefile to set OM\_ROOT :

```
ifndef OM_ROOT
OM_ROOT = $(HOME)/openmpp_mac_20200621
endif
```

Or add export OM\_ROOT=\$HOME/openmpp\_mac\_20200621 into your .zprofile

## Build openM++ sample model using Xcode

Download and unpack latest openM++ release using Safari or curl:




Use menu to select Product -> Scheme -> NewCaseBased:

Known issue: Xcode UI may not update check mark on selected scheme. To fix it go to Product -> Scheme -> Manage Schemes and use mouse to drag any scheme to move it up or down.

<b>É Xcode</b> File Edit View Find	Navigate Editor	Product Debug	Source Control	Window Help		Ç, Fri
O O O D NewCaseBase	d 🔪 🕎 My Mac	<b>Run</b> Test	<b>Ж</b> R Ж U		<u>▲</u> 1	
	문 < > 🛅 Model	Profile	жı		< 🗛 > 🕞	0 1
▶ 🔄 libopenm ?		Analyze Archive	ΰжв	Resource Tags Build Settings Build Pha	ases Build Rules	Identity and Type
▶ 🖹 libsqlite ?	PROJECT	Archive				Name Model
V Model ?	Model	Build For	►			Location Relative to Workspace
▼ code	TARGETS	Perform Action	►			Model.xcodeproj 📷
h custom.h	NewCaseBased	Build	жв	Choose Info.plist File		Full Path /Users/anatoly/ompp-main/
PersonCore.mpp		Clean Build Folde				models/NewCaseBased/ Model.xcodeproj
model_info.mpp		Stop	ж.			
h custom_early.h		Scheme		Choose Scheme ^ 0		Project Document
h case_based.h		Destination		Select Next Scheme ^#]		Project Format Xcode 11.0-compatible 🗘
model_core.mpp		Test Plan	►	Select Previous Scheme ^#[		Organization openmpp
modgen_case_based.mpp		Create Bot		Edit Scheme #<		Class Prefix
c. custom.cpp		N			mbed	Text Settings
Xcode-src			libiconv.tbd	Manage Schemes		Indent Using Spaces
Model.xcconfig ?			liblibopenm.a	Convert Scheme to use Test Plans		Widths 4 C 4 C
V Products			liblibsqlite.a	libopenm		Tab Indent
NewCaseBased				libsglite		V wrap lines
Frameworks			✓ NewCaseBased			
		Tevelopme	nt Assets		2	
	Add development assets here					
			- Add fol	lders, groups, or individual assets for use during de	evelopment	

Build, debug and run openM++ example model(s) using Xcode.

Open model UI (beta) to update parameters, run the model and view results. To start model UI after build completed please change Model.xcconfig variable START\_OMPP\_UI to "1" or "true" or "yes" (case-sensitive). Please see details at: Start model UI on MacOS from Xcode



# Install VSCode

It is convenient to use the same Visual Studio Code IDE if you need to develop on openM+++ models on multiple platforms (Linux, MacOS and Windows). To install VSCode on MacOS and configure for openM++ development do following:

- Download it from: https://code.visualstudio.com/docs/?dv=osx
- Start Visual Studio Code.app and install extension ms-vscode.cpptools : C/C++ for Visual Studio Code (Microsoft)

• Define .ompp and .mpp file extensions as c++ files by using menu: Code -> Preferences -> Settings -> Text Editor -> Files -> Associations -> Edit in settings.json:

{     "files.associations": {         "*.mpp": "cpp",         "*.ompp": "cpp"     } }	
1	

Code File Edit Selection View	Go Run Terminal Window Help
	Settings — openmpp_mac_20200621
	E Settings × the set of the set
✓ OPEN EDITORS	Search settings
> × ≣ Settings	search settings =×
<pre>&gt; OPENMPP_MAC_20200621 &gt; models &gt; bin &gt; IDMM &gt; log &gt; microdata &gt; modelOne</pre>	User Workspace Commonly Used V Text Editor Cursor Find Cursor Find Cursor Find Cursor(ill prescriptions to logger (ill prescriptions to logger) (in the second seco
NewCaseBased	Font       Configure file associations to languages (e.g. "*.extension": "html"). These have precedence over the default associations of the languages installed.         Formatting       Diff Editor         Minimap       Edit in settings.json
C custom.h	Suggestions Auto Guess Encoding
C custom_early.h ≣ languages.mpp ≣ model_core.mpp	Files       When enabled, the editor will attempt to guess the character set encoding         > Workbench       when opening files. This setting can also be configured per language.         > Window       Window
is model_info.mpp is modgen_case_based.mpp is ompp_framework.ompp is PersonCore.mpp Nodel use densei	<ul> <li>&gt; Features</li> <li>&gt; Application</li> <li>&gt; Extensions</li> <li>Auto Save</li> <li>Controls auto save of dirty editors. Read more about autosave here.</li> <li>off ~</li> </ul>

Ś	Code File Edit Selection View	Go Run Terminal Window Help	
•		settings.json — openmpp_mac_20200621	
G	EXPLORER	E Settings () settings.json •	
ρ	✓ OPEN EDITORS 1 UNSAVED E Settings	Users > anatoly > Library > Application Support > Code > User > {} settings.json > {} files.associations  1 { 2   4   5   5   5   5   5   5   5   5   5   5	т
ego	• () settings.json ~/Library/Application • OPENMPP_MAC_20200621 • models	2 "files.associations": { 3 "*.mpp": "cpp", 4 "*.ompp": "cpp" 5 }.	i
a⊂ a	> bin > IDMM	<pre>     "workbench.colorTheme": "Default Light+"     } </pre>	
₿	> log > microdata > modelOne ~ NewCaseBased		
	<ul><li>✓ NewCaseBased</li><li>✓ code</li></ul>		

# Model Run: How to Run the Model

# OpenM++ model run overview

It is recommended to start from single desktop version of openM++.

OpenM++ models can be run on Windows and Linux platforms, on single desktop computer, on multiple computers over network, in HPC cluster or cloud environment (i.e. Google Cloud, Microsoft Azure, Amazon,...).

You need to use cluster version of openM++ to run the model on multiple computers in your network, in cloud or HPC cluster environment. OpenM++ is using MPI to run the models on multiple computers.

By default openM++ model runs with one sub-value and in single thread, which is convenient to debug or study your model. There are following options to run openM++ model:


- "default" run: one sub-value and single thread
- "desktop" run: multiple sub-values and multiple threads
- "restart" run: finish model run after previous failure (i.e. power outage)
- "task" run: multiple input sets of data (a.k.a. multiple "scenarios" in Modgen), multiple sub-values and threads
- "cluster" run: multiple sub-values, threads and model process instances runs on LAN or cloud (required MPI)
- "cluster task" run: same as "cluster" plus multiple input sets of data (required MPI)

Please also check Model Run: How model finds input parameters for more details.

# Sub-values: sub-samples, members, replicas

Following terms: "simulation member", "replica", "sub-sample" are often used in micro-simulation conversations interchangeably, depending on context. To avoid terminology discussion openM++ uses "sub-value" as equivalent of all above and some older pages of that wiki may contain "sub-sample" in that case.

## Default run: simplest




If no any options specified to run the model then

- all parameters are from default input data set
- single thread is used for modeling
- only one sub-value calculated

modelOne.exe

It is most simple way to debug your model.

## Desktop run: model run on single computer




If only single computer available then

- user can specify which set of input data to use (by set name or id)
- number of sub-values to calculate
- number of modeling threads to use

modelOne.exe -OpenM.SetName modelOne -OpenM.SubValues 16 -OpenM.Threads 4

After model run completed user can repeat it with modified parameter(s) values:

model.exe -Parameter.Ratio 0.7 -OpenM.BaseRunId 7 -OpenM.SubValues 16 -OpenM.Threads 4




Command above will run the model with new value for parameter Ratio = 0.7 and use the rest of parameters from previous model run (a.k.a. "base" run). Base run can be identified by run id, which is 7 in example above, by run digest or run name. Please see Model Run: How model finds input parameters for more details.

# Restart run: finish model run after previous failure

If previous model run was not completed (i.e. due to power failure or insufficient disk space) you can restart it by specifying run id:

modelOne.exe -OpenM.RestartRunId 11

Task run: multiple sets of input data



Modeling task consists of multiple sets of input data and can be run in batch mode. For example, it is make sense to create modeling task to Run RiskPaths model from R with 800 sets of input data to study Childlessness by varying


- Age baseline for first union formation
- Relative risks of union status on first pregnancy

RiskPaths.exe -OpenM.TaskName Childlessness -OpenM.SubValues 8 -OpenM.Threads 4


Run of such modeling task will read 800 input sets with set id [1, 800] and produce 800 model run outputs with run id [801, 1600] respectively.

#### Dynamic task run: wait for input data

It is possible to append new sets of input data to the task as it runs. That allow you to use some optimization methods rather than simply calculate all possible combinations of input parameters. In that case modeling task does not completed automatically but wait for external "task can be completed" signal. For example:



# Cluster run: model run on multiple computers



You use MPI to run the model on multiple computers over network or in cloud or on HPC cluster. For example, to run 4 instances of modelOne.exe with 2 threads each and compute 16 sub-values:

mpiexec -n 4 modelOne.exe -OpenM.Threads 2 -OpenM.SubValues 16

Please notice, usage of "mpiexec -n 4 ...." as above is suitable for test only and you should use your cluster tools for real model run.

## Cluster task: run modeling task on multiple computers

Modeling task with 1000x input data sets can take long time to run and it is recommended to use cluster (multiple computers over network) or cloud, such as Google Compute Engine, to do that. For example, RiskPaths task above can be calculated much faster if 200 servers available to run it:

mpiexec -n 200 RiskPaths.exe -OpenM.TaskName Childlessness -OpenM.SubValues 16 -OpenM.Threads 4

Please notice, usage of "mpiexec -n 200 ...." as above is suitable for test only and you should use your cluster tools for real model run.

Dynamic task: you can use -OpenM.TaskWait true argument as described above to dynamically change task as it runs.

# **MIT License, Copyright and Contribution**

# OpenM++ is a Free and Open Source Software

OpenM++ is a free and open source software, licensed under MIT License.

It is free to use, copy, modify, merge, publish, distribute, sublicense, and/or sell this software, for any purpose, commercial or noncommercial.

All openM++ code has been written from scratch and not been taken from other projects.

To find out more about openM++ license please refer:

- MIT License
- open source licenses
- Wiki article on MIT License

# **OpenM++ License**

The MIT License (MIT)

Copyright (c) 2013 OpenM++ Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# Copyright Holders for OpenM++

OpenM++ includes contributions by various people and organizations. All OpenM++ contributors retain copyright on their contributions, but agree to release it under the same license as OpenM++.

# Contribute to OpenM++

OpenM++ is currently in an intensive foundational development phase of (mostly) full-time developers, which precludes most independent incremental fixes or enhancements. Nevertheless, if you or your organization would like to join and contribute to OpenM++ in this phase, please contact us at openmpp99@gmail.com.

To contribute to OpenM++, we also require that you send us an email indicating that you accept the Developer's Certificate of Origin (DCO). Basically, the DCO affirms that you have the right to make contributions under the open source license of OpenM++. For more information on DCO's see Contributor Agreements. Here's the text of the DCO used for OpenM++ (taken from the Linux DCO). Developer Certificate of Origin Version 1.1

Copyright (C) 2004, 2006 The Linux Foundation and its contributors. 660 York Street, Suite 102, San Francisco, CA 94110 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Developer's Certificate of Origin 1.1

By making a contribution to this project, I certify that:

- (a) The contribution was created in whole or in part by me and I have the right to submit it under the open source license indicated in the file; or
- (b) The contribution is based upon previous work that, to the best of my knowledge, is covered under an appropriate open source license and I have the right under that license to submit that work with modifications, whether created in whole or in part by me, under the same open source license (unless I am permitted to submit under a different license), as indicated in the file; or
- (c) The contribution was provided directly to me by some other person who certified (a), (b) or (c) and I have not modified it.

(d) I understand and agree that this project and the contribution are public and that a record of the contribution (including all personal information I submit with it, including my sign-off) is maintained indefinitely and may be redistributed consistent with this project or the open source license(s) involved.

The email must contain the DCO text above and indicate your acceptance. Also include the Source Forge user name you will be using for your contributions to OpenM++. If you are contributing as an employee, use your organizational email address and ensure that your hierarchical supervisor(s) are on the CC. If you are not the IP owner of your contributions, provide the name of the organization which is, e.g. Government of Canada.

Your email will be archived and a copy will be placed in the project repository to document the provenance of the contributions you make using your GitHub user ID. Your name will be added to the AUTHORS.txt file of the project. If applicable, the AUTHORS.txt will also indicate that your organization is a contributor and holds copyright to portions of OpenM++.

## Usage of other software in OpenM++

As any other product openM++ is using software libraries licensed under different terms. For example, if you choose to use SQLite as openM++ embedded database then SQLite Public Domain license is applied to SQLite portion of openM++. Or, in case of libiconv library, openM++ is using it under LGPL v3.0 license.

# **Build Files**

Some intermediate development files used as part of openM++ build process also fall under other licenses. For example, Microsoft Visual Studio project files or GNU make files. Nothing from such intermediate files ever reaches the final openM++ deliverable and the licenses associated with those building tools should not be a factor in assessing your rights to copy and use openM++.

# Model Code: Programming a model

### Home > Model Development Topics > Model Code

This topic contains general information about the source code of an OpenM++ model. It describes model source code in broad terms, the contents of the model source code folder, and the Default scenario. It also briefly outlines the build process which transforms model source code and a Default scenario into an executable and accompanying database.

## **Topic contents**

- Coding a model
- Code folder and source files
- Doc folder and documentation files
- Source file content
- Default scenario
- Model build
- Hiding syntactic islands

*Modgen-specific*: References to Modgen in this documentation refer to the Statistics Canada Modgen > platform. In this wiki, a model with common source code from which either a Modgen executable or an OpenM++ executable can be built is called a *cross-compatible model*. Wiki content apecific to existing Modgen users, cross-compatible models, or models originally developed in Modgen is highlighted *Modgen-specific* in the text.

# Coding a model

OpenM++ models are written in two languages: the OpenM++ language and the C++ language. The OpenM++ language is used to specify the *declarative* aspects of a model, for example the model's classifications, parameters, entities, attributes, events, tables, labels, and notes. The C++ language is used to specify the *procedural* aspects of a model, for example the sequentially executed statements which change an entity's attributes when an event occurs in the simulation.

### The OpenM++ language

The OpenM++ language consists of declarative statements. The location and ordering of those statements in model source code files is arbitrary and has no effect on the model specification. This provides a high level of modularity in model source code which can be particularly useful in large and complex models.

A statement in the OpenM++ language starts with an opening keyword which specifies the nature of the declaration and ends with a closing ;. The syntax between the opening keyword and the closing ; depends on the nature of the declaration.

For example, the classification keyword is used to declare a named ordered list of symbolic values:

```
classification SEX //EN Sex
{
    //EN Male
    MALE,
    //EN Female
    FEMALE
};
```

This example declares an OpenM++ classification named SEX. It has two possible values MALE and FEMALE. The declaration of SEX means that SEX can be used as the dimension of a parameter or table, or as the type (characteristic) of an attribute of an entity in the simulation.

The OpenM++ language also recognizes specially formatted *u* and *m*...\*/ comments. Recognized comments are optional and do not affect the model specification. They contain textual information stored with the model which can be used to produce more human-readable input and output and a generated user interface for the model. OpenM++ is multilingual, and the human language of the textual information is specified inside the comment using a two-letter code.

The *IVEN* comments in the example provide English-language labels for the **SEX** classification and its values. These labels will appear in the user interface of the model, for example as row or column headings and labels of multi-dimensional parameters and tables.

### The C++ language in model code

The C++ language portion of model code consists mostly or entirely of C++ function definitions. Here's an example:

```
// The implement function of MortalityEvent
void Person::MortalityEvent()
{
    alive = false;
    // Remove the entity from the simulation.
    Finish();
}
```

This C++ model code defines the function which implements mortality in the simulation. The Person entity, its attribute alive, its event MortalityEvent, and the helper function Finish are all declared elsewhere in the OpenM++ language code of the model.

Typically only a small, limited portion of the C++ language is used in model code. Note that it is usually neither useful nor recommended for a model developer to create C++ classes and class hierarchies in model code. The C++ classes and objects required for simulation are pregenerated by OpenM++ from the model specification given in the OpenM++ language.

The C++ language elements most used in model code are expressions at to compute values, assignments at to store those values, if statements at to implement branching logic, and for statements or range for a statements for iteration. C++ functions are used to specify when events occur and what happens when they do. Functions are also used to compute derived parameters and derived tables. Functions can also be used facultatively to organize code in complex models.

The C++ standard library can be used in model code. It includes useful and powerful components such as array A and vector A in the containers A library, and supports string operations.

The limited dialect of C++ used for coding models can be explored by perusing the source code of existing models and referring to comprehensive C++ documentation  $\nearrow$  when necessary, or to the many C++ tutorials available on the web.

*Modgen-specific*: Unlike Modgen, OpenM++ does not modify the C++ language portions of model code. This provides logical clarity and allows an IDE and other tools to function correctly with the C++ code of a model.

### Model symbols in OpenM++ and C++

Many of the named symbols declared in the OpenM++ code of a model are transformed by OpenM++ into identically named C++ symbols for use in the C++ code of the model. The alive attribute of the Person entity in the previous example is such a symbol. These C++ symbols can usually be used transparently in C++ model code even though they may be implemented as more complex C++ objects 'under the hood'. So, when alive is assigned the value false in the example, the C++ symbol alive will silently implement side-effects to update any tables, derived attributes, or events which depend on the change in its value. Incidentally, these wrapped objects have no memory overhead (the alive attribute consumes a single byte of memory) and little computational overhead.

There are some situations where the objects which implement entity attributes can produce unexpected C++ compiler error messages in C++ model code. For more on this issue and how to address it, see Entity Attributes in C++.

#### Model functions in OpenM++ and C++

OpenM++ ignores function definitions in the C++ language portions of model code, with several exceptions:

- Event time function definitions in model code are parsed by OpenM++ to determine which attributes can affect the event time. An event time function will be called to recompute the event time if any of those attributes change value.
- PreSimulation function definitions are recognized by OpenM++ and will be called before the simulation starts. PreSimulation functions are used to validate input parameters and assign values to derived parameters.
- UserTables function definitions are recognized by OpenM++ and will be called after the simulation completes. UserTables functions are used to compute the values of derived tables.

#### [back to topic contents]

## Code folder and source files

The source code of an OpenM++ model is in one or more source files (also called modules) located in a single model code folder, eg Alpha2/code for the Alpha2 model. Each model source file has a name and extension which determine its language and role when the model is built, as follows:

- \*.h C++ header files included by other source files.
- \*.cpp C++ source files, can also contain OpenM++ code NOT YET IMPLEMENTED
- \*.mpp OpenM++ source files, can also contain C++ code
- \*.ompp OpenM++ source files, can also contain C++ code
- Modgen-specific: modgen\_\*.mpp Modgen source files explicitly ignored by OpenM++

*Modgen-specific*: Only model source files with the .mpp extension are recognized by Modgen. The names and extensions \*.ompp and modgen\_\*.mpp allow selected model source code files to be processed exclusively by OpenM++ or exclusively by Modgen. This can be useful in cross-compatible models. For example, tables which use the median statistic (which is not supported by Modgen) could be declared in a model source file named OrdinalStatistics.ompp. Those tables would be present in the OpenM++ version of the model, but absent in the Modgen version. Declaring those tables in a file with extension .ompp means that they will not cause Modgen to stop with a syntax error when building the Modgen version of the model.

The following model-specific source files must be present:

- custom.h C++ header file containing model-specific declarations.
- custom\_early.h C++ header file containing model-specific declarations early in header file inclusion order.

The following model source files are present, by convention:

- ompp\_framework.ompp Model-specific source file containing use statements which specify the names of framework source code modules to be incorporated when the model is built. Framework source code modules are supplied with OpenM++ and are located in the OM\_ROOT/use folder. For more information, see OpenM++ Framework Library.
- ompp\_options.ompp Model-specific source file containing options statements which specify commonly modified model options, such as Model Documentation options.

Some source files in the OpenM++ model code folder have fixed names and fixed content. Typically a model developer copies them to the model code folder from an example model in the OpenM++ distribution, for example from OM\_ROOT/models/NewCaseBased/code or OM\_ROOT/models/NewTimeBased/code . They are:

- case\_based.h Model-independent declaration of a structure present in case-based models, included in custom.h.
- *Modgen-specific*: modgen\_case\_based.mpp Model-independent implementation of the simulation core of a case-based Modgen model.
- Modgen-specific: modgen\_time\_based.mpp Model-independent implementation of the simulation core of a time-based Modgen model.

#### [back to topic contents]

### Doc folder and documentation files

The human language documentation of an OpenM++ model can be embedded in the model source code in Label and Note comments or in files in a single model documentation folder, e.g. RiskPaths/doc for the RiskPaths model. Each model documentation file has a name and extension which determine its language and role when model documentation is built, for example:

- NOTE.SymbolName.EN.md Markdown file documenting the model symbol SymbolName in English.
- NOTE.SymbolName.FR.md Markdown file documenting the model symbol SymbolName in French.
- LABEL.SymbolName.EN.txt Text file containing the label of the model symbol SymbolName in English.
- LABEL.SymbolName.FR.txt Text file containing the label of the model symbol SymbolName in French.
- Home.EN.md Markdown file containing the Home topic of the Authored Model Documentation in English.
- Home.FR.md Markdown file containing the Home topic of the Authored Model Documentation in French.
- TopicName.EN.md Markdown file containing the autonomous authored topic TopicName in English.
- TopicName.FR.md Markdown file containing the autonomous authored topic TopicName in English.
- \*.pdf Auxiliary downloadable PDF documentation file

See Model Documentation for more about model documentation.

#### [back to topic contents]

## Source file content

A model source file can contain only C++ content, only OpenM++ language content, or a mixture of both. OpenM++ uses keywords at the outermost level of code to recognize OpenM++ *syntactic islands* which contain declarative information about the model. Here's an example of an OpenM++ syntactic island in a model source file:

parameters {
//EN Annual hazard of death
double MortalityHazard;
/* NOTE(MortalityHazard, EN)
A constant hazard of death results in an exponential survival function.
*/
};

This syntactic island starts with the OpenM++ keyword parameters and ends with the terminating ;.

All code outside of a syntactic island is C++ code. When processing .mpp and .ompp model code files, OpenM++ extracts all C++ code found outside of syntactic islands and assembles it into the single C++ file src/om\_developer.cpp for subsequent processing by the C++ compiler. By default, OpenM++ inserts #line directives > into this file so that any errors or warnings from the C++ compiler will refer back to the original model source file and line rather than to the assembled file src/om\_developer.cpp.

When processing a <u>.opp</u> model code file, OpenM++ processes any syntactic islands, but does not extract C++ code outside of syntactic islands. This lets one organize all model code into <u>.opp</u> files in the model code folder, and pass those files directly to the C++ compiler in Step 2 of the model build process (see below). Alternatively one could organize all OpenM++ language content in <u>.ompp</u> files, and all C++ language content in .cpp files. **NOT YET IMPLEMENTED** 

C++ directives can be inserted into model code to improve the usability of an IDE. For more information, see the subtopic Hiding syntactic islands.

Modgen-specific: Modgen processes only .mpp files, not .cpp files.

#### [back to topic contents]

#### **Default scenario**

The model build process requires a starting scenario containing values for all model input parameters, which is normally named **Default**. The parameter values for the Default scenario are in the model subfolder **parameters/Default**. It is also possible to publish multiple scenarios, not just the Default scenario, when a model is built, see Model Run: How model finds input parameters.

Selected Default parameters can be made invariant and incorporated directly into the model executable. This is done either by placing parameter files into the model subfolder parameters/Fixed, or using parameters\_retain or parameters\_suppress statements in model code.

The following file types for input parameters are recognized:

- .dat Contains values for one or more parameters in Modgen format
- .odat Contains values for one or more parameters in Modgen format
- Contains values for one parameter in csv format
- Isv Contains values for one parameter in tsv format

*Modgen-specific*: Only parameter files with the \_\_dat extension are recognized by Modgen. The \_\_odat extension lets a selected parameter file be processed only by OpenM++. This can be useful in cross-compatible models. It is used in OpenM++ sample cross-compatible models to provide values for parameters which are implemented by scenario properties in Modgen. For example, for the NewCaseBased model, the parameter input file OM\_ROOT/models/NewCaseBased/parameters/Default/Framework.odat provides values for the SimulationSeed and SimulationCases parameters. The file OM\_ROOT/models/NewCaseBased/parameters/Default/scenario\_info.odat contains no parameters but provides a label and note for the scenario. Those structured comments would generate an error in Modgen if they were in a \_\_dat file.

[back to topic contents]

## Model build

The model build process uses the model source code and the Default scenario to construct an executable and accompanying database which implement the model. The model build process can be launched by issuing a command inside an Integrated Development Environment (IDE) such as Visual Studio on Windows, or Visual Studio Code on Linux or MacOS. The build process can also be launched by a command line utility such as msbuild on Windows or make in Linux. For more information please see Model development in OpenM++. The model build process consists of two steps. Bpth steps can produce warning and error messages. These messages explain the nature of the warning or error and contain the file and line in the model source code. In an IDE, these messages can usually be clicked to navigate directly to the error or wanring location in the IDE code editor.

Many aspects of the OpenM++ framework can be adapted or replaced to work differently or to support other environments. It is also possible to publish models to an existing database and to move or copy published models and scenarios from one database to another. For more information, see subtopics at Home.

#### Step 1: OpenM++ build

OpenM++ reads and parses all files in the model source subfolder code and the files for the Default scenario in parameters\Default (and possibly in parameters\Fixed ), checks for errors, and performs the following steps:

- Extracts the C++ portions of model code from all .mpp and .ompp files and assembles them into a single C++ source file.
- Generates several C++ header files and a C++ source file which implements the model specification.
- Generates a C++ source file which contains the values of invariant parameters.
- Creates a new empty database for the model.
- Publishes the model's metadata to the database, including classifications, parameter properties, table properties, parameter and table hierarchies, labels and notes, etc.
- Publishes the Default scenario to the database, ie values of all modifiable parameters in the Default scenario.

### Step 2: C++ build

After Step 1 completes, the C++ compiler is invoked. The input to the C++ compiler consists of all C++ files in the model source code folder (\*.cpp, \*.h), together with the C++ files generated by OpenM++ in Step 1. Additional general purpose code is included from the OpenM++ distribution and from the C++ standard library.

The results of the C++ compilation are linked with standard C++ libraries and an OpenM++ support library to create the model executable. Because OpenM++ integrates with C++, it is possible to link in other components such as a math library, or even a complete additional model, possibly written in a different language like Fortran.

#### [back to topic contents]

## Hiding syntactic islands

Modern IDEs have powerful abilities to parse and navigate C++ code, e.g. context sensitive popup menus which identify all uses of a symbol in a project. However, these abilities require that the project consist of valid C++. OpenM++ syntactic islands are not valid C++, and will cause errors when processed by an IDE (or an external tool like doxygen). Syntactic islands can be hidden from a C++ compiler or IDE by using C++ preprocessor conditional inclusion *>* directives. Here's an example showing how the syntactic island in the earlier example can be hidden from the C++ compiler or IDE.

```
#if 0 // Hide from C++ compiler or IDE
parameters
{
    //EN Annual hazard of death
    double MortalityHazard;
    /* NOTE(MortalityHazard, EN)
        A constant hazard of death results in an exponential
        survival function.
    */
};
#endif // Hide from C++ compiler or IDE
```

OpenM++ will still process the syntactic island because it ignores C++ preprocessor directives.

An IDE may display a hidden syntactic island differently as a visual cue that it's an inactive code block, for example by reducing the opacity of characters in the block to make them fade into the background compared to normal characters. That can make it more difficult to read and edit code in syntactic islands.

To change the display of inactive code blocks in Visual Studio 2022, do Tools > Options > Text Editor > C/C++ > View and modify the settings in 'Inactive Code' as desired.

C++ code in model code files will not be considered valid by a C++ compiler or IDE if a required master header file is missing. That's because C++ requires that a symbol be declared before being used in code. That requirement can be met by including the optional include file omc/optional\_IDE\_helper.h at the top of the model code file, as follows:

#include "omc/optional\_IDE\_helper.h" // help an IDE editor recognize model symbols

Modgen-specific: The optional helper include file omc/optional\_IDE\_helper.h is x-compatible and will not interfere with a Modgen build.

[back to topic contents]

# Windows: Create and Debug Models

# Where is OpenM++

- Download desktop version: openmpp\_win\_YYYYMMDD.zip binary files and source code
- Documentation: Windows: Quick Start for Developers

# Before you begin

Download and unzip openM++ Windows desktop binaries into any directory, for example: C:\openmpp\_win\_20210112\

# **Create New Model**

- create new directory for your model under models subfolder i.e.: C:\openmpp\_win\_20210112\models\MyModel. It is not required, but recommended to have folder name same as your model name.
- copy one of the test model VC++ project files into your model subfolder, i.e.: from C:\openmpp\_win\_20210112\models\NewCaseBased\ompp\\* into C:\openmpp\_win\_20210112\models\MyModel\ompp
- copy your model files \*.ompp \*.mpp and custom.h files into C:\openmpp\_win\_20210112\models\MyModel\code\ subfolder
- copy your data files \*.odat \*.dat files into C:\openmpp\_win\_20210112\models\MyMode\\parameters\Default\ subfolder
- start Visual Studio and open C:\openmpp\_win\_20210112\models\MyModel\ompp\Model.vcxproj project
- save your new Model.sln solution
- build your model

You can set model name of your new model using Visual Studio menu: Project -> Properties -> Configuration Properties -> OpenM++ -> Name -> Model Name: MyModel

Model Property F	Pages						? ×
Configuration:	All Configurations		✓ Platform: All Plat	orms	~	Configuratio	on Manager
General Advanc Debugg VC++ D OpenM ▷ C/C++ ▷ Linker ▷ Manifes ▷ XML Do ▷ Browse ▷ Build Ev ▷ Custom	ed jing Directories ++ st Tool ocument Generator Information vents Build Step	~	1. Names         Model Name         Scenario Name(s)         Fixed Name         2. Build Options         Grid computing (MPI)         Enable pre-compiled headers         Disable #line directives         3. Run Options         Run the scenario after build         Model ini file         Number of processes to launch (requires MPI)         Export model run results into csv files         Open model web UI	MyModel	ΓΥ)		
<ul> <li>Configuration Properties         <ul> <li>General</li> <li>Advanced</li> <li>Debugging</li> <li>VC++ Directories</li> <li>OpenM++</li> <li>C/C++</li> <li>Linker</li> <li>Manifest Tool</li> <li>XML Document Generator</li> <li>Browse Information</li> </ul> </li> </ul>		odel Name e name of the model published in the database a	and the name of the executa	ible. The defau	ult is the name of	the	
<	<ul> <li>Configuration Properties General Advanced Debugging VC++ Directories</li> <li>OpenM++</li> <li>C/C++</li> <li>Linker</li> <li>Manifest Tool</li> <li>XML Document Generator</li> <li>Browse Information</li> <li>Build Events</li> <li>Custom Build Step</li> <li>Code Analysis</li> </ul>		andparent folder of the project file.				
					OK	Cancel	Apply

# Create multiple input sets of parameters (multiple scenarios)

In example above we were creating only one "Default" scenario for our model from \*.dat files in parameters/Default directory. It is also possible to

create multiple input sets of parameters (multiple scenarios) when you are building the model:

- go to menu: Project -> Properties -> Configuration Properties -> OpenM++
- change: Names -> Scenario Names -> Default;CSV\_Values
- Rebuild the project

As result you will create two input sets of parameters in the model.sqlite database:

- scenario "Default" from .dat, .odat, .csv and .tsv files in ...\parameters\Default directory
- scenario "CSV\_Values" from .csv and .tsv files in ...\parameters\CSV\_Values directory

Please notice: additional scenario directory can contain only CSV or TSV files and not .dat or .odat files.

To find out more about CSV and TSV parameter files please read: How to use CSV or TSV files for input parameters values

	Edit View Git	: Project Build Debug Tes 이 /		Analyze Tools Extensions Wind  Local Windows Debugge	ow Help Search (Ctrl+Q) er →   🔍   🖾 <sub>→</sub> 🕅 🔚 🖷   🗉	오 Risi 2월   ■ 1위 1위 제 -
40	LIFE :	Model Property Pages				? ×
41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61	<pre>//EN (     int a;     //EN (     void \$     //EN (     void \$     void \$ }; /*NOTE(Person     The S:     of the */ void Person::: {     // Initial     initialize</pre>	Configuration: All Configurations  Configuration Properties General Advanced Debugging VC++ Directories  OpenM++ C/C++ Linker Manifest Tool XML Document Generator Browse Information Build Events Custom Build Step Code Analysis	~	Platform: All Platform: All Platform:     All Platform: All Platform:     Scenario Name(s)     Fixed Name     Scenario Name(s)     Sc	Default;CSV_Values No grid computing (EMPTY) Yes No No	Configuration Manager
62 63 64 65 66 67 68 69 70 71 72 73 100 % ~	<pre>// Age // Mov age = time = // Have ti enter_sime } /*NOTE(Person The F: */ O No issues four</pre>		Th	<b>enario Name(s)</b> e scenario name or list of names to publi mes separated by semicolons	ish in the database. The default is OK	s Default. It can be a list of Cancel Apply

# **Debug your Model**

- · build your model as described above
- open any model.ompp or \*.mpp file and put breakpoint in it
- start debugger
- to inspect model parameters go to Watch tab and do "Add item to watch"

	177 178		timeUnion1DissolutionEvent()		
	170	{ doub	e dHazard = 0:		
	180	TIME	event time = TIME INFINITE;		
	181	12112	evene_cime = fine_infinite;		
	182	if (	union status == US FIRST UNION PERIOD1		
	183		union status == US FIRST UNION PERIOD2) && parity status == PS CHILDLESS	)	
	184	{		, ,	
	185		dHazard = UnionDurationBaseline[UO FIRST][union duration];		
0	186		if (dHazard > 0) ≤2ms elapsed		
	187		{		
	188		event_time = WAIT(-log(RandUniform(5)) / dHazard);		
	189		}		
	190	}			
	191	retu	n event_time;		
	192	}			
	193				
	194		Union1DissolutionEvent()		
100	% •	No issues for	und 4		
Wa	tch 1			<b>→</b> ┦	ι×
Sea	arch (Ctr	1+E)	ho - $ ightarrow$ Search Depth: 3 - $ ightarrow$ T		
N	lame		Value	Туре	-
	🗉 Sim	nulationCases	5000	const _int64 &	
	🥥 Uni	ionDurationBaselir	e 0x013f3278 {0x013f3278 {0.0096016999999999999, 0.01999940000000001, 0	const double[2][6] &	
	4 🥥	[0]	0x013f3278 {0.0096016999999999999, 0.01999940000000001, 0.0199994000	const double[6]	
		■ [0]	0.00960169999999999	const double	
	(	□ [1]	0.01999940000000001	const double	
	(	□ [2]	0.01999940000000001	const double	
_	(	[3]	0.02131720000000001	const double	-
Au		cals Watch 1			
П	Ready				

# Model run options

As described at Windows: Quick Start for Model Users you can run the model with different options. For example, you can calculate 8 sub-values (a.k.a. sub-samples, members, replicas), use 4 threads and simulate 8000 cases:

```
MyModel.exe -OpenM.SubValues 8 -OpenM.Threads 4 -Parameter.SimulationCases 8000
```

You can supply run options as model command line arguments or by using model.ini file:



[Parameter] SimulationCases=8000

MyModel.exe -ini MyModel.ini

There are two possible ways to specify model ini-file using Visual Studio menu:

- Project -> Properties -> Configuration Properties -> OpenM++ -> Run Options
  - Model ini file = MyModel.ini
  - Run scenario after build = Yes
- Project -> Properties -> Configuration Properties -> Debugging -> Command Arguments = -ini MyModel.ini

🕅 File Edit View Git Project	Build Debug Test Analyze	Tools Extensions Window Help Search (Ctrl-	+Q) P RiskPaths-omp
6 - 6 8 - 6 8 - 6 8	🗧 👻 Debug 👻 x64	🔹 🕨 Local Windows Debugger 🖌 🚉 🕼 🚛	· 플 2월 📕 1위 1위 1위 🔒
1 [OpenM]			
2 SubValues = 8	Model Property Pages		? ×
4 5 [Parameter]	Configuration: All Configurations	V Platform: All Platforms	✓ Configuration Manager
6 SimulationCases = 8000	<ul> <li>▲ Configuration Properties General Advanced Debugging VC++ Directories</li> <li>OpenM++</li> <li>▷ C/C++</li> <li>▷ Linker</li> <li>▷ Manifest Tool</li> <li>▷ XML Document Generator</li> <li>▷ Browse Information</li> <li>▷ Build Events</li> <li>▷ Custom Build Step</li> <li>▷ Code Analysis</li> </ul>	<ul> <li>I. Names         Model Name         Scenario Name(s)         Fixed Name</li> <li>Z. Build Options         Grid computing (MPI)         Rable pre-compiled headers         Disable #line directives         No</li> <li>3. Run Options         Run the scenario after build         Model ini file         Number of processes to launch (require         Export model run results into csv files         Open model web UI         No</li> </ul>	uting (EMPTY)
			taining model run options. The default is
	< >>	MODEL_NAME.INI, IT present.	
			OK Cancel Apply
100 % 🔹 💿 No issues found	4		Ln: 6 Ch: 23 TABS
Output			-
PersonCorcerupg       RiskPathsini a X         I       (OpenVI)         2       SubValues = 8         1       (OpenVI)         2       SubValues = 8         4       Parameter)         6       SimulationCases = 8000         7       X         Configuration       All Configurations         8       Configuration Properties         6       SimulationCases = 8000         7       X         0       Configuration Properties         0       Control Name(c)         0       Debugging         VC++ Directories       No         0       Disove Information         0       Number of processes to launch (requite         0       Stand Dytons         Number of processes to launch (requite         NoDeL_NAMEAni, if present.         0       Code Analysis			

File Edit View Git Proje	2		<b>P</b> RiskPaths
🕴 G 🔹 🔍   🎦 🕶 🏪 💾 🏸 🗧	C <sup>4</sup> → Release → x64	🔹 🕨 Local Windows Debugger 🗸 🖹 📾 📮 🖁 ե 🖷 🕴 🖼 🖡	토위 위 위 및
RiskPaths.ini 👍 🗙 PersonCore.mpp			
1 [OpenM] 2 SubValues = 8 3 Threads = 4	Model Property Pages		? ×
4 5 [Parameter]	Configuration: All Configuration	s v Platform: All Platforms v	Configuration Manager
6 SimulationCases=8000 7	Configuration Properties	Debugger to launch:	
8 ; Complete example of		Local Windows Debugger	~
9	Advanced		
	Debugging VC++ Directories	Command <u>\$(TargetPath)</u>	
	OpenM++	Command Arguments -ini RiskPaths.ini	
	▷ C/C++	Working Directory S(ProjectDir)	
	Linker	Attach No	
Microsoft Visual Studio Debu	g Console		
2021-06-01 15:51:04 362	member=7 Simulation pro		
	member=6 Simulation prog		
2021-06-01 15:51:04.368	member=7 Simulation prog	gress=94% cases=940	
2021-06-01 15:51:04.370	member=6 Simulation prog	gress=93% cases=930	
	member=7 Simulation pro		
2021-06-01 15:51:04.374	member=6 Simulation prog	gress=94% cases=940	
	member=7 Simulation prog member=6 Simulation prog		
	member=8 Simulation pro		
	member=6 Simulation prog		
	member=7 Simulation prog		
	member=6 Simulation prog		
	member=7 Simulation prog		
	member=6 Simulation prog		
	member=7 Simulation prog		
		<pre>mary: cases=1000, events/case=112.9, entities/case=1</pre>	1.0, elapsed=0.714888
	member=7 Write output ta		
	member=6 Simulation prog member=6 Simulation prog		
2021-00-01 15:51:04:405	member=6 Simulation sum	mary: cases=1000, events/case=112.8, entities/case=1	0 elansed=0 73572
2021-06-01 15:51:04.409	member=6 Write output ta	ables - start	
Outpl2021-06-01 15:51:04.451			
	member=6 Write output ta		
2021-06-01 15:51:04.564	member=7 Write output ta		
1>C 2021-06-01 15:51:04.577		output tables, run: 103	
1>ci2021-06-01 15:51:04.655	Done.		
1>G(	the\ompn\bin\BickDaths or	ve (process 2060) evited with code A	
1>APress any key to close		ke (process 8960) exited with code 0.	
1>F:	ento window		
1>Model.vcxproj -> C:\om_git\m		skPaths.exe	
1>Done building project "Model		line of the second s	
======== Build: 1 succeeded,	, o taiied, o up-to-date, o s	skipped =======	

# Debug Model with microdata files

If your **BestModel** is using microdata file(s) then it is possible to start microdata path with environment variable:



You may need to export that OM\_BestModel variable in order to debug the model under Visual Studio. For example, if your model location is: C:\my-models\BestModel then add: OM\_BestModel=C:\my-models\BestModel into the model Debugging Environment:

🕅 File Edit View Git Project B	uild Debug Test Analyze	Tools Extensions Window	Help Search (Ctrl+Q)	P OzProj-ompp
0 - 0   🖄 - 놀 🗎 🔐   9 - C -	Debug 🕶 x64 🛛 🕶	▶ Local Windows Debugger →	🔍 🖸 🚅 🔚 🖷 🗏 📕	ા લાગ્ય -
OzProj.mpp MicroData.mpp 👳 🗙 Pe	rsonCore.dat			
10 {	_			
11 PMC_SEX,				
12 PMC_AGE, 13 PMC REGION,	Model Property Pages			? ×
14 PMC_NATIVE_BORN,	model Property Pages			1 ~
15 PMC_RECENT_ARRIVAL, 16 PMC_YEARS_SINCE_ARRIVAL,	Configuration: All Configurations	s v Platform:	All Platforms	✓ Configuration Manager
17 PMC_INDIGENOUS 18 };	Configuration Properties	Debugger to launch:		
19	General	Local Windows Debugger		~
20 actor Person //EN Individu 21 {	Advanced Debugging			
22 //EN Write unit record	VC++ Directories	Command	\$(TargetPath)	
23 void WriteUnitRecord(cas	OpenM++	Command Arguments		
24 }; 25	▷ C/C++	Working Directory	\$(ProjectDir)\bin	
25 26 void Person::WriteUnitRecc	Linker	Attach	No	
27 {	Manifest Tool	Debugger Type	Auto	
28 // Push the fields into	XML Document Generator	Environment	OM_OzProj=C:\my-models\OzPro	oj: (LocalDebuggerEnvironment)
29 for (int nJ = 0; nJ < SI // 5:=14=:	Browse Information	Merge Environment	Yes	
30 // Fields: 31 switch (nJ) { TAN Microsoft	Build Events	SQL Debugging	No	
32 COSO DMC SEV	Visual Studio Debug Console			_
	19:42:30.671 member=0 5	imulation progress=83%	cases=4150	
34 break; 2021-00-15	19:42:30.737 member=0 S 19:42:30.836 member=0 S	imulation progress=84%	Cases=4200	
35 case PMC_AGE:2021-06-15 36 ci->out_csv2021-06-15	19:42:31.202 member=0 5	imulation progress=86%	cases=4300	
37 break: 2021-06-15	19:42:31.416 member=0 5	imulation progress=87%	cases=4350	
38 Case PMC PEGT2021-06-15	19:42:31.588 member=0 S	imulation progress=88%	cases=4400	
	19:42:31.705 member=0 5	imulation progress=89%	cases=4450	
40 break; 2021-06-15	19:42:31.969 member=0 S 19:42:32.055 member=0 S	imulation progress=90%	cases=4500	
41 case PMC_NATI2021-06-15 42 ci->out cs/2021-06-15	19:42:32.156 member=0 S	imulation progress=92%	cases=4600	
43 hnesk, 2021-06-15	19:42:32.288 member=0 S	imulation progress=93%	cases=4650	
	19:42:32.361 member=0 5	imulation progress=94%	cases=4700	
	19:42:32.593 member=0 5: 19:42:32.785 member=0 5:			
47 Case DMC VEAR 2021-06-15	19:42:33.031 member=0 5	imulation progress=97%	cases=4850	
48 ci->out csv <sup>2021-06-15</sup>	19:42:33.146 member=0 S	imulation progress=98%	cases=4900	
49 break: 2021-06-15	19:42:33.331 member=0 S	imulation progress=99%	cases=4950	
50 case PMC_INDI2021-06-15	19:42:33.426 member=0 5	imulation progress=100%	cases=5000 5-5000	2, entities/case=4.0, elaps
51 ci->out_csv2021-00-15 52 break; S	19.42.55.428 member = 0 5.	Indiacion Summary. Case	s=5000, events/tase=505.	z, encicies/case=4.0, elaps
	19:42:33.430 member=0 W	rite output tables - st	art	
54 assert(fa2021-06-15	19:42:33.783 member=0 W			
	19:42:33.792 Writing in	to aggregated output ta	bles, run: 102	
50 }	19:42:34.674 Done.			
57 // All fields 58 ci->out csv.wC:\my-model	ls\OzProj\ompp\bin\OzPro	jD.exe (process 20256)	exited with code 0.	
				ebugging->Automatically clo
	bugging stops.			
Press any	key to close this window			
Output				
Show output from: Debug	•   <u>\$</u>	S 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		

# Debug model run-time errors


Model run-time errors cause a model to emit a log message and halt with a non-zero return code. Here's an example of a model run-time error message:

Simulation error: attempt to assign -1 to range REPORT\_TIME which has limits [0,200] when current time is 0.0000000000000 in entity\_id 1 in or after event TickEvent in simulation n member 0 with combined seed 1

•

Model run-time errors are implemented in OpenM++ using C++ exceptions. C++ exceptions can be trapped by Visual Studio when running a Debug version of a model. If trapped, execution will halt when a run-time error occurs. This allows direct examination of entities, attributes, local variables, etc. in the Visual Studio Debugger to troubleshoot the cause of the error.

To tell Visual Studio to break if a model run-time exception occurs, ensure that <All C++ Exceptions not in this list> is checked in Debug > Windows > Exception Settings :



If a model run-time error occurs in a Visual Studio session with a Debug version of a model, display the call stack window in Visual Studio to identify the model code location which caused the error. In the following screenshot, the call stack entry NewTimeBasedD.exe]!Ticker::TickEvent() Line 79 is the topmost model code entry in the call stack when the run-time error occurred.

File <u>E</u> dit <u>V</u> iew <u>G</u> it <u>P</u> roject <u>B</u> uild <u>D</u> ebug Te <u>s</u> t A <u>n</u> alyze <u>T</u> ools <sub>Searc</sub> <b>P</b> Newmpp — [ Extensions <u>W</u> indow <u>H</u> elp	⊐ ×
 ※ ⑥ • ⑧   御 • 譬 🗒 🗒   ツ • ♡ •   Debug • x64   • 🕨 <u>C</u> ontinue • 🍏 •   誌 🗒 🗒 🗒 📜 🖧 Live Sha	ire 🔊
Process: [58112] NewTimeBasedD.exe	
NewTimeBased.log PersonCore.mpp TickerCore.mpp 🚡 🗙	<b>- \$</b> - [
The Miscellaneous Files - (Global Scope)	÷
391 fmk::member_entity_counter++;	•
<pre>391</pre>	Sear A [
390 = / ^ ^ 397 : * Fatal exit from the model, with a message.	
398 .	
399 * See Modgen Developer's Guide for more information. 400 */	
401 🗇 void ModelExi Exception Thrown	
402 { Exception thrown at 0x00007FF983BF536C in NewTimeBasedD.exe:	
403 throw ope Microsoft C++ exception: openm::OpenmException<4000,&char	
so 404 3 South Const * const openm::simulationUnknownErrorMessage> at memory	
405 location 0x00000D60C0FC6F0.	
406 🖵 / * *	
407 * Report sim Show Call Stack Copy Details Start Live Share session	
408 * A Exception Settings	
409 ∠ */	
410 <b>void report_s</b> Except when thrown from:	
411 { ► KernelBase.dll	
412 theLog->l Open Exception Settings   Edit Conditions , member, perc	
<pre>413 report_simulation_progress_beat(percent);</pre>	
414 [}	<b>•</b>
110 % 👻 🖗 🕑 No issues found 🔹 🕴 🖡 Ln: 396 Ch: 4 MIXED C	RLF
Call Stack	¥ X
Name	ng 📥
➡ KernelBase.dll!00007ff983bf536c()	1
vcruntime140d.dll!00007ff93353b650() Un	
♥ NewTimeBasedD.exe!ModelExit(const char * msg) Line 404 C+	
NewTimeBasedD.exe!handle_bounds_error(const std::string name, int min_value, int max_value, int value) Line 342 C+	
NewTimeBasedD.exe!Range <unsigned char,0,200,&om_name_report_time="">::set_value(int new_value) Line 289 C+</unsigned>	
NewTimeBasedD.exe!Range <unsigned char,0,200,&om_name_report_time="">::Range<unsigned c+<br="" char,0,200,&om_name_report_t="">NewTimeBasedD.exe!Ticker::TickEvent() Line 79 C+</unsigned></unsigned>	
NewTimeBasedD.exeEvent <ticker,1,0,0,&ticker::tickevent,&ticker::timetickevent>::call_implement_func() Line 655 C+</ticker,1,0,0,&ticker::tickevent,&ticker::timetickevent>	
NewTimeBasedD.exelBaseEvent:: no.0,0,0,0 note: no.1,0,0,0 note: no.1,0,0,0 note: no.1,0,0,0 note: no.1,0,0,0 no.1,0,0,0,0 no.1,0,0,0,0 no.1,0,0,0,0 no.1,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0	
NewTimeBasedD.exelSimulateEvents() Line 126 C+	
NewTimeBasedD.exelSimulation() Line 46 C+	·+
NewTimeBasedD.exe!RunSimulation(int mem_id, int mem_count, openm::IModel * const i_model) Line 245 C+	
	+ -
Compiler Compiler Call Stack Breakpoi Exceptio Comman Immediat Output Error List Autos Locals Find Sy	/m
💭 Ready 👔 🗘 The adv 👔 The adv 👔 The adv 👔 The adv The advector of the ad	Q <sub>0</sub> "

Double clicking that call stack entry causes Visual Studio to navigate to the model code line which caused the error. In this example, the line is in the module TickerCore.mpp of the NewCaseBased model which was modified to deliberately cause a run-time error:




In a real situation, values of attributes could be examined in the Visual Studio Debugger, exactly like debugging after a Debug break point is hit.

### Debug model c++ code

By default model compiled to debug only \*.ompp and \*.mpp source code, not a model C++ code. Normally it is enough to debug only \*.ompp and \*.mpp code but in some exceptional circumstances you may also want to debug model c++ code, generated by openM++ omc compiler.

C++ model files are located in omp/src directory, for example, if you have openM++ installed in C:\openmpp\_win\_20210112 directory then model Chapter5 .cpp and .h source files are in C:\openmpp\_win\_20210112\models\Chapter5\ompp\src folder:



In order to debug model c++ code do following:

• go to menu: Project -> Properties -> Configuration Properties -> OpenM++ -> Disable generation of #line directives = Yes

Configuration:       All Configurations       Platform:       All Platforms       Configuration Manager <ul> <li>Configuration Properties General Advanced Debugging VC++ Directories OpenM++ C/C++ Linker Model Code Folder Scenario Parameter Folder(s) Fixed Parameter Folder Use Folder Vse Folder Scenario Parameter Folder Use Folder Vse Folder Scenario Parameter Folder Use Folder Use Folder Scenario Parameter Folder Use Folder Use Folder Vset Folder Scenario Parameter Folder Use Folder Use Folder Vset Folder Solid Computing (EMPTY) DB Provider Scenario Parameter Folder Use Folder Vset Folder Solid Computing (EMPTY) Disable generation of #line directives by Yes</li></ul>	Model Property	Pages								?	×
General       Model Name         Advanced       Scenario Name(s)         Debugging       VC++ Directories         OpenM++       Model Code Folder         OpenM++       Scenario Parameter Folder(s)         Fixed Parameter Folder       Fixed Parameter Folder         VManifest Tool       Fixed Parameter Folder         Manifest Tool       Senumet Generator         Browse Information       Build Events         Custom Build Step       Code Analysis         Code Analysis       Disable generation of #line directives by Yes	Configuration:	All Configurations		~	Platform:	All Platfor	rms	~	Configuration	Manag	er
4: Number of processes to launch (require 1       Number of threads in each process 1       Disable generation of #line directives by OpenM++ compiler.       Description forthcoming	General Advanc Debugg VC++ E OpenM C/C++ Linker Manife XML Do Browse Build Ev Custom Code A	i ed jing Directories I++ st Tool ocument Generator Information vents n Build Step nalysis	~ , Dis	Model Name Scenario Name(s 2. Folders Model Code Fold Scenario Parameter Use Folder 3. Build Options Grid computing DB Provider Enable multi-pro Enable multi-pro Enable generation 4. Non Options Run the scenario Number of mem Number of proce Number of threa	ler ter Folder(s) Folder cessor C++ iled besel after build bers in Run esses to laur <u>ds in each p</u> of <b>#line dir</b>	compilatio in Constant irectives by ich (require irocess	Sqlite (SQLITE Yes Yes No 1 1 1	)			× •

- Rebuild the model project by going to menu Build -> Rebuild Solution
- put debug breakpoints at the om\_developer.cpp RunSimulation() or other entry points of your choice, e.g.: om\_definitions.cpp RunModel()
- start debugger


NewCaseBa	ased-ompp (Debugging) - Microsoft Visual Studio		\$	7 🗗 - 8
File Edit Vie	w Project Build Debug Team Tools Test Ar	alyze Window Help		amc 🔻
0-0 8	- 🔄 💾 🖉 - 🖓 - 🖓 - Debug - Win32	- 🕨 Continue - 🎵 🔤 II	■ 0 → t ? t % = b @ 1 3 3 M	에 해 책 _ 💡 🥊 Application Insights 👻 _
Process: [6520	)] NewCaseBasedD.exe	• • • •	- ▼ 🐔 ≈ Stack Frame: RunModel	· · · · · · · · · · · · · · · · · · ·
om_definitions.cp	op 🕆 🗙 om_developer.cpp			Diagnostic Tools
🗣 Model	- (Global Scope)	•	· •	¢ € € î
511 512	Person::om_null_agent.om_reset_derived_attrib	ites();	<u>+</u>	Diagnostics session: 0 seconds (1 ms selected)
513	<pre>// Entity table instantiation</pre>			164ms 165ms
514	<pre>assert(!theDurationOfLife);</pre>			▲ Events
515	<pre>theDurationOfLife = new DurationOfLife({});</pre>			11
516 517	<pre>// Derived table instantiation</pre>			▲ Process Memory (MB) apshot ● Private Bytes
518	// berived cable instantiation			3
519	<pre>// Entity set instantiation</pre>			
520				
521 ]	}			0 0
522	((			▲ CPU (% of all processors)
	<pre>// Model simulation roid RunModel(IModel * const i model)</pre>			100 100
524 525 {				
526	// initialize entity tables			
527	theDurationOfLife->initialize_accumulators();			0 0
528				
529	<pre>BaseEvent::initialize_simulation_runtime();</pre>			Summary Events Memory Usage CPU Usage
530	<pre>BaseAgent::initialize_simulation_runtime();</pre>			Summary Events Memory Usage CPU Usage
531 532	<pre>int mem_id = i model-&gt;subValueId();</pre>			Events
533	<pre>int mem_count = i_model-&gt;subValueCount();</pre>			∞ Show Events (1 of 4)
534	RunSimulation(mem id, mem count); // Defined	by the model framework, ge	enerally in a 'use' module ≤1mselapsed	
535				Memory Usage
536	<pre>BaseEvent::finalize_simulation_runtime();</pre>			Take Snapshot
537	<pre>BaseAgent::finalize_simulation_runtime();</pre>			
538 ]	}		Ŧ	Enable heap profiling (affects performance)
539 540	<pre>// Model shutdown method: outputs</pre>			CPU Usage
	<pre>void ModelShutdown(IModel * const i model)</pre>			Enable CPU Profiling
542 {				· Enable CPO Profiling
543	// obtain simulation member to use for log me	sages	-	
0 % - 4			►	
utos		<b>→</b> ¶ ×	Call Stack	- Ț X
	Value			
Name		Туре	Name	t i model) Line 534 C++
Image:	0x01a4e138 {}	openm::	<ul> <li>NewCaseBasedD.exe!RunModel(openm::IModel * cons [External Code]</li> </ul>	C++
- mangarant		int	[Frames below may be incorrect and/or missing, no sy	mbols loaded for msycp140d dll1
2 man_iu	·		prome below may be meaned and, or missing, no sy	interest of the second s
utos Locals V	Vatch 1		Call Stack Breakpoints Exception Settings Command	Window Immediate Window Output
dy		Ln 534 C	ol 1 Ch 1 INS	↑ Add to Source Contro
·· /		0,004 0		T Add to Source Conne

# Use AddressSanitizer to catch memory violation bugs

Starting from version 16.9 Visual Studio include AddressSanitizer tool which allow to catch most of memory violation bugs. For example:



If you want to add AddressSanitizer to your existing pre-version 16.9 Visual Studio installation start Visual Studio Installer, choose **Modify** and select "C++ AddressSanitizer":



To build your model with AddressSanitizer do following:

- exit from Visual Studio
- · copy your existing model project to some backup location:

copy C:\openmpp\_win\_20210112\models\MyModel\ompp\Model.vcxproj\* C:\my\safe\place\

• copy AddressSanitizer version of model project. For example if openM++ installed into C:\openmpp\_win\_20210112 directory and your model directory is MyModel then do:

copy C:\openmpp\_win\_20210112\props\ompp-asan\Model.vcxproj C:\openmpp\_win\_20210112\models\MyModel\ompp\ copy C:\openmpp\_win\_20210112\props\ompp-asan\Model.vcxproj.filters C:\openmpp\_win\_20210112\models\MyModel\ompp\

- start Visual Studio, open your model openM++ solution C:\openmpp\_win\_20210112\models\MyModel\MyModel\MyModel.ompp.sin
- Important: clean existing model build. You can do it by Menu -> Build -> Clean Solution
- · build your model

Now you can run your model from Visual Studio as usually, with or without debugger.

To run model.exe with AddressSanitizer from command line (outside of Visual Studio) use VS 2019 Native Tools command prompt:

- open command line prompt
- set 64 or 32 bit environment:
  - "C:\Program Files (x86)\Microsoft Visual Studio\2019\Community\VC\Auxiliary\Build\vcvars64.bat"
  - "C:\Program Files (x86)\Microsoft Visual Studio\2019\Community\VC\Auxiliary\Build\vcvars32.bat"
- run your model.exe:

cd \openmpp\_win\_20210112\models\MyModel\ompp\bin MyModel64D.exe

Restore your original Model project from C:\my\safe\place\Model.vcxproj\* after you done with AddressSanitizer.

# Linux: Create and Debug Models

# What do you need

- · Download: latest binary files and source code
- Documentation: Linux Quick Start for Developers

# Before you begin

• check your g++ --version:

```
g++ (Debian 8.3.0-6) 8.3.0
g++ (Ubuntu 9.3.0-10ubuntu2) 9.3.0
g++ (GCC) 8.3.1 20191121 (Red Hat 8.3.1-5)
```

#### **Optional:**

If you want to debug your model then you will need to rebuild openM++ runtime library first as described at Linux Quick Start for Developers

To build and run debug version of the model use desktop (non-MPI) version of openM++:

```
wget https://github.com/openmpp/main/releases/download/v1.8.3/openmpp_debian_20210304.tar.gz
tar xzf openmpp_debian_20210304.tar.gz
cd openmpp_debian_20210304/openm/
make libopenm
```

# **Create new Model**

- create new directory for your model under models subfolder i.e.: models/MyModel
- copy other test model makefile into your model folder, copy your model files and data files:

```
cd openmpp_debian_20210304/models/
mkdir MyModel
cd MyModel
cp ../NewCaseBased/makefile .
mkdir code
cp ~/my_model_sources/*.cpp code
cp ~/my_model_sources/*.cpp code
cp ~/my_model_sources/*.h code
mkdir -p parameters/Default
cp ~/my_model_data/*dat parameters/Default
```

• build your model and "publish" it:

make all publish

• run the model:

```
cd ompp-linux/bin
./MyModelD
cd ..
```

Please note: It is recommended (not required) to have directory name exactly the same as model name. Linux file and directory names are casesensitive and myModel is not the same as MyModel

## Create multiple input sets of parameters (multiple scenarios)

In example above we were creating only one "Default" scenario for our model from \*.dat files in parameters/Default directory. It is also possible to create multiple input sets of parameters (multiple scenarios) when you are building the model:

make SCENARIO\_NAME=Default,Other OMC\_SCENARIO\_PARAM\_DIR=parameters/Default,parameters/SomeOther all publish

Above command will create two input sets of parameters:

• scenario "Default" from .dat, .odat, .csv and .tsv files in parameters/Default directory

• scenario "Other" from .csv and .tsv files in parameters/SomeOther directory

Please notice: additional scenario directory can contain only CSV or TSV files and not .dat or .odat files.

To find out more about CSV and TSV parameter files please read: How to use CSV or TSV files for input parameters values

### Use AddressSanitizer to catch memory violation bugs

There is an excellent AddressSanitizer tool which allow to catch most of memory violation bugs. For example:



It is not recommended to use AddressSanitizer in production, it slows down model code execution approximately by 70% and double memory usage. For that reason openM++ binary release does not enable AddressSanitizer by default and you will need to re-build openM++ run-time libraries to use it for your models testing.

To enable AddressSanitizer for your development do:

- unpack openM++ release in separate folder, for example: -/openmpp-asan. It is not recommended to use it in your main development folder
- re-build openM++ run-time library: `bash cd ~/openmpp-asan rm -rf lib rm -rf build

cd openm make USE\_ASAN=1 libopenm make USE\_ASAN=1 RELEASE=1 libopenm

\* rebuild your model with AddressSanitizer, for example if your model name is `RiskPaths` you can build Debug and Release model versions by: ```bash cd ~/ompp-main/models/RiskPaths make clean-all make USE\_ASAN=1 all publish make USE\_ASAN=1 RELEASE=1 all publish

- and now you can run Debug or Release version of your model:
  - cd ompp-linux/bin ./RiskPathsD ./RiskPaths

Please notice, Debug version of the model executable is always significantly slower than Release. It is recommended to prepare smaller version of your test scenario to run it with Debug model. Or, maybe adjust some parameters from default scenario, for example:

cd ompp-linux/bin ./RiskPathsD -Parameter.SimulationCases 1234

## Debug your Model using Visual Studio Code

#### Prerequisites:

- install Visual Studio Code
- follow steps described above to create new model

Note: In example below we are using RiskPaths demo model, please replace "RiskPaths" with your actual model name.

Make sure you have GDB, g++, make and other build tools installed on your system. For example on Ubuntu:

sudo apt install sqlite sudo apt install g++ sudo apt install make sudo apt install curl sudo apt install git

For example on RedHat (CentOS):

dnf install gcc-c++ dnf install make dnf install sqlite dnf install gdb dnf install git

Start Visual Studio Code and go to: File -> Open Folder... -> ~/openmpp\_debian\_20210304/models/RiskPaths

Create build task for your model using menu: Terminal -> Configure Tasks...

```
{
  "version": "2.0.0",
  "tasks": [
     {
       "label": "build-RiskPaths",
        "type": "shell",
       "command": "make all publish",
       "problemMatcher": "$gcc",
        "group": {
          "kind": "build",
          "isDefault": true
       },
        "dependsOrder": "sequence",
        "dependsOn": [
          "build-libopenm",
          "stop-ui-RiskPaths"
       ]
     },
     {
       "label": "build-RiskPaths-release",
        "type": "shell",
        "command": "make RELEASE=1 all publish",
       "problemMatcher": "$gcc",
        "group": "build",
        "dependsOrder": "sequence",
        "dependsOn": [
          "build-libopenm-release",
          "stop-ui-RiskPaths"
       ]
     },
     {
       "label": "start-ui-RiskPaths",
       "type": "shell",
        "command": "../start-model-ui-linux.sh",
        "problemMatcher": []
     },
     {
        "label": "start-ui-RiskPaths-release",
        "type": "shell"
       "command": "RELEASE=1 ../start-model-ui-linux.sh",
        "problemMatcher": []
     },
     {
       "label": "stop-ui-RiskPaths",
       "type": "shell",
        "command": "../stop-model-ui-linux.sh",
        "problemMatcher": []
     },
     {
       "label": "clean-RiskPaths",
        "type": "shell",
       "command": "make clean-all && make RELEASE=1 clean-all",
        "group": "build",
        "problemMatcher": []
     },
     {
       "label": "build-libopenm",
        "type": "shell",
        "command": "make libopenm",
        "options": {
          "cwd": "../../openm"
       },
        "problemMatcher": "$gcc",
        "group": "build"
     },
     {
       "label": "build-libopenm-release",
        "type": "shell",
        "command": "make RELEASE=1 libopenm",
        "options": {
          "cwd": "../../openm"
       },
        "problemMatcher": "$gcc",
        "group": "build"
     }
  ]
```

You also can find file above at <a href="https://www.ebian\_20210304/models/RiskPaths/.vscode-linux/tasks.json">https://www.ebian\_20210304/models/RiskPaths/.vscode-linux/tasks.json</a>

}

Some models may require special settings in order to run, for example, you may need to increase ulimit resources for OncSimX model:

```
{
    "label": "start-ui-OncoSimX",
    "type": "shell",
    "command": "ulimit -S -s 65536 && ../start-ompp-ui-linux.sh",
    "problemMatcher": []
},
{
    "label": "start-ui-OncoSimX-release",
    "type": "shell",
    "command": "ulimit -S -s 65536 && RELEASE=1 ../start-ompp-ui-linux.sh",
    "problemMatcher": []
},
```

Create model debug configuration using menu: Debug -> Add Configuration...:

```
{
  "version": "0.2.0",
   "configurations": [
     {
        "name": "debug RiskPaths",
       "type": "cppdbg",
        "request": "launch"
        "program": "${workspaceFolder}/ompp-linux/bin/RiskPathsD",
        "args": [],
        "stopAtEntry": false,
        "cwd": "${workspaceFolder}/ompp-linux/bin",
        "environment": [
        { "name": "OM_RiskPaths", "value": "${workspaceFolder}" }
       1.
        "externalConsole": false,
        "MIMode": "gdb",
        "setupCommands": [
          {
             "description": "Enable pretty-printing for gdb",
             "text": "-enable-pretty-printing",
             "ignoreFailures": true
          }
       ]
    }
  1
}
```

You also can find file above at ~/openmpp\_debian\_20210304/models/RiskPaths/.vscode-linux/launch.json

In order to debug .mpp and .ompp files as c++ go to menu File -> Preferences -> Settings -> Text Editor -> Files -> Associations -> click on "Edit in settings.json" and add into settings.json :



You also can find file above at `~/openmpp\_debian\_20210304/models/RiskPaths/.vscode-linux/settings.json

Build your model using Terminal -> Run Build Task...

Start model debugging by using Run -> Start Debugging

- open any model.ompp or \*.mpp file and put breakpoint in it
- (optional) add breakpoint(s) at RunSimulation entry point using File -> Open File... -> use/case\_based/case\_based\_common.ompp -> RunSimulation()
- (optional) you may also add breakpoint(s) at main entry point: File -> Open File... -> openm/libopenm/main.cpp
- open model with UI by using Terminal -> Run Task... -> start-ui-RiskPaths . You can see UI screenshots at UI: openM++ user interface page.

RiskPathsD PAUSED ON BREAKPOINT     RunSimulation(int mem_id, int mem_     RunNodel(openn::IModel * const i_r     2020-06-12 16:18:28.308 RiskPaths     2020-06-12 16:18:28.311 Prepare fixed and missing parameters     2020-06-12 16:18:28.311 Prepare fixed and missing parameters     2020-06-12 16:18:28.311 Prepare fixed and missing parameters		case_based_common.ompp - openmpp_centos_20200604 - Visual Studio Code	o 🛛
<pre>VARALLS VARALLS VARALLS Use &gt; case_based &gt; G- case_based _ common.ompp &gt; G RunSimulation(int, int, Model * const)  VARALLS Variable V</pre>	File Edit Selection View Go Run Term	inal Help	
<pre>VMARALES V Gase based &gt; @ case based = fmk::master seed + simulation_member * ((long long)log modulus + 1);  v tasis v thicker: 0 is_step_progress: coptinized outs is_step_corpress: coptinized outs is_step_corpr</pre>	RUN 🕨 debug RiskPat 🗸 🕲 🔬	Gr case_based_common.ompp X Gr PersonCore.mpp () tasks.json () launch.json	•••
<pre>&gt; CALLSTACK &gt; RiskPathsD PAUSED PAUSED PAUSED PAUSED PAUSED NERAKPOINT RunSimulation(int men_id, int men_ RunModel(openn::IModel * const in RunModel(openn::IModel * const</pre>	<pre>&gt; VARIABLES &gt; Locals thisCase: 0 is_step_progress: <optimized out=""> is_percent_progress: true percent_progress: <optimized out=""> next_step_progress: <optimized out=""> next_percent_progress: <optimized out=""> next_percent_done: <optimized out=""> next_nercent_done: <optimized out=""> next_nercent_done: <optimized out=""> ci: {} case seed generator: 470583131</optimized></optimized></optimized></optimized></optimized></optimized></optimized></pre>	<pre>BaseEvent::set_global_lime(0); 30 31 32 33 33 33 33 34 34 34 35 35 36 37 37 38 38 39 39 30 39 30 30 37 38 39 39 30 30 30 30 31 32 33 33 33 33 33 34 35 35 36 37 37 38 38 39 39 30 30 30 30 30 31 32 33 33 33 34 35 35 37 38 38 39 30 30 30 30 31 32 34 34 34 34 34 34 34 34 34 34</pre>	
Image: Control and Contreland Control and Control and Control and Contr	<pre>&gt; RiskPathsD PAUSED &gt; RiskPathsD PAUSED ON BREAKPOINT RunSinulation(int men_id, int men_ RunModel(openn::IModel * const i_r modelThreadLoop(int i_runId, int i std::invoke_impl<openn:exitstatus( std::_invoke<openn:exitstatus( std::thread::_Invoker<std::tuple<c std::thread::_Invoker<std::tuple<c &gt; v BREAKPOINTS</std::tuple<c </std::tuple<c </openn:exitstatus( </openn:exitstatus( </pre>	PROBLEMS 112       OUTPUT TERMINAL DEBUG CONSOLE       2:cppdbg:NewCaseBa ∨ + □ ■         2020-06-12       16:18:28.308       RiskPaths         2020-06-12       16:18:28.311       Prepare fixed and missing parameters         2020-06-12       16:18:28.316       Get scenario parameters for process         2020-06-12       16:18:28.317       Sub-value: 0         2020-06-12       16:18:28.317 member=0 Eniod scenario parameters         2020-06-12       16:18:28.317 member=0 Compute derived parameters         2020-06-12       16:18:28.317 member=0 Prepare for simulation         2020-06-12       16:18:28.317 member=0 Prepare for simulation         2020-06-12       16:18:28.317 member=0 Simulation         2020-06-12       16:18:28.317 member=0 Simulation         2020-06-12       16:18:28.317 member=0 Simulation         2020-06-12       16:18:28.317 member=0 Simulation	^ X
● 🗹 case_based_common.ompp u 341) ② 104 🛆 8 ▷ debug RiskPaths (openmpp_centos_20200604) Ln 341, Col 1 Spaces: 4 UTF-8 LF C++ Linux ź			5 0

To inspect model parameters add Watch variable:


	Unions.mpp - RiskPaths - Visual Studio Code 🔺
e Edit Selection View Go Run Terminal	Help
R 🕨 debug RiskPa 🗸 🕲 🔛 …	☞ Unions.mpp X 🚯 tas 🗄 🕨 🦿 🍁 🇘 🍤 🔲
✓ VARIABLES	code > 🕒 Unions.mpp > 🛇 Person::timeUnion1DissolutionEvent()
→ Locals	180 TIME event time = TIME INFINITE;
dHazard: 0.0096016999999999995	181
> event_time: {}	<pre>182 if ((union_status == US_FIRST_UNION_PERIOD1   </pre>
<pre>&gt; this: 0x7fffec003fd0</pre>	<pre>183 union_status == US_FIRST_UNION_PERIOD2) &amp;&amp; parity_status == PS_CHILDLESS) 184</pre>
	<pre>184 185 dHazard = UnionDurationBaseline[U0 FIRST][union duration];</pre>
	▶ 186 if (dHazard > 0)
	187 {
	<pre>188 event_time = WAIT(-log(RandUniform(5)) / dHazard);</pre>
2	189 }
	190 ] 191 return event time;
	192 }
<pre>&gt; WATCH SimulationCases: 5000</pre>	193
✓ UnionDurationBaseline: [2]	194 void Person::Union1DissolutionEvent()
(0)	<pre>195 { 196 union status = US AFTER FIRST UNION;</pre>
[0]: 0.0096016999999999999	190   union_status = 05_A ren_rensi_onion,
[1]: 0.01999940000000000	198
[2]: 0.019999400000000001	<pre>199 /*NOTE(Person.Union2DissolutionEvent, EN)</pre>
[3]: 0.021317200000000001	200 The second union dissolution event. Union events are only simulated for
[4]: 0.015083600000000001	201 childless women, as pregnancy censors the union career. 202 */
✓ CALL STACK	203 TIME Person::timeUnion2DissolutionEvent()
> RiskPathsD PAUSED	/
✓ RiskPathsD PAUSED ON BREAKPOINT	PROBLEMS 46 OUTPUT DEBUG CONSOLE TERMINAL
Person::timeUnion1DissolutionEv	Loaded '/lib/x86 64-linux-gnu/libpthread.so.0'. Symbols loaded.
Event <person, &person:<="" 0,="" 2,="" td=""><td>Loaded '<u>/lib/x86_64-linux-gnu/libc.so.6</u>'. Symbols loaded.</td></person,>	Loaded ' <u>/lib/x86_64-linux-gnu/libc.so.6</u> '. Symbols loaded.
BaseEvent::clean(BaseEvent * co	
BaseEvent::clean_all() Even	[Switching to Thread 0x7ffff3676700 (LWP 8065)]
BaseEvent::do_next_event() E	Thread 2 "RiskPathsD" hit Breakpoint 2, Person::timeUnion1DissolutionEvent (this=0x7fffec003fd
SimulateEvents() case_based CaseSimulation(case_info & ci)	me/anatoly/ompp-main/models/RiskPaths/code/Unions.mpp:186
	186 if (dHazard > 0)
BREAKPOINTS	Execute debugger commands using "-exec <command/> ", for example "-exec info registers" will list
	rs in use (when GDB is the debugger)
- Onions.htpp code 211	

# View Doxygen comments on hover your Model code in Visual Studio Code

It is a convenient to see Doxygen comments in your model code when you hover:

```
// Event implementation
/*NOTE(Person.FirstPregEvent, EN)
   The first pregnancy event. This is the main event of analysis and
   censures
            TIME Person::timeFirstPregEvent()
*/
             Return the time to the event FirstPregEvent in the Person agent (model code).
TIME Person::timeFirstPregEvent()
{
   double dHazard = 0;
   TIME event time = TIME INFINITE;
   if (parity_status == PS CHILDLESS)
   {
       dHazard = AgeBaselinePreg1[age status]
        * UnionStatusPreg1[union status];
       if (dHazard > 0)
       {
           event time = WAIT(-log(RandUniform(1)) / dHazard);
 3
 return event_time;
3
```

If such functionality does not work for you then it maybe a result of missing include path in your c++ model settings. To fix it find a missing (red underscored) include, in example below it is #include "omc/omSimulation.h" and select Quick Fix -> Edit includePath settings :



It should open Microsoft C/C++ extension settings page. Add "\${workspaceFolder}..../include/\*\*" to your Include Path list. It is also a good idea to set C++ standard as c++17 :

#### Include path

An include path is a folder that contains header fi Microsoft source file. Specify a list of paths for the IntelliSer C/C++ Extension these paths is not recursive. Specify \*\* to indicate through all subdirectories while \${workspaceFo compiler is specified in the compilerPath setting One include path per line. Open this editor by using the command: \${workspaceFolder}/\*\* C/C++: Edit configurations (UI) \${workspaceFolder}/../../include/\*\* Switch to the c\_cpp\_properties.json file by clicking on the file link or using the command: Defines C/C++: Edit configurations (JSON) A list of preprocessor definitions for the IntelliSer VERSION=1. Learn more about the C/C++ properties by One definition per line. going to C/C++ Properties Schema Referen ce C standard The version of the C language standard to use for compiler to get GNU defines, and IntelliSense wil c17 v C++ standard The version of the C++ language standard to use compiler to get GNU defines, and IntelliSense wil c++17 ×

That can be done by adding .vscode/c\_cpp\_properties.json to your model folder, but such JSON maybe specific to the particular version of VSCode:



You also can find file above at ~/openmpp\_debian\_20210304/models/RiskPaths/.vscode-linux/c\_cpp\_properties.json

# Model run options

As described at Linux Quick Start for Model Users you can run the model with different options. For example, you can calculate 8 sub-values (a.k.a. sub-samples, members, replicas), use 4 threads and simulate 8000 cases:

You can supply run options as model command line arguments or by using model.ini file:

**[OpenM]** SubValues = 8 Threads = 4

[Parameter] SimulationCases=8000

./RiskPathsD -ini RiskPathsD.ini

There are two possible ways to use model ini-file with Visual Studio Code:

• by adding -ini RiskPaths.ini command line argument to model executable. Go to menu -> Run -> Open Configurations and edit launch.json at "program" line:



 by adding MODEL\_INI=RiskPaths.ini command line argument to model make. Go to menu -> Terminal -> Configure Task -> build-RiskPaths and edit tasks.json at "command": "make .... line:



That MODEL\_INI argument will be passed to model executable when make run the model as:

ompp-linux/bin/RiskPathsD -ini RiskPaths.ini

# MacOS: Create and Debug Models

# What do you need

- Download: latest binary files and source code
- Documentation:
  - MacOS Quick Start for Developers
  - (optional) MacOS: Create and Debug Models using Xcode

## **Prerequisites**

- Tested on: MacOS 10.15 Catalina And Big Sur >= 11.1.
- Install Xcode and command line developer tools, if not installed already by Xcode: xcode-select --install .
- (optional) Install Visual Studio Code for cross-platform development: MacOS: Install VSCode
- Check if clang, make and sqlite3 are installed on your computer:

g++version
Apple clang version 11.0.0 (clang-1100.0.33.12)
makeversion
GNU Make 3.81
anliteQ version
sqlite3version
3.28.0 2019-04-15 14:49:49


• Download and unpack latest openM++ release using Safari or curl:

curl -L -o om.tar.gz https://github.com/openmpp/main/releases/download/v1.6.0/openmpp_mac_	_20200621.tar.gz
tar xzf om.tar.gz	

## MacOS security issue

Make sure you are using tight security settings on your Mac and antivirus software, if necessary. We are trying our best to keep development machines clean, but cannot provide any guarantee.

On Big Sur it is very likely to get an security error when you are trying to run any downloaded executable:



- please reply "Cancel" to that question (click "Cancel" button).
- remove quarantine attribute from openM++ installation directory, for example:

xattr -r -d com.apple.quarantine ~/openmpp\_mac\_20200621

## **Create new Model**

- create new directory for your model under models sub-folder: models/MyModel Please note: It is recommended (not required) to have directory name exactly the same as model name.
- copy other test model makefile into your model folder, copy your model files and data files:

cd openmpp\_mac\_20200621/models/ mkdir MyModel cd MyModel cp ../NewCaseBased/makefile . mkdir code cp ~/my\_model\_sources/\*mpp code cp ~/my\_model\_sources/\*.cpp code cp ~/my\_model\_sources/\*.h code mkdir -p parameters/Default cp ~/my\_model\_data/\*dat parameters/Default

• build your model:

make all publish

• run the model:

cd ompp-mac/bin ./MyModeID cd ..

• you can also build and run the model using make:

make all publish run

## Create multiple input sets of parameters (multiple scenarios)

In example above we were creating only one "Default" scenario for our model from \*.dat files in parameters/Default directory. It is also possible to create multiple input sets of parameters (multiple scenarios) when you are building the model:

make SCENARIO\_NAME=Default,Other OMC\_SCENARIO\_PARAM\_DIR=parameters/Default,parameters/SomeOther all publish

Above command will create two input sets of parameters:

- scenario "Default" from .dat, .odat, .csv and .tsv files in parameters/Default directory
- scenario "Other" from .csv and .tsv files in parameters/SomeOther directory

Please notice: additional scenario directory can contain only CSV or TSV files and not .dat or .odat files.

To find out more about CSV and TSV parameter files please read: How to use CSV or TSV files for input parameters values

### Use AddressSanitizer to catch memory violation bugs

There is an excellent AddressSanitizer tool which allow to catch most of memory violation bugs. For example:

```
int x[10];
int main (int argc, char ** argv)
{
    x[20] = 20; // error: global buffer overflow
    .......
}
```

It is not recommended to use AddressSanitizer in production, it slows down model code execution approximately by 70% and double memory usage. For that reason openM++ binary release does not enable AddressSanitizer by default and you will need to re-build openM++ run-time libraries to use it for your models testing.

To enable AddressSanitizer for your developement do:

- unpack openM++ release in separate folder, for example: -/openmpp-asan. It is not recommended to use it in your main development folder
- re-build openM++ run-time library: `bash cd ~/openmpp-asan rm -rf lib rm -rf build

\* rebuild your model with AddressSanitizer, for example if your model name is `RiskPaths` you can build Debug and Release model versions by: ``bash cd ~/ompp-main/models/RiskPaths make clean-all make USE\_ASAN=1 all publish make USE\_ASAN=1 RELEASE=1 all publish

· and now you can run Debug or Release version of your model:

```
cd ompp-mac/bin
./RiskPathsD
./RiskPaths
```

Please notice, Debug version of the model executable is always significantly slower than Release. It is recommended to prepare smaller version of your test scenario to run it with Debug model. Or, maybe adjust some parameters from default scenario, for example:

cd ompp-mac/bin ./RiskPathsD -Parameter.SimulationCases 1234

# How to use Visual Studio Code


# Build openM++ models using VSCode

#### **Prerequisites:**

- install Visual Studio Code and configure it for openM++ model development: MacOS: Install VSCode
- follow steps described above to create new model

Note: In example below we are using RiskPaths demo model, please replace "RiskPaths" with your actual model name.

Start VSCode and use menu to File -> Open... -> ~/openmpp\_mac\_20200621/models/RiskPaths:



Configure build tasks by using menu: Terminal -> Configure Tasks...

	e File	Edit	Selection	View	Go	Run		Window	Help	
								ninal [个仓` ninal [郑\]	]	
) EXI	PLORER						Split len	IIIIIai [967]		
Concernance and the second sec	EN EDITORS	3					Run Task			
	TITLED (WO	RKSPA	CE)				Run Build Run Activ		企業B	
	> UZPIOJ							cted Text		
	> OzProjG									
	✓ RiskPath	IS						nning Task		
	∨ code		2				Terminat	unning Tas	K	
>	C case_		n				renninau	C 105K		
	C custo						Configure			
	C custo						Configure	e Default B	uild Task	
)	C custo		1999							
	C+ Fertili									
			e_based.mpp							
	G. Morta									
	e ompp	_frame	work.ompp							
Cod	le File	Edit	Selection	View	Go	Run	Terminal	Window	Help	
								RiskPath	S	
•										
● ● ♪ ₽	XPLORER		Select	a Task Te	emplat	е				
┙	XPLORER	S		a Task Te			get		erminal -> Co	nfigure Tasks
		IS	MSBu	ild Execut	es the l	build tar	get en commands		erminal -> Co	onfigure Tasks
	PEN EDITOR	tS	MSBui	ild Execut	es the l	build tar Ion mav	-		erminal -> Co	onfigure Tasks
	PEN EDITOR		MSBui maver .NET (	ild Execut Executes Core Exec	es the l s comm utes .N	build tar Ion mav	en commands	nd	erminal -> Co	onfigure Tasks

C custom.h

```
// See https://go.microsoft.com/fwlink/?LinkId=733558
// for the documentation about the tasks.json format
"version": "2.0.0",
"tasks" [
  {
     "label": "build-RiskPaths",
     "type": "shell",
      "command": "make all publish",
      "problemMatcher": "$gcc",
      "group": {
"kind": "build",
        "isDefault": true
     },
      "dependsOrder": "sequence",
      "dependsOn": [
        "build-libopenm",
        "stop-ui-RiskPaths"
     ]
  },
  {
      "label": "build-RiskPaths-release",
     "type": "shell",
      "command": "make RELEASE=1 all publish",
      "problemMatcher": "$gcc",
      "group": "build",
      "dependsOrder": "sequence",
      "dependsOn": [
        "build-libopenm-release",
        "stop-ui-RiskPaths"
     1
  },
  {
     "label": "start-ui-RiskPaths",
     "type": "shell",
      "command": "../start-model-ui-mac.sh",
      "problemMatcher": []
  },
  {
     "label": "start-ui-RiskPaths-release",
      "type": "shell",
      "command": "RELEASE=1 start-model-ui-mac.sh",
      "problemMatcher":
  },
  {
      "label": "stop-ui-RiskPaths",
      "type": "shell",
      "command": "../stop-model-ui-mac.sh",
      "problemMatcher": []
  },
  {
     "label": "clean-RiskPaths",
      "type": "shell",
      "command": "make clean-all && make RELEASE=1 clean-all",
      "group": "build",
      "problemMatcher": []
  }
  {
     "label": "build-libopenm",
     "type": "shell",
      "command": "make libopenm",
      "options": {
        "cwd": "../../openm"
     },
      "problemMatcher": "$gcc",
      "group": "build"
  }
  {
     "label": "build-libopenm-release",
     "type": "shell",
      "command": "make RELEASE=1 libopenm",
      "options": {
        .
"cwd": "../../openm"
     },
      "problemMatcher": "$gcc",
      "group": "build"
  }
]
```

{


You also can find file above at ~/openmpp\_debian\_20210304/models/RiskPaths/.vscode-mac/tasks.json

}

- · create Debug version of model executable
- copy model SQLite database file into ompp-mac/bin "publish" folder

If you also want to run the model after successful build then use: make all publish run. If you want to build Release version of the model then use: make RELEASE=1 all publish .

To build and run your model please use menu: Terminal -> Run Build Task ...



#### Debug openM++ model using VSCode

Create your model debug configuration by using menu Run -> Add Configuration...

RUN Select Environment   Open a file which can be or run. C++ (GDB/LLDB)   Run and Debu Chrome (preview)   Edge: Launch Node.js   Node.js Node.js (preview)   More More   Show all automatic debug configurations. 64 age = 0; time = 0; 66
66 67 68 enter_simulation(); 69

// For more information, visit: https://go.microsoft.com/fwlink/?linkid=830387

"version": "0.2.0",	
"configurations": [	
{	
"name": "debug RiskPaths",	
"type": "cppdbg",	
"request": "launch",	
"program": "\${workspaceFolder}/ompp-mac/bin/RiskPathsD"	,
"args": [],	
"stopAtEntry": false,	
"cwd": "\${workspaceFolder}/ompp-mac/bin",	
"environment": [	
{ "name": "OM_RiskPaths", "value": "\${workspaceFolder}" }	
],	
"externalConsole": false,	
"MIMode": "lldb"	
}	
}	
-	

You also can find file above at ~/openmpp\_debian\_20210304/models/RiskPaths/.vscode-mac/launch.json


Start model debugging by using menu Run -> Start Debugging or as shown below:

Ś	Code File Edit Selection View	Go Run Terminal Window Help	
• •	•	launch.json — RiskPaths	
Ŋ	RUN 🕨 debug RiskPaths 🗸 🛞 🔊	C• PersonCore.mpp     {} launch.json ×       .vscode > {} launch.json >	
ر ھ		<pre>1 { 2 // Use IntelliSense to learn about possible attributes. 3 // Hover to view descriptions of existing attributes. 4 // For more information, visit: https://go.microsoft.com/fwlink/?linkid=830387 5 "version": "0.2.0",</pre>	
¢ ₩ ₩		<pre>6 "configurations": [ 7  { 8</pre>	
	∨ watch	15     "environment": [],       16     "externalConsole": false,       17     "MIMode": "lldb"       18     }       19     ]       20     }       21	

- open any model.ompp or \*.mpp file and put breakpoint in it
- (optional) RunSimulation entry point using File -> Open File... -> use/case\_based/case\_based\_common.ompp -> RunSimulation()
- (optional) main() entry point: File -> Open File... -> openm/libopenm/main.cpp

<b>Code</b> File Edit Selection View	Go Run Terminal Window Help
	PersonCore.mpp — RiskPaths
RUN 🕨 debug RiskPaths 🗸 🐯 🖓	C• PersonCore         II         I
VARIABLES	code > G PersonCore.mpp > ) Person::Start()
> om_T03_FertilityByAge_incr: {	57 void Person::Start() 58 K
> om_T04_FertilityRatesByAgeGrou	59 // Initialize all attributes (OpenM++).
> om_T05_CohortFertility_incr: {	<pre>60 initialize_attributes();</pre>
<pre>om_T06_BirthsByUnion_incr: {</pre>	61
> om_T07_FirstUnionFormation_inc	62 // Age and time are variables automatically maintained by 63 // Modgen. They can be set only in the Start function
Ø1         ✓ age: {}	• 64 age = 0;
✓ AgentVar <fixed_precision<doub< p=""></fixed_precision<doub<>	65 time = 0;
→ value: {}	66 67 // Have the entity enter the simulation (OpenM++).
value: 0	<pre>67 // Have the entity enter the simulation (OpenM++). 68 enter_simulation();</pre>
> age_status: {}	69 }
> case_id: {}	70
$\sim$ watch	71 /*NOTE(Person.Finish, EN) 72 The Finish function terminates the simulation of an actor.
	72 The rining function terminates the simulation of an actor. 73 */
	74 void Person::Finish()
	75 {
	<pre>76 // Have the entity exit the simulation (OpenM++). 77 exit_simulation();</pre>
	78
	79 // After the code in this function (if any) is executed,
	PROBLEMS 19 OUTPUT DEBUG CONSOLE TERMINAL
	Loaded ' <u>/USP/LID/LIDODJC.A.dyLID'</u> , Symbols Loaded.
> Thread #1 PAUSED	Loaded ' <u>/usr/lib/libcharset.1.dylib</u> '. Symbols loaded. @"2020-06-23 14:18:14.775 RiskPaths\r\n"
Thread #2 PAUSED ON BREAKPOINT	@"2020-06-23 14:18:14.778 Prepare fixed and missing parameters\r\n"
RiskPathsD!Person::Start()	@"2020-06-23 14:18:14.783
RiskPathsD!CaseSimulation(case_in	@"2020-06-23 14:18:14.783 Sub-value: 0\r\n"
RiskPathsD!RunSimulation(int, int	
RiskPathsD!RunModel(openm::IModel	@"2020-06-23 14:18:14.783 member=0 Prepare for simulation\r\n"
RiskPathsD!modelThreadLoop(int, i	e 2020-00-23 14.10.14.703 member=0 Stimulation progress=0% cases=0 (r\n
E BREAKPOINTS	Execute debugger commands using "-exec <command/> ", for example "-exec info registers" will lis t registers in use (when GDB is the debugger)
• PersonCore.mpp code 64	>


To inspect model parameters add Watch variable:



#### Start model UI on MacOS from VSCode

To start model UI from VSCode use menu: Terminal -> Run Tasks ... -> start-ui-RiskPaths

To stop backgound oms web-service after you done with model UI use: Terminal -> Run Tasks... -> stop-ui-RiskPaths




# View Doxygen comments on hover your Model code in Visual Studio Code

It is a convenient to see Doxygen comments in your model code when you hover:

#### 

```
/*NOTE(Person.FirstPregEvent, EN)
    The first pregnancy event. This is the main event of analysis and
    censures
              TIME Person::timeFirstPregEvent()
*/
              Return the time to the event FirstPregEvent in the Person agent (model code).
TIME Person::timeFirstPregEvent()
{
    double dHazard = 0;
    TIME event time = TIME INFINITE;
    if (parity status == PS CHILDLESS)
    ł
        dHazard = AgeBaselinePreg1[age status]
         * UnionStatusPreg1[union status];
        if (dHazard > 0)
        {
            event time = WAIT(-log(RandUniform(1)) / dHazard);
  }
  return event time;
```

If such functionality does not work for you then it maybe a result of missing include path in your c++ model settings. To fix it find a missing (red underscored) include, in example below it is #include "omc/omSimulation.h" and select Quick Fix -> Edit includePath settings :



It should open Microsoft C/C++ extension settings page. Add "\${workspaceFolder}..../include/\*\*" to your Include Path list. It is also a good idea to set C++ standard as c++17 :

#### Include path

An include path is a folder that contains header fi Microsoft source file. Specify a list of paths for the IntelliSer C/C++ Extension these paths is not recursive. Specify \*\* to indicate through all subdirectories while \${workspaceFo compiler is specified in the compilerPath setting One include path per line. Open this editor by using the command: \${workspaceFolder}/\*\* C/C++: Edit configurations (UI) \${workspaceFolder}/../../include/\*\* Switch to the c\_cpp\_properties.json file by clicking on the file link or using the command: Defines C/C++: Edit configurations (JSON) A list of preprocessor definitions for the IntelliSer VERSION=1. Learn more about the C/C++ properties by One definition per line. going to C/C++ Properties Schema Referen ce. C standard The version of the C language standard to use for compiler to get GNU defines, and IntelliSense wil c17 v C++ standard The version of the C++ language standard to use compiler to get GNU defines, and IntelliSense wil c++17 ×

That can be done by adding .vscode/c\_cpp\_properties.json to your model folder, but such JSON maybe specific to the particular version of VSCode:

{
"configurations": [
"name": "Mac",
"includePath": [
"\${workspaceFolder}/**",
"\${workspaceFolder}
].
"defines": [],
"macFrameworkPath": [
"/Applications/Xcode.app/Contents/Developer/Platforms/MacOSX.platform/Developer/SDKs/MacOSX.sdk/System/Library/Frameworks"
],
"compilerPath": "/usr/bin/clang",
"cStandard": "c17",
"cppStandard": "c++17",
"intelliSenseMode": "macos-clang-x64"
}
],
"version": 4
}

You also can find file above at ~/openmpp\_debian\_20210304/models/RiskPaths/.vscode-mac/c\_cpp\_properties.json

#### Model run options

As described at Linux Quick Start for Model Users you can run the model with different options. For example, you can calculate 8 sub-values (a.k.a. sub-samples, members, replicas), use 4 threads and simulate 8000 cases:

./RiskPathsD -OpenM.SubValues 8 -OpenM.Threads 4 -Parameter.SimulationCases 8000

You can supply run options as model command line arguments or by using model.ini file:

**[OpenM]** SubValues = 8 Threads = 4

[Parameter] SimulationCases=8000

./RiskPathsD -ini RiskPathsD.ini

There are two possible ways to use model ini-file with Visual Studio Code:

by adding -ini RiskPaths.ini command line argument to model executable. Go to menu -> Run -> Open Configurations and edit launch.json at "program" line:

{
 //.......
 "program": "\${workspaceFolder}/ompp-linux/bin/RiskPathsD -ini RiskPaths.ini",
 //.....
}

 by adding MODEL\_INI=RiskPaths.ini command line argument to model make. Go to menu -> Terminal -> Configure Task -> build-RiskPaths and edit tasks.json at "command": "make .... line:



That MODEL\_INI argument will be passed to model executable when make run the model as:

ompp-linux/bin/RiskPathsD -ini RiskPaths.ini

# MacOS: Create and Debug Models using Xcode

#### What do you need

- Download: latest binary files and source code
- Documentation:
  - MacOS Quick Start for Developers
  - MacOS: Create and Debug Models

#### **Prerequisites**

- Tested on: latest MacOS, may work starting from Big Sur >= 11.1.
- Install Xcode and command line developer tools, if not installed already by Xcode: xcode-select --install .
- Check if clang, make and sqlite3 are installed on your computer:

g++version 
Apple clang version 11.0.0 (clang-1100.0.33.12) makeversion
GNU Make 3.81
sqlite3version  3.28.0 2019-04-15 14:49:49

• Download and unpack latest openM++ release using Safari or curl:


curl -L -o om.tar.gz https://github.com/openmpp/main/releases/download/v1.6.0/openmpp\_mac\_20200621.tar.gz tar xzf om.tar.gz

# Create Xcode project for new Model

Copy model Xcode project files into your new "MyModel" directory, for example:

cd ~/openmpp\_mac\_20200621 cp -pr Xcode/Model.\* models/MyModel/

Start Xcode and open ~/openmpp\_mac\_20200621/models/MyModel/Model.xcworkspace :



Rename model Project -> Targets -> click twice on target name -> and rename to MyModel

🗯 Xcode File Edit View Find	Navigate Editor Pr	roduct Debug	Source Control Window	w Help					Ç, Fri
••• • • • • • • • • • • • • • • • • •	Му Мас	Model: Ready	Today at 10:08 PM		<mark>▲</mark> 6			+	$\stackrel{\rightarrow}{\leftarrow}$
	멾 < > 🛅 Model					<	< ▲ >   ☷		0 0
▶ 🛅 libopenm ?	[ Ger	neral Signing &	Capabilities Resource Ta	gs Build Settings	Build Phases	Build Rules		Identity and Ty	pe
▶ 🛅 libsqlite ?	PROJECT							Name	Model
	Model	▼ Identity						Location	Relative to Workspace
									Model.xcodeproj
				Choose Info.plist File				Full Path	/Users/anatoly/ompp-main/
									models/NewCaseBased/ Model.xcodeproj
Ibopenm     ?     General     Signing & Capabilities     Resour       Ibisqlite     ?     PROJECT     Identity       Image: Standard Standar	it Info								
								Project Docum	
			Deployment Target 10.15						Xcode 11.0-compatible
								Organization	
ronamo "Model" tarret inte actual	model name	▼ Framework	▼ Frameworks and Libraries					Class Prefix	
Tename Moder target into actuar	modername	N	ame		Embed			Text Settings	
			libiconv.tbd					Indent Using	Spaces ᅌ
			liblibopenm.a					Widths	4 0 4 0
			liblibsqlite.a						Tab Indent
			+ -						🗹 Wrap lines
		▼ Developme	nt Assets						
				Add development assets he	ere				
			+ — Add folders, group	s, or individual assets for us	se during developmen	nt			


Rename model scheme using menu: Product -> Scheme -> Manage Schemes... -> click twice on "Model" scheme -> and rename to MyModel

<b>É Xcode</b> File Edit View Find Navigate Editor Pro	oduct Debug Source Control Window Help		Lo Fr
🔿 🔴 🍺 🔳 🏦 libopenm ) 🕎 My Mac	Model: Ready   Today at 10:53 PM	<u>▲</u> 6	
Image: Schwarz Schwarz     PRO       Image: Schwarz Schwarz     PRO			Type Model
Xcode-src     Model.xcconfig     Products	eme Container penm Ibopenm project ≎ qlite Ibosqlite project ≎ vCaseBased Iboqlite project ≎		tion Relative to Workspace Model.xcodeproj tath /Users/anatoly/ompp-main/ models/NewCaseBased/ Model.xcodeproj
Frameworks + − ⊗ Edit		Project Dor Project For Organiza Class Pr Text Settin	ument mat [Xcode 11.0-compatible C] ion openmpp effix Js ing Spaces C
	Add development assets here + - Add folders, groups, or individual assets for use du	ring development	


Add your model source code from MyModel/code folder:

<b>Kode</b> File Edit	View Find Navigate Editor Pr	oduct Debug Source Control Windo	w Help		Line Fri
	📺 libopenm ) 🕎 My Mac	Model: Ready   Today at 10:11 PM	<mark>A</mark> 6		
	🎹 🕞 🗐 🎛 < 🗦 🛅 Model			< 🛆 >	B O 0
libopenm	? 🚺 Ger	eral Signing & Capabilities Resource T	ags Build Settings Build Phases	Build Rules	Identity and Type
Iibsqlite     Model	? PROJECT	▼ Identity			Name Model
► Xcode-src	Open in New Tab Open in New Window				Location Relative to Workspace
Model.xcconfig			Choose Info.plist File		Model.xcodeproj Full Path /Users/anatoly/ompp-main/
Products     NewCaseBased	Show in Finder 3ed Open with External Editor				models/NewCaseBased/ Model.xcodeproj
Frameworks	Open As	▼ Deployment Info			
	Show File Inspector				Project Document Project Format Xcode 11.0-compatible
	New File	Deployment Target 10.15	<u>~</u>		Organization openmpp
	Add Files to "Model"	Frameworks and Libraries			Class Prefix
	Delete	Name	Embed		Text Settings
	New Group	libiconv.tbd			Indent Using Spaces
	New Group without Folder New Group from Selection	liblibopenm.a			Widths 40 40
		🗋 liblibsqlite.a			Tab Indent
	Sort by Name Sort by Type	+ -			Viap mes
	Find in Selected Groups	▼ Development Assets			
	Source Control				
	Project Navigator Help		Add development assets here		
		+ — Add folders, grou	ps, or individual assets for use during developm	ent	
<b>É Xcode</b> File Edit	View Find Navigate Editor Pr	oduct Debug Source Control Windo	w Help		La Fri
	📺 libopenm ) 🕎 My Mac	Model: Ready   Today at 10:14 PM	A 6		
		🔁 📄 code	C Search		
<ul> <li>Iibopenm</li> <li>Iibsqlite</li> </ul>	? Favorites	▶ DependencyProbe1 ►		based.h	Identity and Type
V D Model	? PI Recents	GiniProbe     IDMM	ompp b Custo	om_early.h	Location Relative to Workspace 🗘
Xcode-src	Applications	IDMM_extra	📄 parameters 🛛 🕨 h custo	om.h	Model.xcodeproj
Model.xcconfig   Products	? Desktop			ages.mpp el_core.mpp	Full Path /Users/anatoly/ompp-main/ models/NewCaseBased/
NewCaseBased	Documents	► IDMM_extra_raniux48 ►		el_info.mpp	Model.xcodeproj O
Frameworks	Downloads	log     microdata		gen_case_based.mpp o_framework.ompp	Project Document
	🚞 Library	▶ microDemProj		onCore.mpp	Project Format Xcode 11.0-compatible
	anatoly	▶ modelOne ▶			Organization openmpp
	Locations				Class Prefix
	mac-10-15-1				Text Settings
	Destination:	Copy items if needed		dd model source code	Indent Using Spaces
	Added folders:		<u> </u>	-	Widths 4 C 10 Indent
		Create folder references			✓ Wrap lines
	Add to targets:	NewCaseBased			
	New Folder	Options	C	Cancel Add	

#### Make sure your model scheme selected by using menu: Product -> Scheme -> MyModel:



#### Build your model:



(Optional) Build the model with multiple scenarios:

- edit Xcode-src/Model.xcconfig and to specify additional scenario names and input directories, separated by comma. For example:
  - SCENARIO\_NAME = Default,Other
  - OMC\_SCENARIO\_PARAM\_DIR = \$(SRCROOT)/parameters/Default,\$(SRCROOT)/parameters/SomeOther

● ● ● ► ■ RiskPaths > ■	My Mac Model   Build RiskPaths: Succeeded   Today at 4:42 PM	
	H < > Model > Model.xcconfig > No Selection	< 🔺 > 🗐 🖽
<ul> <li>iibopenm</li> <li>iiboqlite</li> <li>Model</li> <li>code</li> <li>custom.h</li> <li>Unions.mpp</li> <li>RiskPathsFR_NOTR.mpp</li> <li>morp_framework.ompp</li> <li>PersonCore.mpp</li> <li>Mortality.mpp</li> <li>Tables.mpp</li> <li>custom_early.h</li> <li>case_based.h</li> <li>RiskPathsFR.mpp</li> <li>custom.cpp</li> </ul>	<pre>1 // 2 // Model configuration settings 3 // 4 // Copyright (c) OpenM++ 5 // This code is licensed under MIT license (see LICENSE.txt for details) 6 7 #include "/Model-common.xcconfig" 8 9 // Model name: by default is the same as target name 10 // Please rename target to match your actual model name 11 // 12 MODEL_NAME = \$(TARGET_NAME) 13 14 // omc compiler settings: 15 // 16 // OMC_CODE_PAGE: encoding name (code page) of source .mpp/.ompp files 17 // OMC_NO_LINE: if true then disable generation of #line directives. 18 // case-insensitive true: "true" or "yes" or "1" 19 // anything else is false 20 // 21 SCENARIO_NAME = Default,Other 22 DMC_SCENARIO_PARAM_DIR = \$(SRCROOT)/parameters/Default,\$(SRCROOT)/parameters/csv_sub_value 23 OMC_CODE_PAGE = WINDOWS-1252 24 OMC CODE PAGE = WINDOWS-1252 25 COMPACE = WINDO</pre>	
Kcode-src     Model.xcconfig	25 OMC_NO_LINE = false	
<ul> <li>✓ Products</li> <li>■ RiskPaths</li> <li>▶ ► Frameworks</li> </ul>	<pre>26 27 // UI settings: 28 // 29 // START_OMPP_UI: if true then start openM++ UI. 30 // case-sensitive true: "true" or "yes" or "1" 31 // anything else is false 32 // 33 START_OMPP_UI = true 34</pre>	

## Debug openM++ Model using Xcode

Start Xcode and open your model workspace, for example: ~/openmpp\_mac\_20200621/models/MyModel/Model.xcworkspace


	3	NewCaseBased	\$	-Q Search	
Favorites Recents Applications Desktop Documents Downloads Library Canado Library Locations mac-10-15-1 Network Media Music Photos	Alpha1 Alpha2 bin build CloneProbe1 DependencyProbe1 GiniProbe IDMM IDMM_extra IDMM_extra_lcg200 IDMM_extra_ranlux48 log microdata microDemProj modelOne MewCaseBased_bilingua	NewCaseB	onfig deproj		ace

Use menu to select your model scheme: Product -> Scheme -> MyModel:

Known issue: Xcode UI may not update check mark on selected scheme. To fix it go to Product -> Scheme -> Manage Schemes... and use mouse to drag any scheme to move it up or down.

Image: NewCaseBased ) Image: New CaseBased ) Image	
□       □       □       □       □       0       0         □       □       □       □       0       0       0         □       □       □       □       0       0       0	
Image: Second	
V & Model ? Build For Location Relative to Workspace	0
TARGETS     TARGETS     Model.xcodeproj       ompp_framework.ompp     Build Folder     %2K       PersonCore.mpp     Stop     %2K       Stop     %2K	
h custom_early.h     Scheme     >     Choose Scheme     ^O       h custom_early.h     Destination     >     Select Next Scheme     ^%]       model_core.mpp     Test Plan     >     Select Previous Scheme     ^%[	0
Create Bot Edit Scheme %<	
Inguages.mpp     Manage Schemes       Indent Using Spaces	0
Model.xcconfig ? Nodel.xcconfig ? Nodel.xcconfig ? Nodel.xcconfig ? Nodel.xcconfig ? Tab Inde	4 🗘
NewCaseBased     +     libopenm     Ibopenm       Frameworks     Iibsqlite	
▼ Development Assets ✓ NewCaseBased	
Add development assets here	
+ - Add folders, groups, or individual assets for use during development	

(Optional) If you want to set breakpoints in any .mpp or .ompp files then tell to Xcode it is "C++ Source" file(s):




Run and debug your openM++ model:

Xcode	File	Edit	View	Find	Navigate	Editor	Product	Debug	Source Control	Window	Hel
-------	------	------	------	------	----------	--------	---------	-------	----------------	--------	-----

Xcode File Edit View Find Navig	gate Editor Product Debug Source Control Window Help	⊑⊡ Fri 8:05
● ● ● ► ■ Model > ■ My	Mac Running RiskPaths : Model	$+ \leftrightarrow$
	<pre>Mac</pre>	← ← / ↓ ↓ < ▲ > ■ □ ←
	346       // Debug check for no left-over agents for which Finish was not called (possible model error)         347       // TODO - consider making an optional warning activated by a model option         348       // which could be turned on/off.         349	parameters d scenario parameters pute derived parameters pare for simulation

To inspect model parameters go to Debug Area and Add Expression:



# Start model UI on MacOS from Xcode

To start model UI after build completed please change Model.xcconfig variable START\_OMPP\_UI to "1" or "true" or "yes" (case-sensitive)

● ● ● ► ■ RiskPaths > =	My Mac Model   Build RiskPaths: Succeeded   Today at 1:35 PM	
	🗄 < > 📓 Model > 👔 Model.xcconfig > No Selection	< 🔺 > 🗐 🖽
<ul> <li>ibiopenm</li> <li>ibiopenm</li> <li>ibioquite</li> <li>code</li> <li>custom.h</li> <li>Unions.mpp</li> <li>RiskPathsFR_NOTR.mpp</li> <li>ompp_framework.ompp</li> <li>PersonCore.mpp</li> <li>Mortality.mpp</li> <li>Tables.mpp</li> <li>custom_early.h</li> <li>case_based.h</li> <li>RiskPathsFR_Mpp</li> <li>RiskPathsFR.LBL.mpp</li> <li>Tracking.mpp</li> <li>Fertility.mpp</li> <li>modgen_case_based.mpp</li> <li>RiskPaths.mpp</li> <li>custom.cpp</li> <li>Xcode-src</li> <li>Model.xcconfig</li> <li>Frameworks</li> </ul>	<pre>// // Model configuration settings // // Copyright (c) OpenM++ // CopenM++ // Copyright (c)</pre>	
🗯 Safari File Edit View History Book	marks Develop Window Help	

	kPaths 🕽 🛲 My Mac	Finished running RiskPath	s : RiskPaths	🛕 111		$(+) (\downarrow) (\downarrow) (\downarrow) (\downarrow) (\downarrow) (\downarrow) (\downarrow) (\downarrow) (\downarrow) (\downarrow$	
	□ 🗐 🔡 < > 🎦 Mode	I > 👔 Model.xcconfig > No Selectio	n		< 🔺 > 🗉 🛛 🖃	B Ø Ø 👎	
<ul> <li>Iibopenm</li> <li>Iibsqlite</li> <li>Model</li> </ul>			localhost:49367/model/a	5149e422b9df4a14be0a801ec195f19/ru	n/c64da46a Č		00+
▼ code h) custom.h	≡ RiskPaths:	model					C 🖻 :
Unions.mpp     RiskPathsFR_NOTR.mpp	🖿 Model Runs: 1 🛛 🗙	∋Parameters: 9 × ⊞C	output Tables: 7 🗙 🖿	Input Sets: 1 🗙 🖍 Parameter	rs: 9 × ⊞T04_Fertilit	yRatesByAgeGroup ×	
ompp_framework.ompp     Government     Governm	-	:58:43 RiskPaths_Defa					
Tables.mpp     Control Co		료 ⊙ T04_FertilityRates	ByAgeGroup: Fertility	rates by age group			
h case_based.h	Grouped Column Chart	- Measures	(EN) 🔻				
<ul> <li>RiskPathsEN_LBL.mpp</li> <li>Tracking.mpp</li> <li>Fertility.mpp</li> <li>modgen_case_based.mpp</li> </ul>	Average	v t ↔ v Union Star	tus 🔻				
<ul> <li>RiskPaths.mpp</li> <li>c₂ custom.cpp</li> <li>Model.scconfig</li> <li>Products</li> <li>Frameworks</li> </ul>	Age interval 👻	1-		Average of Value vs Union S	Status by Age interval		<ul><li>(-∞,15)</li><li>[15,17.5)</li></ul>
+ @ Filter		-8.0 -6.0 -9.0 -0.4  -0.2 	Never in union First union	n < 3 years First Union > 3 years After	first union Second unio	n After second union	[17, 5, 20)         [20, 22, 5)         [22, 5, 25)         [27, 5, 30)         [30, 32, 5)         [32, 5, 35)         [35, 37, 5)         [37, 5, 40)         [40, ∞)
+ 🕞 Filter							


# Modgen: Convert case-based model to openM++

#### **Overview**

OpenM++ provides superset of Modgen language specification and therefore able to compile Modgen source files. Conversion from Modgen include following:


- Make sure you are done with: Windows: Quick Start for Model Developers
- Clone existing openM++ case-based model, for example: NewCaseBased
- Rename model directory and solution to YourModelName, for example: RiskPaths
- Replace NewCaseBased .mpp modules with your model RiskPaths .mpp files and inspect your code for any quirks (often none)
- Replace NewCaseBased .dat parameter data with your model RiskPaths .dat files
- Open Visual Studio, build the model and fix errors if necessary
- Run the model and verify simulation results

Below is step-by-step example how to convert RiskPaths model from Modgen 12.1 to openM++.



# Clone existing openM++ model

As starting point please copy one of openM++ sample models, for case-based model we can start from NewCaseBased.




#### Rename model directory and solution

Rename directory and model solution into YourModelName.sln :

- rename NewCaseBased Copy directory into RiskPaths
- rename NewCaseBased-ompp.sln into RiskPaths-ompp.sln
- (optional) rename NewCaseBased-modgen.sln into RiskPaths-modgen.sln


Note: It is not required to use model name as directory name and solution name, but it is openM++ convention and significantly simplifies model maintenance.



#### Replace sample model .mpp modules with your model .mpp files

Delete NewCaseBased .mpp modules and copy your model substantive .mpp files instead. For complex models with long maintenance history it may be not always easy to understand what \*.mpp files are "substantive" and you may need to repeat this step multiple times.

It is also rare, but possible for some \*.mpp modules to contain special quirky code in order to overcome issues in old version of Modgen or c++. Please inspect your code and adjust it, if necessary, to comply with c++17 standard.




#### Replace sample model parameter data with your model \*.dat files

For our example we need to:


- delete NewCaseBased parameters/Default/PersonCore.dat and parameters/Default/scenario\_info.odat
- COPY Base(RiskPaths).dat
- (optional) rename it into RiskPaths.dat

For complex models it is also possible to have Fixed parameters data. Please copy it into parameters/Fixed/ sub-folder.



#### Open Visual Studio solution and build the model

Open RiskPaths-ompp.sln solution in Visual Studio and build the model, fix errors, if necessary.



#### Run the model and verify simulation results

Last, but obviously very important step, is to run the model and compare Modgen and openM++ simulation results.

Check parameters/Default/Framework.odat Values:



and adjust number of simulation cases if required, re-build the model to update SimulationCases value in RiskPaths.sqlite model database.

You can run openM++ model from command line, or from Visual Studio by changing Project -> Properties -> OpenM++ -> Run Options :


#### Model Property Pages

$\sim$
$\sim$

?

Configuration:	All Configurations	<ul> <li>Platform:</li> </ul>	All Platfor	ms	$\sim$	Configuratio	on Manager
<ul> <li>Browse In</li> <li>Build Even</li> </ul>	d ng rectories + Tool cument Generator nformation ents Build Step	1. Names Model Name Scenario Name(s) Fixed Name 2. Build Options Grid computing (MPI) Enable pre-compiled headers Disable #line directives 3. Run Options Run the scenario after build Model ini file Number of processes to laun Export model run results into Open model web Ul	ch (require csv files		PTY)		
<	>	 en model web UI blish model in web-service an	d open mo	del web UI using default l	browser	r Cancel	Apply

It is possible to open model run results in openM++ UI (beta version) to examine model parameters and output results:




# Modgen: Convert time-based model to openM++

#### **Overview**

OpenM++ provides superset of Modgen language specification and therefore able to compile Modgen source files. Conversion from Modgen include following:


- Make sure you are done with: Windows: Quick Start for Model Developers
- Clone existing openM++ time-based model, for example: NewTimeBased
- Rename model directory and solution to YourModelName, for example: IDMM
- Replace NewTimeBased .mpp modules with your model IDMM .mpp files and inspect your code for any quirks (often none)
- Replace NewTimeBased .dat parameter data with your model IDMM .dat files
- Open Visual Studio, build the model and fix errors if necessary
- Run the model and verify simulation results

Below is step-by-step example how to convert IDMM model from Modgen 12.1 to openM++.



#### Clone existing openM++ model

As starting point please copy one of openM++ sample models, for time-based model we can start from NewTimeBased.




### Rename model directory and solution

Rename directory and model solution into YourModelName.sln :

- rename NewTimeBased Copy directory into IDMM
- rename NewTimeBased-ompp.sln into IDMM-ompp.sln
- (optional) rename NewTimeBased-modgen.sln into IDMM-modgen.sln


Note: It is not required to use model name as directory name and solution name, but it is openM++ convention and significantly simplifies model maintenance.



#### Replace sample model .mpp modules with your model .mpp files

Delete NewTimeBased *.mpp modules and copy your model substantive* .mpp files instead. For complex models with long maintenance history it may be not always easy to understand what \*.mpp files are "substantive" and you may need to repeat this step multiple times.

It is also rare, but possible for some \*.mpp modules to contain special quirky code in order to overcome issues in old version of Modgen or c++. Please inspect your code and adjust it, if necessary, to comply with c++17 standard.



#### Replace sample model parameter data with your model \*.dat files

For our example we need to:


- delete NewTimeBased parameters/Default/PersonCore.dat and parameters/Default/scenario\_info.odat
- COPY Base(IDMM).dat
- (optional) rename it into IDMM.dat

For complex models it is also possible to have Fixed parameters data. Please copy it into parameters/Fixed/ sub-folder.

📙 | 💆 📙 🖛 | C:\openmpp\_win\_20200407\models\IDMM\parameters\Default Home Share View ← Q models Framework.odat bin PersonCore.dat Home Share View scenario\_info.odat IDMM code  $\mathbf{T}$ → This PC → Local Disk (C:) → ModGen\_12\_1 → IDMM\_3 v 🔜 modgen ModGen 12 1 code 1.delete ompp IDMM\_3 modgen NewTimeBased parameters Base(IDMM).dat code parameters data Default Base(tbl).mdb 🔜 modgen 2.copy IDMM log 🝯 Base(usage).htm RiskPaths\_4 parameters data microdata Base.scex node modelOne Base.scvx node\_ws IDMM.exe NewCaseBased 🔄 om\_extra 😵 IDMM2\_EN.chm NewCaseBased\_bilingual PIDMM2\_FR.chm om\_git NewTimeBased DMMLicence\_EN.htm 📙 ompp-docker NewTimeBased\_bilingual DMMLicence\_FR.htm 📕 ompp-go 📕 OzProj DMMNotes\_EN.htm 🔤 ompp-main OzProjGen DMMNotes\_FR.htm ompp-pages modgen-IDMM.sln RiskPaths ompp-r ///modgen-model.vcxproj sql 🔥 ompp-ui modgen-model.vcxproj.filters ompp-docker openmpp\_win\_20200407 🧊 uninstall.exe ompp-go 📓 uninstall.ini PerfLogs 2 items selected 602 bytes 3 items perl Program Files Program Files (x86) 📙 | 🛃 🗖 🗧 | C:\openmpp\_win\_20200407\models\IDMM\parameters\Default Home Share View > This PC > Local Disk (C:) > openmpp\_win\_20200407 > models > IDMM > parameters > Default  $\mathbf{T}$ models Framework.odat IDMM.dat bin IDMM code rename Base(IDMM).dat 🔄 modgen to IDMM.dat ompp parameters Default

#### Open Visual Studio solution and build the model


Open IDMM-ompp.sin solution in Visual Studio and build the model, fix errors, if necessary.



#### Run the model and verify simulation results

Last, but obviously very important step, is to run the model and compare Modgen and openM++ simulation results.

Check parameters/Default/Framework.odat Values:



and adjust number of simulation end time if required, re-build the model to update SimulationEnd value in IDMM.sqlite model database.

You can run openM++ model from command line, or from Visual Studio by changing Project -> Properties -> OpenM++ -> Run Options :


#### Model Property Pages

$\sim$
$\sim$

?

Configuration:	All Configurations	~	Platform:	All Platfor	ms	~	Configuratio	on Manager
OpenM C/C++ Linker Manifee XML Do Browsee Build Ex	ed jing Directories I++ st Tool ocument Generator Information vents n Build Step	1. Names Model Name Scenario Name(s) Fixed Name 2. Build Options Grid computing ( Enable pre-comp Disable #line direct 3. Run Options Run the scenario Model ini file Number of proce Export model run Open model web	(MPI) iled headers ctives after build esses to laun n results into	ch (require csv files		ting (EMPTY)		
<	>	 <b>een model web UI</b> blish model in web		d open mo	del web UI using	default browser	Cancel	Apply

It is possible to open model run results in openM++ UI (beta version) to examine model parameters and output results:



# Modgen: Convert Modgen models and usage of C++ in openM++ code

# This page is under construction

# Microdata files, gpoEventQueue, StartCase(), SignalCase()

It may be your model is using microdata files or it contains references to Modgen global variables: gpoEventQueue, gbCanceled, gbErrors or functions: StartCase(), SignalCase(). For example if your Modgen code look like:

```
// The Simulation function is called by Modgen to simulate a set of cases
void Simulation()
{
 // Open the microdata file
 PersonOpenFile();
 // The global variables gbInterrupted, gbCancelled and gbErrors
 // are maintained by the Modgen run-time
 for (long ICase = 0; ICase < CASES() && !gbInterrupted && !gbCancelled && !gbErrors; ICase++ )
 {
  // Simulate a case.
  // Tell the Modgen run-time to prepare to simulate a new case
  StartCase();
  // Read the record corresponding to the case_id of the case
  long |CaseID = GetCaseID();
  PersonGetRecord(ICaseID);
  // Call the CaseSimulation function defined earlier in this module.
  CaseSimulation();
  // Tell the Modgen run-time that the case has been completed.
  SignalCase();
 }
 // Close the microdata file
 PersonCloseFile():
}
// The CaseSimulation function simulates a single case
void CaseSimulation()
{
  //
  // Process events until there are no more
  ProcessEvents();
  // ....
}
// The ProcessEvents function processes all events until there are none in the event queue.
// It is called by the CaseSimulation function.
void ProcessEvents()
 // The Modgen run-time implements the global event gueue gpoEventQueue
 while ( !gpoEventQueue->Empty() )
 {
  // The global variables gbCancelled and gbErrors
  // are maintained by the Modgen run-time.
  if ( gbCancelled || gbErrors )
   // The user cancelled the simulation, or run-time errors occurred.
   // Terminate the case immediately
   gpoEventQueue->FinishAllActors();
  }
  else
  {
   // Age all actors to the time of the next event.
   gpoEventQueue->WaitUntil( gpoEventQueue->NextEvent() );
   // Implement the next event.
    gpoEventQueue->Implement();
  }
 }
}
```

Then please use OzProj example model to update your CaseSimulation() function. There are Modgen version of code\_original\OzProj.mpp and openM++ version: code\OzProj.mpp which you can use as starting point to upgrade your model code.

#### Use of ternary operator may require cast to underlying type

Use of ternary operator may require cast to underlying type (type name followed by <u>t</u>). The Microsoft VC++ error number is a strong hint. The error message text is not helpful.

### Assignments from one attribute to another may require cast to underlying type.

Assignments from one attribute to another may require cast to underlying type. Specific Microsoft VC++ error number helps to indicate the occurrence (the error message text is not helpful).

#### Use of min and max may need to be changed to specify the underlying type.

Use of min and max may need to be changed to specify the underlying type. We would recommend to invoke the template explicitly, eg std::max<double>(a, b)

#### Arguments to print-style functions need to be cast to explicit types.

#### Non-standard Microsoft functions and types must be replaced with standard.

Non-standard Microsoft functions and types must be replaced with standard. It is easy to detect such error: build your model on MacOS or Linux and to detect all non-standard Microsoft extensions.

# Model Localization: Translation of model messages

Home > Model Development Topics > Model Localization

This topic describes how to provide translations for model-specific run-time messages.

### **Related topics**

Multilingual Support forthcoming content

## **Topic contents**

- Quick start
- How model finds translated message
- Model developer: How to mark strings for translation in model code

# **Quick Start**

You can provide translated messages for your model by editing modelName.message.ini file located in the same directory where modelName.exe is.

#### For example:

dir /B openmpp\_win\_20180205\models\bin .... modelOne.exe modelOne.ini modelOne.message.ini modelOne.sqlite

modelOne.message.ini is translated messages for modelOne.exe

Message.ini file must be UTF-8 encoded and it contain model translated messages:

```
;
; modelOne localized messages
;
[FR]
Run %d = Exécution: %d
[fr-CA]
Run %d = Exécution: %d
;
; Example of multi-line translated message:
;
"Scenario processing" = "\
Traitment \
du scénario\
"
[en]
; Model = Model
```

If translation the same as original message you can exclude it, e.g.: Model = Model is not required.

#### [back to topic contents]

# How model finds translated message

At start model determine list user preferred languages. For example if current environment is French Canadian and model default language is EN then language list will be: (fr-ca, fr, en).

User language preference can be changed in Windows Control Panel or by Linux LANG environment variable. You can override environment language by using model command-line or ini-file argument:

```
modelOne.exe -OpenM.MessageLanguage es-EC
```

To find translated message model does lookup in:

- modelName.message.ini
- database table model\_word
- database table lang\_word Search done in order of user preferred languages.

For example, if modelOne.message.ini is same as above and database table model\_word contains entry:

fr-CA Done. Fini.

Then model messages in French Canadian environment can be similar to:

```
2014-03-17 17:14:24.0023 Model: modelOne
2014-03-17 17:14:24.0070 Exécution 101
....
2014-03-17 17:14:24.0179 Fini.
```

As you can see for current user language fr-CA model found two messages translated in "generic fr" French: "Exécution" and "Fini", however "Model" still untranslated. To fix this you can update modelOne.message.ini by adding:

[fr-CA] Model = Modèle

Then result would look like:

```
2014-03-17 17:14:24.0023 Modèle: modelOne
2014-03-17 17:14:24.0070 Exécution 101
....
2014-03-17 17:14:24.0179 Fini.
```

#### [back to topic contents]

#### Model developer: How to mark strings for translation in model code

Omc model compiler automatically include first "const char \*" argument of

- theLog->logMsg("some message");
- theLog->logFormatted("some format %d %g %s",....);
- macro LT("some message")
- WriteLogEntry("some message");
- WriteDebugLogEntry("some message");
- WarningMsg("some message");
- ModelExit("some message"); into output model.message.ini file, which can be used as translation starting point.

If your source code directory already contains translated code/model.message.ini then such file is merged with newly added model messages into output bin/model.message.ini , which you can forward to translation team.

It is possible to use macro LT("something") in order to build concatenated message, however LT is "strictly inline" because it returns temporary const char \* pointer. As result following will crash your model:

```
const char * myBadDay = LT("nice day");
if (myBadDay .... // memory access violation, model crash
```

How to avoid string concatenation. String concatenation considered as bad practice by any translation guide. For example, if you have something like:

```
string msg = LT("Table has ") + std::to_string(rowCount) + LT(" rows");
theLog->logMsg(msg.c_str());
```

Non-translatable strings. Not every output in your model you want to translate For example, you may don't want to translate your model trace output:

```
WriteDebugLogEntry(NO_LT("------"));
WriteDebugLogEntry(NO_LT("{1, 2, 3, 4}"));
WriteDebugLogEntry(NO_LT("------"));
```

Please use NO\_LT macro to disable unnecessary translation.

[back to topic contents]

# How To: Set Model Parameters and Get Results

## **Overview**

There multiple examples how to set input parameters, run the model and get results:

- run model from Python: simple loop over model parameter
- run RiskPaths model from Python: advanced parameters scaling
- run model from R: simple loop over model parameter
- run model from R: simple loop in cloud
- run RiskPaths model: advanced parameters scaling
- run RiskPaths model from R: advanced run in cloud
- oms web-service: How to prepare model input parameters

Also openM++ support following APIs:

- oms: openM++ web-service which you can use from any modern environment: Python, .NET, JavaScript, etc.
- openMpp R package
- Go library and tools

Quick examples below do not cover all possible options, please check links above and Model Run: How model finds input parameters for more details.

## Sub-values: sub-samples, members, replicas

Following terms: "simulation member", "replica", "sub-sample" are often used in micro-simulation conversations interchangeably, depending on context. To avoid terminology discussion openM++ uses "sub-value" as equivalent of all above and some older pages of that wiki may contain "sub-sample" in that case.

#### Model output tables: sub-values, accumulators and expressions

There are two kind of model output tables:

- accumulators table: output sub-values (similar to Modgen sub-samples)
- expressions table: model output value calculated as accumulators aggregated across sub-values (e.g. mean or CV or SE)

All output accumulator tables always contain same number of sub-values, for example model run:

model.exe -OpenM.SubValues 16

will create 16 sub-values for each accumulator in each output accumulator table.

## Model parameters: sub-values (optional)

OpenM++ parameters can also contain sub-values. Parameters sub-values are not required, it is a user choice to run the model and supply sub-values for some parameters.

For example, if user wants to describe statistical uncertanty of parameter SalaryByYearByProvince then csv file with 16 sub-values can be supplied to run the model:

model.exe -OpenM.SubValues 16 -SubFrom.SalaryByYearByProvince csv -OpenM.ParamDir C:\MyCsv\

## Parameters: Re-use same parameters values as in previous model run

Most of the model parameters are not changing between simulations and only few are varying. It is convenient to select all unchanged parameters from previous model run (from "base" run):

```
model.exe -Parameter.Ratio 0.7 -OpenM.BaseRunId 1234
model.exe -Parameter.Ratio 0.7 -OpenM.BaseRunDigest 5dc848891ea57db19d8dc08ec7a30804
model.exe -Parameter.Ratio 0.7 -OpenM.BaseRunName "My base run of the Model"
```

Above command do run the model with parameter Ratio = 0.7 and the rest of parameters values are the same as it was in previous run with id = 1234.

It is also possible to use run diegst or run name to identify "base" model run:

```
model.exe -Parameter.Ratio 0.7 -OpenM.BaseRunDigest 5dc848891ea57db19d8dc08ec7a30804 model.exe -Parameter.Ratio 0.7 -OpenM.BaseRunName "My base run of the Model"
```

Please keep in mind, model run may not be unique and if database contains multiple model runs with the same name then first run will be selected.

#### Parameter: Value as command line argument

It is possible to specify value of any scalar parameter as command line argument, for example:

model.exe -Parameter.Ratio 0.7

There is an example of such technique at Run model from R: simple loop over model parameter page, where we using NewCaseBased model to study effect of Mortality Hazard input parameter on Duration of Life output:

```
for (mortalityValue from 0.014 to 0.109 by step 0.005)
{
    # run the model
    NewCaseBased.exe -Parameter.MortalityHazard mortalityValue
}
```

If parameter is enum-based (e.g. classification) then you can specify code or enum id:

```
modelOne.exe -Parameter.baseSalary Full
modelOne.exe -Parameter.baseSalary 22 -OpenM.IdParameterValue true
```

### Parameter: Sub-values [0, N-1] as command line argument

If we want to run the model with multiple sub-values (a.k.a. sub-samples) and want "Grade" parameter sub-values to be created as [0, N-1] then:

model.exe -OpenM.SubValues 16 -SubFrom.Grade iota

as result sub-values parameter Grade would be: [0, ..., 15]

## Parameter: Value inside of ini.file

Also any scalar parameter can be defined in model ini-file, i.e.:

```
model.exe -ini my.ini
; inside of my.ini file:
;
[Parameter]
Z_Parameter = XYZ ; string parameter
SomeInt = 1234 ; integer parameter
OrLogical = true ; boolean parameter
```

```
Parameters: Csv files
```

Anumber = 9.876e5 : float parameter

It is also possible to supply some (or even all) model parameters as csv-file(s). For example:

model.exe -OpenM.ParamDir C:\my\_csv

If directory C:\my\_csv\ exist and contains parameterName.csv files then model will use it parameter values.

It is important to describe your parameter values to make sure model users clearly understand scenario data. In order to do that you can supply parameterName.LANG-CODE.md file(s).

For example, C:\my\_csv\Sex.csv values of "Sex" parameter:

```
sub_id,dim0,param_value
0, F, true
0, M, false
```

And parameter value notes C:\my\_csv\Sex.EN.md :

```
Sex parameter values in this scenario contain indicators of increased gender-specific hazards.
```

Note: As it is today Markdown content of parameter value notes may not always display correctly in openM++ UI.

#### Parameters: Csv files with multiple sub-values

If user want to supply up to 32 sub-values of "Sex" parameter:

sub\_id,dim0,param\_value 0, F, true 0, M, false 1, F, true 1, M, true 31, F, false 31, M, true

**Important:** Presence of multiple sub-values in csv file (or in database) does not mean model will use all parameter sub-values. Only explicitly specified parameter(s) receiving sub-values.

For example, if user run the model 3 times:

```
model.exe -OpenM.SubValues 16
model.exe -OpenM.SubValues 16 -OpenM.ParamDir C:\my_csv
model.exe -OpenM.SubValues 16 -OpenM.ParamDir C:\my_csv -SubFrom.Sex csv
```

- · "Sex" parameter expected to be in database and no sub-values used
- "Sex" parameter value is sub-value 0 from C:\my\_csv\Sex.csv
- "Sex" parameter using sub-values [0, 15] from C:\my\_csv\Sex.csv

#### **Output Tables: Suppress output tables**

By default model calculate all output tables and write it into database as model run results. Sometime it may be convenient to save only some output tables to reduce a time of each model run. This can be done by either suppressing model output table(s) or table group(s):

```
model.exe -Tables.Suppress ageSexIncome
model.exe -Tables.Suppress ageSexIncome,fullAgeSalary,A_TablesGroup
```

Or by suppressing output for all tables except of some:

```
model.exe -Tables.Retain ageSexIncome
model.exe -Tables.Retain ageSexIncome,fullAgeSalary,A_TablesGroup
```

Suppress and Retain options are mutually exclusive and cannot be mixed. For example, this model run would fail:

model.exe -Tables.Suppress ageSexIncome -Tables.Retain fullAgeSalary

## Use dbcopy: Export entire model into text files

dbcopy -m modelOne dbcopy -m modelOne -dbcopy.Zip dbcopy -m modelOne -dbcopy.NoAccumulatorsCsv dbcopy -m modelOne -dbcopy.NoMicrodata

It will create modelOne directory and modelOne.Zip file with:

- all model metadata (e.g. parameters, description, notes,...) in .json files
- · csv files with sets of model input parameters
- · csv files with model run results, input parameters and microdata

You can create .tsv output files instead of .tsv:

dbcopy -m modelOne -dbcopy.IntoTsv dbcopy -m modelOne -dbcopy.IntoTsv -dbcopy.Zip

Model run microdata can be huge and if you are not intersted in it then use -dbcopy.NoMicrodata to suppress it:

dbcopy -m modelOne -dbcopy.NoMicrodata

For each model run output table openM++ store expression values (e.g. average, CV, SE) and also accumulators. Accumulators are sub-samples (a.k.a. sub-values or members or replicas, etc.) which used to produces output table aggregated expression value(s). By default dbcopy do output both: output table expressions and accumulators. If you are interestred only expression values then use -dbcopy.NoAccumulatorsCsv to suppress accumulators and get your results faster:

dbcopy -m modelOne -dbcopy.NoAccumulatorsCsv

### Use dbcopy: Export entire model into csv files

dbcopy -m modelOne -dbcopy.To csv dbcopy -m modelOne -dbcopy.To csv -dbcopy.Zip dbcopy -m modelOne -dbcopy.To csv -dbcopy.NoAccumulatorsCsv

It will create modelOne directory and modelOne.Zip file with:

- all model metadata (e.g. parameters, description, notes,...) in .csv files
- · csv files with sets of model input parameters
- csv files with model run results and input parameters Each model run result and each input parameters set will be in separate sub-directory.
   Use -dbcopy.NoAccumulatorsCsv option to get your results faster by suppressing accumulators (a.k.a sub-sanples) output to CSV files.

You can create .tsv output files instead of .tsv:

```
dbcopy -m modelOne -dbcopy.To csv -dbcopy.IntoTsv dbcopy -m modelOne -dbcopy.To csv -dbcopy.IntoTsv -dbcopy.Zip
```

Other variation of csv output is:

```
dbcopy -m modelOne -dbcopy.To csv-all
dbcopy -m modelOne -dbcopy.To csv-all -dbcopy.IntoTsv
```

In that case all model runs will be in "all\_model\_runs" sub-directory and all input sets are in "all\_input\_sets".

You can suppress zero values and / or NULL (missing) values in output tables and microdata CSV files:

```
dbcopy -m modelOne -dbcopy.To csv -dbcopy.NoZeroCsv
dbcopy -m modelOne -dbcopy.To csv -dbcopy.NoNullCsv
dbcopy -m modelOne -dbcopy.To csv -dbcopy.NoNullCsv -dbcopy.NoZeroCsv
```

## Use dbcopy: Export set of input parameters into text files

dbcopy -m modelOne -s modelOne\_other -dbcopy.ParamDir pDir

It will create pDir directory with:

- input parameters set metadata (name, description, notes,...) in .json file
- · csv files with sets of model input parameters

#### Use dbcopy: Export model run results into text files

```
dbcopy -m modelOne -dbcopy.LastRun
dbcopy -m modelOne -dbcopy.RunId 101
dbcopy -m modelOne -dbcopy.RunName modelOne_2016_11_22_11_38_49_0945_101
dbcopy -m modelOne -dbcopy.LastRun -dbcopy.NoAccumulatorsCsv
```

It will create a directory with:

- model run metadata (name, description, notes,...) in .json file
- · csv files with input parameters used to run the model
- csv files with model output tables values Use -dbcopy.NoAccumulatorsCsv option to get your results faster by suppressing accumulators (a.k.a sub-sanples) output to CSV files.

#### Use dbcopy: Import parameters from csv files into database

dbcopy -m myModel -s MyInput -dbcopy.ParamDir P -dbcopy.ToSqlite myModel.sqlite

If any parameterName.csv file(s) exist in directory P then it will be loaded into MyInput set of input parameters.

It is recommended to run dbcopy -m modelOne -s modelOne\_other -dbcopy.ParamDir P to get familiar how csv files look like.

## Use dbcopy: Import parameters, description and notes from text files into database

dbcopy -m myModel -s MyInput -dbcopy.ToSqlite myModel.sqlite

It will insert or update MyInput set of input parameters in database with:

- if json metadata file exist then input set description, notes and parameter value note updated
- · if any parameterName.csv files exist then it will be loaded into database

It is recommended to run dbcopy -m modelOne -s modelOne\_other -dbcopy.ParamDir P to get familiar how json and csv files look like.

Example of json metadata file for "ageSexData" input set of parameters with description, notes and ageSex parameter value notes:

```
{
 "ModelName" : "modelOne",
 "Name" : "ageSexData",
 "Txt" : [{
   "LangCode" : "EN",
   "Descr" : "Model One set of parameters"
  }
 ],
 "Param" : [{
   "Name" : "ageSex",
   "SubCount" : 1,
   "Txt" : [{
      "LangCode" : "EN",
      "Note" : "Age by Sex values'
    }
   1
  }
 ]
}
```

It is also must exist csv file with parameter values: ageSex.csv

Example of json metadata file for "emptyData" input set of parameters with description and notes in English and French:

```
{
    "ModelName": "modelOne",
    "Name": "emptyData",
    "Txt": [{
        "LangCode": "EN",
        "Descr": "Model One set of parameters",
        "Note": "Notes for model One set of parameters"
    }, {
        "LangCode": "FR",
        "Descr": "Je suis désolé je ne parle pas français"
    }
]
```

# Model Run: How model finds input parameters

## Model run cycle overview

Model run (execution of the model) consists of the following steps:

- initializing of model process(es) with model run options
- connecting to database and creating "model run" with run\_id and run\_name
- find set of input parameters and prepare it for the run
- reading model input parameters
- simulation of sub-values
- writing output sub-values to output tables in database
- aggregating sub-values using Output Expressions

Results of model run stored in database within unique integer "run\_id" and include all model parameters, options and output result tables. You always can find full set of model input and output by run id.

OpenM++ models can be run on Windows and Linux platforms, on single desktop computer, on multiple computers over network, in HPC cluster or cloud environment (Google Cloud, Microsoft Azure, Amazon,...). Because openM++ runtime library hides all that complexity from the model we can safely assume model is a single executable on local machine. Please check Model Run: How to Run the Model for more details.

## Sub-values: sub-samples, members, replicas

Following terms: "simulation member", "replica", "sub-sample" are often used in micro-simulation conversations interchangeably, depending on context. To avoid terminology discussion openM++ uses "sub-value" as equivalent of all above and some older pages of our wiki may contain "sub-sample" in that case.

#### Model output tables: sub-values, accumulators and expressions

There are two kind of model output tables:

- accumulators table: output sub-values (similar to Modgen sub-samples)
- expressions table: model output value calculated as accumulators aggregated across sub-values (e.g. mean or CV or SE)

All output accumulator tables always contain same number of sub-values, for example model run:

model.exe -OpenM.SubValues 16

will create 16 sub-values for each accumulator in each output accumulator table.

## Model parameters: sub-values (optional)


OpenM++ parameters can also contain sub-values. Parameters sub-values are not required, it is a user choice to run the model and supply sub-values for some parameters.

For example, if user wants to describe statistical uncertanty of parameter SalaryByYearByProvince then csv file with 16 sub-values can be supplied to run the model:

model.exe -OpenM.SubValues16 SubFrom.SalaryByYearByProvince csv -OpenM.ParamDir C:\MyCsv\

**Note:** To simplify diagram below we do omit sub-values from the picture. But in real database there are multiple sub-values for parameters and accumulators; each sub-value identified by sub\_id column.

## How model finds input parameters: Parameters search order



Model search for input parameter values in following order:

- use parameter value specified as command line argument
- use parameter value specified inside of ini-file [Parameter] section
- use parameter value from profile\_option table
- read parameter.csv file from "OpenM.ParamDir" directory

- · import parameter value from other model parameter or other model output table
- · use parameter value set of input parameters in database: workset
- use same value as in previous model run: values from "base" run
- · use parameter value from default set of input parameters in database: default workset
- some parameters, e.g. number of sub-values may have default value

In any case all input parameters are copied under new run id before simulation starts. That process of copy parameters do guarantee a full copy of input parameters for each model run in database.

## Model run options

There are many options which control model run, i.e.: number of sub-values, number of threads, etc. OpenM++ model gets run options in following order:

- as command line arguments
- · from model run options ini-file
- from database profile\_option tables
- use default values

Each option has unique key associated with it, e.g. "Parameter.RandomSeed" is model input parameter "RandomSeed", which is most likely, random generator starting seed. You can use this key to specify model parameter on command line, in ini-file or database. For example:

modelOne.exe -Parameter.RandomSeed 123 -ini my.ini

would run modelOne model with random seed = 123 and other options from my.ini file.

Please see OpenM++ Model Run Options to find out more.

## Set of model input parameters in database (workset or scenario) and "base" model run

Database can contain multiple versions of model input parameter value. User can edit (change values of) input parameter(s) and save it as "working set of model input parameters" (a.k.a. "workset" or scenario).

- each set of parameters has unique "set id" and unique "set name"
- · each model must have at least one full set of input parameters populated with default values (default set)
- default input set is a first set of model parameters (first means set with minimal set id)

Most of the model parameters are not changing between simulations and only few are varying. It is convenient to select all unchanged parameters from previous model run ("base" run). In order to do that user can:

- · specify "base" model run to re-use parameters values
- create input set of parameters as "based on previous model run" and include only updated parameters in that input set Model will use parameters values from command line, csv files, etc. (as described above) and:
- if input set (workset) specified then select all parameters which do exist in that workset
- if "base" model run specified then select the rest parameters values from that previous model run
- · if there is no "base" run then select model parameters from model default workset

## How model finds input parameters: Default

If user run the model without any arguments:

modelOne.exe

then input parameters selected from default set, which is the first input data set of that model.

## How model finds input parameters: Input set name or Id

To run the model with input data other than default user can specify set id or workset name:

modelOne.exe -OpenM.SetId 20

modelOne.exe -OpenM.SetName "My Set of Input Parameters'

assuming workset with set\_id = 20 and set with name My Set of Input Parameters exists in model database.

#### How model finds input parameters: re-use parameters from previous model run (base run)

It is often convenient to re-use parameters from previous model run:

```
model.exe -Parameter.Ratio 0.7 -OpenM.BaseRunId 42
```

As result model will be using same parameters values as it was for run with run\_id = 42 except of parameter Ratio = 0.7. For more details please see below: How to specify model base run.

#### How model finds input parameters: Value as command line argument

It is also possible to specify value of any scalar parameter as command line argument, i.e.:

```
model.exe -Parameter.Ratio 0.7
```

There is an example of such technique at Run model from R: simple loop over model parameter page, where we using NewCaseBased model to study effect of Mortality Hazard input parameter on Duration of Life output:

```
for (mortalityValue from 0.014 to 0.109 by step 0.005)
{
    # run the model
    NewCaseBased.exe -Parameter.MortalityHazard mortalityValue
}
```

## How model finds input parameters: iota sub-values command line argument

If we want to run the model with N sub-values (a.k.a. sub-samples) and want Grade parameter sub-values to be created as [0,...,N-1] then:

```
model.exe -OpenM.SubValues 10 -SubFrom.Grade iota
```

as result sub-values of parameter Grade would be: [0, ..., 9]

#### How model finds input parameters: Value inside of ini.file

Also any scalar parameter can be defined in model ini-file, i.e.:

```
model.exe -ini my.ini
; inside of my.ini file:
;
[Parameter]
Z_Parameter = B ; string parameter
SomeInt = 1234 ; integer parameter
OrLogical = true ; boolean parameter
Anumber = 9.876e5 ; float parameter
```

## How model finds input parameters: Value in model profile

Another way to supply value of scalar parameter(s) is through profile\_option database table. For example:

```
model.exe -OpenM.SetId 20 -OpenM.Profile MyProfile
```

SELECT \* FROM profile\_lst; profile\_name \_\_\_\_\_\_\_ MyProfile SELECT \* FROM profile\_option; profile\_name option\_key option\_value \_\_\_\_\_\_ MyProfile Parameter.RandomSeed 4095

## How model finds input parameters: Csv file

It is also possible to supply some (or even all) model parameters as csv-file(s). For example:

model.exe -OpenM.ParamDir C:\my\_csv

If directory C:\my\_csv\ exist and contains parameterName.csv file model will use it parameter values. Parameter directory can be specified as command-line argument or as ini-file entry (it is not recommended to use profile\_option table for OpenM.ParamDir option).

On picture above model run as:

model.exe -ini my.ini -OpenM.SetId 20

and my.ini file contains:

**[OpenM]** ParamDir = C:\my\_csv\

As result model.exe will read from C:\my\_csv\Sex.csv values of "Sex" parameter:

sub\_id,dim0,param\_value 0, F, true 0, M, false

Together with csv files you can also supply parameter value note file(s) to describe scenario data values in each model language. Parameter value note files must be located in the same csv directory are named as: parameterName.LANG-CODE.md . For example, C:\my\_csv\Sex.EN.md is an English notes for Sex parameter values:

Sex parameter values in this scenario contain indicators of increased gender-specific hazards.

It is also possible to have enum id's in csv files instead of codes, for example C:\my\_csv\Sex.csv can be:

sub\_id,dim0,param\_value 0, 0, true 0, 1, false

To use such csv files you need to run the model with OpenM.IdCsv true argument:

model.exe -OpenM.SetId 20 OpenM.IdCsv true

Format of parameter.csv is based on RFC 4180 with some simplification:

- · space-only lines silently ignored
- end of line can be CRLF or LF
- values are trimmed unless they are "double quoted "
- · multi-line string values not supported

If parameter is boolean then following values expected (not case sensitive):

• "true" or "t" or "1"

• "false" or "f" or "0"

Important: Header line must include all dimension names, in ascending order, without spaces, e.g.: sub\_id,dim0,dim1,dim2,dim3,param\_value.

Parameter.csv file must contain all values, e.g. if parameter has 123456 values then csv must have all 123456 lines + header. Sorting order of lines are not important.

## Csv file with multiple sub-values

If user want to supply up to 32 sub-values of "Sex" parameter then Sex.csv file look like:

sub\_id,dim0,param\_value 0, F, true 0, M, false 1, F, true 1, M, true 31, F, false 31, M, true

**Important:** Presence of multiple sub-values in csv file (or in database) does not mean model will be using all parameter sub-values. Only explicitly specified parameter(s) receiving sub-values.

For example, if user run the model 8 times:

```
model.exe -OpenM.SubValues 8
model.exe -OpenM.SubValues 8 -OpenM.ParamDir C:\my_csv
model.exe -OpenM.SubValues 8 -OpenM.ParamDir C:\my_csv -SubFrom.Sex csv -SubValues.Sex default
model.exe -OpenM.SubValues 8 -OpenM.ParamDir C:\my_csv -SubFrom.Sex csv -SubValues.Sex 17
model.exe -OpenM.SubValues 8 -OpenM.ParamDir C:\my_csv -SubFrom.Sex csv -SubValues.Sex [24,31]
model.exe -OpenM.SubValues 8 -OpenM.ParamDir C:\my_csv -SubFrom.Sex csv -SubValues.Sex 1,3,5,7,9,11,13,15
model.exe -OpenM.SubValues 8 -OpenM.ParamDir C:\my_csv -SubFrom.Sex csv -SubValues.Sex 1,3,5,7,9,11,13,15
model.exe -OpenM.SubValues 8 -OpenM.ParamDir C:\my_csv -SubFrom.Sex csv -SubValues.Sex 1,3,5,7,9,11,13,15
```

- · "Sex" parameter expected to be in database and no sub-values used
- "Sex" parameter value is selected as "default" (sub\_id=0) from C:\my\_csv\Sex.csv , if .csv file exist
- "Sex" parameter value is selected as "default" (sub\_id=0) from C:\my\_csv\Sex.csv , .csv file must exist
- "Sex" parameter value is selected as sub\_id = 17 from C:\my\_csv\Sex.csv
- "Sex" parameter using sub-values [0,7] from C:\my\_csv\Sex.csv
- "Sex" parameter using sub-values [24,31] from C:\my\_csv\Sex.csv
- "Sex" parameter using sub-values 1,3,5,7,9,11,13,15 from C:\my\_csv\Sex.csv
- "Sex" parameter using sub-values 1,3,5,7,9,11,13,15 from C:\my\_csv\Sex.csv (bit mask)
- all parameters of GeoGroup using sub-values 1,3,5,7,9,11,13,15 from .csv files form C:\my\_csv\ directory

"Default" sub-value id can be explicitly defined for input parameter by person who published input set of parameters (workset). If "default" sub\_id is not defined for that parameter then sub\_id=0 assumed. Sub-value id's in the input set of parameters (in workset) can have be any integer (can be negative and not even have to sequential). For example if RatioByProvince parameter have 32 sub-values then typically sub\_id's are [0,31], but it can be [-10, -8, -6, -4, -2, 0, 2, 4, ..., 52] and default sub\_id can be = -10.

Important: Number of sub-values in csv must be at least as user required. In example above Sex.csv contains 32 sub-values and user cannot rur model with more than 32 sub-values.

## How model finds input parameters: Import value from upstream model

If input parameter specified as "importable" by model developer then value(s) can be imported from run values of upstream model parameter or output table. For example if model developer of BigModel specified:

BigModel.exe -Import.All true

#### Then:

- value of BigModel parameter Phi must be imported from last run of RedModel parameter RedPhi
- value of BigModel parameter Zet must be imported from last run of SunModel output table SunZet

There are multiple options to control model import. For example if user run BigModel 9 times:

BigModel.exe -Import.All true
BigModel.exe -Import.SunModel true
BigModel.exe -ImportRunDigest.SunModel abcdefghef12345678
BigModel.exe -ImportRunId.SunModel 123
BigModel.exe -ImportRunName.SunModel GoodRun
BigModel.exe -ImportDigest.SunModel 87654321fedcba
BigModel.exe -ImportId.SunModel 456
BigModel.exe -ImportExpr.SunZet expr4
BigModel.exe -ImportDatabase.SunModel "Database=/NewSunModel.sqlite;OpenMode=ReadOnly;"

- · Import all importable parameters from last successful run of upstream models
- Import all parameters importable from SunModel using values of last successful run of SunModel
- Import all parameters importable from SunModel using values of run where digest = abcdefghef12345678
- Import all parameters importable from SunModel using values of run where id = 123
- Import all parameters importable from SunModel using values of last successful run where run name = GoodRun
- Import all parameters importable from SunModel where model digest is 87654321fedcba using values of last successful run
- Import all parameters importable from SunModel where model id = 456 using values of last successful run
- Import parameter zet from SunModel output table SunZet expression expr4 using values of last successful run
- Import all parameters importable from SunModel from database ../NewSunModel.sqlite

Import options can be combined with sub-values options if model user want to select specific sub-values from upstream model parameter.

Default database to search for upstream model:

- if upstream model SunModel exist in current model database then it is imported from current database
- else it must be default upstream model SQLite database: SunModel.sqlite

### How model finds input parameters: Value from previous model run (base run)

Most of the model parameters are not changing between simulations and only few parameters are varying. In that case it is convenient to select unchanged parameters from previous model run ("base" run).

Base run can be identified by run\_id or run digest or run name. **Please note:** model run names are not unique and if there are multiple runs in database with the same name then first run selected:

SELECT MIN(run\_id) WHERE run\_name = 'Default model run';

#### Create set of input parameters based on previous model run

Input set of model parameters (workset) can be created as "based on existing run" and store only small number of model parameters, all the rest will be selected from "base" run by run\_id.

On picture above command line to run the model is:

model.exe -ini my.ini -OpenM.SetId 20

SELECT set\_id, set\_name, base\_run\_id FROM workset\_lst WHERE set\_id = 20;

set\_id set\_name base\_run\_id ------20 set\_based\_on\_run\_11 11

Because workset with id = 20 does not include "Provinces" input parameter those values selected from existing model run by run\_id = 11 :

```
SELECT dim0, param_value FROM Provinces WHERE run_id = 11;

dim0 value

---------

0 ON

1 QC
```

Note: sql above specially simplified, actual database table names, column names and queries bit more complex.

#### How to specify model base run

It is possible to explicitly specify model base run to select input parameters. For example:

model.exe -Parameter.Ratio 0.7 -OpenM.SetName "Age Input Values" -OpenM.BaseRunId 42

Model will use parameter Ratio = 0.7 and select all parameters which do exist in Age Input Values workset:

```
SELECT dim0, param_value FROM Age WHERE set_name = 'Age Input Values';

dim0 value

---- ----

0 [0,21]

1 22+

.... select all other parameters where parameter exist in 'Age Input Values' ....

And the rest of model parameters selected from base run:
```

```
SELECT dim0, param_value FROM Provinces WHERE run_id = 42;

dim0 value

0 BC

1 NS
```

It is also possible to use run diegst or run name to identify "base" model run:

```
model.exe -Parameter.Ratio 0.7 -OpenM.BaseRunDigest 5dc848891ea57db19d8dc08ec7a30804
model.exe -Parameter.Ratio 0.7 -OpenM.BaseRunName "My base run of the Model"
```

Please keep in mind, model run may not be unique and if database contains multiple model runs with the same name then first run will be selected.

## Parameter sub-values from database

If we want to run the model with multiple sub-values (a.k.a. sub-samples) and want "RatioByProvince" parameter sub-values selected from database:

model.exe -OpenM.SubValues 8 -SubFrom.RatioByProvince db

Model will select "RatioByProvince" parameter sub-values from default workset or from base run, if there are no RatioByProvince parameter in default workset. Database **must** contain at least 8 sub-values for "RatioByProvince".

model.exe -OpenM.SubValues 8 -SubFrom.GeoGroup db

For GeoGroup of parameters model will select sub-values from default workset or from base run, if there are no such parameter in default workset. Database **must** contain at least 8 sub-values for all parameters of GeoGroup.

#### For example:

SELECT sub\_id, dim0, param\_value FROM RatioByProvince WHERE run\_id = 11;

In that case first 8 sub-values will be selected with sub\_id between 0 and 7.

There are multiple options to specify which sub-values to select from database, for example:

model.exe -OpenM.SubValues 8 model.exe -OpenM.SubValues 8 -SubFrom.RatioByProvince db -SubValues.Sex [24,31] model.exe -OpenM.SubValues 8 -SubFrom.RatioByProvince db -SubValues.Sex 1,3,5,7,9,11,13,15 model.exe -OpenM.SubValues 8 -SubFrom.RatioByProvince db -SubValues.Sex xAAAA model.exe -OpenM.SubValues 8 -SubFrom.RatioByProvince db -SubValues.Sex default model.exe -OpenM.SubValues 8 -SubFrom.RatioByProvince db -SubValues.Sex 17 model.exe -OpenM.SubValues 8 -SubFrom.RatioByProvince db -SubValues.Sex 17

- "RatioByProvince" parameter expected to be in database and no sub-values used
- "RatioByProvince" parameter using sub-values [0,7] from database
- "RatioByProvince" parameter using sub-values [24,31] from database
- "RatioByProvince" parameter using sub-values 1,3,5,7,9,11,13,15 from database
- "RatioByProvince" parameter using sub-values 1,3,5,7,9,11,13,15 from database (bit mask)
- "RatioByProvince" parameter value is selected as "default" (sub\_id=0) from database
- "RatioByProvince" parameter value is selected as sub\_id = 17 from database
- all parameters of GeoGroup are selected as sub\_id = 17 from database

"Default" sub-value id can be explicitly defined for input parameter by person who published input set of parameters (workset). If "default" sub\_id is not defined for that parameter then sub\_id=0 assumed. Sub-value id's in the input set of parameters (in workset) can have be any integer (can be negative and not even have to sequential). For example if RatioByProvince parameter have 32 sub-values then typically sub\_id's are [0,31], but it can be [-10, -8, -6, -4, -2, 0, 2, 4, ..., 52] and default sub\_id can be = -10.

On the other hand, in model run results sub id is always [0,N-1] for run parameters and output tables. For example:

model.exe -OpenM.SubValues 8 -SubFrom.RatioByProvince db -SubValues.Sex [24,31]

"RatioByProvince" parameter in model run will have sub\_id column values: [0,7].

## **Model Output Expressions**

## Sub-values: sub-samples, members, replicas

Following terms: "simulation member", "replica", "sub-sample" are often used in micro-simulation conversations interchangeably, depending on context. To avoid terminology discussion openM++ uses "sub-value" as equivalent of all above and some older pages of that wiki may contain "sub-sample" in that case.

## Model output tables: sub-values, accumulators and expressions

There are two kind of model output tables:

- accumulators table: output sub-values (similar to Modgen sub-samples)
- expressions table: model output value calculated as accumulators aggregated across sub-values (e.g. mean or CV or SE)

All output accumulator tables always contain same number of sub-values, for example model run:

model.exe -OpenM.Subvalues 16

will create 16 sub-values for each accumulator in each output accumulator table.

It is also possible to use parameter(s) in expressions, parameter must be a scalar of float or integer type (see example of OM\_COUNT\_IF below).

## Sub-values (accumulators) output tables

During the simulation OpenM++ model collect the results in "accumulators" and, at the end, write it into output accumulators table(s). Each output accumulator table contains results of model executions for all sub-values.

For example:

Model output table "Salary by Sex" has two accumulators and two dimensions:

- salary: 0 = "Low", 1 = "Medium", 2 = "High"
- sex: 0 = "Female", 1 = "Male"

If we run that model twice, first time with one sub-value and second with eight sub-values then output results may look like:

SELECT run\_id, dim0, dim1, acc\_id, sub\_id, acc\_value FROM modelone\_201208171604590148\_a0\_salarySex ORDER BY 1, 2, 3, 4, 5;

run_	id di	m0	dim1	acc_		acc_value
11	0	0	0	0	50.0	
11	0	0	1	0	1.0	
11	0	1	0	0	60.0	
11	0	1	1	0	2.0	
11	1	0	0	0	51.6	
11	1	0	1	0	2.0	
11	1	1	0	0	62.0	
11	1	1	1	0	3.0	
11	2	0	0	0	53.2	
11	2	0	1	0	3.0	
11	2	1	0	0	64.0	
11	2	1	1	0	4.0	
12	0	0	0	0	50.0	
12	0	0	0	1	100.0	
12	0	0	0	2	150.0	
12	0	0	0	3	200.0	
12	0	0	0	4	250.0	
12	0	0	0	5	300.0	
12	0	0	0	6	350.0	
12	0	0	0	7	400.0	
12	0	0	1	0	1.0	
m	ore re	sults				
12	2	1	1	7	11.0	

Columns are:

• run\_id: is unique run id for that model execution; all model input parameters and output results can be found by run\_id;

- dim0: salary dimension items;
- dim1: sex dimension items;
- acc\_id: zero-based accumulator number;
- sub\_id: zero-based sub-value number;
- acc\_value: accumulator value;

Accumulators are low level simulation results and useful mostly to analyze simulation model itself.

## Aggregated output values

On top of accumulator values for each sub-value model can produce more meaningful output results by using OpenM++ output expressions, i.e.: average value across all sub-values. To do that model developer (or model user) can specify output aggregation expression, for example, average value is: OM\_AVG(acc0).

Each "value" output table can contain unlimited (reasonably unlimited) amount of aggregation expressions. Each expression must include aggregation function(s) with accumulators as argument(s) and, optionally, other arithmetic operators and basic SQL functions, such as ABS or SQRT.

Following OpenM++ sub-values aggregation functions are supported:

• OM\_COUNT(...expr...) - count of values across all sub-values, OM\_COUNT(acc0) result in SQL:

COUNT(acc0)

OM\_COUNT\_IF(...condition...) - count of values matching condition, OM\_COUNT\_IF(acc0 > param.High) result in SQL:

COUNT(CASE WHEN acc0 > (....sql to select value of High parameter...) THEN 1 ELSE NULL END)

OM\_SUM(...expr...) - sum of values across all sub-values, OM\_SUM(acc0) result in SQL:

SUM(acc0)

• OM\_AVG(...expr...) - average value over sub-values, OM\_AVG(acc0) result in SQL:

AVG(acc0)

• OM\_MAX(...expr...) - maximum value over all sub-values, OM\_MAX(acc0) result in SQL:

MAX(acc0)

OM\_MIN(...expr...) - minimal value over all sub-values, OM\_MIN(acc0) result in SQL:

MIN(acc0)

OM\_VAR(...expr...) - variance over sub-values, OM\_VAR(acc0) result in SQL:

SUM( (acc0 - AVG(acc0) \* (acc0 - AVG(acc0) ) / ( COUNT(acc0) - 1 )

OM\_SD(...) - standard deviation:

SQRT(OM\_VAR(...expr...))

• OM\_SE(...expr...) - standard error:

SQRT(OM\_VAR(...expr...) / COUNT(...expr...))

• OM\_CV(...expr...) - coefficient of variation:

100 \* ( OM\_SD(...expr...) / AVG(...expr...) )

There are also non-aggregation functions available:

• OM\_IF(...condition... THEN ...expr... ELSE ....other...) - if condition is true then return expr else return other (else part is optional). OM\_IF(acc0 > 1.5 THEN acc0 ELSE 1.5) result in SQL:

CASE WHEN acc0 > 1.5 THEN acc0 ELSE 1.5 END

• OM\_DIV\_BY(...expr...) - wrap expression to make it suitable for denominator:

CASE WHEN ABS(acc0) > 1.0e-37 THEN acc0 ELSE NULL END

If your expression include divide by operator then it is recommended to wrap a denominator into OM\_DIV\_BY() function to prevent an error when divisor is zero or very small value. For example, if your expression is acc1/acc0 then use do acc1/OM\_DIV\_BY(acc0).

Aggregation expression can be more complex than a single function, for example: OM\_SUM(acc0) / OM\_COUNT(acc0) is equivalent of OM\_AVG(acc0). And OM\_SD(acc1) can be written as:

SQRT(OM\_SUM( (acc1 - OM\_AVG(acc1) \* (acc1 - OM\_AVG(acc1) ) / ( OM\_COUNT(acc1) - 1 ))

It is possible, as you can see, combine and nest aggregation functions in the expression.

#### Important:

- openM++ does aggregation across the sub-values, or other word, COUNT() is (almost) always number of sub-values.
- aggregation done by underlying SQL database, so, only non-NULL accumulator values are aggregated, so, COUNT() is number of non-NULL accumultor values across sub-values.

**Important**: Accumulators always must be inside some aggregation function, i.e. this is an error: acc0 + OM\_SUM(acc1) because acc0 is not aggregated. This is also an error: OM\_SUM(acc1) / OM\_DIV\_BY(acc0) because OM\_DIV\_BY and OM\_IF are non-aggregation functions. Output table expression is a single value produced as aggregation over sub-values and therefore accumulators must be wrapped into aggregation functions. For example:

- OM\_SUM(acc1 + acc0) is correct
- OM\_SUM( acc1 ) + acc0 incorrect
- OM\_SUM( acc2 / OM\_DIV\_BY(acc0) ) is correct
- OM\_SUM(acc2) / OM\_DIV\_BY(acc0) incorrect
- OM\_AVG(acc2) + OM\_SUM( OM\_AVG(acc1) + acc0 ) is correct
- OM\_AVG(acc2) + OM\_SUM( OM\_AVG(acc1) ) + acc0 incorrect

If you want to aggregate simulation results in your own way then it is always possible to combine openM++ and standard SQL functions in some custom expression. For example, if sub-values of your model is parts of large population then your may want to collect count and sum in separate accumulators and instead of OM\_AVG(...) use custom average expression, like:

OM\_SUM(acc0) / OM\_SUM(acc1)

Also it is recommended to warp denominator part into OM\_DIV\_BY() function and result is:

OM\_SUM(acc0) / OM\_DIV\_BY( OM\_SUM(acc1) )

## Examples of aggregation expressions

OpenM++ output table expressions translated into SQL aggregation queries. For example, if we have accumulator table:

```
CREATE TABLE out4_sub
(
run_id INT NOT NULL,
dim0 INT NOT NULL,
dim1 VARCHAR(8) NOT NULL,
sub_id INT NOT NULL,
acc0 FLOAT NULL,
PRIMARY KEY (run_id, dim0, dim1, sub_id)
);
```

SELECT run\_id, dim0, dim1, sub\_id, acc0 FROM out4\_sub ORDER BY run\_id, dim0, dim1 DESC;

Please, keep in mind: this is simplified example and in real openM++ database sub-value tables look like as described at the top of the article.

Then following results would be produced by openM++ aggregation functions:

#### Count, Average, Sum, Min and Max:

SELECT S.run\_id, S.dim0, S.dim1, COUNT(S.acc0) AS "cnt", AVG(S.acc0) AS "avg", SUM(S.acc0) AS "sum", MIN(S.acc0) AS "min", MAX(S.acc0) AS "max" FROM out4\_sub S GROUP BY S.run\_id, S.dim0, S.dim1 ORDER BY S.run\_id, S.dim0, S.dim1 DESC; run\_id dim0 dim1 cnt avg sum min max 2 10 M 4 2.5 10 1 4 
 10
 F
 4
 3
 12
 1.5
 4.5

 20
 M
 4
 25
 100
 10
 40
 2 2 20 F 4 25.5 102 10.5 40.5 2 10 M 2 5.5 11 5 6 10 F 2 7.5 15 7 8 3 3 20 M 2 55 110 50 60 20 F 2 75 150 70 80 110 50 60 3 3

Count, Average and Variance:

SELECT
S.run_id, S.dim0, S.dim1,
COUNT(S.acc0) AS "cnt",
AVG(S.acc0) AS "avg",
SUM(
(S.acc0 - (SELECT AVG(VM1.acc0) FROM out4_sub VM1 WHERE VM1.run_id = S.run_id AND VM1.dim0 = S.dim0 AND VM1.dim1 = S.dim1))*
(S.acc0 - (SELECT AVG(VM2.acc0) FROM out4_sub VM2 WHERE VM2.run_id = S.run_id AND VM2.dim0 = S.dim0 AND VM2.dim1 = S.dim1))
)/
((SELECT COUNT(VC1.acc0) FROM out4_sub VC1 WHERE VC1.run_id = S.run_id AND VC1.dim0 = S.dim0 AND VC1.dim1 = S.dim1) - 1) AS "var"
FROM out4_sub S
GROUP BY S.run_id, S.dim0, S.dim1
ORDER BY S.run_id, S.dim0, S.dim1 DESC;
run_id dim0 dim1 cnt avg var
2 10 M 4 2.5 1.666666666666666
2 10 F 4 3 1.6666666666666666

2	10	F	4	3	1.66666666666666
2	20	Μ	4	25	166.666666666667
2	20	F	4	25.5	166.666666666667
3	10	Μ	2	5.5	0.5
3	10	F	2	7.5	0.5
3	20	Μ	2	55	50
3	20	F	2	75	50

#### Count, Average and Standard Deviation:

```
SELECT
 S.run_id, S.dim0, S.dim1,
 COUNT(S.acc0) AS "cnt",
 AVG(S.acc0) AS "avg",
 SORT(
  SUM(
    (S.acc0 - (SELECT AVG(SDM1.acc0) FROM out4_sub SDM1 WHERE SDM1.run_id = S.run_id AND SDM1.dim0 = S.dim0 AND SDM1.dim1 = S.dim1))*
    (S.acc0 - (SELECT AVG(SDM2.acc0) FROM out4_sub SDM2 WHERE SDM2.run_id = S.run_id AND SDM2.dim0 = S.dim0 AND SDM2.dim1 = S.dim1))
  )/
  ((SELECT COUNT(SDC1.acc0) FROM out4_sub SDC1 WHERE SDC1.run_id = S.run_id AND SDC1.dim0 = S.dim0 AND SDC1.dim1 = S.dim1) - 1)
 ) AS "sd"
FROM out4_sub S
GROUP BY S.run_id, S.dim0, S.dim1
ORDER BY S.run_id, S.dim0, S.dim1 DESC;
run_id dim0 dim1 cnt avg sd
             M 4 2.5 1.29099444873581
2
      10
     10 F 4 3 1.29099444873581
2

        20
        M
        4
        25
        12.9099444873581

        20
        F
        4
        25.5
        12.9099444873581

2
2

        10
        M
        2
        5.5
        0.707106781186548

        10
        F
        2
        7.5
        0.707106781186548

        20
        M
        2
        55
        7.07106781186548

3
3
3
      20 F 2 75 7.07106781186548
3
```

#### Count, Average, and Standard Error:

```
SELECT
 S.run_id, S.dim0, S.dim1,
 COUNT(S.acc0) AS "cnt",
 AVG(S.acc0) AS "avg",
 SORT(
  SUM(
  (S.acc0 - (SELECT AVG(SEM1.acc0) FROM out4_sub SEM1 WHERE SEM1.run_id = S.run_id AND SEM1.dim0 = S.dim0 AND SEM1.dim1 = S.dim1) )*
   (S.acc0 - (SELECT AVG(SEM2.acc0) FROM out4_sub SEM2 WHERE SEM2.run_id = S.run_id AND SEM2.dim0 = S.dim0 AND SEM2.dim1 = S.dim1))
  )/
  ((SELECT COUNT(SEC1.acc0) FROM out4_sub SEC1 WHERE SEC1.run_id = S.run_id AND SEC1.dim0 = S.dim0 AND SEC1.dim1 = S.dim1) - 1)/
  (SELECT COUNT(SEC2.acc0) FROM out4_sub SEC2 WHERE SEC2.run_id = S.run_id AND SEC2.dim0 = S.dim0 AND SEC2.dim1 = S.dim1)
 ) AS "se"
FROM out4_sub S
GROUP BY S.run_id, S.dim0, S.dim1
ORDER BY S.run_id, S.dim0, S.dim1 DESC;
run_id dim0 dim1 cnt avg se
----
   -- ----
          ---- ---
2
   10 M 4 2.5 0.645497224367903

        10
        F
        4
        3
        0.645497224367903

        20
        M
        4
        25
        6.45497224367903

2
2
    20 F 4 25.5 6.45497224367903
2
    10 M 2 5.5 0.5
10 F 2 7.5 0.5
3
                     5.5 0.5
3
    20
          M 2 55
F 2 75
3
                           5
3
     20
                            5
```

#### Count, Average, an Coefficient of Variation:

```
SELECT
 S.run id, S.dim0, S.dim1,
 COUNT(S.acc0) AS "cnt",
 AVG(S.acc0) AS "avg",
 100.0 * (
  SQRT(
   SUM(
     (S.acc0 - (SELECT AVG(CVM1.acc0) FROM out4_sub CVM1 WHERE CVM1.run_id = S.run_id AND CVM1.dim0 = S.dim0 AND CVM1.dim1 = S.dim1) )*
     (S.acc0 - (SELECT AVG(CVM2.acc0) FROM out4_sub CVM2 WHERE CVM2.run_id = S.run_id AND CVM2.dim0 = S.dim0 AND CVM2.dim1 = S.dim1))
   )/
   ((SELECT COUNT(CVC1.acc0) FROM out4_sub CVC1 WHERE CVC1.run_id = S.run_id AND CVC1.dim0 = S.dim0 AND CVC1.dim1 = S.dim1) - 1)
  )/
  (SELECT AVG(CVM3.acc0) FROM out4_sub CVM3 WHERE CVM3.run_id = S.run_id AND CVM3.dim0 = S.dim0 AND CVM3.dim1 = S.dim1)
 ) AS "cv"
FROM out4_sub S
GROUP BY S.run_id, S.dim0, S.dim1
ORDER BY S.run id, S.dim0, S.dim1 DESC;
run_id dim0 dim1 cnt avg cv
2
           M 4 2.5 51.6397779494322
     10
2
    10 F 4 3 43.0331482911935

        20
        M
        4
        25
        51.6397779494322

        20
        F
        4
        25.5
        50.6272332837571

2
2
3

        10
        M
        2
        5.5
        12.8564869306645

        10
        F
        2
        7.5
        9.42809041582064

3
     20 M 2 55 12.8564869306645
3
     20 F 2 75 9.42809041582063
3
```

## SQL implementation details

In the previous section we are using simplified representation of accumulator table and SQL dialect, which is not compatible across all vendors. Real SQL aggregation queries can be found in expr\_sql column of table\_expr metadata table. For example if source model expression is:

(OM\_SUM(acc0) / OM\_SUM(acc2))

then result look like:

```
SELECT

M1.run_id, M1.dim0, (SUM(M1.acc_value) / SUM(L1A2.acc2)) AS expr1

FROM RiskPaths_201410071856440009_a2_T03_FertilityByAge M1

INNER JOIN

(

SELECT run_id, dim0, sub_id, acc_value AS acc2

FROM RiskPaths_201410071856440009_a2_T03_FertilityByAge

WHERE acc_id = 2

) L1A2

ON (L1A2.run_id = M1.run_id AND L1A2.dim0 = M1.dim0 AND L1A2.sub_id = M1.sub_id)

WHERE M1.acc_id = 0

GROUP BY M1.run_id, M1.dim0
```

# Model Run Options and ini-file

## **Overview**

There are many options which control model run, i.e.: number of cases, random generator starting seed, etc. OpenM++ model gets run options in following order:

- as command line arguments
- from ini-file (similar to Modgen .sce file)
- from database profile\_option tables
- use default values

Each option has unique key string associated with it, i.e. "Parameter.StartingSeed" is model input parameter "StartingSeed", which is most likely, random generator starting seed. You can use this key to specify model parameter on command line, in ini-file or database. For example:

modelOne.exe -Parameter.StartingSeed 123 -ini small.ini

would run "modelOne" model with starting seed = 123 and other options from small.ini file.

Note: We recommend to use normal Windows command line cmd.exe. If you are using Windows PowerShell then it may be necessary to put "guotes" around command line options, e.g.

modelOne.exe "-Parameter.StartingSeed" 123 "-ini" "small.ini"

## **OpenM++ database connection**

Typically we are using SQLite database files to run the model and in that case you just specifiy a path to your sqlite file:

modelOne.exe -db C:\My-Model\m1.sqlite

It is often SQLite database file is in the same directory as model.exe file and file name is ModelName.sqlite, you can run model as:

my/model/dir/model.exe -OpenM.SqliteFromBin

If database connection string is not specified then model try to open SQLite database OM\_MODEL\_NAME.sqlite (i.e.: modelOne.sqlite ) in current working directory. Default database connection string is:

Database=OM\_MODEL\_NAME.sqlite; Timeout=86400; OpenMode=ReadWrite;

Please notice, Linux file names are case sensitive and modelOne.sqlite is different from ModelOne.sqlite .

You can specify database connection string as command line argument, i.e.:

modelOne.exe -OpenM.Database "Database=C:\My Model\m1.sqlite; Timeout=86400; OpenMode=ReadWrite;"

Or, more convenient, by using ini-file

modelOne.exe -ini C:\MyModel\small.ini

Following parameters allowed for SQLite database connection:

- Database (required) database file name or URI, file name can be empty
- Timeout (optional) table lock "busy" timeout in seconds, default=0
- OpenMode (optional) database file open mode: ReadOnly, ReadWrite, Create, default=ReadOnly
- DeleteExisting (optional) if true then delete existing database file, default: false

Please notice: to run the model you need OpenMode=ReadWrite .

## Model development options

Model developer can pass an arbitrary run option from ini-file and use it to debug model code. In order to do that model should be started with following command line arguments:

model.exe -ini some.ini -OpenM.IniAnyKey

Or any of equivalent formats:

```
model.exe -ini some.ini -OpenM.IniAnyKey true
model.exe -OpenM.IniFile some.ini -OpenM.IniAnyKey true
model.exe -OpenM.IniFile some.ini -OpenM.IniAnyKey 1
model.exe -OpenM.IniFile some.ini -OpenM.IniAnyKey yes
```

Special boolean option -OpenM.IniAnyKey true allow to pass any key and values to model development code from ini-file.

For example, you can process following ini-file development options:

[MyTest]	
ShowReport = yes	; true if: "yes", "1", "true" or empty value, false if missing
ReportStyle = readable	; string option
MinimumTime = 1234.56	; double value, use as default: -inf
LineCount = 4321	; integer option
EntityId = 1234567890123	456789 ; long long integer
SelectedNames = e1,e2,e3	; comma separated list of event names

by including code below into ompp\_framework.ompp:

```
// process development model run options from model ini-file
void ProcessDevelopmentOptions(const IRunOptions * const i_options)
using namespace std;
  bool isShowReport = i_options->boolOption("MyTest.ShowReport");
  string rptStyle = i options->strOption("MyTest.ReportStyle");
  double minTime = i_options->doubleOption("MyTest.MinimumTime", -numeric_limits<double>::infinity());
  int lineCount = i_options->intOption("MyTest.LineCount", 0);
  long long entityId = i_options->longOption("MyTest.EntityId", 0);
  // option is a list of comma separated names
  list<string> evtList = openm::splitCsv(i_options->strOption("MyTest.SelectedNames"));
  // if option is not specified at all
  if (!i_options->isOptionExist("MyTest.ShowReport")) {
     // do something
  }
  // get a copy of all model run options, including openM++ standard options
  vector<pair<string, string>> allOpts = i_options->allOptions();
  // each option is a pair of key and value
  for (const auto & opt : allOpts) {
  // string key = opt.first,
  // string value = opt.second;
}
```

### Important:

Model development options should not be used as model parameters and should not affect modeling results. It is strictly for debugging and development purpose. OpenM++ does not provide any guarantee about model development options.

### OpenM++ ini-file run options

To specify name of ini-file you can use -s or -ini or -OpenM.IniFile command line option. Please see OpenM++ ini-file format to find out more about ini-file structure supported by openM++.

Example of model ini-file:

<sup>;</sup> Lines started with ; semicolon are just a comments

<sup>#</sup> Lines started with # hash are just a comments

;# ;# model parameters

;# any scalar model parameter can be specified in [Parameter] section

;# or as command line argument or in profile\_option table

[Parameter]

;# random seed value

; StartingSeed = 16807

;# base salary is classification parameter

;# using enum code "Full" to specify parameter value

;# if [OpenM]IdParameterValue=true (see below) then we must use baseSalary=22 instead

; baseSalary = Full

;#------

;# ;# openM++ run options

;# 0pc

- ;# OpenM++ boolean options:
- ;# True value is any of: "yes", "1", "true" or empty value
- ;# False value is any of: "no" "0", "false"
- ;# Boolean values are not case sensitive, e.g.: "yes" == "YES" and it is a true value

#### [OpenM]

;# number of sub-values, default: 1

; SubValues = 16

;# max number of modeling threads, default: 1

;#

;# if number of sub-values per process < number of modeling threads then sub-values run sequentially.

;# if more threads specified then sub-values run in parallel.

;# ;# for example:

;# model.exe -OpenM.SubValues 8

- ;# model.exe -OpenM.SubValues 8 -OpenM.Threads 4
- ;# mpiexec -n 2 model.exe -OpenM.SubValues 31 -OpenM.Threads 7

; Threads = 4

;# if NotOnRoot is true then do not use "root" process for modeling

;# default value: false ;# empty value: true

;# cmpty va

;# this option can be used only if multiple model.exe processes are running in parallel

;# otherwise it has no effect.

;# ;# for example:

;# (a) mpiexec -n 4 model.exe -OpenM.SubValues 16

- ;# (b) mpiexec -n 4 model.exe -OpenM.SubValues 16 -OpenM.NotOnRoot true
- ;# both commands above do launch four model.exe processes
- ;# but in second case only three children are doing modeling
- ;# and root process dedicated to run controlling activity

; NotOnRoot = false

;# database connection string

;# default database name: ModelName.sqlite

; Database = "Database=ModelName.sqlite; Timeout=86400; OpenMode=ReadWrite;"

;# path to SQLite database file

;#

;# If Database option (see above) specified then this SQLite option has no effect

;# Database option has higher priority over this Sqlite option.

; Sqlite = /path/to/my-model.sqlite

;# if SqliteFromBin is true the use model SQLite database file located next to model.exe ;# model database file path: directory/of/model/exe/ModelName.sqlite ;#

;# If any of Database or SQLite options (see above) specified then this SqliteFromBin option has no effect ;# Database and SQLite option has higher priority over this Sqlite option.

; SqliteFromBin = false

;# name of model run results ;# if not specified then automatically generated

; RunName = my-default-scenario

;# set id is an id of input set of model parameters ;# ; SetId = 101

;# set name is name of input set to get model parameters ;# if set name specified then it used to find set of model input parameters ;# if SetId option specified then SetName is ignored ; ; SetName = Default

;# if specified then use parameters from base run instead of input set ;# find base run by run id

; BaseRunId = 1234

;# if specified then use parameters from base run instead of input set ;# if BaseRunId option NOT specified then find base run by run digest

; BaseRunDigest = 6866f742cabab735ced1577c56b23e93

;# if specified then use parameters from base run instead of input set ;# if BaseRunId and BaseRunDigest options are NOT specified then find base run by run name ;# run name is not unique and as result it will be a first model run with that name

; BaseRunName = My\_Model\_Run

;# run id to restart model run (i.e. after power failure)

; RestartRunId =

;# task id is an id of modeling task ;# if modeling task id specified then ;# model will run all input sets included into that modeling task

; TaskId = 1

;# task name is name of modeling task ;# if task name specified then it used to get task id ;# if task id specified then set name is ignored

; TaskName = taskOne

;# task run name is name of modeling task run ;# if not specified then automatically generated

; TaskRunName = run-first-task-with-16-sub-values

;# task "wait":

;# default value: false

;# empty value: true

;#

;# allow to dynamically append new input data into modeling task

;# modeling task not completed automatically

;# it is waiting until some external script signal:

;# UPDATE task\_run\_lst SET status = 'p' WHERE task\_run\_id = 1234;

; TaskWait = false

;# profile name to select run options from profile\_option database table

; Profile = modelOne

;# convert to string format for float, double, long double, default: %.15g

; DoubleFormat = %.15g

;# path to parameters csv file(s) directory ;# if specified then for each parameter where exist param/dir/parameterName.csv ;# values from csv file are used to run the model

; ParamDir = ./csv

;# if true then parameter(s) csv file(s) contain enum id's, default: enum code ;# default value: false ;# empty value: true

; IdCsv = false

;# value of scalar parameter(s) can be specified in [Parameter] section (see above) ;# or as command line argument -Parameter.Name of model.exe

;#

- ;# if IdParameterValue is true
- ;# then scalar parameter(s) value is enum id's, default: enum code

;# default value: false

;# empty value: true

; IdParameterValue = false

;# if true then use sparse output to database, default: false :# default value: false ;# empty value: true ; SparseOutput = false ;# if use sparse and abs(value) <= SparseNullValue then value not stored ;# default = FLT\_MIN ; SparseNullValue = 1.0E-37 ;# if positive then used to report percent completed of simulation, default: 1 ; ProgressPercent = 1 ;# if positive then used to report simulation progress, default: 0 ;# for case based models it is number of cases completed and must integer value ;# for time based models it is time passed from first event and must positive value, e.g.: 0.1 ; ProgressStep = 1000 ;# language to display output messages ;# default: set in Windows Control Panel or by Linux LANG : MessageLanguage = en-CA ;# process run stamp, default: log file time stamp ;# use it to find model run(s) in run\_lst table ;# or model task run in task\_run\_lst table ; RunStamp = 2012\_08\_17\_16\_04\_59\_148 ;# log settings: ;# log can be enabled/disabled for 3 independent streams: ;# console - standard output ;# "last run" file - log file with specified name, overwritten on every model run ;# "stamped" file - log file with unique name, created for every model run ;# ;# "stamped" name produced from "last run" name by adding time-stamp and/or pid-stamp, i.e.: ;# modelOne.log => modelOne.2012\_08\_17\_16\_04\_59\_148.987654.log ; LogToConsole = true ; log to console, default: true ; LogToFile = true ; log to file, default: true ; LogToStampedFile = false ; log to "stamped" file ; LogUseTimeStamp = false ; use time-stamp in log "stamped" file name ; LogUsePidStamp = false ; use pid-stamp in log "stamped" file name ; LogFilePath = model.log ; log file path, default = current/dir/modelExeName.log ; LogNoMsgTime = false ; if true then do not prefix log messages with date-time ; LogRank = false ; if true then prefix log messages with MPI process rank ; LogSql = false ; debug only: log sql statements ;# trace settings: ;# trace can be enabled/disabled for 3 independent streams: ;# console - cout stream ;# "last run" file - trace file with specified name, overwritten on every model run ;# "stamped" file - trace file with unique name, created for every model run :# ;# "stamped" name produced from "last run" name by adding time-stamp and/or pid-stamp, i.e.: ;# trace.txt => trace.2012\_08\_17\_16\_04\_59\_148.987654.txt ;# ;# If trace to file is enabled ;# then existing "last run" trace file is overwritten even if model does not write anything to trace output ; TraceToConsole = false ; trace to console, default false ; TraceToFile = false ; trace to file ; TraceToStampedFile = false ; trace to "stamped" file : TraceFilePath = trace.txt : trace file path. default: current/dir/modelExeName.trace.txt ; TraceUseTimeStamp = false ; use time-stamp in trace "stamped" file name ; TraceUsePidStamp = false ; use pid-stamp in trace "stamped" file name ; TraceNoMsgTime = true ; if true then do not prefix trace messages with date-time ; TraceRank = false ; if true then prefix trace messages with MPI process rank :#=== ;# ;# language-specific options ;# [EN] ;# model run description in English ; RunDescription = model run with 50,000 cases •# ;# path to file with model run notes in English

; RunNotesPath = run\_notes-in-english.md

;#

;# run entity description in English

; Person--EntityDescription = base Person entities

;#

;# path to file with entity run notes in English

; Person--EntityNotesPath = entity-run\_notes-in-english.md

## [FR]

;# model run description in French

; RunDescription = je suis désolé je ne parle pas français

;#

;# path to file with model run notes in French

; RunNotesPath = run\_notes-fr-français.md

;#-----

;#

;# Ouput tables suppression.

;# ;# It can be in one of the two forms:

;# Suppress = ATable,BTable,Group1,Group2

;# Or:

;# Retain = ATable,BTable,Group1,Group2 ;#

;# Suppress and Retain options are mutually exclusive and cannot be mixed.

;# For example, this model run would fail:

;# model.exe -Suppress.A -Retain.B

## [Tables]

;#

;# Suppress output table "ageSexIncome" ;# and suppress group of output tables "AdditionalTables"

; Suppress = ageSexIncome,AdditionalTables

;# Or suppress all output tables

;# except of "ageSexIncome" table and tables included into "AdditionalTables" group:

; Retain = ageSexIncome,AdditionalTables

;#------;

;# where to find sub-values for model parameter or group of parameters: db, csv, iota

#### [SubFrom]

;# where to find sub-values for parameter "Member" ;# "iota" means create parameter "Member" sub-values as 0,1,...[OpenM].SubValues-1

; Member = iota

;# where to find sub-values for "baseSalary" parameter

;# "db" means read sub-values from input set (read from model database)

;# modelOne default input set has 4 sub-values for "baseSalary" and "salaryFull"

; baseSalary = db

;# where to find sub-values for "salaryFull" parameter ;# "csv" means read all sub-values from parameter.csv file ;# by default only one sub-value read from csv file

; salaryFull = csv

;# sub-value for all members of "age\_sex\_parameters" group coming from .csv files:

;# age\_sex\_parameters = csv

;# ;# it is the same as: ;# -SubFrom.ageSex csv -SubFrom.salaryAge csv

;# because this group consist of: "ageSex" and "salaryAge"

;#-----

;# how many sub-values to select for parameter and which sub id to select ;# it is also can be applied to the parameters group

,# n :#

;#

:#

;# SubValues option can be:

;# range: SubValues.Age [1,4]

;# list of id's: SubValues.Age 2,1,4,3

;# bit mask: SubValues.Age x0F

;# single id: SubValues.Age 7

;# import parameters from last successful run of upstream model "RedModel" where run name = GoodRun
;
; RedModel = GoodRun
;#=====================================
;#
# import model parameters from last sucessful run of model with specified digest

## ; RedModel = 101 :#======== ;# ;# import model parameters from last sucessful run with specified run name

[ImportRunName]

:# Example:

```
;# import parameters from upstream model "RedModel" where run id = 101
```

```
;# Example.
```

[ImportRunId]

;#= ;#

```
;# import model parameters from run specified by run id
```

```
; RedModel = abcdefghef12345678
```

;# import parameters from upstream model "RedModel" where run digest = abcdefghef12345678

;# Example.

## [ImportRunDigest]

```
;#
;# import model parameters from run specified by run digest
```

:#============

; RedModel = true

;# import parameters from last succesful run of upstream model "RedModel"

;# Example.

;# empty value: true

;# default value: false

;# if "ModelName" is true then import all parameters from upstream "ModelName".

;# for each upstream model last succesful run is used to import parameters ;#

;# default value: false ;# empty value: true

```
;# if "All" is true then import all parameters (all parameters which has import statement).
```

## [Import]

: All = true

```
;#
```

```
;# -SubValues.ageSex 2,3 -SubValues.salaryAge 2,3
;# because this group consist of: "ageSex" and "salaryAge"
```

```
;# import model parameters from other model(s)
```

```
[SubValues]
```

```
; baseSalary = default
```

;#

;#

·±

;# if you running:

```
; isOldAge = 4,2,1,3
```

; age sex parameters = 2,3

;# it is the same as:

```
;# use sub-values 2 and 3 for all members of "age_sex_parameters" group:
```

```
;# model.exe -OpenM.SubValues 4 -SubFrom.Age csv -SubValues.Age 4,5,6,7
;# model.exe -OpenM.SubValues 4 -SubFrom.Age csv -SubValues.Age xF0
```

```
:# or explicit sub-value id:
```

;# default id: SubValues.Age default

```
;# model.exe -OpenM.SubValues 4 -SubFrom.Age csv
;# then Age.csv file must have at least 4 sub values with sub id's 0,1,2,3
;#
```

```
;# to use only one single sub-value either specify "default" id:
;# model.exe -OpenM.SubValues 4 -SubFrom.Age db -SubValues.Age default
```

;# model.exe -OpenM.SubValues 4 -SubFrom.Age csv -SubValues.Age 7

;# to select 4 sub-values use [first,last] range or comma-separated list or bit mask: ;# model.exe -OpenM.SubValues 4 -SubFrom.Age csv -SubValues.Age [4,7]

#### [ImportDigest]

```
;# Example:
```

;# import parameters from last successful run of upstream model "RedModel" where model digest = 87654321fedcba

```
; RedModel = 87654321fedcba
```

;# ;# import model parameters from last sucessful run of model with specified id

#### [ImportId]

;# Example: ;# import parameters from last successful run of upstream model "RedModel" where model id = 123 .

```
; RedModel = 123
```

;# import model parameter from specified expression of output table

#### [ImportExpr]

;#

;# If upstream output table has multiple measure values (multiple expressions) ;# the by default first expression of output table is used to import parameter value. ;# To override default measure name (expression name) can be explicitly specified. :# ;# Example. ;# import parameter from AgeTable of upstream model "RedModel" using "expr2" value as parameter values : AgeTable = expr2 :#========= ;# ;# import model parameter from specified model database [ImportDatabase] ;# By default upstream model imported from the same database as current (downstream) model ;# or, if not exist there then from defalut SQLite database with name ModelName.sqlite ;# Use connection string to override default database rule. :# ;# Example. ;# import parameters from upstream model "RedModel" in database ../RedHot.sqlite ; RedModel = "Database=../RedHot.sqlite;OpenMode=RedaOnly;" ;# ;# model development options ;# ;# Are available for processing in model code only if model.exe started with command line options: :# ;# model.exe -ini iniFileName.ini -OpenM.IniAnyKey ;# ;# Or ;# ;# model.exe -ini iniFileName.ini -OpenM.IniAnyKey 1 ;# model.exe -ini iniFileName.ini -OpenM.IniAnyKey yes ;# model.exe -ini iniFileName.ini -OpenM.IniAnyKey true ;# ;# OpenM++ boolean options: ;# True value is any of: "yes", "1", "true" or empty value ;# False value is any of: "no" "0", "false" ;# Boolean values are not case sensitive, e.g.: "yes" == "YES" and it is a true value ;# ;# For example of model development option processing, see function ProcessDevelopmentOptions ;# in OM\_ROOT/NewCaseBased/code/ompp\_framework.ompp ; [LargeOutput] ; incomeByYear = true ; 4824 \* 4 expression cells ; incomeByLow = true ; 48240 \* 4 expression cells ; incomeByMiddle = true ; 144720 \* 4 expression cells ; incomeByPeriod = true ; 969624 \* 4 expression cells :# ;# event trace model development options ;# ;# Requires activation of model development options using -OpenM.IniAnyKey (see above). ;# Requires that model code contains the statement

;# options event trace = on;

;# Requires OpenM.TraceToFile = true

```
;# you can enable TraceToFile in section [OpenM] above, e.g..
```

;# [OpenM]
;# TraceToFile = true
;# ;# See wiki for explanation of EventTrace options
; [EventTrace] ;
; format
, ; ReportStyle = readable ; "modgen", "readable", or "csv", default: modgen ; MaximumLines = 100000 ; integer value, default: 20000 ; NameColumnWidth = 20 ; integer value, default: 40
; filters
; SelectedEntityKinds = e1,e2,e3 ; comma separated list of entity kinds, if empty all entity kinds ; SelectedEntities = 1,2,3 ; comma separated list of integers, if empty all entities ; SelectLinkedEntities = no ; default: no ; SelectedCaseSeeds = 1,2,3 ; comma separated list of case seeds, if empty all cases ; MinimumTime = 2025 ; double value, default: -inf
; MaximumTime = 2025 ; double value, default: +inf ; MinimumAge = 65 ; double value, default: -inf
; MaximumAge = 66 ; double value, default: +inf
; events ;
; ShowEnterSimulation = yes ; default: yes ; ShowExitSimulation = yes ; default: yes ; ShowEvents = yes ; default: yes ; ShowEvents = yes ; default: yes
; SelectedEvents = e1,e2,e3       ; comma separated list of event names, if empty all events         ; ShowQueuedEvents = no       ; default: no         ; ShowQueuedUnchanged = no       ; default: no         ; ShowSelfSchedulingEvents = no       ; default: no
; ShowQueuedSelfSchedulingEvents = no ; default: no
, attributes
; ; ShowAttributes = no ; default: no ; Selected Attributes = uses clicks = uses clicks = attributes = attributes
; SelectedAttributes = year,alive ; comma separated list of attribute names, if empty no attributes ; MinimumAttribute = 1 ; double value, default: -inf
; MaximumAttribute = 1 ; double value, default: +inf
, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
;# ;#
;# Model run microdata: entity name and attributes to store at each model run ;#
;# run time list of attributes can include less attributes than entity have
;# for example, full list of Person attributes is:
;# for example, full list of Person attributes is: ;
;# for example, full list of Person attributes is: ; ; Person = age, ageGroup, sex, income, salary, salaryGroup, fullTime, isOldAge, pension ;
;# for example, full list of Person attributes is: ; ; Person = age, ageGroup, sex, income, salary, salaryGroup, fullTime, isOldAge, pension ; ;# order of attributes is not important, it is defined by entity metadata and cannot be changed at run time ;
;# for example, full list of Person attributes is: ; ; Person = age, ageGroup, sex, income, salary, salaryGroup, fullTime, isOldAge, pension ; ;# order of attributes is not important, it is defined by entity metadata and cannot be changed at run time ; [Microdata]
;# for example, full list of Person attributes is: ; ; Person = age, ageGroup, sex, income, salary, salaryGroup, fullTime, isOldAge, pension ; ;# order of attributes is not important, it is defined by entity metadata and cannot be changed at run time ; [Microdata] ; Person = ageGroup,sex,age,income,isOldAge,pension
<pre>;# for example, full list of Person attributes is: ; Person = age, ageGroup, sex, income, salary, salaryGroup, fullTime, isOldAge, pension ; # order of attributes is not important, it is defined by entity metadata and cannot be changed at run time [Microdata] ; Person = ageGroup,sex,age,income,isOldAge,pension ; Store all non-internal attributes of Person entity ;</pre>
<pre>;# for example, full list of Person attributes is: ; Person = age, ageGroup, sex, income, salary, salaryGroup, fullTime, isOldAge, pension ; # order of attributes is not important, it is defined by entity metadata and cannot be changed at run time ; [Microdata] ; Person = ageGroup,sex,age,income,isOldAge,pension ; Store all non-internal attributes of Person entity ; Person = All ; Store all non-internal attributes of all entities</pre>
<pre>;# for example, full list of Person attributes is: ; Person = age, ageGroup, sex, income, salary, salaryGroup, fullTime, isOldAge, pension ; # order of attributes is not important, it is defined by entity metadata and cannot be changed at run time [Microdata] ; Person = ageGroup,sex,age,income,isOldAge,pension ; Store all non-internal attributes of Person entity ; Person = All ; Store all non-internal attributes of all entities ; NOT recommended for production, use for debug only ;</pre>
<pre>;# for example, full list of Person attributes is: ; Person = age, ageGroup, sex, income, salary, salaryGroup, fullTime, isOldAge, pension ;# order of attributes is not important, it is defined by entity metadata and cannot be changed at run time [Microdata] ; Person = ageGroup,sex,age,income,isOldAge,pension ; Store all non-internal attributes of Person entity ; Person = All ; Store all non-internal attributes of all entities ; NOT recommended for production, use for debug only ; All = true ; Allow to store entities internal attributes</pre>
<pre># for example, full list of Person attributes is: Person = age, ageGroup, sex, income, salary, salaryGroup, fullTime, isOldAge, pension # order of attributes is not important, it is defined by entity metadata and cannot be changed at run time [Microdata] Person = ageGroup,sex,age,income,isOldAge,pension Store all non-internal attributes of Person entity Person = All Store all non-internal attributes of all entities NOT recommended for production, use for debug only All = true Allow to store entities internal attributes NOT recommended for production, use for debug only</pre>
<pre>;# for example, full list of Person attributes is: ; Person = age, ageGroup, sex, income, salary, salaryGroup, fullTime, isOldAge, pension ;# order of attributes is not important, it is defined by entity metadata and cannot be changed at run time [Microdata] ; Person = ageGroup,sex,age,income,isOldAge,pension ; Store all non-internal attributes of Person entity ; Person = All ; Store all non-internal attributes of all entities ; NOT recommended for production, use for debug only ; All = true ; Allow to store entities internal attributes ; NOT recommended for production, use for debug only ; UseInternal = true ; Write microdata entity attributes into database</pre>
<pre># for example, full list of Person attributes is: Person = age, ageGroup, sex, income, salary, salaryGroup, fullTime, isOldAge, pension # order of attributes is not important, it is defined by entity metadata and cannot be changed at run time [Microdata] Person = ageGroup,sex,age,income,isOldAge,pension Store all non-internal attributes of Person entity Person = All Store all non-internal attributes of all entities NOT recommended for production, use for debug only All = true Allow to store entities internal attributes NOT recommended for production, use for debug only UseInternal = true Write microdata entity attributes into database Important: each microdata entity MUST have unique key</pre>
<pre># for example, full list of Person attributes is: Person = age, ageGroup, sex, income, salary, salaryGroup, fullTime, isOldAge, pension # order of attributes is not important, it is defined by entity metadata and cannot be changed at run time [Microdata] Person = ageGroup,sex,age,income,isOldAge,pension Store all non-internal attributes of Person entity Person = All Store all non-internal attributes of all entities NOT recommended for production, use for debug only All = true Allow to store entities internal attributes NOT recommended for production, use for debug only UseInternal = true Write microdata entity attributes into database Important: each microdata entity MUST have unique key ToDb = false Wite microdata entity attributes and events (if enabled) into CSV file(s)</pre>
<pre># for example, full list of Person attributes is: Person = age, ageGroup, sex, income, salary, salaryGroup, fullTime, isOldAge, pension # order of attributes is not important, it is defined by entity metadata and cannot be changed at run time [Microdata] Person = ageGroup,sex,age,income,isOldAge,pension Store all non-internal attributes of Person entity Person = All Store all non-internal attributes of all entities NOT recommended for production, use for debug only All = true Allow to store entities internal attributes NOT recommended for production, use for debug only UseInternal = true Write microdata entity attributes into database Important: each microdata entity MUST have unique key ToDb = false Write microdata entity attributes and events (if enabled) into CSV file(s) each microdata entity is written in it's own file</pre>
<pre># for example, full list of Person attributes is: Person = age, ageGroup, sex, income, salary, salaryGroup, fullTime, isOldAge, pension # order of attributes is not important, it is defined by entity metadata and cannot be changed at run time [Microdata] Person = ageGroup,sex,age,income,isOldAge,pension Store all non-internal attributes of Person entity Person = All Store all non-internal attributes of all entities NOT recommended for production, use for debug only All = true Allow to store entities internal attributes NOT recommended for production, use for debug only UseInternal = true Write microdata entity attributes into database Important: each microdata entity MUST have unique key ToDb = false Write microdata entity attributes and events (if enabled) into CSV file(s) each microdata entity is written in it's own file ToCsv = false Directory where microdata CSV file(s) should be created, must be existing directory</pre>

; Write microdata entity(s) attributes and events (if enabled) into model Trace output

; Trace output must be enabled to produce any results; ; see Trace options in [OpenM] section above

; ToTrace = false

; Write selected events into Trace or CSV file

- ; Events = Birth,Union,Death
- ; If true then write event name into CSV file

; CsvEventColumn = true

# **OpenM++ Compiler (omc) Run Options**

## Home > Model Development Topics > OpenM++ compiler arguments and options

This topic documents the arguments and options of the OpenM++ compiler (omc). These arguments and options are normally used indirectly by build system components shipped with OpenM++ for the supported development environments.

## **Related topics**

- Model Code
- File-based Parameter Values: Representing parameter values in files
- ini File Format

### **Topic contents**

- Overview
- Omc ini-file options

## **Overview**

There are a number of options which control model compilation and publishing. The most frequently used are:

- model name
- input directory containing model .ompp or .mpp source files
- input directory with model parameters (a.k.a. "scenario" .dat files or parameters .csv files)
- input scenario name

The OpenM++ compiler (omc) gets run options in the following order:

- as command line arguments
- from options ini-file
- use default values

Following options are supported by omc command line:

- -Omc.ModelName name/of/model/executable, e.g. RiskPaths
- -Omc.ScenarioName name/of/base/scenario, e.g. Base, it can be list of names
- -Omc.InputDir input/dir/to/find/source/files
- -Omc.OutputDir output/dir/to/place/model/cpp\_and\_h\_and\_sql/files
- -Omc.UseDir use/dir/with/ompp/files
- -Omc.ParamDir input/dir/to/find/parameter/files/for/scenario, it can be list of directories
- -Omc.FixedDir input/dir/to/find/fixed/parameter/files/
- -Omc.SqlDir input sql/script/dir to create model SQLite database
- -Omc.SqliteDir output directory to create model SQLite database
- -Omc.SqlPublishTo create sql scripts to publish in SQLite,MySQL,PostgreSQL,MSSQL,Oracle,DB2 , default: SQLite
- -Omc.CodePage code page for converting source files, e.g. windows-1252
- -Omc.MessageLanguage language to display output messages, default: user environment settings
- -Omc.MessageFnc localized message functions, default: LT,logMsg,logFormatted,WriteLogEntry,WarningMsg,ModelExit
- -Omc.ModelDoc generate human-readable model documentation (User Edition), default: false

- -Omc.InDocDir input/dir/to/find/authored/model/documentation/files/
- -Omc.OutDocDir Output directory to create model documentation files, e.g.: ompp/bin/doc
- -Omc.NoLineDirectives suppress #line directives in generated C++, default: false
- -Omc.NoMetadata suppress production of model metadata (model cannot be run), default: false
- -Omc.TraceScanning detailed tracing from scanner, default: false
- -Omc.TraceParsing detailed tracing from parser, default: false
- -OpenM.IniFile some/optional/omc.ini

Or you can use short form of command line arguments:

- -m short form of -Omc.ModelName
- -s short form of -Omc.ScenarioName
- -i short form of -Omc.InputDir
- -o short form of -Omc.OutputDir
- -u short form of -Omc.UseDir
- -p short form of -Omc.ParamDir
- -f short form of -Omc.FixedDir
- -d short form of -Omc.InDocDir
- -ini short form of -OpenM.IniFile

Each option has a unique key string associated with it, i.e.: Omc.InputDir. You can use this key to specify either as a command line argument or in an ini-file Section.Key entry. For example:

omc.exe -m RiskPaths -Omc.InputDir ../code -ini my-omc.ini

would compile model RiskPaths source files: ../code/\*.ompp and .././code/\*.mpp with some other options specified through my-omc.ini file.

Omc do compile model source .ompp and .mpp files and create model.sqlite database with parameter values from .odat, .dat, .csv, .tsv and \*.md files:

omc.exe -m RiskPaths -i ../code -s Default -p ../parameters/Default

Command above will read *.odat*, .dat, *.csv*, .tsv and \*.md files from *../parameters/Default* directory and create RiskPaths.sqlite database with Default input set of parameters (Default scenario).

It is possible to create multiple input sets of parameters (multiple scenarios) when you are building the model:

omc.exe -m RiskPaths -i ../code -s Default,Other -p ../parameters/Default,../parameters/other/dir

Above command will create two input sets of parameters:

- scenario Default from .dat, .odat, .csv, .tsv and \*.md files in ../parameters/Default directory
- scenario Other from .csv, .tsv and \*.md files in ../parameters/other/dir

Please note that the second or subsequent scenario directory (if present) can contain only CSV or TSV and Markdown files and not .dat or .odat files.

For more information on specifying parameter values using .csv or .tsv files, please see the topic File-based Parameter Values.

For more information on specifying parameter values using .dat or .odat files, please refer to Modgen documentation.

## Omc ini-file options

To specify name of ini-file you can use -ini or -OpenM.IniFile command line option. Please see OpenM++ ini-file format to find out more.

Example of omc ini-file:

```
; This is an example of omc.ini options file
; Omc-specific options
[Omc]
; model name, it must be specified either on command line or here
; no default value
; ModelName = NewCaseBased
; name of default set of input parameters (a.k.a. base scenario data)
; it can be multiple names separated by comma or semicolon
; default = Default
· ScenarioName = Default
; ScenarioName = Default,Other,Test
; input directory to get source .ompp or .mpp files to compile
; default = current directory
; InputDir = ./code
; output directory to place generated .cpp and .h files for the model
; default = current directory
; OutputDir = ./src
; use directory to resolve 'use' statements
; default = directory/of/omc.exe/../use/
; UseDir = ../../use
; parameter directory to get source .dat or .csv files to publish a scenario
; it can be multiple directories separated by comma or semicolon
: default = Default
; ParamDir = ../parameters/Default
; ParamDir = ../parameters/Default,../parameters/Other/dir,../parameters/some/Test
; fixed directory to get source .dat files with fixed parameter values
; default = Fixed
; FixedDir = ../parameters/Fixed
; directory where common sql scripts located (used to create SQLite database)
; default = directory/of/omc.exe/../sql/
; SqlDir = ../../sql
; output directory to create model.sqlite database
; default: value of OutputDir (see above)
; SqliteDir = ./src
; database providers comma-separated list
; supported providers: SQLite,MySQL,PostgreSQL,MSSQL,Oracle,DB2
; default: SQLite
; SqlPublishTo = SQLite
; code page for converting source files into utf-8
```

```
; default on Linux: utf-8 (no conversion)
: default on Windows: current user code nade, e.d.: windows-1252
```

. מכומטוג טוד איוויטטאיס. כטורכות מסכר כטעב paye, c.y.. אוויטטאי ; CodePage = windows-1252 ; language to display output messages ; default: Windows Control Panel or Linux LANG ; messageLang = en-CA ; localized message functions ; first argument of the Function("const char \* message",...) translated into other language ; by lookup in omc.message.ini where "message" = "translated message" ; default: LT, logMsg, logFormatted, WriteLogEntry, WarningMsg, ModelExit; MessageFnc = LT,logMsg,logFormatted,WriteLogEntry,WarningMsg,ModelExit ; suppress #line directives in generated cpp files ; default: false ; NoLineDirectives = false ; dsuppress production of model metadata (model cannot be run) ; default: false ; NoMetadata = false ; detailed tracing from scanner ; default: false ; TraceScanning = false : detailed tracing from parser ; default: false ; TraceParsing = false ; if true then generate model documentation ; default: false ; ModelDoc = false ; input directory to find authored model documentation files ; default: ../doc ; InDocDir = ../doc ; output directory to create model documentation files ; default: \$(TARGET\_DIR)/doc ; OutDocDir = ompp/bin/doc ; Common openM++ run options supported by omc [OpenM] ; log settings: ; log can be enabled/disabled for 3 independent streams: ; console - cout stream ; "last run" file - log file with specified name, truncated on every compiler run "stamped" file - log file with unique name, created for every compiler run ; "stamped" name produced from "last run" name by adding time-stamp and pid-stamp, i.e.: ; omc.log => omc.2012\_08\_17\_16\_04\_59\_148.1234.log LogToConsole = true ; log to console LogNoMsgTime = true ; if true then do not prefix log messages with date-time ; LogToFile = false ; log to file ; LogToStampedFile = false ; log to "stamped" file ; LogUseTimeStamp = false ; use time-stamp in log "stamped" file name ; LogUsePidStamp = false ; use pid-stamp in log "stamped" file name ; LogFilePath = omc.log ; log file path, default = current/dir/omc.log = false ; debug only: log sql statements (reserved, but not used by omc) ; LogSql

[back to topic contents]

# **OpenM++** ini-file format

## Home > Common Topics > OpenM++ ini Files

OpenM++ components can use ini files to specify options. This topic describes how these ini files are structured.

## **Related topics**

- model run ini file options
- omc ini file options

## OpenM++ ini-file format

OpenM++ ini-files are similar to other well-known implementations of ini-files. It is a text file consist of [sections] of key = value pairs and optional comments. For example:

[General] Cases = 12345 ; number of cases ; openM++ specific options [OpenM] SparseOutput = true

Ini-file can contain following lines:

- [section] line where section is [anything in square brackets]
- Key = Value lines
- empty lines and comment lines

Value can take multiple lines with \ at the end of the line for continuation.

Value can be a string, integer, double or boolean type. Boolean values:

- True value is any of: "yes", "1", "true" or empty value
- False value is any of: "no" "0", "false" Boolean values are not case sensitive, e.g.: "yes" is same as "YeS" and it is a true value Double values must be in "C" locale, which means using dot as decimals separator, i.e.: -123456.78e+9

Comments are optional and can start from either semicolon or hash sign at any position of the line. You can escape comment separator by putting value in single 'apostrophes' or double "quotes".

Example of ini-file format recorgnized by openM++:

[Test] ; section is required, global entries are not allowed # this is also a comment ; next line is empty value without comment non = rem = ; comment only and empty value val = no comments dsn = "DSN='server'; UID='user'; PWD='secret';" ; database connection string example Ist = "the # quick" brown 'fox # jumps ; over' # use "quote" and 'apostrophe' to escape characters and keep spaces unb = "unbalanced quote ; this is not a comment: it is a value started from " quote trim = Aname,Bname, \ ; multi-line value joined with spaces trimmed Cname,DName ; result is: Aname,Bname,Cname,DName ; multi-line value started with " quote or ' apostrophe ; right spaces before \ is not trimmed, result is: ; Multi line text with spaces keep = "Multi line \ text with spaces" ; multi-line value started with " quote or ' apostrophe : result is the same as above: ; Multi line text with spaces same = "\ Multi line \ text with spaces\ ; General settings [General] StartingSeed=16807 Subsamples=8 Cases = 5000 ; only for case-based SimulationEnd = 100 ; only for time-based UseSparse = true # # override values of above [Test] section with new values #

#### [Test]

val=new value of no comments dsn="new value of UID='user'; PWD='secret';" ; new database connection string lst=new value of "the # quick" fox 'jumps # over' # new list of test words

# **UI: How to start user interface**

## How to use openM++ UI

Open++ user interface (ompp-ui) is a lightweight web UI which is:

- scalable: can be run on single end-user desktop and in cluster environment
- cloud ready: can be deployed in private or public cloud (Amazon AWS, Microsoft Azure, Google Cloud, etc.)
- portable: work on Windows, Linux and MacOS, 32 and 64 bit versions
- open source: it is open source product

### Start openM++ UI

By default ompp-ui does not require any installation, to run it do one of the following:

- on Windows double click on <a href="mailto:binlompp\_ui.bat">binlompp\_ui.bat</a>
- on Linux double click on <a href="mailto:bin/ompp\_ui.sh">bin/ompp\_ui.sh</a>
- on MacOS double click on bin/ompp\_ui.command

Any of above script is relatively simple, all it does is starting oms web-service:

```
cd ~/openmpp_mac_20200704
bin/oms
.....
2020-06-19 16:07:57.892 Model directory: models/bin
2020-06-19 16:07:57.930 Listen at localhost:4040
2020-06-19 16:07:57.930 To start open in your browser: localhost:4040
2020-06-19 16:07:57.931 To finish press Ctrl+C
```

and open your browser at http://localhost:4040

Linux: Not every distribution do run executable by double click, if this action does not work then do it from command line:

cd openmpp\_debian\_20200704 ./bin/ompp\_ui.sh

It is possible you will be asked to confirm or select the action "Run in terminal" or "Open with Terminal":

〈 〉 습ì Hom	ne 🔻				Q 111	▼ Ξ -	. 🗆 😣
* Starred	Name		▼ Size	Owner	Group	Permissions	Modified
A Starred	▶ 🞵 Music		0 items	Me	anatoly	drwxr-xr-x	23 Apr 2020
습 Home		pp_debian_20210602	30 items	Me	anatoly	drwxr-xr-x	Yesterday
🗖 Desktop	openin	pp_debian_20210002	Sorcenis	MC	anacoty		resteredy
🗐 Documents	- 💼 bin		10 items	Me	anatoly	drwxr-xr-x	Yesterday
🖞 Downloads	d a	bcopy	10.0 MB	Me	anatoly	-rwxr-xr-x	Yesterday
🎵 Music	$\bigcirc$ $\square$	o you want to run "on				ents?	Yesterday
Pictures	$\odot$	"ompp_ui.sl	h" is an execut	able text fil	e.	r	Yesterday
🖯 Videos							resteredy
💼 Trash	Run in Terminal	Display	Cance	el	Ru	r	Yesterday
+ Other Locations		mpp_ui.bat	507 bytes	Me	anatoly	- rw- r r	Yesterday
	>_ o	mpp_ui.command	411 bytes	Me	anatoly	-rwxr-xr-x	Yesterday
	<sup>≥</sup> - 0	mpp_ui.sh	3.8 kB	Me	anatoly	-rwxr-xr-x	Yesterday
	0	ms	15.0 MB	Me	anatoly	-rwxr-xr-x	Yesterday
	R	EADME win.txt	1.1 kB	Me	anatol	ʻompp_ui.sh" sele	ected (3.8 kB)

File Edit View Go Help С home/anatoly/openmpp\_debian\_20210602/bin/  $\leftarrow \rightarrow \land \uparrow$ ▼ Size bin Name **Date Modified** Permissions Owner Group 🗯 dbcopy 9.5 MiB 2021-06-01 23:36:18 -rwxr-xr-x anatoly etc anatoly 🕨 🖿 Excel • omc 4.0 MiB 2021-06-01 23:30:24 -rwxr-xr-x anatoly anatoly html 3.2 KiB 2021-06-01 23:25:50 -rw-r--r-j omc.ini anatoly anatoly include amonte om anticipation and a state of a 10.4 KiB 2021-06-01 23:25:50 -rw-r--r-anatoly anatoly 🖿 lib j ompp\_ui.bat 507 bytes 2021-06-01 23:25:50 -rw-r--r-anatoly anatoly licenses 411 bytes 2021-06-01 23:25:50 -rwxr-xr-x anatoly anatoly log 🖿 #! ompp\_ui.sh 🕨 🖿 models Open With "FeatherPad" 2021 06 01 22:26:21 PUNE VE V oms 🗘 anatoly anatoly Importante in the second se • 9- Open With "Terminal Emulator README\_win.txt anatoly anatoly 🕨 🖿 ompp-go Open With "Xfce Terminal" Send To ۲ #! start\_oms.sh anatoly anatoly Image: Open With "Nano" 🛠 Cut Image: Open With "LibreOffice Writer" Copy Image: 😬 Open With "Geany" The Move to Trash Image: Open With Other Application... Rename... 🕨 🖿 openm Create Archive... 🕨 🖿 Perl Run command ... props Open root Thunar here 🕨 🖿 sql 🕨 🖿 use Edit as Root Xcode Create symlink Pictures Properties... 🚉 Public Use "Terminal Emulator" to open the selected file **D** Templates

## Use model runs queue


If model runs queue enabled then from UI Service Status page you can:

• see current model runs queue

- re-arrange your model run queue
- delete your model run job from the queue
- see the history of model runs
- · re-submit model run again if it was failed
- · see currently active model runs
- cancel (stop) model run


In order to enable model runs queue on your local computer do following:

• create job directory and sub-directories under your openM++ installation folder:



You can just copy job directory, sub-directories and job.ini from ompp-go folder of your openM++ installation.

• edit job.ini file to specify number of CPU cores which you want to use for model run, e.g.:



- modify UI start script to add -oms.JobDir job option to the oms line
  - on Windows bin\ompp\_ui.bat :

...skip... \bin\oms -oms.HomeDir models\home -oms.AllowDownload -oms.AllowUpload -oms.LogRequest -oms.JobDir job

• on Linux bin/start\_oms.sh :

....skip.... //bin/oms -I localhost:\${OMS\_PORT} -oms.HomeDir models/home -oms.AllowDownload -oms.AllowUpload -oms.LogRequest -oms.JobDir job

• on MacOS bin/ompp\_ui.command :

"...skip... bin/oms -I localhost:4040 -oms.HomeDir models/home -oms.AllowDownload -oms.AllowUpload -oms.LogRequest -oms.JobDir job"

After that you can start UI by double click on bintompp\_ui.bat (Windows) or bintompp\_ui.sh (Linux) or bintompp\_ui.command (MacOS). Model runs queue and status page will look similar to:

≡	RiskPaths: 3.0.0.0	: model 📁 C 🚦
Ē	Models Models list	14 O 2022-09-06 23:38:01.614 MPI CPU Cores: 8 Used: 2   Local CPU Cores: 4 Used: 0
	Model Runs List of model runs	Active Model Runs: 1   MPI CPU Cores: 2
	Input Scenarios List of input scenarios	RiskPaths:         cancel (stop) model run           Submitted:         2022-09-06         23:36:07.545         Run Stamp:         2022-09-06         23:38:00.545
Ŕ	Run the Model	Model Run Queue : 2   MPI CPU Cores: 16
θ	<b>Downloads and Uploads</b> View downloads and uploads	Change model run position in the queue
\$	Settings Session state and settings	Comparison of the serve model solution of the serve model from the queue remove model from the queue remove model is 150.40.977 and the queue remove model from the queue remove model is 150.40.977 and the queue remove model for the queue remove model is 150.40.977 and the queue remove model for the queue remove model is 150.40.977 and the queue remove model i
	Service Status Service status and model(s) run queue	<ul> <li>Failed Model Runs: 2</li> </ul>
	try it again: resubmit model ru	failed RiskPaths: RiskPaths_New_2022-mpi-2-descr-note Submitted: 2022-09-06 23:29:01.463 Run Stamp: 2022-09-06 23:29:05.344
		<b>failed RiskPaths</b> : RiskPaths_descr_tables Submitted: 2022-09-06 19:09:01.408 Run Stamp: no-run-time-stamp
		Completed Model Runs: 1
	view model run details and log	success RiskPaths: RiskPaths_New_2022-mpi-2-descr-note-re-run Submitted: 2022-09-06_23:30:15.733Run Stamp: 2022-09-06_23:30:17.893
	go to model run log pag	e delete model run history, it does NOT delete model run data

### Start openM++ UI from model source directory

Linux: To start UI from your model source code directory:

```
cd openmpp_debian_20211130/models/RiskPaths ../start-ompp-ui-linux.sh
```

If you make RELEASE model then it may be convenient to use one of the following:



It is recommended to stop oms web-service after you are done with UI:

cd openmpp\_debian\_20211130/models/RiskPaths ../stop-ompp-ui-linux.sh

If your model source code directory located outside of openM++ release directory then do export OM\_ROOT :

```
export OM_ROOT=$HOME/openmpp_debian_20211130
cd ~/my-models/RiskPaths
$OM_ROOT/models/start-ompp-ui-linux.sh
```

MacOS: To start UI from your model source code directory:

cd openmpp\_mac\_arm64\_20211130/models/RiskPaths ../start-ompp-ui-mac.sh

If you make RELEASE model then it may be convenient to use one of the following:

```
RELEASE=1 .../start-ompp-ui-mac.sh
export RELEASE=1 make all publish && ../start-ompp-ui-mac.sh
```

It is recommended to stop oms web-service after you are done with UI:

cd openmpp\_mac\_arm64\_20211130/models/RiskPaths ../stop-ompp-ui-mac.sh

If your model source code directory located outside of openM++ release directory then do export OM\_ROOT :

export OM\_ROOT=\$HOME/openmpp\_mac\_arm64\_20211130 cd ~/my-models/RiskPaths \$OM\_ROOT/models/start-ompp-ui-mac.sh

Windows: To start UI from your model source code directory:

1. Copy start-ompp-ui.bat into your model folder, for example: C:\openmpp\_win\_20220105\props\start-ompp-ui.bat => C:\openmpp\_win\_20220105\models\RiskPaths

2. Double click on start-ompp-ui.bat or from command line window do:

cd \openmpp\_win\_20220105\models\RiskPaths start-ompp-ui.bat


3. It is recommended to close oms web-service window after you are done with UI.

If your model source code directory located outside of openM++ release directory then set OM\_ROOT :

set OM\_ROOT=C:\openmpp\_win\_20220105 cd \my-models\RiskPaths start-ompp-ui.bat

### Start model UI on Windows from Visual Studio

To open UI from Visual Studio solution model build change project settings as on screenshot below. Optionally you may also want to run the model during model build to see results in UI.



More details about using Visual Studio for model development available at Windows: Create and Debug Models

### Start model UI on Linux from Visual Studio Code

To open UI from Visual Studio Code on Linux please configure "Start UI" task for the model. It can be done by using menu Terminal -> Configure Tasks... and create tasks similar to RiskPaths model below:

```
// See https://go.microsoft.com/fwlink/?LinkId=733558
// for the documentation about the tasks.json format
   "version": "2.0.0",
   "tasks": [
     {
        "label": "build-RiskPaths",
        "type": "shell",
        "command": "make all publish",
        "problemMatcher": "$gcc",
        "group": {
"kind": "build",
           "isDefault": true
        },
        "dependsOrder": "sequence",
        "dependsOn": [
           "build-libopenm",
           "stop-ui-RiskPaths"
        ]
     },
     {
        "label": "start-ui-RiskPaths",
        "type": "shell",
"command": "../start-ompp-ui-linux.sh",
        "problemMatcher": []
     },
     {
        "label": "stop-ui-RiskPaths",
        "type": "shell",
        "command": "../stop-ompp-ui-linux.sh",
        "problemMatcher": []
     },
     {
        "label": "clean-RiskPaths",
        "type": "shell",
        "command": "make clean-all",
        "group": "build",
        "problemMatcher": []
     },
     {
        "label": "build-libopenm",
        "type": "shell",
        "command": "make libopenm",
        "options": {
           "cwd": "../../openm"
        },
        "problemMatcher": "$gcc",
         "group": "build"
     }
  ]
}
```

{

To start UI please go to menu Terminal -> Run Task... -> start-ui-RiskPaths After you done with UI it is recommended to shutdown background oms web-service by using Terminal -> Run Task... -> stop-ui-RiskPaths

X G: case_based_common.om 9+       329 330 330 330 331 332       329 330 332       dean-RiskPaths build-libopenm 331 332       build-libopenm 331 start-ui-NewCaseBased 332         V OPENMPP_CONS_2020064       334 337       build-modelOne 336       configured 337         V OPENMPP_CONS_2020064       334 337       build-modelOne 336       configured 337         V OPENMPP_CONS_2020064       334 337       build-modelOne 337       configured 338         V OPENMPP_CONS_2020064       334       build-modelOne 337       configured 338         V OPENMPP_CONS_2020064       336       start-ui-RiskPaths       (2)         V ompp-go       336       start-ui-RiskPaths       (2)         V ompp-rui       339       stop-ui-RiskPaths       (2)         V openm       341       [2] gulp       [2] jake       [2] jake         V props       343       [3] jake       [3] jake       [3] jake         V use       345       [4] vaic could be turned on/off.       351         C case_based_log41.ompp       351       [4] cleanup entities and event queue after case has completed.         BaseEvent::exit_simulation_all();       BaseEvent::exit_simulation_all();       BaseEvent::clean_all();         C case_based_scaling_endogenou       352       BaseEvent::clean_all();       BaseEvent::clean_all(); <th></th> <th></th> <th>case_based_common.ompp - openmpp_centos_20200604 - Visual Studio Code</th>			case_based_common.ompp - openmpp_centos_20200604 - Visual Studio Code
• OPEN EDITORS       use > case based_common.om	<u>File E</u> dit <u>S</u> election <u>V</u> iew <u>G</u> o <u>R</u> un <u>T</u> erm	inal <u>H</u> elp	
> OPEN EDITORS       use > case       build-RiskPaths       recently used         > C case_based_common.om 9+       329       330       build-RiskPaths         C PersonCore.mpp models/ 9+       331       build-RiskPaths       build-RiskPaths         (1) tasks/points/ 9+       332       battruinRewCaseBased       build-NewCaseBased         (1) tasks/points/ 9+       333       build-MewCaseBased       build-NewCaseBased         > ompp-go       336       start-uinRiskPaths       @         > ompp-go       336       start-uinRiskPaths       @         > ompp-rui       339       stop-ui-RiskPaths       @         > ompp-rui       339       Stop-ui-RiskPaths       @         > ompp-rui       340       [] grunt       contributed         > props       333       [] jake       [] jake         > props       333       [] jake       [] jake         > calendar       346       // Debug check for no left-over agents for which Finish was nor         // table case_based       346       // Which could be turned on/off.         Base(Framework).dat       349       assetti(0 == BaseAgent::com_active_agents());         @ case_based_log20.ompp       351       // cleanup entities and event queue after case has completed.		🕒 case_ba:	Select the task to run
<ul> <li>C ease_based_common.comp. 9+</li> <li>C PersonCore.mpp models/ 9+</li> <li>(1) tasks/json.vscode</li> <li>(2) tauch.json.vscode</li> <li>(3) tasks/json.vscode</li> <li>(3) tauch.json.vscode</li> <li>(1) tauch.json.vscode</li> <li>(2) tauch.json.vscode</li> <li>(3) tauch.json.vscode</li> <li>(3) tauch.json.vscode</li> <li>(3) tauch.json.vscode</li> <li>(2) tauch.json.vscode</li> <li>(3) tauch.json.vscode</li> <li>(3) tauch.json.vscode</li> <li>(3) tauch.json.vscode</li> <li>(3) tauch.json.vscode</li> <li>(2) tauch.json.vscode</li> <li>(3) tauch.json.vscode</li> <li>(3) tauch.json.vscode</li> <li>(3) tauch.json.vscode</li> <li>(4) tauch.json.vscode</li> <li>(5) tauch.json.vscode</li> <li>(6) tauch.json.vscode</li> <li>(7) tauch.json.vscode</li> <li>(8) tauch.json.vscode</li> <li>(9) tauch.json.vscode</li> <li>(1) tauch.json.vscode</li> <li>(2) tauch.json.vscode</li> <li>(2) tauch.json.vscode</li> <li>(2) tauch.json.vscode</li> <li>(3) tauch.json.vscode</li> <li>(3) tauch.json.vscode</li> <li>(4) tauch.json.vscode</li> <li>(5) tauch.json.vscode</li> <li>(5) tauch.json.vscode</li> <li>(6) tauch.json.vscode</li> <li>(7) tauch.json.vscode</li> <li>(8) tauch.json.vscode</li> <li>(9) tauch.json.vscode</li> <li>(1) tauch.json.json.json.json.json.json.json.json</li></ul>			build-RiskPaths recently used
C PersonCore.mpp models/ 9+       331         () tasks.json.vscode       332         () tasks.json.vscode       333         () tasks.json.vscode       334         () ompp-GotXer       335         () ompp-go       336         () ompp-go       337         () ompp-go       338         () ompp-go       337         () ompp-go       338         () ompp-go       337         () ompp-go       338         () ompp-ui       339         () openm       341         () props       343         () sql       341         () use       342         () case_based       345         (/) Debug check for no left-over agents for which Finish was nor         (/) TOD0 - consider making an optional warning activated by a me         () case_based_lcq41.ompp       349         () case_based_scaling_endogenou       350         () case_based_scaling_endogenou       351         () case_based_scaling_endogenou       352	X & case_based_common.om 9+		clean-RiskPaths
<pre> () tasksjson .vscode () taunchjson .vscode 332 v OPENMPP_CENTOS_2020604 334 build-NewCaseBased build-NewCaseBased build-NewCaseBased build-NewCaseBased build-NewCaseBased configured configured configured start_ui-RiskPaths component contributed contri</pre>	C PersonCore.mpp models/ 9+		build-libopenm
• OPENMPP_CENTOS_20200604       334       build-modelOne       configured         • ompp-docker       335       336       start-ui-RiskPaths       (an-NewCaseBased         • ompp-go       336       start-ui-RiskPaths       (an-NewCaseBased       menu Terminal -> Run Task         • ompp-ui       339       stop-ui-NewCaseBased       menu Terminal -> Run Task       (an-NewCaseBased         • ompp-ui       339       stop-ui-RiskPaths       (an-NewCaseBased       (an-NewCaseBased         • ompp-ui       340       (an-NewCaseBased       (an-NewCaseBased       (an-NewCaseBased         • oppenm       341       (an-NewCaseBased       (an-NewCaseBased       (an-NewCaseBased         • oppenm       344       (an-NewCaseBased       (an-NewCaseBased       (an-NewCaseBased         • props       343       (an-NewCaseBased       (an-NewCaseBased       (an-NewCaseBased         • sql       344       (an-NewCaseBased       (an-NewCaseBased       (an-NewCaseBased       (an-NewCaseBased         • sql       344       (an-NewCaseBased       (an-NewCaseBased       (an-NewCaseBased       (an-NewCaseBased       (an-NewCaseBased         • sql       341       (an-NewCaseBased       (an-NewCaseBased       (an-NewCaseBased       (an-NewCaseBased       (an-NewCaseBas	<pre>{} tasks.json .vscode</pre>		start-ui-NewCaseBased
<pre>&gt; ompp-docker &gt; ompp-go &gt; ompp-go &gt; ompp-python &gt; ompp-r &gt; ompp-r &gt; ompp-r &gt; ompp-ui &gt; openm &gt; openm &gt; openm &gt; sql &gt; ref &gt; sql &gt; calendar &gt; case_based • case_based • case_based • case_based • case_based • case_based • case_based_log41.ompp • c case_based_log41.ompp • c case_based_scaling_exogenous</pre> > ompp-docker > ompp-docker > ompp-go > ompp-ui > ompp-r > ompp-ui > openm > sql • use • case_based • case_based • case_based_log200.ompp • case_based_scaling_exogenous > ompp-docker > ompp-go > ompp-go > ompp-r > ompp	{} launch.json .vscode	333	build-NewCaseBased
<pre>box ompp-go box ompp-go box ompp-python box ompp-r bomp-ui box ompp-ui box ompp- box ompp-ui box ompp-ui box ompp- box ompp-</pre>			build-modelOne configured
<pre>&gt; ompp-python 337 &gt; ompp-r &gt; ompp-r &gt; ompp-r &gt; ompp-ui 339 &gt; openm 340 &gt; props 342 &gt; sql 342 &gt; calendar &gt; calendar &gt;</pre>	A		clean-NewCaseBased
Stop-ui-NewCaseBased       menu Terminal -> Run Task         Stop-ui-RiskPaths       stop-ui-RiskPaths         Omppri       338         Omppri       340         Openm       341         Openm       342         Openm       343         Openm       343         Openm       343         Openm       344         Openm       345         // Debug check for no left-over agents for which Finish was not         // TODO - consider making an optional warning activated by a me	> ompp-go		start-ui-RiskPaths 😳
> ompp-ui       339       Stop-urksAPaths         > openm       340       grunt       contributed         > Perl       342       jake         > props       343       npm         > sql       344       npm         > calendar       346       // Debug check for no left-over agents for which Finish was not         > calendar       346       // TODO - consider making an optional warning activated by a model         © case_based       348       // which could be turned on/off.         = Base(Framework).dat       349       assert(0 == BaseAgent::om_active_agents());         © case_based_icg41.ompp       351       // cleanup entities and event queue after case has completed.         @ case_based_icg200.ompp       352       BaseEvent::clean_all();         @ case_based_scaling_endogenou       353       BaseEvent::clean_all();         @ case_based_scaling_exogenous       PROBLEMS       112       OUTPUT TERMINAL_DEBUG CONSOLE			stop-ui-NewCaseBased menu Terminal -> Run Task
> openm       340       □ grunt       contributed         > Perl       342       □ gulp         > props       343       □ jake         > sql       344       □ npm         > sql       346       // Debug check for no left-over agents for which Finish was not         > calendar       346       // TODO - consider making an optional warning activated by a model         > case_based       347       // TODO - consider making an optional warning activated by a model         > case_based       348       // which could be turned on/off.         = Base(Framework).dat       349       assert(0 == BaseAgent::om_active_agents());         G case_based_lcg41.ompp       351       // cleanup entities and event queue after case has completed.         G case_based_lcg200.ompp       352       BaseAgent::exit_simulation_all();         G case_based_scaling_endogenou       353       BaseEvent::clean_all();         G case_based_scaling_exogenous       PROBLEMS       112       OUTPUT_TERMINAL_DEBUG CONSOLE			stop-ui-RiskPaths
> Perl       341       □ gulp         > props       343       □ jake         > sql       □ npm         > sql       343         > use       345         > calendar       346         > calendar       346         > case_based       347          348         // TODO - consider making an optional warning activated by a model of the turned on/off.         = Base(Framework).dat       349         = BaseAgent::om_active_agents());         C case_based_common.ompp       350         C case_based_lcg41.ompp       351         C case_based_lcg41.ompp       351         C case_based_lcg200.ompp       352         BaseAgent::exit_simulation_all();         C case_based_scaling_endogenou       353         PROBLEMS       112       OUTPUT_TERMINAL_DEBUG CONSOLE		340	🖻 grunt contributed
342       jake         > props       343         > sql       344         ✓ use       345         > calendar       346         ✓ case_based       347         ✓ case_based       347         ✓ case_based       348         ✓ case_based       348         ✓ case_based_common.ompp       349         @ case_based_lcg41.ompp       351         Ø c case_based_lcg41.ompp       351         Ø c case_based_lcg200.ompp       352         BaseAgent::exit_simulation_all();         @ c case_based_scaling_endogenou       353         Ø PROBLEMS       112       OUTPUT_TERMINAL_DEBUG CONSOLE			
<pre>&gt; sql &gt; sql &gt; use &gt; calendar &gt; calendar &gt; case_based = Base(Framework).dat = Base(F</pre>			🔁 jake
✓ use       345         ✓ calendar       346         ✓ case_based       347         ✓ case_based       347         ✓ case_based       348         ✓ ase_based       348         ✓ case_based       348         ✓ case_based_common.ompp       349         ✓ case_based_common.ompp       351         ✓ case_based_lcg210.ompp       351         ✓ case_based_lcg200.ompp       352         BaseAgent::exit_simulation_all();         G: case_based_scaling_endogenou       353         Ø c case_based_scaling_exogenous       PROBLEMS         Ø PROBLEMS       112       OUTPUT_TERMINAL_DEBUG CONSOLE			1 npm
> calendar       346       // Debug check for no left-over agents for which Finish was not over a set of the set of			
× case_based           347           // TODO - consider making an optional warning activated by a model of the second secon		346	<pre>// Debug check for no left-over agents for which Finish was not</pre>
348       // which could be turned on/off.         Base(Framework).dat       349         349       assert(0 == BaseAgent::om_active_agents());         C: case_based_common.ompp 9+       350         C: case_based_lcg41.ompp       351         C: case_based_lcg200.ompp       352         BaseAgent::exit_simulation_all();         C: case_based_scaling_endogenou         C: case_based_scaling_endogenou         PROBLEMS       112         OUTPUT_TERMINAL_DEBUG CONSOLE			
G: case_based_common.ompp       349       assert(0 == baseAgentom_active_agents()),         G: case_based_lcg41.ompp       350       // cleanup entities and event queue after case has completed.         G: case_based_lcg200.ompp       352       BaseAgent::exit_simulation_all();         G: case_based_scaling_endogenou       353       BaseEvent::clean_all();         G: case_based_scaling_exogenous       PROBLEMS (112)       OUTPUT_TERMINAL_DEBUG CONSOLE	_		· · · · · · · · · · · · · · · · · · ·
G* case_based_lcg41.ompp       351       // cleanup entities and event queue after case has completed.         G* case_based_lcg200.ompp       352       BaseAgent::exit_simulation_all();         G* case_based_scaling_endogenou       353       BaseEvent::clean_all();         G* case_based_scaling_exogenous       PROBLEMS (12)       OUTPUT_TERMINAL_DEBUG CONSOLE			assert(0 == BaseAgent::om_active_agents());
G* case_based_lcg200.ompp       352       BaseAgent::exit_simulation_all();         G* case_based_scaling_endogenou       353       BaseEvent::clean_all();         G* case_based_scaling_exogenous       PROBLEMS (12) OUTPUT_TERMINAL_DEBUG CONSOLE			<pre>// cleanup entities and event queue after case has completed.</pre>
G: case_based_scaling_endogenou       353       BaseEvent::clean_all();         G: case_based_scaling_exogenous       PROBLEMS (112) OUTPUT TERMINAL DEBUG CONSOLE			
G case_based_scaling_exogenous PROBLEMS (112) OUTPUT TERMINAL DEBUG CONSOLE		353	<pre>BaseEvent::clean_all();</pre>
		PROBLEMS	
	C case_based_scaling_none.ompp	PROBLEMS	
> random 2020-06-12 16:22:22.317 member=0 Simulation progress=96% cases=4800	> random		
> time_based 2020-06-12 16:22:22.319 member=0 Simulation progress=97% cases=4850 2020-06-12 16:22:22.320 member=0 Simulation progress=98% cases=4900	> time_based		
© common.ompp 2020-06-12 16:22:22.320 member=0 Simulation progress=99% cases=4950	C+ common.ompp		
© common_modgen.ompp 2020-06-12 16:22:22.324 member=0 Simulation progress=100% cases=5000	C common_modgen.ompp		
• .gitignore2020-06-12 16:22:22.324 member=0 Simulation summary: cases=5000, events/case=112 2020-06-12 16:22:22.324 member=0 Write output tables - start	<ul> <li>.gitignore</li> </ul>		
■ AUTHORS.txt 2020-06-12 16:22:22.340 member=0 Write output tables - finish	☐ AUTHORS.txt	2020-06-1	12 16:22:22.340 member=0 Write output tables - finish
<pre></pre>	Sector Secto		

More details about model development on Linux available at Linux: Create and Debug Models

## Start model UI on MacOS from Xcode

To start model UI after build completed please change Model.xcconfig variable START\_OMPP\_UI to "1" or "true" or "yes" (case-sensitive)

Image: Set C A A O III O III A A O IIII O IIII A A O IIIII A A O IIIII A A O IIIII A A O IIIII A A O IIIIII A A O IIIIIII A A O IIIIII A A O IIIIII A A O IIIIIII A A O IIIIII A A O IIIIIII A A O IIIIII A A O IIIIIII A A O IIIIIII A A O IIIIIII A A O IIIIIIII
<pre>&gt; Displite 2 // Model 2 // Model configuration settings 3 //</pre>
<pre>Products 27 // UI settings: Prameworks 28 // 29 // START_OMPP_UI: if true then start openM++ UI. 30 // case-sensitive true: "true" or "yes" or "1" 31 // anything else is false 33 START_OMPP_UI = 1</pre>

More details about model development on MacOS available at MacOS: Create and Debug Models More details about using Xcode for model development available at MacOS: Create and Debug Model using Xcode

# UI: openM++ user interface

#### Home > OpenM++ User Interface

This topic shows functionality of the OpenM++ UI through annotated screenshots. The UI can also be explored by hovering over elements to display short descriptions.

#### **Related topics**

- Starting the UI How to start the UI
- Create new scenario or edit existing scenario
- Upload input scenario or parameters
- Run the Model
- Compare model run results
- Aggregate and Compare Microdata
- Disk space usage and cleanup

#### **Topic contents**

- Introduction and Background
- Terminology and Concepts
- Screenshot: Chart
- Screenshot: Heat map
- Screenshot: Ad hoc measures
- Screenshot: Model runs
- Screenshot: create new scenario or edit existing scenario
- Screenshot: Create new scenario
- Screenshot: Select existing scenario to edit
- Screenshot: Edit parameter
- Screenshot: Run the model
- Screenshot: Compare model runs
- Screenshot: Compare run parameters
- Screenshot: Download model data
- Screenshot: Upload scenario
- Screenshot: Download parameter
- Screenshot: Upload parameter
- Screenshot: Session state and settings

## Introduction and Background

The Open++ user interface is a lightweight web UI which can be run from any browser. It is

- scalable: can be run on single end-user desktop and in cluster environment
- cloud ready: can be deployed in private or public cloud (Amazon AWS, Microsoft Azure, Google Cloud, etc.)
- portable: works on Windows, Linux and MacOS, 32 and 64 bit versions

• open source

The OpenM++ UI is an advanced beta which includes significant portions of core functionality but omits others. The underlying software architecture is modern and layered, to make it easy to change or evolve the UI.

Your feedback on the openM++ UI is welcomed. Please feel free to join and participate in discussion of the openM++ UI on GitHub.

[back to topic contents]

## **Terminology and Concepts**

#### Some key terms:

Term	Meaning
Scenario	A set of one or more parameters and the values of those parameters.
Partial scenario	A scenario which does not include all parameters.
Complete scenario	A scenario consisting of <i>all</i> parameters.
Run specification	A completely specified set of parameters. It can be either A) a complete scenario or B) a partial scenario combined with a base run or a complete scenario.
Completed run	All input parameters together with output tables resulting from a model execution.

When a model is first built and published, it includes a complete scenario which is normally named Default. It does not necessarily include a run.

A scenario is best thought of as a *subset* of parameters and their values. Those values are typically modified with respect to some other scenario or run.

A partial scenario cannot be run. It must first be paired with a base run or a complete scenario to supply values for parameters which are absent from the partial scenario. That pairing results in a run specification.

A scenario does not become a run when a run specification uses it or when a run is submitted. Scenarios are independent of runs. For example, the same scenario could be combined with two different base runs to produce two new runs, each with its own run name.

A scenario has a name given when it was created.

A run has a name given when it was specified.


Depending on the names a user chooses, a scenario might have the same name as a run, but it is nevertheless a different kind of object.

[back to topic contents]

Screenshot: Chart



Average of Value vs Measures (EN) by Age



[back to topic contents]

**Screenshot: Heat map** 


2020-04-10 18:50:43 RiskPaths\_Default scenario

## 🖹 🗵 🗉 🔍 🔍 👬 🖸 T03\_FertilityByAge: Age-specific fertility

Table Heatmap 🔹					
Average     *     ↓       Value     *	Me	asures (EN) ▪			
Age •		Measures (EN)	First hirth rate all women	First birth rate woman at risk	Totals
	Age		That birth fate an women	Thist birth fate woman at risk	Totals
	(-∞,1	5)	0.0000	0.0000	0.0000
	[15,1	6)	0.0228	0.0230	0.0229
	[16,1	7)	0.0318	0.0331	0.0324
	[17,1	8)	0.0588	0.0637	0.0612
	[18,1	9)	0.0992	0.1185	0.1089
	[19,2	20)	0.1006	0.1364	0.1185
	[20,2	21)	0.1160	0.1848	0.1504
	[21,2	22)	0.1052	0.2039	0.1545
	[22,2	23)	0.0818	0.1931	0.1374
	[23,2	24)	0.0720	0.2076	0.1398
	[24,2	25)	0.0562	0.1992	0.1277
	[25,2	26)	0.0356	0.1494	0.0925
		Totals	0.0650	0.1261	0.0955

[back to topic contents]

Screenshot: Ad hoc measures



## Screenshot: Model runs

≡	OncoSimX: Onco	oSim	3.4.1.1	🖻 🔓 C 🗄
Ē	Models Models list	2	Model Runs 1 × 🕞 Input Scenarios 1 × 🕏 Run the Model × 🚦	
Onco	SimX		Verameters 748     Voutput Tables 224     Output Tables     Output Tables 224     Output Tables 224     O	
	Model Runs List of model runs	1	Find model run	Q
Þ	Input Scenarios List of input scenarios	1	$ (i) \equiv b^{OncoSimX_Default}_{2021-08-03} 18:11:29 Default scenario$	
Ŕ	Run the Model		edit parameters run the model	
D	<b>Downloads</b> Download model data		download	
\$	Settings Session state and settings		download model data: model run, input scenrio, entire model or any of output table or parameter	
[back	to topic contents]			

Screenshot: Create new scenario or edit existing scenario




```
[back to topic contents]
```

## Screenshot: Create new scenario


$\equiv$ ① RiskPaths: model	
■ Model Runs 1 × 🏹 Input Scenarios 1 × 🖈 Run the Model × 🚦	
Parameters 9 0 🕞 🖽 🛱 🖨 Default 2022-01-24 12:26:58 scenario	[back to topic contents]
Find input scenario	
① ➡ ★ □ Default 2022-01-24 12:26:58 scenario	
create new scenario	

Screenshot: Select existing scenario to edit



#### [back to topic contents]

## Screenshot: Edit parameter




[back to topic contents]

Screenshot: Run the model

$\equiv$ (i) RiskPaths: model									
🔳 Model Runs 🕕 🗙 🎼 Inpu	It Scenarios 2 × 🛧 Run the Model × 🚦 Finally click Run the Model button								
・ パ RUN THE MODEL	Model Run Options								
* Run Name:	Name of the new model run (* Required)								
Sub-Values (Sub-Samples):	12 C-								
✓ Use Scenario:	New_Scenario_of_union_duration 2022-02-01 11:08:27 New scenario: analyze union duration baseline Default Select input scenario and base run to get parameters from								
✓ Use Base Run: (1) Derault 2022-01-18 17:02:02 scenario									
Default Options  Use default model run options 4. If you have cluster of servers then click on									
Large Run 🔹 🕨	Large model run: use back-end MPI Cluster								
✓ Output Tables: All	5. Select output tables to retain in model run results, using "All" may slow down model run								
✓ Description and Note	6. Enter run description and (optional) notes								
✓ Advanced Run Options									
✓ Cluster Run Options	✓ Cluster Run Options								


[back to topic contents]

Screenshot: Compare model runs



topic contents]

Screenshot: Compare run parameters



to topic contents]

Screenshot: Download model data


≡	③ RiskPaths: model	🗎 💄
Ē	Models Ist 10	■ Model Runs 2 × 🖙 Input Scenarios 1 × 🖈 Run the Model × 🕽 Downloads × 🗄
RiskP	aths	Ready     In progress     Failed     Total     model downloads: - ready,
<b>•</b>	Model Runs 2	2021-08-04       17:59:18.379       1       0       0       1       - download create still in progress         - failed to create download
D	Input Scenarios	RiskPaths_Default_2021_08_04_01_08_36_475 log of download create, helpful if something failed
Ŕ	Run the Model	RiskPathering 103 ready download log
Ð	Downloads Download model data	E 2021-08-04 17:59:10.152
\$	Settings Session state and settings	RiskPaths.run.103.zip           2021-08-04 17:59:10.152         18.21 KB
	Service Status Service status and model(s) run	Download RiskPaths.run.103,rip           RiskPaths.run.103/RiskPaths.run.103.RiskPaths_Default_2021_08_04_01_08_36_475.json           2021-08-04 17:59:10.148         1.71 KB
	show / hide list of files	RiskPaths.run.103/run.103.RiskPaths_Default_2021_08_04_01_08_36_475/AgeBaselineForm1.csv 2021-08-04 17:59:10.137 283 Bytes
	available for download	RiskPaths.run.103/run.103.RiskPaths_Default_2021_08_04_01_08_36_475/AgeBaselinePreg1.csv 2021-08-04 17:59:10.137_265 Bytes
d	ownload model run as .zip bcopy can merge this run .zip	RiskPaths.run.103/run.103.RiskPaths_Default_2021_08_04_01_08_36_475/CanDie.csv 2021-08-04 17:59:10.137 27 Bytes
	nto another database	RiskPaths.run.103/run.103.RiskPaths_Default_2021_08_04_01_08_36_475/ProbMort.csv 2021-08-04 17:59:10.137 1022 Bytes
p	ownload any of arameter CSV r output table CSV	RiskPaths.run.103/run.103.RiskPaths_Default_2021_08_04_01_08_36_475/SeparationDurationBaseline.csv 2021-08-04 17:59:10.138 133 Bytes
(back t	to topic contents]	

## Screenshot: Upload scenario

≡	③ RiskPaths: model	I						
ħ	Models Models list	7	📰 Model Runs 🕕 × 🎲 Input Scen	arios	1 × 🕑 (	Downlo	ads a	nd Uploads ×
RiskP	aths		<b>2022-03-08</b> 19:33:41.478	Ready	In progress	Failed	Total	
	Model Runs	1	Downloads	0	0	0	0	
			Uploads	0	0	0	0	
	Input Scenarios List of input scenarios	1	O Do full downloads, compatible w	ith des	ktop model			
ż	Run the Model		Do fast downloads, only to analy	ze outp	out values			
8	Downloads and Uploads		Upload scenario .zip					
_	View downloads and uploads		Select input scenario .zip for upload RiskPaths.set.New-Scenario.zi		_			1.click anywhere at this box to select
¢	Settings Session state and settings		RiskPaths.set.New-Scenario.zi	p				scenario.zip
••	Service Status Service status and protel(s) run		∧ Downloads					
	queue 2. click to upload scenario.zip		✓ Uploads					

[back to topic contents]

Screenshot: Download parameter



contents]

Screenshot: Upload parameter

$\equiv$ (i) RiskPaths: model									
B Mode	el Runs 📋 🗙 🎼 Inpu	it Scena	arios 1 🗙 🗗 Union D	uration Base	eline of Dis	solution ×	:		
•	た Default 2022-03-08 18	3:24:39	click to cand	el upload					
	₽ <b>₽</b> 5¢₿	R	▣⊻⊗ᆴ▣	. = =	0⊈ .0←	とで、 し Union D	DurationBaseline uration Baseline of Diss		
	Gelect UnionDurationBaseline.csv JnionDurationBaseline.csv			1. click any		box to select par			
Su	ıb-values Count:		1 ODefault Sub-va	Default Sub-value: 0 2.(optional) defult sub-val if there are multiple sub					
<b>L</b> 3.	click to upload parameter.cs	5 <b>V</b>	2. (conditional) if parame	ter.csv contair	n multiple sub	o-values then spe	cify sub-values count		
	First union,	•							
	Union order	2 / 2							
	(-∞,1), Duration of current union	• 6/6	Duration of current union	Union order	First union	Second union			
	Duration of current union	0/0	(-∞,1)		0.0096017	0.0370541			
			[1,3)		0.0199994	0.0370541			
			[3,5)		0.0199994	0.012775			
			[5,9)		0.0213172	0.012775			
			[9,13)		0.0150836	0.0661157			
			[13,∞)		0.0110791	0.0661157			

[back to topic contents]

Screenshot: Session state and settings

$\equiv$ ③ OncoSimX: OncoSim 3.4.1.1							
ħ	Models Models list	2	<ul> <li>Session state and settings</li> </ul>				
OncoSimX			8	List of Models:	2 model(s)		
	Model Runs List of model runs	1	8	Current Model:	OncoSimX: OncoSim 3.4.1.1		
	Input Scenarios List of input scenarios	1	⊗	Model Runs:	1 run result(s)		
87	New Scenario Create new input scenario	8		Input Scenarios:	1 scenario(s)		
Ŕ	Run the Model		$\otimes$	Language:	Default		
Ð	Downloads Download model data		Model Downloads:		<ul> <li>Full, compatible with desktop model</li> <li>Fast, only to analyze output values</li> </ul>		
\$	Settings Session state and settings						
	Service Status Service status and model(s) ru queue	IN	Tree Labels:		<ul> <li>Show only name</li> <li>Show only description</li> </ul>		
Param	eters and output table tree lab	els -			Name and description		
Download parameter(s) view layout					coSimX: OncoSim 3.4.1.1		
Upload parameter(s) view layout			Upload views of OncoSimX: OncoSim 3.4.1.1				
∧ Default views					of parameters		
				HpvScreeningProtocolDispatcher     Cervical screening program (Dispatcher)			

to topic contents]

## **UI: Create new or edit scenario**

#### Home > Create new scenario or edit existing scenario


This topic shows functionality of the OpenM++ UI through annotated screenshots. The UI can also be explored by hovering over elements to display short descriptions.

User can do:

- edit parameter values using UI:
  - enter parameter values by typing or selecting from classification
  - copy-paste parameter values as TSV (tab separated values)
  - download parameter values as CSV file
  - upload parameter values as CSV file
- create new scenario:
  - enter new scenario description and notes
  - copy parameter or group of parameters from previous model run into the new scenario
  - copy parameter or group of parameters from other scenario into the new scenario
  - remove parameter or group of parameters from scenario
  - create new scenario and copy parameters which are different from base model run
- delete scenario
- edit existing scenario:
  - edit scenario description and notes
  - copy parameter or group of parameters from previous model run into the scenario
  - copy parameter or group of parameters from other scenario
  - remove parameter or group of parameters from scenario
- upload new scenario or upload new data to existing scenario

It is recommended to use "partial" scenario to run the model. Partial scenarios contain only parameters which you want to modify for your analysis. For example, for RiskPaths model it can be only number of Simulation Cases and Union Duration Baseline. All other parameters, which you don't want to change, can come either from previous model run, or from Default model scenario.

To create new scenario or to modify existing scenario click on Input Scenarios tab:



To edit existing scenario or to modify parameter(s) do:


- · select scenario from the list
- if scenario is "locked" then click on "unlock button"

Imporatnt: After scenario editing completed click on "lock" button to use that scenario for model run. Scenario must be "locked" in order to be runnable, you can NOT run "unlocked" scenario.

$\equiv$ ③ RiskPaths: model					
Model Runs 1 ×	🏹 Input Scenarios 💈 × 🝂 Run the Model × 🚦				
Parameters (	D Scenario 2021-12-21 15:35:06 Age Baseline analysis				
Find input scenario	3."open" scenario for editing				
i 🖱 🕏 🗂	Default 2021-11-30 14:04:20 scenario				
0 <b>()</b> 🕴 🕯	New_Scenario 2021-12-21 15:35:06 Age Baseline analysis				

In order to open parameter values editor click on parameter name in the scenario parameters tree. For example, click on UnionDurationBaseline parameter of RiskPaths model.

Please keep in mind, in openM++ number of Simulation Cases is also a model parameter (it is a different from Modgen).



To create new scenario click on new scenario button:

$\equiv$ (i) RiskPaths: model					
<b>H</b> Model Runs $1 \times 1$ Input Scenarios $1 \times 4$ Run the Model $\times$					
Parameters 9 0 🕞 🖽 🛱 🖨 Default 2022-01-24 12:26:58 scenario					
Find input scenario					
③ □ ☆ □ □ Default 2022-01-24 12:26:58 scenario					
create new scenario					


Create new scenario:

- provide new scenario name. It must be a valid file name, and cannot contain any of: "':\*?><|\$}{@&^;/\</p>
- you cannot change scenario name later, there is no "rename" scenario option;
- (optional) provide scenario description and notes, you always can change description and notes later.
- click on Save button to save scenario or on Cancel to discard your changes

$\equiv$ (i) RiskPaths: model		1 C :
🗉 Model Runs 🕕 × 🍞 Input Scenarios 🕕 × 🗚 Run the M	1odel × :	
Parameters 🥑 🛈 🕞 🖽 🛱 🔒 Default 2022-01	-24 12:26:58 scenario Name of	new scenario requied
Create new input scenario     New_Scenario_of_union_duration	Optional: - scenario description - scenario notes	
Description : New scenario: analyze union duration baseline		8
<sup>5</sup> C' B I H <sup>3</sup> H <sup>▲</sup> H <sup>▼</sup> 66 � ⅲ ☷ ⊞ □	0	
<ul> <li>#### Union duration scenario.</li> <li>analyze union duration baseline; <ul> <li>initially 12,000 simulation cases;</li> <li>finally 12,000,000 cases for detailed analysis.</li> </ul> </li> <li>**Note:** *12,000 cases used only to get fast initial estimate, for actual analysis at least 12,000,000 cases required.*</li> </ul> Click Save or Cancel button to create new scenario	<ul> <li>Union duration scena</li> <li>analyze union duration baseline;</li> <li>initially 12,000 simulation cases;</li> <li>finally 12,000,000 cases for detailed</li> </ul> Note: 12,000 cases used only to get fast for actual analysis at least 12,000,000 cases	l analysis. initial estimate,
Description : Nouveau scénario : analyser la durée de référence de la		8 words: 41 8:1
<b>っ</b> C B I H <sup>3</sup> H A H イ <b>ビ ペ</b> ※ ※ ※ ※ ※ ※ ※ ※ ※ ※ ※ ※ ※ ※ ※ ※ ※ ※	0	


After new scenario created you can add parameters into it by copy it:


- from previous model run
- or from other scenario




In order to copy parameter(s) from previous model run:

- click on "Copy from previous model run" button (see above)
- select parameter from model parameters tree
- click on plus button






After you are done with copy parameters from previous model click on Close button:




In order to copy parameter(s) from other input scenario:

- select source input scenario from the list. Source scenario must be "locked" otherwise you would not be able to select it as a source of parameters
- click on "Copy from other scenario" button (see below)



To copy parameter or group of parameters click on plus button in the scenario parameters tree



In order to delete parameter from your current scenario:

- click on minus button in the scenario parameters tree:
- confirm "Yes" to remove parameter values from scenario.

$\equiv$ (i) RiskPaths: model
Im Model Runs 1 × 🔽 Input Scenarios 2 × $\dot{\mathbf{x}}$ Run the Model ×
A Parameters       Image: Constraint of the second se
Find parameter
▼ ⊖ P03_Unions Union parameters Union parameters Union parameters Union parameters
→ O → AgeBaselineForm1 Age baseline for first union formation
G G UnionDurationPaseline Union Duration Baseline of Dissolution
SeparationDurationBaseline Separation Duration Baseline of 2nd Formation
O     P     Remove SeparationDurationBaseline     SimulationCases     Number of cases in run (over all members)
Copy parameters from input scenario: : Default
<ul> <li>Find parameter</li> </ul>


▶ ⊕ P01\_Mortality Mortality

▶ ⊕ P02\_Ferility Fertility


P03\_Unions

$\equiv$ (i) RiskPaths: model
🖿 Model Runs 1 × 🍞 Input Scenarios 2 × 🖈 Run the Model × 🚦
Parameters ④
Find parameter
P03_Unions Union parameters
Gradienter      Gradiente
── (i) ⊖ UnionDurationBaseline Union Duration Baseline Delete parameter from input scenario?
Image: Separation Duration Bas         Image: Separation Duration Bas         Image: Separation Duration Bas         Image: Separation Duration Bas
O SimulationCases Number of cases in run (ove)
NO YES
Find input scenario
○ EL ☆ □ Default 2022-01-24 12:26:58 scenario
Image:

After you are done with copy parameters from other scenario click on Close button:



User can create new scenario from results of run comparison. In that case scenario will include all parameters of that model run which are different from the base model run.



# **UI: Upload input scenario or parameters**

# Home > Upload input scenario or parameters

This topic shows functionality of the OpenM++ UI through annotated screenshots. The UI can also be explored by hovering over elements to display short descriptions.

User can modify existing or create new input scenario by uploading scenario.zip archive. Such archive can be created by dbcopy utility or through UI download or by Create Import Set utility. In most simplest case such ZIP archive can contain one or more CSV parameter file(s).

User also can replace existing parameter values by uploading parameter CSV file.

To edit existing scenario or to modify parameter(s) do:

- select scenario from the list
- if scenario is "locked" then click on "unlock button"

Imporatnt: After scenario editing completed click on "lock" button to use that scenario for model run. Scenario must be "locked" in order to be runnable, you can NOT run "unlocked" scenario.

$\equiv$ (i) RiskPaths: model					
Model Runs 1 ×	▶ Input Scenarios 2 × 🖈 Run the Model ×				
Parameters (	New Scenario     2021-12 21 15:35:06 Age Baseline analysis				
Find input scenario	3."open" scenario for editing				
ā 🏞 🕄 Ü	Default 2021-11-30 14:04:20 scenario				
i 🗗 🛧 Ō	New_Scenario 2021-12-21 15:35:06 Age Baseline analysis				

To replace existing parameter values by uploading parameter CSV file click on Upload parameter button:

≡ (	$\equiv$ (i) RiskPaths: model						
🔳 Mod	■ Model Runs 1 × 🍞 Input Scenarios 1 × 🕏 Union Duration Baseline of Dissolution × 🚦						
i.	Default 2022-03-08 18:24:39 scenario						
	₽₽52₽	R	Upload UnionDura		<u>, .</u> [	Union Du	
	First union,	-					
	Union order	2 / 2					
	(-∞,1),	-		Union order	First union	Second union	
	Duration of current union	6 / 6	Duration of current union				
			(-∞,1)		0.0096017	0.0370541	
			[1,3)		0.0199994	0.0370541	
			[3,5)		0.0199994	0.012775	
			[5,9)		0.0213172	0.012775	
			[9,13)		0.0150836	0.0661157	
			[13,∞)		0.0110791	0.0661157	

Parameter.csv files described at:

- How To Set Model Parameters
- Model Run: How model finds input parameters


It is possible to supply multiple sub-values inside of parameter.csv file, in that case:

- user must specify number of sub-values in the input CSV file
- user can specify default sub-value ID for that parameter, if it is not a zero.

≡ (	$\equiv$ (i) RiskPaths: model								
B Mod	el Runs 1 🗙 🌄 Inpu	t Scena	arios 🕕 × 🕏 Union De	uration Base	eline of Dis	solution ×	:		
i e	Default 2022-03-08 18:24:39 scenario								
	Image: Solution Baseline of Disserved and the second s								
	Select UnionDurationBaseline.csv UnionDurationBaseline.csv			1. click any	where at this	box to select par	ameter.csv file		
Su	ub-values Count:		1 Default Sub-va	alue:	0		l) defult sub-value ID are multiple sub-values		
<b>_</b> 3.	click to upload parameter.cs	v	2. (conditional) if parame	ter.csv contair	n multiple sub	o-values then spe	cify sub-values count		
	First union,	•							
	Union order	2/2							
	(-∞,1),	•	Duration of current union	Union order	First union	Second union			
	Duration of current union	6/6	(-∞,1)		0.0096017	0.0370541			
			[1,3)		0.0199994	0.0370541			
			[3,5)		0.0199994	0.012775			
		[5,9)		0.0213172	0.012775				
			[9,13)		0.0150836	0.0661157			
			[13,∞)		0.0110791	0.0661157			

## User can upload scenario ZIP archive from input scenarios list page:

≡	<ul> <li>RiskPaths: mode</li> </ul>	I	
Ē	Models Models list	7	🖽 Model Runs 🔟 × 🍺 Input Scenarios 🔟 × 📌 Run the Model 🛛 🗄
RiskF	Paths		Parameters (9) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2
	Model Runs List of model runs	٦	Find hput scenario
	Input Scenarios List of input scenarios	1	O      E,      A
Ŕ	Run the Model		
0	Downloads and Uploads View downloads and uploads	5	click to upload scenario or select Downloads and Uploads from side menu
\$	Settings Session state and settings		
	Service Status Service status and model(s) rur queue	1	



It is also possible to do upload from Downloads and Uploads page:

≡	③ RiskPaths: model							
ħ	Models Models list	7	🔳 Model Runs 🕕 × 🎼 Input Sce	narios	1 × 🕑 I	Downlo	ads a	nd Uploads ×
RiskF	Paths		2022-03-08 19:33:41.478	Ready	In progress	Failed	Total	
	Model Runs	٦	Downloads	0	0	0	0	
			Uploads	0	0	0	0	
	Input Scenarios List of input scenarios	1	O Do full downloads, compatible v	vith des	ktop model			
ŕ	Run the Model		Do fast downloads, only to anal	yze outp	out values			
9	Downloads and Uploads View downloads and uploads		Upload scenario .zip					1.click anywhere at
۵	Settings Session state and settings		Select input scenario .zip for upload RiskPaths.set.New-Scenario.z	ip	-		•	this box to select scenario.zip
	Service Status Service status and rodel(s) run queue		<ul> <li>Downloads</li> </ul>					
	2. click to upload scenario.zip		✓ Uploads					

OncoS	SimX-cervical			el Runs 1	< 🎼 Input Sce	narios	2 × <b>1</b>	Run the	e Mode	I × 🕒 Downloads and Uploads ⇒
			¢	2022-03-08	19:54:54.967	Ready	In progress	Failed	Total	
	Model Runs	8	Downl	oads		0	0	0	0	
	List of model runs		Uploa	ds		1	0	0	1	
>	Input Scenarios List of input scenarios	2	0	Do full downlo	ads, compatible v	vith des	ktop model			
\$	Run the Model		۲	Do fast downl	oads, only to anal	yze outp	out values			
9	Downloads and Uploads View downloads and uploads		Uploa	nd scenario .zi	р					
¢	Settings Session state and settings		1	Select input	t scenario .zip for u	pload				
	Service Status Service status and model(s) run queue		~	Downloads	1					
			^	Uploads						
	ario upload successfully comple ready to use	ted	÷		SimX-cervical.set.H	PVMM_I	Default.ready.	upload.l	og (i	HPVMM_Default 2022-03-08 19:54:50
			2022-	-03-08 19:	54:46.417 U	pload	of: Onco	SimX-	cervi	cal.set.HPVMM_Default
			Uploa	ad	: OncoSir	nX-cei	vical.se	t.HPV	MM De	fault.zip
			-	l Name	: OncoSir				_	-
			Model	l Version	: 3.4.5.8	39 202	22-03-08	16:34	:03.7	99
			Model	l Digest	: ef00e8:	E2cfc2	edcecd23	72214	b707e	57
			Scena	ario Name	: HPVMM_]					
			Folde	er	: OncoSir	nX-cei	vical.se	t.HPV	MM De	fault

# **UI: Run the Model**

#### Home > Run the Model

This topic shows functionality of the OpenM++ UI through annotated screenshots. The UI can also be explored by hovering over elements to display short descriptions.

It is recommended to use "partial" scenario to run the model. Partial scenarios contain only parameters which you want to modify for your analysis. For example, for **RiskPaths** model it can be only number of **Simulation Cases** and **Union Duration Baseline**. All other parameters, which you don't want to change, can come from previous model run (a.k.a. Base Run).

**Sub-values: sub-samples, members, replicas:** Following terms: "simulation member", "replicate", "sub-sample" are often used in microsimulation conversations interchangeably, depending on context. To avoid terminology discussion openM++ uses "sub-value" as equivalent of all above and it is the same as "sub-sample" in Modgen.

In order to run the the model please click on Run the Model tab or select it from the menu and do:

- enter model run name, it must be a valid file name, and cannot contain any of: "'`:\*?><|\$}{@&^;/\
- you cannot change run name later, there is no "rename" model run option;
- enter number of sub-values (sub-samples) for your model run;
- make sure you have your input scenario check box selected;
- typically your scenario does not contain all model parameters, make sure proper base run is selected;
- enter run description and (optional) run notes, you can always edit it later;
- select output tables which you want to retain in your model run results.

Other (advanced) model run options can be pre-selected by clicking on suitable option button. For example, if you have back-end computational cluster then you may see "Large Run" button, clicking on it sets advanced Cluster Run Options.

≡ ① RiskPaths: model							
🔳 Model Runs 📋 × 🍞 Input Sce	narios 💈 × 🗚 Run the Model × 🗄 Finally click Run the Model button						
🖈 RUN THE MODEL 🔷 Mode	I Run Options						
* Run Name: Nam	e of the new model run (* Required) 1. Enter model run name						
Sub-Values (Sub-Samples):	12 - Enter number of sub-samples (a.k.a. members, replicates)						
Use Scenario:	New_Scenario_of_union_duration 2022-02-01 11:08:27 New scenario: analyze union duration baseline 2022-02-01 11:08:27 New scenario: analyze union duration baseline 2025-02-01 11:08:27 New scenario: analyze union duration baseline						
V Use Base Run. (i)	Default 2022-01-18 17:02:02 scenario						
Default Options	lefault model run options						
Large Run 🕨 Large	4. If you have cluster of servers then click on "Large Run" to run your model on cluster						
✓ Output Tables: All	5. Select output tables to retain in model run results, using "All" may slow down model run						
✓ Description and Notes	6. Enter run description and (optional) notes						
✓ Advanced Run Options	✓ Advanced Run Options						
✓ Cluster Run Options							

Model run output tables selection:

≡ ⓒ RiskPaths: model	≡ ① RiskPaths: model					
🖽 Model Runs 1 🗙 🍞 Input Scenarios 2 🗙	Model Runs 1 × 🎼 Input Scenarios 2 × 🗚 Run the Model × 🚦					
🤹 RUN THE MODEL 🗸 🗸 Model Run Options						
Output Tables: 2 / 7     retain 2 out of 7 outp	out tables (suppress 5 output tables)					
Find output table	click 📉 to retain all output tables					
TG03_Union_Tables	- click $\bigcirc$ to suppress output table or tables group					
Of BirthsByUnion     Of Pregnancies by union status & order						
O      First Union Formation     First union formation						
Remove T07_FirstUnionFormation Find output table						
	<ul> <li>click          to retain output tabe or table group         (add output table to model run results)</li> </ul>					
(i) ↔ Life Expectancy TO2_TotalPopulationByYear Life table						
▶ ⊕ TG02_Birth_Tables Fertility						
►						
<ul> <li>Description and Notes</li> </ul>						

Example of advanced options to run the model on back-end computational cluster:

$\equiv$ ③ RiskPaths: model					
🖩 Model Runs 🕕 🗙 🗾	Input Scenarios 2	🖈 Run the	Model × :		
RUN THE MODEL	✓ Model Run Options				
✓ Output Tables: 2	/7				
✓ Description and	Notes				
Advanced Run C	ptions				
Modelling Threads:	3 🦢				
Log Progress Percent:	1 🗘				
Log Progress Step:	0 🗘				
Sparse Output Tables:					
Working Directory:	Relative path to working	directory to run t	he model		
CSV Directory:	Relative path to paramet	ers.csv directory			
CSV file(s) contain:	● Enum Code ○	Enum Id			
Profile Name:					~
Model Run Template:					~
<ul> <li>Cluster Run Opti</li> </ul>	ons				
MPI Number of Proces	ses:	5 🗘	click Large Run	to run	the model on cluster
Use MPI Root for Mode	lling:				the model on cluster
MPI Model Run Templa	te: mpi.c-all4.template.txt 🛞 👻				

# Model run jobs: queue and status:

If model run jobs enabled on your local workstation or in cloud then from Service Status page you can:

- see current model runs queue
- re-arrange your model run queue
- delete your model run job from the queue
- see the history of model runs
- re-submit model run again if it was failed
- see currently active model runs
- cancel (stop) model run

#### • see all servers status and load

≡	③ RiskPaths: 3.0.0.0: mo	odel 🔑 C :
Ē	Models Iist 14	O 2022-09-06 23:38:01.614 MPI CPU Cores: 8 Used: 2   Local CPU Cores: 4 Used: 0
	Model Runs 11	Active Model Runs: 1   MPI CPU Cores: 2
⊳	Input Scenarios 2	RiskPaths:         cancel (stop) model run           Submitted: 2022-09-06         23:36:07.545         Run Stamp: 2022-09-06         23:38:00.545
Ŕ	Run the Model	Model Run Queue : 2   MPI CPU Cores: 16
θ	Downloads and Uploads View downloads and uploads	change model run position in the queue Climetry Provide the second state of
\$	Settings Session state and settings	Submitted: 2022-09-06 23:30:40:977 remove model run request from the queue RiskPaths: Submitted: 2022-09-06 23:37:41.210
	Service Status Service status and model(s) run queue	<ul> <li>Failed Model Runs: 2</li> </ul>
	try it again: resubmit model run	<ul> <li>failed RiskPaths: RiskPaths_New_2022-mpi-2-descr-note</li> <li>Submitted: 2022-09-06_23:29:01.463</li> <li>Run Stamp: 2022-09-06_23:29:05.344</li> </ul>
		✓ ▲ ■ □ failed RiskPaths: RiskPaths_descr_tables Submitted: 2022-09-06 19:09:01.408 Run Stamp: no-run-time-stamp
		Completed Model Runs: 1
	view model run details and log	Submitted: 2022-09-06 23:30:15.733 Run Stamp: 2022-09-06 23:30:17.893
		delete model run history, it does NOT delete model run data

# **UI: Compare model run results**

## Home > Compare model run results

This topic shows functionality of the OpenM++ UI through annotated screenshots. The UI can also be explored by hovering over elements to display short descriptions. If you want to compare model runs microdata please see: Aggregate and Compare Microdata

User can select multiple runs to compare results:

- select Base run first
- select one or more runs to compare (Variant runs)

≡ ① 1-d/rp/RiskPaths: 3.0.0.0: model
RiskPaths_Default_4         New_123_cases           2023-09-26         18:21:39         scenario
🖽 Model Runs 3 × 🎼 Input Scenarios 3 × 🌴 Run the Model × 🚦
Image: Constraint of the second system       Image: Constrain
Find model run Variant runs to compare with Base
③ ■ ≠ □ ④ New_123_cases 2023-11-04 06:23:24 New 123,456 cases
③ ■ ★ ○ New_789123_cases 2023-11-04 06:21:22 New 789,123 cases
Base run     Base run     2023-09-26 18:21:39 scenario     Base run     Ba

Click on the Base run Info icon to view runs comparison summary:

- list of runs to Compare
- list of different parameters
- · list of different output tables
- list of missing (suppressed tables)
- · list of different microdata entities
- list of missing microdata entities

# ≡ ① 1-d/rp/RiskPaths: 3.0.0.0: model

# scenario

Name:	RiskPaths_Default_4
Status:	success
Sub-values Count:	4
Started:	2023-09-26 18:21:39
Completed:	2023-09-26 18:21:39
Duration:	00:00
Run Stamp:	2023_09_26_18_21_39_141
Run Digest:	b794d3399099035740e117378c523feb
Value Digest:	e04b7489a420e0f778f53ffd2e9d1f8b

Model runs to compare	
New_789123_cases	New 789,123 cases
New_123_cases	New 123,456 cases
Different parameters	
SimulationCases	Number of cases in run (over all members)
Different output tables	
T01_LifeExpectancy	Life Expectancy
T02_TotalPopulationByYear	Life table
T03_FertilityByAge	Age-specific fertility
T04_FertilityRatesByAgeGroup	Fertility rates by age group
T05_CohortFertility	Cohort fertility
T06_BirthsByUnion	Pregnancies by union status & order
T07_FirstUnionFormation	First union formation

# **Compare output tables**

Imporatnt: It is strongly recommended to drag Measure dimension on columns or rows:

$\equiv$ (i) 1-d/rp/RiskPaths: 3.0	).0.0: mod	el		
BiskPaths_Default_4 2023-09-26 18:21:39 scenario	(i)	<b>123_cases</b> 11-04 06:22:52		
🛅 Model Runs 🕄 🗙 🏭 Fertility i	rates by age g	group × 🗄		
RiskPaths_Default_4 2023-09-26 18:21:39 scenario				
	± ፰ ⊞	<u>₩</u>	.0,(€	E C RertilityRatesByAgeGroup
Fertility -				
Measure 1 / 1				
drag Measure dim	ension to co	lumns or to rows		
[20,22 5),	Age interval	Union Status		
Agrinterval 9 / 12		Never in union	0.0545	
Never in union,		First union < 3 years	0.8142	
Union Status 6 / 6	[20,22.5)	First Union > 3 years	0.2260	
•	[20,22.0]	After first union	0.0225	
		Second union	0.5528	
		After second union	0.0000	
		Never in union	0.0539	

Select how you want to compare run values:

- calculate values difference: Variant Base
- calculate values ratio: Variant / Base
- calculate percentage of difference: 100\* (Variant Base) / Base

≡ (	Ĵ 1-d/rp/Risk	Paths: 3.0.0.0: mod	el			
(i)	iskPaths_Default_4 923-09-26 18:21:3	(i)	<b>123_cases</b> 11-04 06:22:	52		
Mo	del Runs <sub>3</sub> ×	🚻 Fertility rates by age	group ×			
	l <b>iskPaths_Default_</b> 023-09-26 18:21:3					
	Ð (x) 🖂	£x¯∎±≣⊞		.00	•_⊕⊡	Fertilit
		Variant - Base Variant / Base	DIFF RATIO	Sel	ect compar	ison:
	Fertility	100 * (Variant - Base) / Ba	se percent		fference tio	
	Measure	Average	MEAN	or	percentag	e
	[20,22.5),	Count	COUNT	Measure	Fertility	
	Age interval	Sum	SUM			
	Never in union,	Maximum	MAX	n	0.0545	
	Union Status	Minimum	MIN	years	0.8142	
	onion status	Variance	VAR	3 years	0.2260	
		Standard deviation	SD	on	0.0225	
		Standard error	SE		0.5528	
		Coefficient of variation	CV	union	0.0000	
			Never in unio	n	0.0539	

See the relust:

- run values side by side
- calculated comparison values

≡ (	① 1-d/rp/RiskPa	aths: 3.0	.0.0: mod	el						
(i)	iskPaths_Default_4 023-09-26 18:21:39	scenario	(i)	<b>123_cases</b> 11-04 06:22:	52					
II Mo	del Runs <sub>3</sub> 🗙 🏢	Fertility r	ates by age g	group ×						
(i)	RiskPaths_Default_4 023-09-26 18:21:39	scenario								
	iΣ(x)[0];	f×	± ]≇ ⊡		.00, 00,	- 🕀 🗆		Fertility rates b	RatesBy	AgeGroup
			Me	easure value	s side by	side		Comparison	calculat	ed values
	scenario,	•	Ferti	ility,	•	$\mathbb{N}$				
	Model run	3 / 3	Meas	sure	2 / 2	2				
	[20,22.5),	-			Model run	scenario	New	789, <mark>123 cases</mark>	New	123,456 cases
	Age interval	9 / 12			Measure	Fertility	Fertility	PERCENT Fertility	Fertility	PERCENT Fertili
	Never in union,	-	Age interval	Union Status		$\square$				
	Union Status	6 / 6		Never in unic	n	0.054	0.055	100.84	0.055	100.2
				First union <	3 years	0.814	0.848	104.12	0.851	104.4
			[20,22.5)	First Union >	3 years	0.226	0.212	93.91	0.203	89.8
			[20,22.0)	After first un	ion	0.023	0.056	250.76	0.061	268.7
				Second unior	า	0.553	0.721	130.36	0.773	139.9
				After second	union	0.000	0.067		0.067	
				Never in unic	n	0.054	0.053	99.12	0.054	100.4
				First union <	3 years	0.810	0.819	101 18	0 809	90

It is also possible to:

- show only comparison calculated values, for example only percentage and hide source run values
- show only model run values side by side

Ris	skPaths_Default	t_4	Ne Ne	w_123_cases			
	23-09-26 18:21		(i)	23-11-04 06:22:52			
od	lel Runs <sub>3</sub> ×	🌐 Fertili	ty rates by a	ge group 🗙 🚦			
Ri	skPaths_Defaul	t_4					
20	23-09-26 18:21	:39 scenari	0				
6	) Σ (x) 🛛	∂ f <sub>×</sub> Γ	L ≣	···	.0 (	Ð 🗗 🕄	T04_FertilityRa
							Fertility rates by a
						show only co	mparison values
	scenario,	-		PERCENT Fertility	•		
	Model run	3 /	3	Fertility			
	[20,22.5),			PERCENT Fertility	~	v 789,123 cases	New 123,456 cases
	Age interval	9 / 1	1	Measu		RCENT Fertility	PERCENT Fertility
	Never in union,		Age inter	rval Union Status			-
	Union Status	6 /	6	Never in union		100.84	100.20
				First union < 3 years		104.12	104.49
			[20,22.5)			93.91	89.83
	1-d/rp/RiskF		.0.0: mode	After first union		93.91 250.76	89.83 268.77
sk 23 de isl	Paths_Default_4 3-09-26 18:21:39	scenario	.0.0: mode	After first union 23_cases 1-04 06:22:52 roup × :		250.76	268.77
sk 23 de	Raths_Default_4 -09-26 18:21:39 Runs 3 × 4 kPaths_Default_4	Fertility ra	.0.0: mode	After first union 23_cases 1-04 06:22:52 roup × :		250.76	
sk 23 de	A comparison of the second sec	Fertility ra	.0.0: mode New_1 2023-1 ates by age g	After first union 23_cases 1-04 06:22:52 roup × :	⊕ ⊏	250.76	268.77
sk 23 de isl 32	Arths_Default_4 3-09-26 18:21:39 I Runs 3 × 8 kPaths_Default_4 3-09-26 18:21:3	Fertility ra	.0.0: mode New_1 2023-1 ates by age g	After first union  After first union  23_cases 1-04 06:22:52  roup × :	⊕ ⊏	250.76	268.77 _FertilityRatesByAg lity rates by age group
sk 23 de isl 32 i	xPaths_Default_4 3-09-26 18:21:39 I Runs 3 × kPaths_Default_4 3-09-26 18:21:30 Σ (X) (Ω)	<ul> <li>scenario</li> <li>Fertility rate</li> <li>scenario</li> <li>f_x</li> </ul>	.0.0: mode New_1 2023-1 ates by age g	After first union	⊕ ⊏	250.76	268.77 _FertilityRatesByAg lity rates by age group
sk 23 de isl 22 isl 32	xPaths_Default_4 3-09-26 18:21:39 I Runs 3 × kPaths_Default_4 3-09-26 18:21:3 ∑ (x) ∞	scenario Fertility ra Scenario $f_{\star}$	.0.0: mode New_1 2023-1 ates by age g	After first union  After first u	e c	250.76	268.77 _FertilityRatesByAg lity rates by age group
sk 23 isl 32 i isl 32 i i i i i i i i i i i i i i i i i i	xPaths_Default_4 3-09-26 18:21:39 I Runs 3 × kPaths_Default_4 3-09-26 18:21:3 ∑ (x) ∞ xcenario, 10del run	<ul> <li>scenario</li> <li>Fertility rate</li> <li>scenario</li> <li>f_x</li> <li>f_x</li> <li>a</li> <li>x</li> <li>x<td>.0.0: mode New_1 2023-1 ates by age g ates by age g Fertility Fertility Fertility Fertility Fertility</td><td>After first union  After first u</td><td>e c</td><td>250.76</td><td>268.77</td></li></ul>	.0.0: mode New_1 2023-1 ates by age g ates by age g Fertility Fertility Fertility Fertility Fertility	After first union  After first u	e c	250.76	268.77
sk 23 de isl 02: s  s 	xPaths_Default_4 3-09-26 18:21:39 I Runs 3 × kPaths_Default_4 3-09-26 18:21:3 ∑ (x) ∞ xcenario, 1odel run 20,22.5),	scenario Fertility ra Scenario fx 10 2 fx 2 x 3/3	.0.0: mode New_1 2023-1 ates by age g	After first union  After first u	ertility	250.76 TO4 Fertil conly Measure New 785,193 case Fertility	268.77
sk 23 ie isl 22 22 30 22 30 50 50 50 50 50 50 50 50 50 50 50 50 50	xPaths_Default_4 3-09-26 18:21:39 I Runs 3 × xPaths_Default_4 3-09-26 18:21:30 ∑ (x) ∞ xcenario, todel run 20,22.5), ge interval	<ul> <li>scenario</li> <li>Fertility rate</li> <li>scenario</li> <li>fx</li> <li>fx</li> <li>x</li> <li>x</li> <li>y</li> <li>y</li></ul>	.0.0: mode New_1 2023-1 ates by age g	After first union  Select Measure  CENT Fertility  Union Status Never in union	ertility 0.054	250.76 TO4. Fertil vonly Measure Vew 785,193 case Fertility 0.05	268.77 _FertilityRatesByAg lity rates by age group values side by side s New 123,456 cases Fertility 5 0.055
sk 23 de isl 22 3 22 3 2 3 3 2 3 3 3 3 3 3 3 3 3 3	KPaths_Default_4         3-09-26       18:21:39         I Runs 3       X         KPaths_Default_4         3-09-26       18:21:39         X       X	<ul> <li>scenario</li> <li>Fertility radius</li> <li>fx</li> <li>fx</li> <li>x</li> <li>x</li> <li>y</li> <li>y</li> <li>y</li> <li>y</li> <li>y</li> <li>y</li> <li>y</li> <li>y</li> </ul>	.0.0: mode New_1 2023-1 ates by age g	After first union  After first u	ertility	250.76 TO4 Fertil conly Measure New 785,193 case Fertility	268.77 LityRatesByAg Lity rates by age group values side by side S New 123,456 cases Fertility 5 0.055 8 0.851

# **UI: Aggregate and Compare Microdata**

#### Home > Aggregate and Compare Microdata

This topic shows functionality of the OpenM++ UI through annotated screenshots. The UI can also be explored by hovering over elements to display short descriptions. To find additional information about model run comparison please see: Compare model run results

Microdata UI has two views:

- source (raw) microdata view
- aggregation and run comparison microdata view

II Mo	del Runs 💷 🗙 🍃	Input Sc	enarios 5	× si	Run the Mod	lel 🗙 🔥 Pers	on entity	×					
	<b>ase_values</b> 024-04-21 16:05:38	Base case			raw m	icrodata view							
			Size 10	- 6	. <b>f</b> × 🗖				D 🛃 🕸	Person			
					aggre	egation and cor	nparison v	/iew					
	Age of person,	-											
	Person entity	4 / 4											
	age 10-20,	•							Person entity	A	Incomo	Calam	Danala
	Age group	4 / 4	Age group	Gender	Salary Group	Full or part time	Is Old Age	Person entity keys		Age of person	income	Salary	Pensio
	Male,		age 40+	Male	Low	Full-time	False	1		42	28,727	21,545.25	
	Gender	2/2	age 40+	Male	Low	Full-time	False	3		44	45,109	33,831.75	
dl. 🗸	Low,		age 40+	Male	Low	Full-time	False	5		46	61,491	46,118.25	
⋓ <mark>⊘</mark>	Salary Group	3/3	age 40+	Male	Medium	Full-time	False	7		48	77,873	58,404.75	
			age 40+	Male	Medium	Full-time	False	9		50	94,255	70,691.25	
	Full-time,	•	age 40+	Female	Low	Full-time	False	0		41	20,536	15,402	
	Full or part time	2 / 2	age 40+	Female	Low	Full-time	False	2		43	36,918	27,688.5	
⊎≝	False,	•	age 40+	Female	Low	Full-time	False	4		45	53,300	39,975	(
	Is Old Age	2 / 2	age 40+	Female	Low	Full-time	False	6		47	69,682	52,261.5	(
	Person entity keys:	10	age 40+	Female	Medium	Full-time	False	8		49	86,064	64,548	(

Aggregation and compare view allow you to aggregate source microdata attributes, group it by selected dimensions attributes and optionally compare microdata from Base model run to one or more Variant model runs.

To aggregate microdata do following:

- click on Aggregate microdata button to open the menu
- select desired aggregation, on screenshots example below it is Average
- select one or more dimension attributes to group microdata, for example: Age Group , Gender
- select one or more measure attributes, for example: Income
- click on Apply button to se the results


Size	- 6	. f <sub>×</sub> 🗇	± 182 ⊡		.00		) (F	⊃ 🛃 🕸	Person
		Apply	Edit						
		Aggregatio		√ Average		AVG			
		Dimension		Count	ĥ	COUNT			
		Measures	0/4	Sum		SUM			
		Meddares	074 ₽	Maximum		MAX	I	Person entity	
Age group	Gender	Salary Group	Full or part	Minimum		MIN	eys		Age of p
age 40+	Male	Low	Full-time	Variance		VAR			
age 40+	Male	Low	Full-time	Standard de	viation	SD			
age 40+	Male	Low	Full-time	Standard er	ror	SE			
age 40+	Male	Medium	Full-time	Coefficient		tion CV			
age 40+	Male	Medium	Full-time	False	9		_		
age 40+	Female	Low	Full-time	False	0				
Age group age 40+ age 40+ age 40+	Gender Male Male Male	Aggregation Dimension Measures Salary Group Low Low	s 2/5 ► 0/4 ►	<ul> <li>Age group</li> <li>Gender frage</li> <li>Salary Group</li> <li>Full or part in the second second</li></ul>	ip	on entity k		Person entity	Age of p
ane 40±	Male	Medium	Full-time	False	7				
Size 10 click on A to see the		Apply Aggregation			<u>0</u> 0.	(	Ð	⊃ <b>ह</b> ‡	Person
		Measures	1/4 ►	Age of pers	on				
		Salary Group	-	✓ Income Salary	er so	on entity k		Person entity	Age of p
age 40+	Male	Low	Full-time	Pension					
age 40+	Male	Low	Full-time	False	3				
age 40+	Male	Low	Full-time	False	5				
age 40+	Male	Medium	Full-time	False	7				

As result you will see an Average Income grouped by Age Group and Gender :

	0 > >	Size 10	•	f× 🗖		
	hide ro	ws, colum	ns conti	rols		Decrease precision
Average Income	-					increase or decrease
Person entity	1/1					number of decimals
age 10-20,	-			Person entity	Average Income	
Age group	4 / 4	Age group	Gender		Average meome	
Male,	-	age 10-20	Male		10,848.80	
Gender	2/2	age 10-20	Female		10,817.59	
	)	age 20-30	Male		108,290.36	
		age 20-30	Female		108,620.45	
		age 30-40	Male		108,276.77	
		age 30-40	Female		108,401.54	
		age 40+	Male		76,160.97	
		age 40+	Female		74,026.08	

## Compare model runs microdata

In order to compare microdata from Base run you need to select one or more Variant model runs to compare with and open your microdata. On screenshots below it is Person entity microdata:



After that you will need to:

- click on Aggregate microdata button to open the menu
- select desired comparison, on screenshots example below it is Percent , calculated as:

100 \* (Variant Measure Value - Base Measure Value) / Base Measure Value

- select desired aggregation, for example: Average
- select one or more dimension attributes to group microdata, for example: Age Group, Gender
- select one or more measure attributes, for example: Income
- click on Apply button to see the results

<b>E</b> i	< >	I <b>&lt; (</b> 0	> > Size 40	-	ž	fx 🔽			E ⊞ ⊞ .ºi	<u>0</u> , .0, (	Ð	<b>R</b>
						Apply	Edit	5	у			
Age group	Gender	Salary Group	Full or part time	Is Old Age	Pe	Comparison	PERCENT	► [	Variant - Base	9		DIFF
age 40+	Male	Low	Full-time	False	1	Aggregation	AVG	► [	Variant / Base	e		RATIO
age 40+	Male	Low	Full-time	False	3	Dimensions	2/5	►	✓ 100 * (Varian	t - Base) /	Base PE	RCENT
age 40+	Male	Low	Full-time	False	5	Measures	1/4	•	46	61,491	46,118	0
age 40+	Male	Low	Full-time	False	23				64	16,806	12,605	0
age 40+	Male	Low	Part-time	True	25				66	38,074	8,368	27,893
40.	14-1-	1	Dent times	<b>T</b>	~ 7				<b>CO</b>	CO 405	10.000	44.075

Results below:

- Average Income grouped by Age Group and Gender side by side for Base and Variant model runs
- Calculated comparison values: Average Percent of Income difference for each Variant model runs

Important: It is strongly recommended to drag Measure dimension on columns or rows.

Important: You may need to increase "page size" (number of rows to display), default value is 10 only, below it is 40.

	(*)	I <b>&lt; &lt;</b> 0	>>I Size 40	- <mark>L</mark> f,		- 🕀 🕞 🔀 黎 Person
		Model run	Base case	Tax changes	Tax changes	
		Person entity		Average Income	Average 100 * (Variant - Base) / Base Income	
Age group	Gender		<b></b>	<b>-</b>		microdata comparison:
age 10-20	Male		10,849	10,852	164	for each age group, gender average % of income increase
age 10-20	Female		10,818	10,866	168	
age 20-30	Male		108,290	108,418	166	
age 20-30	Female		108,620	108,495	164	
age 30-40	Male		108,277	108,333	166	
age 30-40	Female		108,402	108,351	165	
age 40+	Male		76,161	76,075	138	
age 40+	Female		74,026	74,072	137	

### Adavnced microdata aggregation and comparison

If standard aggregation and comparison menu does not cover your needs then it is possible to Edit, add or remove aggregation and comparison measures.

You can use any Output Expressions but top level must be an aggregation function or combination of. For example, it can be: OM\_AVG(Income) + OM\_AVG(Tax) but cannot be: Income + OM\_AVG(Tax).

To edit existing measures, remove or add more click on Edit... menu button:

>I Size 40	- C	fx 🗖			■
lase case	Tax change	Apply	Edit		jes
		Comparison	PERCENT		
rage Income	Average Incor	Aggregation	AVG		ase) / Base Income
10,849	10,8	Dimensions	2/5		164
10,818	10,8	Measures	1/4	►	168
100 200	100 /1	o			166

# 

Tax changes

je Income	Average 100 * (Variant - Base) / Base Income
10,852	164
10,866	168
108,418	166
108,495	164
108,333	166
108,351	165

	Aggregation	Name	Id
-	OM_AVG(Income)	ex_12000	12000
	Average Income Aggregation expression	on	8
-	OM_AVG(100.0 * Income[variant] / Income	ex_12001	12001
-	Average 100 * (Variant - Base) / Base Income		8

For example to compare Base case and Tax changes then we can find how many Person are winners and losers in each Age Group and Gender . In order to do it:

- select Base\_values and TaxChanges model runs for comparison
- in Person microdata Edit... comparison measures and enter:
  - Label Winners 125% is count of Person s who have Tax changes model run income > 125% of Base case income
  - Label Losers 75% is count of Person s who have Tax changes model run income < 75% of Base case income

```
OM_COUNT_IF( (100.0 * Income[variant] / Income[base]) > 125)
OM_COUNT_IF( (100.0 * Income[variant] / Income[base]) < 75)
```

• click on Apply dialog button



c changes	Tax changes					
age Income	Average 100 * (Variant - Base) / Base Income					
10,852	164					
10,866	168					
108,418	166					
108,495	164					
108,333	166					
108,351	165					
76,075						

76,075		APPLY	( ×	CANCEL
74,072		Aggregation	Name	Id
	-	<pre>Income[variant] / Income[base]) &gt; 125)</pre>	ex_12000	12000
	-	Winners: 125%		⊗
	-	<pre>* Income[variant] / Income[base]) &lt; 75) I</pre>	ex_12001	12001
		Losers: 75%	regation express	ion
	+			

≡ (	≡ ① modelOne: 1.0: First model								
	Default 2024-04-21 16:05:38 Base case								
🔳 Moo	del Runs 20 ×	🍃 Input Sce	enarios 5	je ×	Run the Mo	del 🛛 🕹 Pe	erson entity	×	
	Base_values 2024-04-21 16:05:38 Base case								
		0 > >	Size 40	•	≩ <i>f</i> × □			■ ºq º+ ⊕ D ₽ ₡	Person
	Base case,	•	Wi	nners: 12	25%,	•			
	Model run	2 / 2	Per	rson entity		2 / 2			
	age 10-20,	-			Model run	Tax changes	Tax changes		
	Age group	4 / 4			Person entity	Winners: 125%	Losers: 75%		
	Male,	-	Age group	Gender		6			
	Gender	2/2	age 10-20	Male		7,968	7,200		
			age 10-20	Female		8,016	7,200		
			age 20-30	Male		39,760	36,128		
			age 20-30	Female		39,600	36,240		
			age 30-40	Male		39,840	36,240		
			age 30-40	Female		39,792	36,272		
			age 40+	Male		226,592	205,448		
			age 40+	Female		226,384	204,588		

# **UI: Disk space usage and cleanup**

## Home > Disk space usage and cleanup

This topic shows functionality of the OpenM++ UI through annotated screenshots. The UI can also be explored by hovering over elements to display short descriptions.

It is a common practice to set a limit (quota) on storage space for cloud users. If your models data exceeded storage quota then you no longer able to run the models or upload input scenarios until cleanup is done.

ħ	Models 8		2024-0	03-06 15	:44:55.		Disk space usage exc	
	Model Runs	Used by Y	You		5	GB	You cannot run the m	nodel or upload the data.
	List of model runs	Your Quo	ta		1	GB I	Please do:	
	Input Scenarios List of input scenarios	Used by /	A11		5	GB	1. delete old model ru	ns
ġ.	Run the Model	Quota for	r All		10	GB	delete old input sce	
0	Downloads and Uploads View downloads and uploads	Downloads     338 KB     2.       Uploads     227 KB     use Cleanup button to free unused space						
\$	Settings Session state and settings		pen / Close		Size	/	Updated	Model Database
₩ ₩	Service Status Service status and model(s) run queue Disk Usage View and cleanup storage	e,	6	C		2024-0	03-01 13:47:49.606	1-OncoSimX/OncoSimX-allcancers.sqlit
	View and cleanup storage 5GB space	6	8	୯	762 MB	2024-0	03-06 15:38:09.601	1-OncoSimX/OncoSimX-breast.sqlite OncoSimX-breast: 3.6.2.5 OncoSim 3.6.2.5
		e,	A	ल	480 MB	2024-0	03-05 13:12:11.342	1-OncoSimX/OncoSimX-cervical.sqlite OncoSimX-cervical: 3.6.2.5

In order to cleanup storage space please do:

- · delete old files in Downloads and Uploads cloud folders
- delete old model runs
- delete old input scenarios
- reduce size of your model database file(s) as described below

It is important to remove old model runs and scenarios first and only after that click on "Cleanup Database" button. If you have not deleted anything from the model database then cleanup may not be able to reduce the size of your database file.

As first step you should close database file:

Status	Open / Close	Cleanup	Size	Updated	Model Database
6,	8	ଓ	4 GB	2024-03-01 13:47:49.606	1-OncoSimX/OncoSimX-allcancers.sqlite OncoSimX-allcancers: 3.6.2.5 OncoSim 3.6.2.5
€,	0	C	762 MB	2024-03-06 15:38:09.601	1-OncoSimX/OncoSimX-breast.sqlite OncoSimX-breast: 3.6.2.5 OncoSim 3.6.2.5

close model database to do a cleanup

oproud			Close model database?		
Status	Open / Close	Cleanup			
e,	8	C	Close OncoSimX-breast: 3.6.2.5?		s.sqlite
			You would not be able to use the model if data	base is closed.	lite
Ę	Ê	C		<b>\</b>	
				NO YES	
			1-OIICO3IIIIX/	UNCOSITIA-CELVICA	sqlite
2		( C )	480 MB 2024-03-05 13:12:11.342 OncoSimX-ce	ervical: 3.6.2.5	
~~			OncoSim 3.6	2.5	

After model database is closed you can click on Cleanup database button. Cleanup may take a few minutes or multiple hours, depending on your model and number of runs remaining in the database.

Status	Open / Close	Cleanup	Size		Updated	Model Database	
6	8	C	4 GB	2024-03	Cleanup model	database?	
<b>9</b> .	0	C	762 MB	2024-03	Cleanup 1-0	OncoSimX/OncoSimX-breast.sqlite?	
6,	8	C	480 MB	2024-03		very long time. It is recommended t d input scenarios before cleanup.	o delete old
6	6	C	102 MB	2024-03	Cleanup database	to free disk space	NO YES
						1-OncoSimX/OncoSimX-gmm.sqlite	

Status	Open / Close	Cleanup	Size	Updated	Model Database
6	8	ଓ	4 GB	2024-03-01 13:47:49.606	1-OncoSimX/OncoSimX-allcancers.sqlite OncoSimX-allcancers: 3.6.2.5 OncoSim 3.6.2.5
50			762 MB	2024-03-06 15:38:09.601	1-OncoSimX/OncoSimX-breast-sqlite.db
5			20 MB	2024-03-06 18:33:23.840	1-OncoSimX/OncoSimX-breast.db
					1 OneoPimV/OneoPimV equipal adite

# Cleanup of OncoSimX-breast, work in progress

You can examine database cleanup log file for details or errors:

E,	U	<b>B</b>	∠/ MB	2024-03-00 13:20:23.33/	First model
e,	6	ଓ	860 KB	2024-03-06 15:28:41.793	RiskPaths.sqlite RiskPaths: 3.0.0.0 model

	Started	Model Database	Cleanup Log File							
	2024-03-06 18:33:21.274	OncoSimX-breast.sqlite	db-cleanup.2024_03_06_18_33_21_274.OncoSimX-breast							
	2024-03-06 15:36:29.455	OncoSimX-breast.sqlite	db-cleanup.2024_03_06_15_36_29_455.0ncoSimX-breast							
1	click to see the database cleanup log file									

After cleanup is completed you need to click on Open database file button in order to use the model:

Status	Open / Close	Cleanup	Size	Updated	Model Database				
6,	6	ଓ	4 GB	2024-03-01 13:47:49.606	1-OncoSimX/OncoSimX-allcancers.sqlite OncoSimX-allcancers: 3.6.2.5 OncoSim 3.6.2.5				
9		C	762 MB	2024-03-06 18:35:01.521	1-OncoSimX/OncoSimX-breast.sqlite				
6	<b>O</b> p	en model		2024-03-05 13:12:11.342	1-OncoSimX/OncoSimX-cervical.sqlite OncoSimX-cervical: 3.6.2.5 OncoSim 3.6.2.5				

# click to Open model database after cleanup completed

# **UI Localization: Translation of openM++**

# **Quick Start**

To provide translated messages for openM++ UI you should:

- create translated messages file for your language, for example Deutsch: ompp-ui/src/i18n/de/index.js
- modify openM++ UI main page ompp-ui/src/layouts/MainLayout.vue to support new language
- rebuild openM++ by running npm run dev as described at Quick Start for OpenM++ Developers: Build ompp-ui

Please contact us at GitHub openM++ UI project or by email: openmpp dot org at gmail dot com for assistance. We certainly can do all necessary steps to include your translation into openM++ UI.

# Example of translated messages file

Short fragment from translated messages file ompp-ui/src/i18n/fr/index.js for Français language:

export default {
 'About': 'À propos',
 'Advanced Run Options': "Options d'exécution avancées",
 'Yes': 'Oui',
 'You have {count} unsaved parameter(s)': 'Vous avez {count} paramètre(s) non enregistré(s)'
}

We would appreciate any help with French translation, since person who did it is not a locuteur natif français. Thank you in advance.

OpenM++ UI localization based on internationalization plugin for Vue.js and you can find detailed documentation at that project GitHub page.

## How to modify UI main page to include to support new language

Open ompp-ui/src/layouts/MainLayout.vue in any text editor and modify following part of the code:

import(
 /\* webpackInclude: /(fr|en-us)\.js\$/ \*/

to include new language, for example Deutsch:

import(

/\* webpackInclude: /(de\fr\en-us)\.js\$/ \*/

# **Censor Event Time**

#### Home > Model Development Topics > Censor Event Time

The censor\_event\_time option enables a model-specific optimization which can reduce event queue size and improve simulation speed.

#### **Related topics**

Model Code

#### **Topic contents**

- Introduction and Background
- Syntax and Use How to activate and use
- Modgen-specific Modgen issues Coding approaches for a x-compatible model

#### Introduction and Background

An event in an entity has an associated future time when the event will occur, provided that other intervening events do not affect that future time due to a change in attributes. If the event is represented as a hazard, code in the event time function might draw a random time to the event from an exponential distribution, like

tEventTime = WAIT( - log( RandUniform(1) ) / EventHazard );

or from some other distribution if the hazard is non-constant.

If the hazard of the event is small, the associated distribution of time-to-event will have a long tail, and the probability of drawing a time far in the future will be high. A future event time drawn from that distribution may even exceed the maximum lifespan of the entity.

If an event time exceeds the maximum lifespan of the entity, it does not need to compete with other events in the simulation because it will never occur. The event is in effect 'right-censored' by the entity's maximum lifespan.

The simulation framework arranges all the events of a model by time-to-occurrence in an event queue, and maintains that ordered queue as the simulation evolves and event times change. The work to maintain the event queue is reduced if right-censored events do not have to be inserted into their correct ordered position in the queue. Leaving out censored events also reduces the total size of the event queue, making all queue operations more efficient. Excluding right-censored events from the queue has no effect on the simulation because they are guaranteed not to occur.

Models with many rare events can gain a noticeable performance boost with event censoring. That's because a rare event occurs only rarely because its randomly drawn event time is usually far in the entity's future. In a test with one such model, simulation time decreased by 17% with the censor\_event\_time option activated.

Independent of the censor\_event\_time option, an event with a future time of time\_infinite will not be entered into the event queue because the event will never occur. In a sense, the censor\_event\_time option can be thought of as a generalization of this behaviour.

#### [back to topic contents]

#### Syntax and Use

The censor\_event\_time option activates the ability to specify, for each entity, a 'right-censor' time after which the entity is guaranteed to have left the simulation. By default, the option is off. To turn it on, insert the following options statement in a source code module:

options censor\_event\_time = on;

A natural place to insert this statement could be the module ompp\_framework.ompp.

If an event time exceeds the right-censor time, the simulation framework will not insert the event into the event queue, improving efficiency. The right-censor test is redone whenever an event time changes during the simulation.

To specify the right-censor time for an entity, supply it as argument to the built-in entity function set\_censor\_time before the entity enters the simulation. If the censor time is based on other attributes such as time or age, ensure that they are assigned before the call to set\_censor\_time.

If the censor\_event\_time option is off, a call to the function set\_censor\_time has no effect.

If the censor\_event\_time option is on and the function set\_censor\_time is not called, the right-censor time is set to time\_infinite .

Here's an example. Consider a model with two parameters, MaxLife and MaxYear. An event in the model uses MaxLife to stop the simulation of an entity when age attains the value MaxLife, which might, for example, be 119. Another event truncates the simulation of all entities when time attains the value MaxYear.

In this example, the right-censor time is set to the minimum of these two censoring events in the initialization function Person::Start as follows:

The censor\_event\_time optimization is valid only if the guarantee promised by the call to set\_censor\_time is correct. A model developer can probe the correctness of the guarantee by running the model with censor\_event\_time turned off, then on, and verifying that model outputs are identical in the two runs, perhaps by using the test\_models utility. Such a test can also measure the efficiency gain by examining the model run log files for the two runs.

[back to topic contents]

### Modgen issues

A Modgen model does not contain the built-in entity function set\_censor\_time, so a Modgen build will fail with a symbol not defined error in the link phase of the build. This can be avoided by supplying a 'do nothing' global function with that name when building the Modgen version of a model. That can be done by inserting the following code fragment in the model source file custom.h :

```
#if defined(MODGEN)
// Function to set censor time in ompp.
// Supply do-nothing global function to avoid symbol not found at link stage in Modgen build.
inline void set_censor_time(double t)
{
}
#endif
```

[back to topic contents]

<sup>//</sup> Event time censoring optimization requires the following call

<sup>//</sup> and also activating the option censor\_event\_time in ompp\_framework.ompp.

<sup>//</sup> It is certain that Person will leave the simulation at age MaxLife, or at year MaxYear,

<sup>//</sup> whichever comes first.

set\_censor\_time(std::min(WAIT(MaxLife), MaxYear));

# **Create Import Set**

#### Home > Model Development Topics > Create Import Set

This topic contains detailed information on the OpenM++ create\_import\_set utility. create\_import\_set creates a zip file suitable for upload to a downstream model, using results from an upstream model.

#### **Topic contents**

- Introduction and overview
- Windows Quick start
- Linux or MacOS Quick start
- Arguments and Options
- Worked Example: Creating an OncoSim parameter set from an HPVMM model run
- Technical Requirements: Technical information for model developers

#### Introduction and overview

Users familiar with linked models may wish to jump directly to the Worked Example subtopic.

A *downstream* model can use, as input, the output from a different *upstream* model. By specializing functionality in two models rather than one, a two-model design can enable analyses which would otherwise be infeasible. In particular, a time-based (interacting population) model can simulate a large population of simplified entities and feed statistical results downstream to a case-based model with more complex entities and events to simulate downstream consequences. For example, an upstream model of an infectious disease can simulate the effects of vaccination and herd immunity using an interacting population of entities to project incidence of infection over time in response to a given vaccination roll-out. That upstream model can feed aggregate results on incidence of infection over time to a more detailed downstream model with a non-interacting population to simulate health consequences, treatment, and costs.

In such a two-model design, the downstream model has input parameters whose values can be supplied by corresponding output tables from an upstream model. The pairing of output tables from the upstream model to the corresponding input parameters of the downstream model is specified by import statements in the source code of the downstream model. For example, the import statement

import IncidenceRatesHPV (HPVMM.IM\_Incidence) sample\_dimension=on;

in a downstream model (in this example, a model named OncoSim) specifies that the input parameter IncidenceRatesHPV of OncoSim can be provided by the output table IM\_Incidence of the upstream model HPVMM.

Multiple output tables from an upstream model can supply values to multiple parameters in the downstream model, with each such linkage specified by an import statement in the downstream model source code. For logical coherence, every such linked table from the *same run* of the upstream model needs to be used as input in the corresponding parameter in the downstream model. For example, the upstream model HPVMM supplies 11 output tables which match 11 input parameters in the downstream model OncoSim. It is essential that each of the 11 output tables from the *same* HPVMM run be copied to the corresponding input parameter for an OncoSim run.

The create\_import\_set utility supports the propagation of results from an upstream model to a downstream model by building a partial parameter set for the downstream model from a run of the upstream model. A user 1) downloads a run from the upstream model to their workstation, 2) runs the create\_import\_set utility, and finally 3) uploads the resulting set for use by the downstream model. Once uploaded, the set can be used to construct one or more scenarios for the downstream model.

[back to topic contents]

## Windows Quick Start

## Verify installation of create\_import\_set (Windows)

A Windows executable version of create\_import\_set is distributed with OpenM++ at OM\_ROOT/bin/create\_import\_set.exe , where OM\_ROOT stands for the OpenM++ installation directory.

To test installation and operation of create\_import\_set , open a command prompt, change the current directory to OM\_ROOT/bin , and type the command

#### create\_import\_set -v

Output should be similar to the following:

create\_import\_set version 1.0

create\_import\_set is written in the Perl language, and distributed with OpenM++ at OM\_ROOT/Perl/create\_import\_set.pl . Examples in this topic may invoke test\_models using the Perl interpreter from the OM\_ROOT/Perl directory, for example

perl create\_import\_set.pl -v

On Windows, unless you have Perl and the required Perl components installed, invoke the executable version of create\_import\_set from the OM\_ROOT/bin directory with a command like

create\_import\_set -v

[back to topic contents]

#### Linux or MacOS Quick Start

#### Verify installation of create\_import\_set (Linux, MacOS)

create\_import\_set is a Perl script distributed with OpenM++ at OM\_ROOT/Perl/create\_import\_set.pl, where OM\_ROOT stands for the OpenM++ installation directory. To test installation and operation of create\_import\_set, open a command prompt, change the current directory to OM\_ROOT\Perl, and type the command

perl create\_import\_set.pl -v

Output should be similar to the following:

create\_import\_set version 1.0

Depending on your operating system version and installation history, Perl may ask you to install missing Perl modules required by create\_import\_set.pl . If so, it will name them explicitly when you invoke create\_import\_set.pl . We do recommend to use cpanm for Perl modules installation. Typical scenario is:

```
cpan App::cpanminus # initialize cpanm, if not done before
cpanm Getopt::Long::Descriptive
cpanm Capture::Tiny
cpanm File::Copy::Recursive
cpanm File::Which
```

Above list of modules can be different and depends on your current Perl configuration, and on the version of create import set.

[back to topic contents]

#### **Arguments and Options**

This subtopic describes the command line options and arguments of create\_import\_set .

A complete list of options is displayed by issuing the command

perl create\_import\_set.pl -h

Output should be similar to the following:

and the first set for the interval flow and the set of the									
create_import_set [-dhiruvw] [long options]									
-hhelp	print usage message and exit								
-vversion	print version and exit								
-i STRimports	STR path of model imports csv file								
-u STRupstrea	am STR name of upstream model								
-r STRrun STI	R name of upstream model run								
-d STRdowns	tream STR name of downstream model								
-w STRworkd	ir STR path of working directory for zips								
	(default is current directory)								
keep	keep and propagate all subs								
verbose	verbose log output								

A value is required for the following arguments:

- -i imports file: The model imports csv file for the downstream model
- -u upstream model name: The name of the upstream model
- -r upstream run name: The name of the upstream model run
- -d downstream model name: The name of the downstream model

Each of these 4 arguments is described below. Or jump to the Worked Example for a concrete illustration.

The w argument is optional. It specifies the directory where the input zip downloaded from the upstream model run is found. It is also the directory where the output zip for the downstream model will be constructed. By default, the working directory is the current working directory of the terminal session in which create\_import\_set is invoked.

The --keep option is an experimental option intended for linked models which use OpenM++ architecture for parameter uncertainty. It is not compatible with linked models in Modgen.

The --verbose option outputs detailed diagnostics of no interest to an end user.

#### -i imports file

The model imports csv file contains information about the pairing of tables in an upstream model with the parameters in a downstream model. It has a name of the form MODEL.imports.csv where MODEL is the name of the downstream model. This file contains all import information for the downstream model, which might include imports from multiple upstream models. For example, a downstream model OncoSimX might import parameters from an upstream model HPVMM as well as an upstream model GMM. The downstream model developer can provide a copy of this file. The file is generated by the OpenM++ compiler when the downstream model is built. It is located in the output src directory in the model build directory structure.

[back to arguments and options] [back to topic contents]

#### -u upstream model name

A downstream model can be linked to more than one upstream model. The <u>u</u> option specifies which upstream model is to be used by <u>create\_import\_set</u> to create the parameter set for the downstream model. Valid model names are in a column of the model imports csv file and come from the source code of the downstream model.

[back to arguments and options] [back to topic contents]

#### -r upstream run name

The tables from an upstream model run are in a zip file downloaded previously using the OpenM++ UI. The name of that zip file is constructed automatically from the model name and run name when the run is downloaded, for example HPVMM.run.DefaultVaccination.zip for a run named DefaultVaccination of the HPVMM model.

## [back to arguments and options] [back to topic contents]

#### -d downstream model name

The name of the downstream model is required and must match the name of a model in the target OpenM++ database. create\_import\_set will construct a partial parameter set ready for upload using this name and the name of the upstream model run, for example OncoSimX.set.DefaultVaccination.zip for -d OncoSimX . Note that the partial parameter set for the downstream model has the same name as the upstream model run, DefaultVaccination in this example.

[back to arguments and options] [back to topic contents]

#### Worked Example

This worked example, in Windows, uses an upstream model named HPVMM and a downstream model named OncoSimX. Note that these models are not distributed with OpenM++. The example assumes a remote server houses an instance of the upstream and downstream models, but works equally well for models on a workstation. This example could also have been done without the OpenM++ UI by using the dbcopy utility.

Step 0a: Create a staging directory on your workstation to manage downloaded runs and construct parameter sets for upload, for example C:\Analysis\runs.

Step 0b: Get a copy of the create\_import\_set utility on your workstation. For Windows users, a stand-alone executable version can be found in the OpenM++ distribution in the bin sub-folder. The Perl version is located in the perl sub-folder. If you use OpenM++ on your desktop for model development, you can invoke the utility using the environment variable OM\_ROOT, e.g. %OM\_ROOT%\bin\create\_import\_set. If you do not use OpenM++ for development, you may find it more convenient to just copy the utility executable to your staging directory.

Step 0c: Copy the imports file for the downstream model to the staging directory. In this example, the imports file for OncoSimX is named OncoSimX.imports.csv. The file is generated by the OpenM++ compiler in a model build folder named OncoSimX\ompp\src. Ask the model developer for a copy of this file if you don't build the model yourself.

Step 1: Do a run of the upstream model (HPVMM in this example), and give it a short but meaningful name. In this example, the run is named Default/Accination.

Step 2: In the UI, make sure that the option Full, compatible with desktop model is checked in the Model Downloads section of the options panel.

Step 3: In the UI, select the run and click the download button. Wait for the server to construct the download zip for the run, then click it to download it to the downloads folder on your workstation. In this example, the file is named HPVMM.run.DefaultVaccination.zip. Copy or move the file to the staging directory.

Step 4: Open a command prompt and navigate to the staging directory in the terminal window.

Step 5: Issue the command

create\_import\_set -i OncoSimX.imports.csv -u HPVMM -d OncoSimX -r DefaultVaccination

The arguments name the upstream model with -u, the downstream model with -d, the name of the upstream run with -r, and specify the imports file OncoSimX.imports.csv which create\_import\_set uses to identify and transform each imported upstream table to the corresponding downstream parameter. create\_input\_set uses the arguments to construct the names of the input and output zip files.

The utility may take 10 or more seconds to run. When it completes, it writes something like the following to the terminal window to indicate success.

11 downstream OncoSimX parameters created from upstream HPVMM tables


If you examine the staging directory, you'll notice a new file named OncoSimX.set.DefaultVaccination.zip. It contains the 11 OncoSimX parameters with values from the 11 corresponding HPVMM tables in the HPVMM run named DefaultVaccination.

Step 6: Use the UI to upload the set to the server.

The set is uploaded as a read-only partial scenario. You can use the UI to combine it with a previous OncoSim run or scenario to incorporate the results of the HPVMM DefaultVaccination run.

To make clear the provenance of downstream parameters, create\_import\_set generates, for each imported parameter, a parameter value description indicating the upstream model name and run name, e.g. HPVMM: DefaultVaccination. That description will follow each generated parameter value in any downstream OncoSimX run which uses, directly or indirectly, the partial parameter set generated by create\_import\_set.

≡												
ħ	Models Models list	15	🔳 Mod	el Runs 💈 ×	🏹 Input Scer	arios	2) × 🔥 F	Run the	Mode	I ×	🕑 Downloads and l	
	Model Runs List of model runs	2	$\odot$	2022-06-03	14:29:56.122	Ready	In progress	Failed	Total			
	Input Scenarios List of input scenarios	2	Down			2	0				ore doing	
Ŕ	Run the Model			Uploads 0 0 0 0							any downloads select "Do full downloads"	
9	Downloads and Uploads           View downloads and uploads   Do fast downloads, only to an advect of the second secon						lyze output values				option	
\$	Settings Session state and settings											
Command Prompt Microsoft Windows [Version 10.0.19044.1706] (c) Microsoft Corporation. All rights reserved. C:\>cd CPAC\HPVMM C:\CPAC\HPVMM>\openmpp_win_20220505\bin\create_import_set -i OncoSimX-cervical.imports.csv -u HPVMM -r HPVMM_90 -d OncoSimX-cervical 11 downstream OncoSimX-cervical parameters created from upstream HPVMM tables C:\CPAC\HPVMM>												
	Model Runs 1 🗙 🏹 I	nput S	cenarios	1 × # F	Run the Model	×						
~	Parameters 11 🗸 V Outp	ut Table	es 5	i )	MM_Default -03-08 16:29	):36 F	irst model r	1				
F	ind model run	1. dow	nload HP	VMM model r	un results							
	(i) $\equiv \pm \Box$ (+)		M_Defaul 3-08 16:		nodel run with D	efault i	input scena	I				



[back to topic contents]

## **Technical Requirements**

The following restrictions apply:

The input run zip must contain only a single run.

The classification levels in each parameter / table pair must match, for each dimension.

The upstream table dimensions must be named Dim0, Dim1, ...

Each imported table can contain only a single measure named Value .

The downstream target parameter dimensions must be named Dim0 , Dim1 , ...

For robustness, provide explicit names to dimensions in the upstream and downstream models to respect the name requirements. For example, the upstream model could have a source code module ExplicitNames.ompp with content like:

// Table IM\_ClearanceHazard: Inter-model: Clearance hazard //NAME IM\_ClearanceHazard.Dim0 Dim0 //NAME IM\_ClearanceHazard.Dim1 Dim1 //NAME IM\_ClearanceHazard.VALUE Value

// Table IM\_PersistentProportion: Inter-model: Persistent proportion //NAME IM\_PersistentProportion.Dim0 Dim0 //NAME IM\_PersistentProportion.VALUE Value

// Table IM\_Incidence: Inter-model: Incidence //NAME IM\_Incidence.Dim0 Dim0 //NAME IM\_Incidence.Dim1 Dim1 //NAME IM\_Incidence.Dim2 Dim2 //NAME IM\_Incidence.Dim3 Dim3 //NAME IM\_Incidence.Dim5 //NAME IM\_Incidence.VALUE Value

#### and the downstream model could have a source code module named ExplicitNames.ompp with content like:

// Parameter HpvClearanceHazard: HPV infection clearance rates // from HPVMM Table IM\_ClearanceHazard: Inter-model: Clearance hazard

// leading dimension Dim0 is parameter set

//NAME HpvClearanceHazard.Dim0 Dim0

//NAME HpvClearanceHazard.Dim0 Dim0

//NAME HpvClearanceHazard.Dim2 Dim2

// Parameter HpvPersistentProportion: Proportion who cannot naturally clear HPV infection

// from HPVMM Table IM\_PersistentProportion: Inter-model: Persistent proportion

// leading dimension Dim0 is parameter set

//NAME HpvPersistentProportion.Dim0 Dim0 //NAME HpvPersistentProportion.Dim1 Dim1

// Parameter IncidenceRatesHPV: Incidence rates of HPV

// from HPVMM Table IM\_Incidence: Inter-model: Incidence

// leading dimension Dim0 is parameter set

//NAME IncidenceRatesHPV.Dim0 Dim0

//NAME IncidenceRatesHPV.Dim1 Dim1

//NAME IncidenceRatesHPV.Dim2 Dim2 //NAME IncidenceRatesHPV.Dim3 Dim3

//NAME IncidenceRatesHPV.Dim4 Dim4

//NAME IncidenceRatesHPV.Dim5 Dim5

//NAME IncidenceRatesHPV.Dim6 Dim6

# **Derived Tables**

Home > Model Development Topics > Derived Tables

# This topic is under construction and/or revision.

Topic summary, two sentences max.

# **Related topics**

Model Code

# **Topic contents**

• Introduction and outline

# Introduction and outline

Content to follow.

# Entity Attributes in C++

Home > Model Development Topics > Entity attributes in C++

This topic contains detailed information about specific C++ compiler errors you may encounter in C++ model code which uses entity attributes, eg the age attribute of a Person entity. This topic describes the situations which can cause these specific C++ error messages and how to address them in model code.

# **Topic contents**

- Introduction
- Ternary operator
- Attribute assignment
- min, max, and clamp

# Introduction

Forthcoming content

[back to topic contents]

# **Ternary operator**

# Forthcoming content

[back to topic contents]

# Attribute assignment

Forthcoming content

[back to topic contents]

# min, max, and clamp

# Forthcoming content

# **Entity Function Hooks**

Home > Model Development Topics > Entity Function Hooks

This topic describes the hook statement in model source code. It is used to chain the execution of one entity function to another entity function.

# **Related topics**

• Model Code

# **Topic contents**

- Introduction and Motivation
- Syntax and Use Syntax and example
- Disambiguating Hook Order When hooks collide

# Introduction and Motivation

Content to follow.

Content sketch:

- Increase modularity
- Reduce model code 'busy work'

# [back to topic contents]

# Syntax and Use

A hook statement is specified within an entity declaration, and has the form


hook downstream\_function, upstream\_function, order;

The integer argument order is optional and is implicitly 0 if not specified.

In the following example, the downstream function StartCity is called by the upstream function `Start'.

```
entity Person
{
void StartCity();
hook StartCity, Start;
};
```

If an upstream function F has been hooked to by one or more downstream functions, the model developer must insert a call to a function named hook\_F in the definition of the upstream function F. In the following example, the model developer inserted a call to the function hook\_Start in an appropriate place in the definition of the function Start. The body of the function hook\_Start is generated by the OpenM++ compiler, and calls, in hook order, all functions hooked to the Start function.



The OpenM++ compiler will raise an error if the body of a function contains no invocation of the hook\_F function if one or more downstream functions hook to it.

# [back to topic contents]

# **Disambiguating Hook Order**

For the model source code to be logically well-specified, the order of invocation of multiple hooks to the same function must be specified.

For example, if the TestEventMemory.mpp module contains

```
actor Person
{
//EN Start city
void StartCity();
hook StartCity, Start;
};
```

and the TestFixed.mpp module contains

```
actor Person
{
    //EN Set dog ownership
    void StartDogOwnership();
    hook StartDogOwnership, Start;
};
```

The OpenM++ compiler will issue two warnings like

TestEventMemory.mpp(93): warning : one or more functions hooking to 'Start' are ordered ambiguously with respect to 'StartCity'. TestFixed.mpp(48): warning : one or more functions hooking to 'Start' are ordered ambiguously with respect to 'StartDogOwnership'.

The warning is issued for each hook statement which has an order tied to another hook statement. In this example, the two hook statements did not specify hook order, so they both had implicit order o, creating ambiguity. The module and line number of these warnings are the code locations of the hook statements responsible for the ambiguity. In an IDE, the warning can be clicked to navigate directly to the hook statements responsible for the ambiguity.

To resolve the ambiguity, supply an explicit order to the hook which does not conflict, for example

hook StartCity, Start, 1; hook StartDogOwnership, Start, 2;

# **Entity Member Packing**

Home > Model Development Topics > Entity Member Packing

This topic describes how to pack entity members to reduce memory use.

## **Related topics**

- Model Code
- Model Resource Use

#### **Topic contents**

- Introduction and Background
- Syntax and Use How to activate and use

## Introduction and Background

The entity\_member\_packing option can reduce the size of entities with no impact on processing performance. It can be useful for time-based models with large populations. The option does negate a convenience feature for model debugging (see below).

An entity is implemented as a C++ object with data members consisting of the entity's attributes and other data members generated by the OpenM++ compiler. Each entity in a run occupies a block of contiguous memory containing the values of its data members. For example, each Person entity in the RiskPaths model has a block of 776 bytes of memory containing 70 data members (38 attributes and 32 other data members).

Each data member has a size in bytes determined by its type. For example, in the RiskPaths model the value of the built-in attribute age is held in a C++ double which is 8 bytes in size. The attribute in\_union is held in a C++ bool which is 1 byte in size. The attribute unions is held in a C++ int which is 4 bytes in size. Below is an extract of a table produced by the resource\_use option which lists each data member of the Person entity in RiskPaths and its size in bytes.

+	+
Person Members (detail	, ,
	bytes
case_id	8  8
	8  4  4
Simple:	8   
life_status                   parity_status                   union period2 change	1  1    8
union_status   unions	
Maintained:     age_status	4
<ul> <li>dissolution_duration</li> <li>dissolution_hazard</li> <li>formation_hazard</li> </ul>	4    8    8
in_union	1
+   Sum of member bytes   Bytes per entity   Storage efficiency (%) +	++   699   776    90.1  ++

A CPU accesses a value in memory efficiently if the memory address of the value is an exact multiple of the size of the value being accessed. For example, for efficient access an 8-byte value is stored at a memory address which is a multiple of 8, and a 4-byte value is stored at a memory address which is a multiple of 4. A C++ compiler will normally place values in memory to respect this principle.

In C++, the declaration of an object (e.g. the Person entity) specifies the order in which data members are laid out in the object's block of memory. If the specified order would cause a data member to be incorrectly aligned for its size, the C++ compiler will insert padding bytes into the object to

enforce correct alignment. Such padding can make the object larger.

The option entity\_member\_packing instructs the OpenM++ compiler to order entity members from larger to smaller to minimize padding and reduce the size of the entity. If two members have the same alignment requirements, they are ordered lexicographically within that alignment requirement group.

In the RiskPaths model, turning entity member packing on changes the summary section of the above table to:

+	+-	+
Sum of member bytes		699
Bytes per entity	L	728
Storage efficiency (%)		96.0
++		

In RiskPaths, the size of Person decreased from 776 to 728 with entity member packing turned on.

By default, the OpenM++ compiler orders entity members to facilitate debugging in an IDE. The default order is

entity\_id time age all attributes declared in model code, ordered lexicographically all other members, ordered lexicographically

If entity\_member\_packing is on, this default order is replaced by a non-intuitive order. So, for debugging sessions, it may be worthwhile to have entity member packing turned off. Note that by default entity\_member\_packing is off.

#### [back to topic contents]

# Syntax and Use

By default, entity member packing is off. To activate it, include the statement

options entity\_member\_packing = on;

in the source code of a model. A typical place to insert this statement is the module omp\_framework.ompp.

# **Entity Tables**

#### Home > Model Development Topics > Entity Tables

This topic describes entity tables in depth. This topic is under construction and consists mostly of stub subtopics.

## **Related topics**

Model Code

#### **Topic contents**

- Introduction and concepts
- Snapshot tables
- Duration tables
- Increments
- Accumulators
- Shorthand
- Increment Validity Increment validity
- Operators

## Introduction and concepts

Content to follow. Topic outline is incomplete. The only complete subtopic is Increment Validity.

#### [back to topic contents]

#### **Run-level results**

Entity tables are computed for each sub, and run-level results computed from the sub-level results. Several methods are available to compute run-level results through the measures\_method option, as follows:

measures_method	Description of run result
average	Measures are averaged across subs. ex #1: measure count run: AVG(count) ex #2: measure income run: AVG(income) ex #3: measure: income/count run: AVG(income/count)
aggregate	accumulators are averaged over subs, then the measure calculated using those. ex #1: measure: count run: AVG(count) ex #2: measure: income run: AVG(income) ex #3: measure: income/count run: AVG(income)/(AVG(count)
assemble	accumulators are summed over subs, and the measure computed using those ex #1: measure: count run: SUM(count) ex #2: measure: income run: SUM(income) ex #2: measure: income/count run: SUM(income)/SUM(count)

In these examples, income and count are sums which vary over subs, and the run result shows the operations performed on those subs to produce the run result.

#### Increments

An increment is based on the value of an attribute when an entity enters a table cell and the value when it exits the cell. An entity enters a table cell at simulation entry or when the table filter becomes true. An entity leaves a table cell at simulation exit or when the table filter becomes false. An entity changes cell when attributes used in the classification dimensions of the table change value.

Keyword	Description
---------	-------------

Keyword	Description
value_in	The attribute value when the entity enters the table cell.
value_out	The attribute value when the entity leaves the table cell.
delta	The difference in the attribute value between cell exit and cell entrance.
nz_value_in	The non-zero count of attribute value on entrance.
nz_value_out	The non-zero count of attribute value on exit.
nz_delta	The non-zero count of the difference in value between exit and entrance.
value_in2	The square of the value on entrance.
value_out2	The square of the value on exit.
delta2	The square of the difference in value between exit and entrance.

# [back to topic contents]

# Accumulators

Keyword	Description
unit	
sum	
minimum	
maximum	
gini	
P1	
P2	
P5	
P10	
P20	
P25	
P30	
P40	
P50	median
P60	
P70	
P75	
P80	
P90	
P95	
P98	
P99	

# Shorthand

These keywords are a more compact way of specifying commonly-used combinations of increments and accumulators.

Keyword	Equivalent
delta(x)	sum(delta(x))
delta2(x)	sum(delta2(x))
nz_delta(x)	sum(nz_delta(x))
value_in(x)	sum(value_in(x))
value_in2(x)	sum(value_in2(x))
nz_value_in(x)	<pre>sum(nz_value_in(x))</pre>
value_out(x)	<pre>sum(value_out(x))</pre>
value_out2(x)	sum(value_out2(x))
nz_value_out(x)	<pre>sum(nz_value_out(x))</pre>
max_delta(x)	maximum(delta(x))
max_value_in(x)	maximum(value_in(x))
max_value_out(x)	maximum(value_out(x))
min_delta(x)	minimum(delta(x))
min_value_in(x)	minimum(value_in(x))
min_value_out(x)	minimum(value_out(x))

#### [back to topic contents]

# **Increment Validity**

This subtopic contains the following sections:

- Non-numeric floating point values
- Non-numeric values in OpenM++
- Increments and accumulators
- Invalid table increments
- Disabling table increment errors

#### [back to topic contents]

#### Non-numeric floating point values

A floating point number in OpenM++ is a C++ IEEE double or float, which is supported on most CPU hardware. It can hold an exact value like 123 or 0.5 or an approximation to a Real number like 0.1 or pi.

A floating point number can also hold one of three special non-numeric values: +inf, -inf, or NaN (indeterminate).

Non-numeric values arise naturally from arithmetic operations or function calls, e.g.

Expression	Result
1.0 / 0.0	+inf
-1.0 / 0.0	-inf
0.0 / 0.0	NaN

Expression	Result
log(0.0)	-inf
log(-1.0)	NaN
sqrt(-1.0)	NaN
exp(710.0)	+inf

Note: The C++ specification for std::exp guarantees a result of +inf if the argument is greater than 709.8.

Numeric values can sometimes result from floating point operations or function calls with non-numeric arguments, e.g.

Expression	Result
1.0 / +inf	0.0
atan(+inf)	pi/2
exp(-inf)	0.0
exp(log(0.0))	0.0

Logical comparison operators can have non-numeric arguments, e.g.

Expression	Result
+inf > 42.0	true
-inf < +inf	true
NaN < +inf	false
NaN == NaN	false
NaN != NaN	false

Note: The C++ specification states that all operators with NaN return NaN, including *all* comparison operators, notably the == operator in the preceding table. The C++ library contains functions to determine non-numeric values: std::isnan determines if a floating point number is NaN, std::isinf if it is +inf or -inf, and std::isfinite() if it is finite, i.e. a garden variety floating point value.

Arithmetic operations involving +inf or -inf typically result in non-numeric values, e.g.

Expression	Result
+inf + 1.0	+inf
+inf - 1.0	+inf
+inf + +inf	+inf
sqrt(+inf)	+inf
inf / inf	NaN

This is notably the case for NaN, which propagates in arithmetic operations and mathematical functions, e.g.

Expression	Result
NaN + 1.0	NaN
+inf + NaN	NaN
sqrt(NaN)	NaN

Sometimes operations involving +inf or -inf can produce NaN, e.g.

Expression	Result
+inf - +inf	NaN
+inf / +inf	NaN
+inf / 0.0	NaN

A general rule of thumb is that non-numeric floating point values propagate to results in arithmetic operations and mathematical functions.

[back to increment validity] [back to topic contents]

#### Non-numeric values in OpenM++

Non-numeric values are used in several ways in OpenM++:

- 1. Global time is initialized to -inf before each case or replicate/sub.
- 2. All event times are initialized to +inf before each case or replicate/sub.
- 3. Derived parameters of floating point type are initialized to NaN (all cells).
- 4. An attribute of floating point type (float, double, real, or Time) can have a non-numeric value, depending on model logic.
- 5. A maximum table accumulator is initialized to -inf , and a minimum table accumulator to +inf .

[back to increment validity] [back to topic contents]

#### Increments and accumulators

Each cell of an entity table contains one or more accumulators specified in the expression dimension of the table. As attributes change value during a run, increments are *pushed* to accumulators of the current cell of the table. An accumulator might be a running count of increments, the running sum of increments, the current maximum value, or a collection of all pushed values. When a run completes, statistics are *extracted* from the table accumulators for each cell to compute final values for that table cell. For example, the median **P50** for an attribute in a table cell is extracted from the accumulator underlying **P50**, which is a collection of all increments pushed to the cell during the run. The **P50** statistic is computed by sorting that collection and finding the middle value (or the average of the two middle values if the number of increments in the collection is even).

# [back to increment validity] [back to topic contents]

#### Invalid table increments

Some accumulators handle increments of +inf or -inf in an expected and natural way, e.g. an increment of +inf to a maximum accumulator, or an increment of +inf or -inf to a P50 accumulator.

However, a non-numeric increment can cause an accumulator to become pegged to a non-numeric value. This is particularly true for a NaN increment.

#### Specifically,

- 1. Pushing an increment with value +inf or -inf to a sum or gini accumulator nullifies the effect of any previous or subsequent increment.
- 2. Pushing an increment with value NaN to any accumulator nullifies the effect of any previous or subsequent increments.

In other words, an increment of one single entity, perhaps the result of a rarely occurring corner condition in model code, can cause an entire table cell to become empty. OpenM++ treats that as an error in table design or model logic, halts the run, and writes a log message like

Simulation error: Invalid increment -inf in table 'IncrementTestTable' using attribute 'my\_dbl' on or after event 'MortalityEvent' in entity\_id 208 in simulation member 0 with combined seed 1637697257 when current time is 88.06346668067070

This particular error message manifested in a version of the Alpha2 model which was modified to deliberately produce an increment error in the table

```
table Person IncrementTestTable
[integer_age >= 50]
{
    {
        value_out(my_dbl)
    }
};
```

The root cause of an invalid increment often occurs in a different event than the one responsible for pushing the increment. In the error message above, the invalid increment was detected when the entity was exiting the simulation after the MortalityEvent. The attribute my\_dbl likely assumed a non-numeric value earlier in the simulation causing the invalid increment later.

The root cause of an invalid increment can be probed using Event Trace to examine the evolution of the specific attribute in the specific entity given in the runtime error message.

To enable event trace in the model, the following statement must be added to model code:

options event\_trace = on;

and the model executable must be invoked with the argument -OpenM.IniAnyKey .

The following EventTrace settings (in an ini file) output all events and all changes in my\_dbl in entity 208:

#### **[OpenM]** LogToFile = true TraceToFile = true

#### [EventTrace]

; format ReportStyle = readable NameColumnWidth = 20 ; filters SelectedEntities = 208 ; events ShowEvents = yes ; attributes ShowAttributes = yes SelectedAttributes = my\_dbl

This produces the following trace file output:

Time Entity	Age Id T	race Value N	lame Remarks
0.000000 Person	0.000000	208 ENTER	
0.000000 Person	0.000000	208 attr (	0 my_dbl initial
0.000000 Person	0.000000	208 EVENT	SpawnEvent
0.500000 Person	0.500000	208 EVENT	EyeColourChangeEvent
1.000000 Person	1.000000	208 EVENT	FirstBirthdayEvent
2.632435 Person	2.632435	208 EVENT	HappinessReversalEvent
2.632435 Person	2.632435	208 attr -in	nf my_dbl was 0
10.105425 Person	10.105425	208 EVENT	MoveEvent
25.755745 Person	25.755745	208 EVENT	HappinessReversalEvent
26.741666 Person	26.741666	208 EVENT	StartPlayingEvent
30.141256 Person	30.141256	208 EVENT	MoveEvent
32.641206 Person	32.641206	208 EVENT	MoveEvent
34.927079 Person	34.927079	208 EVENT	HappinessReversalEvent
54.778775 Person	54.778775	208 EVENT	HappinessReversalEvent
59.496134 Person	59.496134	208 EVENT	StartPlayingEvent
60.500447 Person	60.500447	208 EVENT	HappinessReversalEvent
68.935493 Person	68.935493	208 EVENT	MoveEvent
76.110163 Person	76.110163	208 EVENT	HappinessReversalEvent
78.448787 Person	78.448787	208 EVENT	StartPlayingEvent
79.197382 Person	79.197382	208 EVENT	MoveEvent
87.282644 Person	87.282644	208 EVENT	HappinessReversalEvent
88.063467 Person	88.063467	208 EVENT	MortalityEvent
88.063467 Person	88.063467	208 EXIT	

This trace output shows that the my\_dbl attribute first assumed the non-numeric value -inf during the HappinessReversalEvent at an early age, before the entity was in scope of the table filter.

Here's the model code responsible for the invalid increment error later in the simulation:

```
entity Person
{
    double my_dbl;
    void update_funny_numbers(void);
    hook update_funny_numbers, HappinessReversalEvent, 43;
};
void Person::update_funny_numbers(void)
{
    double x = 0.0;
    my_dbl = std::log(x); // is -inf
}
```

If necessary, a Debug version of the model can be built and run with a conditional break point added to the first line of code in the event identified by Event Trace. In this example, the break point could be set to the first line of HappinessReversalEvent, with condition entity\_id == 208.

Here's the model source code of the event which was the root cause of the invalid increment.

```
void Person::HappinessReversalEvent()
{
    happy = !happy;
    if ( !happy && playing ) {
        // stop playing if unhappy
        playing = FALSE;
    }
    if (happy && my_first_happy_time == TIME_INFINITE) {
        my_first_happy_time = time;
    }
    hook_HappinessReversalEvent();
}
```

When the break point is hit, execution can be stepped line by line in the debugger until the code responsible for setting my\_dbl to a non-numeric value is found.

[back to increment validity] [back to topic contents]

#### Disabling table increment errors

Normal handling of an invalid table increment can be controlled by the following option:

options verify\_valid\_table\_increment = off; // default is on

If this option is off, a warning like the following will be written to the log on each run:

Warning : invalid table increment is not detected with verify\_valid\_table\_increment = off

A table with a non-numeric cell will display as empty in the UI and in csv export.

[back to increment validity] [back to topic contents]

#### Operators

Keyword	Description
interval	
event	

# **Events**

Home > Model Development Topics > Events

This topic describes events. This topic is under construction and consists mostly of stub subtopics.

# **Related topics**

- Model Code
- Event Trace: Probe a model run at the micro level
- Time-like and Event-like Attributes: Definition of time-like and event-like attributes, and restrictions on use
- Censor Event Time: How to activate and use the censor\_event\_time optimization option
- Entity Function Hooks: Entity function hooks

## **Topic contents**

under construction

- Introduction and concepts
- Event time function

# Introduction and concepts

under construction

Declaration syntax

Event life-cycle.

# **Event implement function**

under construction

Changes attributes when the event occurs.

# **Event time function**

under construction

This subtopic contains the following sections:

- Return value
- Attributes affecting event time

#### [back to topic contents]

#### **Return value**

under construction

The return value of an event time function is the (conditional) time when the event will occur. It can be current time or future time. It can be infinity. If it is a time in the past of the entity a run-time error will occur.

The wait function. wait(0) means now. But other events may occur first, depending on event priority and event tie rules.

Calling a time function must not influence the state of the simulation, because the associated event has not occurred (yet). Model code which attempts to change an attribute during an event time calculation will cause a run-time error.

No side-effect means simulation framework can call freely.

Clock-like events and hazard-like events.

The event time is recalculated when specific attributes change.

An attempt to use a time-like attribute in an event time function causes a build-time error.

[back to event time function] [back to topic contents]

#### Attributes affecting event time

When an attribute changes value, any event whose time depends on that attribute must have its occurrence time recalculated in order to remain valid.

To determine which attributes affect which events, the OpenM++ compiler scans the C++ model code in the body of event time functions for attribute names. The scan is not based on the logic of the code in the event time function, only on the presence of names of attributes. The names can be attributes of the entity or attributes of another entity referenced directly through a link.

Modgen specific: Modgen does not support event dependency on linked attributes and forbids links to attributes in event time functions.

Consider the following code fragment (adapted from the Alpha2 test model):

```
entity Person
{
  //EN Integer age
  int integer_age = self_scheduling_int(age)
}:
entity Thing
{
  //EN Count of celebratory birthday twirls performed
  int twirls = { 0 };
  //EN Do a twirl for the Person who spawned this Thing
  event timeTwirlEvent, TwirlEvent;
};
link Thing.spawner Person.things[];
TIME Thing::timeTwirlEvent()
{
  TIME event time = TIME INFINITE:
  if (spawner && (twirls < spawner->integer_age)) {
     event_time = WAIT(0); // twirl now!
  return event time:
}
void Thing::TwirlEvent()
{
  twirls++:
```

The TwirlEvent causes a Thing entity to twirl once on each birthday of the Person which spawned it.

The associated time function timeTwirlEvent uses three attributes:

- spawner, a link attribute of Thing which connects it to the Person entity which spawned it,
- twirls, an attribute of Thing which counts the number of times the Thing has twirled, and
- spawner->integer\_age, a self-scheduling attribute of Person which increases by 1 on each birthday.

The OpenM++ compiler notes the use of these three attributes in the event time function and generates run-time code which calls timeTwirtEvent in a Thing entity if any of those three attributes changes value.

Specifically, when integer\_age of a Person is incremented on a birthday, the event time of TwirlEvent of all Thing entities spawned by that Person are recalculated. The code in timeTwirlEvent causes the TwirlEvent to be scheduled immediately by returning WAIT(0). After TwirlEvent is implemented and the twirl performed, timeTwirlEvent is called to schedule the next occurrence and returns infinity.

The OpenM++ compiler creates an output file which lists all attribute event dependencies. It is named EventDependencies.csv and is located in the src output folder, which in Windows is MODEL/ompp/src and in Linux is MODEL/ompp-linux/src.

For the Alpha2 test model, EventDependencies.csv looks like this:

entity	event	attribute
Person	BlowHornEvent	blow_horns_now

entity	event	attribute
Person	EyeColourChangeEvent	eye_colour_definitive
Person	FirstBirthdayEvent	over_1
Person	MoveEvent	city
Person	SpawnEvent	spawning_done
Person	StartPlayingEvent	happy
Thing	BeingGoodEvent	making_trouble
Thing	TwirlEvent	spawner
Thing	TwirlEvent	twirls
Thing	TwirlEvent	spawner->integer_age
Thing	TwirlSpecialEvent	my_person1
Thing	TwirlSpecialEvent	twirls_special
Thing	TwirlSpecialEvent	my_person1->integer_age
Тоу	DiscardEvent	lifetime

# [back to event time function] [back to topic contents]

# **Event scheduling**

under construction

Extract from OM\_ROOT/include/omc/Event.h :

```
/**
* event comparison. This is a true observer function but is not declared as const due to issues
* with get_event_id().
*
* @param [in,out] rhs The right hand side.
*
* @return true if the right-hand side is less than the left-hand side (this object).
*/
bool operator< ( BaseEvent& rhs )
{
  // earlier event time wins
  if ( event_time < rhs.event_time ) return true;
  if ( event_time > rhs.event_time ) return false;
  // higher event priority wins
  int event_priority = get_event_priority();
  int rhs_event_priority = rhs.get_event_priority();
  if ( event_priority > rhs_event_priority ) return true;
  if ( event_priority < rhs_event_priority ) return false;
  // lower event_id wins (earlier in alphabetic order by event name)
  int event_id = get_event_id();
  int rhs_event_id = rhs.get_event_id();
  if ( event_id < rhs_event_id ) return true;</pre>
  if ( event_id > rhs_event_id ) return false;
  // lower entity_id wins (created earlier)
  int entity_id = get_entity_id();
  int rhs_entity_id = rhs.get_entity_id();
  if ( entity_id < rhs_entity_id ) return true;
  else return false;
}
```

# Self-scheduling events

under construction

Each entity has a built-in event which maintains all self-scheduling attributes in the entity.

Hooking to a self-scheduling attribute.

# **Tied events**

under construction

# The flow of time

under construction

# **Event loops**

under construction

# **Event Trace**

Home > Model Development Topics > Event Trace

This topic describes a model developer feature which reports the evolution of individual entities during a simulation.

# **Related topics**

- Model Code
- Test Models

#### **Topic contents**

- Introduction and outline
- · Quick start How to build and run a model with event trace capability
- Worked example 1 Using filters
- Worked example 2 Tracing attributes
- Worked example 3 Tracing links and multilinks
- Worked example 4 Tracing table increments
- General information General information
- Event trace columns The seven columns of event trace output
- Event trace messages The different kinds of messages in event trace output
- Event trace options Reference to all event trace options
- Trace file options Technical: Run options to specify trace file name, etc.
- Trace file API Technical: How to toggle trace output from model code

# Introduction and outline

Event trace allows a model developer to probe the simulation of individual entities or groups of entities in detail. This can help to understand a model, to verify that it is working as intended, or to probe anomalies.

After an entity enters the simulation it undergoes a series of events which change attributes, either its own or those of linked entities. Changes in attributes can in turn condition the time of future events. An entity in a model with event trace capability generates event trace messages when it enters the simulation and during events. Event trace messages include simulation entry, simulation exit, event occurrence, conditional times of future events, and changes in attributes, links, and multilinks. Event trace messages are blocked or passed depending on run-time event trace options. Unblocked messages are written to the run trace file in a readable columnar format designed for visual scanning. Alternatively, messages can be written in a csv format to facilitate use in external applications.

Quick Start shows how to build a model with event trace capability and how to enable that capability in a model run.

The quick start is followed by several worked examples with illustrative inputs and outputs using the RiskPaths and Alpha2 models:

Worked example 1 which illustrates tracing events,

Worked example 2 which illustrates tracing attributes,

Worked example 3 which illustrates tracing links and multilinks. and Worked example 4 which illustrates tracing table increments.

Please note that the output of the quick start and worked examples shown in this topic may differ slightly due to OpenM++ version differences.

The worked examples are followed by general information about event trace.

This is followed by three subtopics with reference material: Event trace columns which describes the meaning of the output columns, Event trace messages which describes all possible event trace messages, and Event trace options which decribes all options to control and filter event trace messages.

This topic concludes with two specialized technical subtopics related to event trace.

## **Quick start**

This quick start example uses the RiskPaths model in OM\_ROOT/models/RiskPaths in the OpenM++ distribution. By default a model is not built with event trace functionality, and without it the examples in this topic will not work.

This subtopic contains the following sections.

- 1. Build model with event trace capability
- 2. Create model ini file with event trace options
- 3. Run model using event trace

[continue to worked example 1] [back to topic contents]

#### 1. Build model with event trace capability

Edit the model source code file RiskPaths/code/TraceOptions.mpp to change the event\_trace option from off to on :

options event\_trace = on;

Build the Release version of RiskPaths.

In Windows, the model executable will be RiskPaths/ompp/bin/RiskPaths.exe . In Linux, the model executable will be RiskPaths/ompp-linux/bin/RiskPaths .

[back to quick start] [back to topic contents]

# 2. Modify model ini file with event trace options

In the same folder as the RiskPaths executable there may already be a copy of the default model ini file RiskPaths.ini. If not create it using your IDE or a text editor such as Notepad.


Edit RiskPaths.ini to have the following content:

[OpenM] TraceToFile = true

[Parameter] SimulationCases = 5

[EventTrace] ReportStyle = readable

The following Windows screenshot shows RiskPaths.ini being edited in Visual Studio in the RiskPaths project:



#### [back to topic contents]

#### 3. Run model using event trace

Launch the model in its bin directory using the ini file created in the previous step, being sure to also specify the OpenM.IniAnyKey option.

RiskPaths -ini RiskPaths.ini -OpenM.IniAnyKey true


In Windows you can run the Release version of RiskPaths from inside Visual Studio as follows:

- Solution Configurations to Release and Solution Platforms to x64
- Project Properties > Configuration Properties > Debugging > Command Arguments to
   -ini RiskPaths.ini -OpenM.IniAnyKey true
- Project Properties > Configuration Properties > Debugging > Working Directory to \$(TargetDir)
- To launch the model, do Debug > Start without debugging Or Press Ctrl-F5.

After the model runs the trace file RiskPaths.trace.txt should be present in the model bin directory and look like this:

Time Entity Age Id Tr 0.000000 Person 0.000000	ace Value Nam 1 ENTER	e F	Remarks
24.260999 Person 24.260999	1 EVENT	Union1FormationEvent	
26.537813 Person 26.537813	1 EVENT	FirstPregEvent	
27.260999 Person 27.260999	1 EVENT	UnionPeriod2Event	
100.000000 Person 100.000000	1 EVENT	DeathEvent	
100.000000 Person 100.000000	1 EXIT	DeathEvent	
0.000000 Person 0.000000	2 ENTER		
22.052373 Person 22.052373	2 EVENT	Union1FormationEvent	
24.678078 Person 24.678078	2 EVENT	FirstPregEvent	
25.052373 Person 25.052373	2 EVENT	UnionPeriod2Event	
100.000000 Person 100.000000	2 EVENT	DeathEvent	
100.000000 Person 100.000000	2 EXIT		
0.000000 Person 0.000000	3 ENTER		
17.050111 Person 17.050111	3 EVENT	Union1FormationEvent	
20.024665 Person 20.024665	3 EVENT	FirstPregEvent	
20.050111 Person 20.050111	3 EVENT	UnionPeriod2Event	
100.000000 Person 100.000000	3 EVENT	DeathEvent	
100.000000 Person 100.000000	3 EXIT		
0.000000 Person 0.000000	4 ENTER		
17.410717 Person 17.410717	4 EVENT	FirstPregEvent	
100.000000 Person 100.000000	4 EVENT	DeathEvent	
100.000000 Person 100.000000	4 EXIT		
0.000000 Person 0.000000	5 ENTER		
24.157739 Person 24.157739	5 EVENT	FirstPregEvent	
100.000000 Person 100.000000	5 EVENT	DeathEvent	
100.000000 Person 100.000000	5 EXIT		

The following Windows screenshot shows RiskPaths.trace.txt open in Visual Studio in the RiskPaths project. The screenshot also shows the command window and log output for the run, and highlights the expected warning generated by a model with event trace capability.



[back to topic contents]

Worked example 1

This section continues the quick start example to explore using EventTrace filters to find and probe entities in the simulation.

This subtopic contains the following sections:

- Find entities with a specific event
- Report on specific entities
- Report detailed history for a given entity
- Probe a time window

#### [back to topic contents]

#### Find entities with a specific event

RiskPaths simulates how first and second unions affect first birth frequency. To probe entities which experience a second union, change SelectedEvents to only show the event Union2FormationEvent.

[OpenM] TraceToFile = true

[Parameter] SimulationCases = 5

#### [EventTrace]

; format ReportStyle = readable NameColumnWidth = 20 ; events ShowEnterSimulation = no ShowExitSimulation = no ShowEvents = yes SelectedEvents = Union2FormationEvent

The trace file RiskPaths.trace.txt now looks like this:

That's right, it's empty! That's because the run had only 5 cases and in those 5 cases the Union2FormationEvent never occurred. Expand the run to 10,000 cases by changing SimulationCases and set MaximumLines to report only the first 10. The width of the name column has been shortened to 20 from the default of 40 for more compact output.

#### [OpenM] TraceToFile = true

[Parameter] SimulationCases = 10000

#### [EventTrace]

; format ReportStyle = readable NameColumnWidth = 20 MaximumLines = 10 ; events ShowEnterSimulation = no ShowExitSimulation = no ShowEvents = yes SelectedEvents = Union2FormationEvent

#### The trace file looks like this:

Time Entity		Age Id Trace		Value Name	Remarks				
85.748654	Person	85.7486	54 11	EVENT	Union2FormationEvent				
46.987741	Person	46.9877	41 13	EVENT	Union2FormationEvent				
24.942941	Person	24.9429	41 65	EVENT	Union2FormationEvent				
26.208783	Person	26.2087	83 94	EVENT	Union2FormationEvent				
67.733676	Person	67.7336	76 101	EVENT	Union2FormationEvent				
36.152105	Person	36.1521	05 135	EVENT	Union2FormationEvent				
22.466353	Person	22.4663	53 211	EVENT	Union2FormationEvent				
20.010964	Person	20.0109	64 222	EVENT	Union2FormationEvent				
60.116048	Person	60.1160	48 262	EVENT	Union2FormationEvent				

Maximum lines exceeded, increase using EventTrace.MaximumLines

#### **Report on specific entities**

In the previous section, the entity\_id of the youngest of the 10 is 222 and the oldest is 266. To probe those two entities in more detail, set MaximumLines to 1000, set SelectedEvents to empty to report on all events, and set SelectedEntities to report only on those two entities. Also, set SimulationCases to 500 to increase run speed (RiskPaths has only one entity in each case, so this is sufficient to simulate the two cases we're after).

[OpenM] TraceToFile = true

[Parameter] SimulationCases = 500

#### [EventTrace]

; format ReportStyle = readable NameColumnWidth = 20 MaximumLines = 1000 ; filters SelectedEntities = 222,266 ; events ShowExitSimulation = no ShowExitSimulation = no ShowExitSimulation = no ShowExitSimulation = no ShowExitSimulation = no

Re-run RiskPaths. The trace file now looks like this:

Time Er	ntity	Age	ld Tra	ce	Value Na	ame	Remarks
18.198452	Person	18.1984	152	222	EVENT		Union1FormationEvent
19.944885	Person	19.9448	385	222	EVENT		Union1DissolutionEvent
20.010964	Person	20.0109	964	222	EVENT		Union2FormationEvent
20.212818	Person	20.2128	318	222	EVENT		FirstPregEvent
21.198452	Person	21.1984	152	222	EVENT		UnionPeriod2Event
100.000000	Person	100.000	0000	222	EVENT		DeathEvent
39.395331	Person	39.3953	331	266	EVENT		Union1FormationEvent
42.395331	Person	42.3953	331	266	EVENT		UnionPeriod2Event
65.159506	Person	65.1595	506	266	EVENT		Union1DissolutionEvent
87.325967	Person	87.3259	967	266	EVENT		Union2FormationEvent
100.000000	Person	100.000	0000	266	EVENT		DeathEvent

The evolution of entity\_id 222 looks a bit odd. RiskPaths documents UnionPeriod2Event as a 3-year period after first union formation which can affect fertility:

/\*NOTE(Person.UnionPeriod2Event, EN) Clock event which changes the union duration state union\_status from US\_FIRST\_UNION\_PERIOD1 to US\_FIRST\_UNION\_PERIOD2. This event occurs after 3 years in 1st union. The clock is set at first union formation. \*/

The event trace shows that for entity\_id 222 a second union occurred at time=20.010964 and UnionPeriod2Event occurred later at time=21.198452 (exactly 3 years after the Union1FormationEvent event). It would be incoherent for union\_status, which affects fertility, to change 3 years after the start of a first union if the Person is already in a second union. It might be good to investigate the model logic to confirm that the UnionPeriod2Event event has no effect if a second union has already formed.

[back to worked example 1] [back to topic contents]

#### Report detailed history for a given entity

Probe entity\_id 222 in more detail by setting SelectedEntities to 222 and observing scheduled future event times by turning on ShowQueuedEvents. All model events except for DeathEvent are listed in SelectedEvents to remove DeathEvent messages from the report. Otherwise, the report would be cluttered with lines showing the recomputation of time of death because the mortality rate changes at each birthday.

#### [OpenM] TraceToFile = true [Parameter] SimulationCases = 500 [EventTrace] : format ReportStyle = readable NameColumnWidth = 25 MaximumLines = 10000 : filters SelectedEntities = 222 events ShowEnterSimulation = no ShowExitSimulation = no ShowEvents = vesShowQueuedEvents = yes SelectedEvents = \ FirstPregEvent, \ Union1FormationEvent, \ Union1DissolutionEvent. \ Union2FormationEvent, \ Union2DissolutionEvent, \

The line continuation character 👔 is used to split the list of event names into multiple lines for readability and ease of editing.

The resulting trace report looks like this:

UnionPeriod2Event

Tim	e Entity	Age Id	Trace	Valu	ie Name	Remarks	
15.000	0000 Persor	n 15.000000	222	queued	81.828627	FirstPregEvent	was inf
15.000	000 Persor	n 15.000000	222	queued	58.463729	Union1FormationEv	ent was inf
17.500	000 Persor	n 17.500000	222	queued	18.987406	FirstPregEvent	was 81.828627
17.500	000 Persor	n 17.500000	222	queued	18.198452	Union1FormationEv	ent was 58.463729
18.198	452 Persor	18.198452	222	EVENT	Unio	n1FormationEvent	
18.198	452 Persor	18.198452	222	queued	20.173365	FirstPregEvent	was 18.987406
18.198	452 Persor	18.198452	222	queued	53.059542	Union1DissolutionE	vent was inf
18.198	452 Persor	18.198452	222	queued	inf Ur	nion1FormationEvent	was 18.198452
18.198	452 Persor	18.198452	222	queued	21.198452	UnionPeriod2Event	was inf
19.198	452 Persor	19.198452	222	queued	19.944885	Union1DissolutionE	vent was 53.059542
19.944	885 Persor	19.944885	222	EVENT	Unio	n1DissolutionEvent	
19.944	885 Persor	n 19.944885	222	queued	43.387166	FirstPregEvent	was 20.173365
19.944	885 Persor	n 19.944885	222	queued	inf Ur	nion1DissolutionEvent	was 19.944885
19.944	885 Persor	19.944885	222	queued	20.010964	Union2FormationEv	ent was inf
20.000	000 Persor	n 20.000000	222	queued	55.173852	FirstPregEvent	was 43.387166
20.010	964 Persor	n 20.010964	222	EVENT	Unio	n2FormationEvent	
20.010	964 Persor	n 20.010964	222	queued	20.212818	FirstPregEvent	was 55.173852
20.010	964 Persor	n 20.010964	222	queued	59.958810	Union2DissolutionE	vent was inf
20.010	964 Persor	n 20.010964	222	queued	inf Ur	nion2FormationEvent	was 20.010964
20.212	818 Persor	n 20.212818	222	EVENT	First	PregEvent	
20.212	818 Persor	n 20.212818	222	queued	inf Fir	rstPregEvent wa	as 20.212818
20.212	818 Persor	n 20.212818	222	queued	inf Ur	nion2DissolutionEvent	was 59.958810
21.198	452 Persor	1 21.198452	222	EVENT	Unio	nPeriod2Event	
21.198	452 Persor	1 21.198452	222	queued	inf Ur	nionPeriod2Event	was 21.198452

No events of interest occurred in entity\_id 222 after UnionPeriod2Event. On the other hand, this entity does not probe what might happen if a first birth had not already occurred prior to UnionPeriod2Event.

In this trace report, we see recalculation of future events triggered by other events. Recalculations are triggered by changes in an entity's attributes, and that only happens at events. The report shows, however, a recomputation of the time of event Union1DissolutionEvent occurring at time=19.198452, exactly one year after Union1FormationEvent occurs, with no associated event. This must be due to a self-scheduling event which is not shown in the output.

[back to worked example 1] [back to topic contents]

#### Probe a time window

To probe in detail what's happening in entity\_id 222 at time 19.198452 (the time of the event not shown in the previous run), turn on ShowSelfSchedulingEvents and ShowQueuedSelfSchedulingEvents, and set up a time restriction window which brackets that time by setting MinimumTime=19.1 and MaximumTime=19.2.

#### .....

- [Parameter] SimulationCases = 500
- [EventTrace]
- : format ReportStyle = readable NameColumnWidth = 45 MaximumLines = 10000 : filters SelectedEntities = 222 MinimumTime = 19.1 MaximumTime = 19.2 ; events ShowEnterSimulation = noShowExitSimulation = no ShowEvents = yes ShowSelfSchedulingEvents = yes ShowQueuedEvents = yes ShowQueuedSelfSchedulingEvents = yes SelectedEvents = \ FirstPregEvent, \ Union1FormationEvent, \ Union1DissolutionEvent, \ Union2FormationEvent. \ Union2DissolutionEvent. \ UnionPeriod2Event

The trace report looks like this:

Time Entity	Age	Id Trace	Value	e Name	Remarl	KS	
19.198452 Person	19.1984	52 222	EVENT	self_s	scheduling_split(active_spell_	duration(in_union,true),UNION_DURATION)	
19.198452 Person	19.1984	52 222	queued	21.198452	self_scheduling_split(active	_spell_duration(in_union,true),UNION_DURATION)	
19.198452 Person	19.1984	52 222	queued	19.944885	Union1DissolutionEvent	was 53.059542	

The missing event is revealed to be the self-scheduling attribute self\_scheduling\_split(active\_spell\_duration(in\_union,true),UNION\_DURATION). Perusing the RiskPaths code reveals that this self-scheduling attribute is assigned to the identity attribute union\_duration, which is in turn used in the computation of the time of the Union1DissolutionEvent event.

[back to worked example 1] [back to topic contents]

# Worked example 2

This subtopic illustrates tracing attributes. It contains the following sections:

- Attributes with event context
- Attributes without event context
- Find entities using an attribute
- Using the case\_seed attribute

[back to topic contents]

#### Attributes with event context

Worked example 1 suggested that the derived attribute union\_duration played a role in explaining the recomputation of an event time. Trace that attribute as well as in\_union by turning on attribute tracing with ShowAttributes, and specifying the attributes to be traced with SelectedAttributes.

[Parameter] SimulationCases = 500

#### [EventTrace]

; format ReportStyle = readable NameColumnWidth = 20 MaximumLines = 10000 ; filters SelectedEntities = 222 ; events ShowExitSimulation = yes ShowExitSimulation = yes ShowEvents = yes ; attributes ShowAttributes = yes SelectedAttributes = \ in\_union, \ union\_duration

#### The trace output looks like this:

Time Entity		Age	ld Trace	•	Va	lue	Nan	ne Re	emarks
	Person	0.00000			NTER				
0.000000	Person	0.00000	0 222	2	attr		0	in_union	initial
0.000000	Person	0.00000	0 222	2	attr		0	union_duration	initial
18.198452	Person	18.1984	52 22	22	EVENT			Union1Forma	tionEvent
18.198452	Person	18.1984	52 22	22	attr		1	in_union	was 0
19.198452	Person	19.1984	52 22	22	attr		1	union_duration	was 0
19.944885	Person	19.9448	85 22	22	EVENT			Union1Dissolu	utionEvent
19.944885	Person	19.9448	85 22	22	attr		0	in_union	was 1
19.944885	Person	19.9448	85 22	22	attr		0	union_duration	was 1
20.010964	Person	20.0109	64 22	22	EVENT			Union2Forma	tionEvent
20.010964	Person	20.0109	64 22	22	attr		1	in_union	was 0
20.212818	Person	20.2128	18 22	22	EVENT			FirstPregEver	ıt
21.010964	Person	21.0109	64 22	22	attr		1	union_duration	was 0
21.198452	Person	21.1984	52 22	22	EVENT			UnionPeriod2	Event
23.010964	Person	23.0109	64 22	22	attr		2	union_duration	was 1
25.010964	Person	25.0109	64 22	22	attr		3	union_duration	was 2
29.010964	Person	29.0109	64 22	22	attr		4	union_duration	was 3
33.010964	Person	33.0109	64 22	22	attr		5	union_duration	was 4
100.000000	Person	100.000	000 2	222	EVENT	-		DeathEvent	
100.000000	Person	100.000	000 2	222	EXIT				

The output shows the the initial values of the attributes when the entity enters the simulation and changes in attributes as the simulation progresses. The attribute in\_union changes in response to union formation events as expected. The attribute union\_duration changes with no preceding event message because self-scheduling event messages are blocked with these EventTrace settings.

# [back to worked example 2] [back to topic contents]

#### Attributes without event context

Event messages can be be removed from the output by setting ShowEvents to off. The following settings trace some key attributes of RiskPaths fo a single case.

[Parameter] SimulationCases = 500

#### [EventTrace]

; format ReportStyle = readable NameColumnWidth = 20MaximumLines = 10000 : filters SelectedEntities = 222 ; events ShowEnterSimulation = noShowExitSimulation = no ShowEvents =  $n_0$ ; attributes ShowAttributes = yes SelectedAttributes = \ case\_seed, \ union status, \ parity\_status, \ union\_duration, \ dissolution\_duration

The trace output looks like this:

Time Entity	Age Id Tra	ace	Value Nam	ne Rer	narks
0.000000 Person	0.000000	222 a	attr 1214330	268 case_seed	initial
0.000000 Person	0.000000	222 a	attr O	dissolution_duration	on initial
0.000000 Person	0.000000	222 a	attr O	parity_status	initial
0.000000 Person	0.000000	222 a	attr O	union_duration	initial
0.000000 Person	0.000000	222 a	attr O	union_status	initial
18.198452 Person	18.198452	222	attr 1	union_status	was 0
19.198452 Person	19.198452	222	attr 1	union_duration	was 0
19.944885 Person	19.944885	222	attr 0	union_duration	was 1
19.944885 Person	19.944885	222	attr 3	union_status	was 1
20.010964 Person	20.010964	222	attr 4	union_status	was 3
20.212818 Person	20.212818	222	attr 1	parity_status	was 0
21.010964 Person	21.010964	222	attr 1	union_duration	was 0
23.010964 Person	23.010964	222	attr 2	union_duration	was 1
25.010964 Person	25.010964	222	attr 3	union_duration	was 2
29.010964 Person	29.010964	222	attr 4	union_duration	was 3
33.010964 Person	33.010964	222	attr 5	union_duration	was 4

# [back to worked example 2]

[back to topic contents]

## Find entities using an attribute

In this example, we use event trace to identify entities which were pregnant during a second union, and output a detailed history of the oldest.

First, we add the new attribute my\_filter to RiskPaths by editing Fertility.mpp and adding the following lines:

```
actor Person
{
    //EN Pregnant in second union
    bool my_filter = (parity_status == PS_PREGNANT) && (union_status == US_SECOND_UNION);
};
```

and rebuild RiskPaths. Next we set event trace options to block all messages except attribute messages for my\_filter which have the value true. In C++ true has the value 1 and false has the value 0.

[Parameter] SimulationCases = 500

format
ReportStyle = readable
NameColumnWidth = 20
MaximumLines = 10000
filters
events
ShowEnterSimulation = no
ShowExitSimulation = no
ShowEvents = no
attributes
ShowAttributes = yes
SelectedAttributes = my_filte
MinimumAttribute = 1
MaximumAttribute = 1

#### The output is:

Time E	ntity	Age Id	Trace		Value Nam	ne	Remarks
26.196550	Person	26.196550	) 65	attr	1	my_filter	was 0
26.395338	Person	26.395338	3 94	attr	1	my_filter	was 0
24.133799	Person	24.133799	) 211	attr	1	my_filter	was 0
20.212818	Person	20.212818	3 222	attr	1	my_filter	was 0
33.073613	Person	33.073613	8 279	attr	1	my_filter	was 0
32.492563	Person	32.492563	8 479	attr	1	my_filter	was 0
23.148798	Person	23.148798	3 481	attr	1	my_filter	was 0

The output displays the 7 entities among the 500 which satisfied the condition during their lifetime. The Id column shows the entity\_id of each, and the Age column shows the age at which the condition first become true.

Among the 7, the oldest was entity\_id 279.

The following settings probe the lifetime of that entity in more detail:

#### [OpenM] TraceToFile = true

.....

#### [Parameter] SimulationCases = 500

[EventTrace]

; format ReportStyle = readable NameColumnWidth = 20 MaximumLines = 10000 ; filters SelectedEntities = 279 ; events ShowEnterSimulation = yes ShowExitSimulation = yes ShowEvents = yes

#### The output is

Time E	-	0			Value Name	
0.000000	Person	0.00000	0 27	9 EN	NTER	initial time=0.000000,age=0.000000
27.167907	Person	27.1679	907 2	79	EVENT	Union1FormationEvent
29.155224	Person	29.1552	224 2	79	EVENT	Union1DissolutionEvent
30.167907	Person	30.1679	907 2	79	EVENT	UnionPeriod2Event
32.105193	Person	32.105	193 2	79	EVENT	Union2FormationEvent
33.073613	Person	33.0736	513 2	79	EVENT	FirstPregEvent
100.000000	Person	100.000	0000	279	EVENT	DeathEvent
100.000000	Person	100.000	0000	279	EXIT	

[back to worked example 2] [back to topic contents]

## Using the case\_seed attribute

The example Attributes without event context above traced case\_seed, which is a built-in attribute of a case-based model. Case seeds of interest

can also be obtained from aggregate output tables using an expression like max\_value\_out(case\_seed) to identify the seed of a case for each populated cell of a table.

case\_seed can be useful to speed exploration of a specific case in a case-based model by arranging that a run simulate only that single case. The following settings set the parameter SimulationSeed to 1214330268 from the previous trace output. The number of cases is also reduced from 500 to 1, for a very fast run. The SelectedEntities filter was removed.

# [OpenM]

TraceToFile = true

#### [Parameter]

SimulationCases = 1 SimulationSeed = 1214330268

#### [EventTrace]

; format ReportStyle = readable NameColumnWidth = 20MaximumLines = 10000 ; filters : events ShowEnterSimulation = no ShowExitSimulation = noShowEvents = no ; attributes ShowAttributes = yes SelectedAttributes = \ case seed, \ union\_status, \ parity\_status, \ union\_duration, \ dissolution\_duration

#### With these settings, the trace file looks like this:

Time E	Entity	Age	Id Trace		Value Na	ame	R	emarks	
0.000000	Person	0.00000	0 1	attr	1214330	0268	case_seed	initi	ial
0.000000	Person	0.00000	0 1	attr	0	disso	olution_durati	on initial	
0.000000	Person	0.00000	0 1	attr	0	parit	y_status	initial	
0.000000	Person	0.00000	0 1	attr	0	unio	n_duration	initial	
0.000000	Person	0.00000	0 1	attr	0	unio	n_status	initial	
18.198452	Person	18.1984	52 1	L atti	· 1	. unio	on_status	was 0	
19.198452	Person	19.1984	52 1	L atti	· 1	. unio	on_duration	was 0	
19.944885	Person	19.9448	85 1	. attı	• 0	uni	on_duration	was 1	
19.944885	Person	19.9448	85 1	. attı	. 3	uni	on_status	was 1	
20.010964	Person	20.0109	64 1	. attı	• 4	unio	on_status	was 3	
20.212818	Person	20.2128	818 1	. attı	· 1	par	ity_status	was 0	
21.010964	Person	21.0109	64 1	. attı	· 1	. unio	on_duration	was 0	
23.010964	Person	23.0109	64 1	. attı	· 2	uni	on_duration	was 1	
25.010964	Person	25.0109	64 1	L atti	. 3	uni	on_duration	was 2	
29.010964	Person	29.0109	64 1	L atti	• 4	unio	on_duration	was 3	
33.010964	Person	33.0109	964 1	. attı	. 5	uni	on_duration	was 4	

The trace output (and simulation) is identical to the previous output except for the id column, which changed from 222 to 1. The id column shows the entity\_id of the entity which produced the message. In a case-based model, entity\_id is a unique sequentially increasing counter for entities in the run.

Case-based models which construct cases by reading a file of microdata may not be able to reproduce a case of interest using this technique. OzProj in the OpenM++ distribution is an example. Such models can filter on one or more case seeds directly using SelectedCaseSeeds, as in the following example.

[Parameter] SimulationCases = 500

#### [EventTrace]

; format ReportStyle = readable NameColumnWidth = 20 MaximumLines = 10000 : filters SelectedCaseSeeds = 1214330268 events ShowEnterSimulation = no ShowExitSimulation = no ShowEvents =  $n_0$ ; attributes ShowAttributes = yes SelectedAttributes = \ case seed, \ union status, \ parity\_status, \ union\_duration,  $\$ dissolution\_duration

With these options, the output is as before.

Time Er	ntity	Age Id T	race		Value Name	Re	emarks
0.000000	Person	0.000000	222	attr	121433026	68 case_seed	initial
0.000000	Person	0.000000	222	attr	0 di	ssolution_durati	on initial
0.000000	Person	0.000000	222	attr	0 pa	arity_status	initial
0.000000	Person	0.000000	222	attr	0 ur	nion_duration	initial
0.000000	Person	0.000000	222	attr	0 ur	nion_status	initial
18.198452	Person	18.198452	222	attr	1 ι	union_status	was 0
19.198452	Person	19.198452	222	attr	1 ι	union_duration	was 0
19.944885	Person	19.944885	222	attr	0ι	union_duration	was 1
19.944885	Person	19.944885	222	attr	3ι	union_status	was 1
20.010964	Person	20.010964	222	attr	4 ι	union_status	was 3
20.212818	Person	20.212818	222	attr	1 p	parity_status	was 0
21.010964	Person	21.010964	222	attr	1ι	union_duration	was 0
23.010964	Person	23.010964	222	attr	2ι	union_duration	was 1
25.010964	Person	25.010964	222	attr	3ι	union_duration	was 2
29.010964	Person	29.010964	222	attr	4 ι	union_duration	was 3
33.010964	Person	33.010964	222	attr	5ι	union_duration	was 4

If a case-based model is designed to generate multiple cloned entities within a case, SelectedCaseSeeds can be helpful to probe all clones within a case.

# [back to worked example 2] [back to topic contents]

## Worked example 3

This subtopic illustrates tracing link attributes and multilinks. It contains the following sections:

- Links and multiple entity types
- Multilinks
- Expanding the selected entities

[back to topic contents]

# Links and multiple entity types

This section uses the Alpha2 model, which is part of the OpenM++ distribution. To make Alpha2 capable of event trace, the statement

options event\_trace = on;

was added to the model source module ompp\_framework.ompp, and a default ini file Alpha2.ini added to the model bin folder, as described in Quick start. Also as described in Quick start, the model command line arguments were set to -ini Alpha2.ini -OpenM.IniAnyKey true

Alpha2 has several different kinds of entities, two of which are Person and Thing. A one-to-one link between a Person and a Thing is declared in the model source statement

link Person.my\_thing1 Thing.my\_person1;

which declares the link attribute my\_thing1 in Person and the reciprocal link my\_person1 in Thing .

Both Person and Thing have an event named MortalityEvent . Person has a SpawnEvent which occurs immediately after a Person enters the simulation and which creates other entities.

The following run settings in Alpha2.ini trace selected events and attributes for entities 1 and 2.

# [OpenM]

TraceToFile = true

[Parameter] SimulationCases = 1

#### [EventTrace]

: format ReportStyle = readable NameColumnWidth = 20· filters SelectedEntities = 1,2 : events ShowEnterSimulation = yes ShowExitSimulation = yes ShowEvents = yes SelectedEvents = \ SpawnEvent, \ MortalityEvent ; attribute ShowAttributes = yes SelectedAttributes = \ my\_thing1, \ my\_person1

The resulting trace output looks like this:

The answer is	42!						
Time Er	ntity	Age Id	Trace	`	Value Na	ime	Remarks
0.000000	Person	0.000000	11	ENTER			
0.000000	Person	0.000000	1	link	nullptr	my_thing1	initial
0.000000	Person	0.000000	1	EVENT		SpawnEvent	
0.000000	Thing	0.000000	2 E	NTER			
0.000000	Thing	0.000000	2	link	nullptr	my_person1	initial
0.000000	Person	0.000000	1	link	2	my_thing1	was nullptr
0.000000	Thing	0.000000	2	link	1	my_person1	was nullptr
48.288955	Person	48.288955	5 1	EVENT		MortalityEve	nt
48.288955	Person	48.288955	5 1	EXIT			
48.288955	Thing	48.288955	2	link	nullptr	my_person1	was 1
117.760965	Thing	117.76096	5 2	2 EVENT	-	MortalityEve	ent
117.760965	Thing	117.76096	5 2	2 EXIT			

The first line in the trace output is produced by model code in Alpha2 which tests the trace file API. It is irrelevant to this example, but does illustrate that the trace file can contain output from model code, not just from event trace.

The kind of entity (Person or Thing) is shown in the Entity column and the entity\_id which produced the message is shown in the Id column. MortalityEvent is actually two different events with the same name, one in Person and one in Thing. SpawnEvent in Person 1 creates a Thing (entity\_id 2) and links to it through the link attribute my\_thing1. Here's the corresponding model code extract:

```
void Person::SpawnEvent()
{
    // Create things and add to simulation
    Thing *thing1 = new Thing;
    thing1->Start();
    // Link Person to thing1
    my_thing1 = thing1;
...
```

When MortalityEvent causes Person 1 to exit the simulation, all its links are automatically emptied. That causes the link my\_person1 in Thing 2 to become nullptr as shown in the trace output above.

[back to worked example 3] [back to topic contents]

# Multilinks

In Alpha2 each Person can have more than one Thing. The relationship is declared in the one-to-many link statement in model code

link Thing.spawner Person.things[];

which associates the link attribute spawner in Thing to the Person that spawned the Thing. A Person has a reciprocal multilink things which contains all the Thing entities it spawned. The following model code extract adds two Thing entities to the things multilink:

```
void Person::SpawnEvent()
{
    // Create things and add to simulation
    Thing *thing1 = new Thing;
    thing1->Start();
    Thing *thing2 = new Thing;
    thing2->Start();
    // populate multi-link of things
    things->Add(thing1);
    things->Add(thing2);
...
}
```

The statement things->Add(thing1); automatically assigns the reciprocal spawner attribute in Thing to the Person entity.

The following run settings explore the multilink things and the reciprocal spawner link attribute.

```
[OpenM]
TraceToFile = true
[Parameter]
SimulationCases = 1
[EventTrace]
 format
ReportStyle = readable
NameColumnWidth = 20
SelectedEntities = 1,2,13
; events
ShowEnterSimulation = yes
ShowExitSimulation = yes
ShowEvents = yes
SelectedEvents = \
 SpawnEvent, \
 MortalityEvent
; attributes
ShowAttributes = yes
SelectedAttributes = \
 spawner, \
 things
```

The resulting trace output is:

Т	he answer is	42!							
	Time E	Intity	Age	Id T	race		Value N	ame	Remarks
	0.000000	Person	0.0000	000	1 E	ENTER			
	0.000000	Person	0.0000	000	1	multi		things	initial {}
	0.000000	Person	0.0000	000	1	EVENT		SpawnE	Event
	0.000000	Thing	0.0000	00	2 E	NTER			
	0.000000	Thing	0.0000	00	2	link	nullptr	spawner	initial
	0.000000	Thing	0.0000	00	13 E	INTER			
	0.000000	Thing	0.0000	00	13	link	nullpt	r spawner	initial
	0.000000	Person	0.0000	000	1	multi++	F	2 things	is {2}
	0.000000	Thing	0.0000	00	2	link	1	spawner	was nullptr
	0.000000	Person	0.0000	000	1	multi++	F	13 things	is {2,13}
	0.000000	Thing	0.0000	00	13	link	1	spawner	was nullptr
	48.288955	Persor	48.288	8955	1	EVEN	Г	Mortali	tyEvent
	48.288955	Persor	48.288	8955	1	EXIT			
	48.288955	Thing	48.288	955	2	link	nullp	tr spawnei	r was 1
	48.288955	Thing	48.288	955	13	link	nullp	otr spawne	er was 1
	117.760965	Thing	117.76	0965	2	EVEN	Т	Mortal	ityEvent
	117.760965	Thing	117.76	0965	2	EXIT			
	144.675208	Thing	144.67	5208	1	3 EVEN	IT	Morta	lityEvent
	144.675208	Thing	144.67	5208	1	3 EXIT			

Each trace message for the things multilink shows the current contents of the multilink in the Remarks column. The initial value of things is empty, and multi++ in the Trace column notes when an entity is added to the multilink. There are no multi-- messages in this example, because the two Thing entities happened to outlive the Person entity. The spawner link attribute in each Thing was set automatically to nullptr when the Person exited the simulation during age 48.

Incidentally, the second Thing has entity\_id 13 because each Thing spawns 10 Toy entities, but that's another story!

[back to worked example 3] [back to topic contents]

## Expanding the selected entities

This example uses the option SelectLinkedEntities to automatically select entities added through a link or multilink to an active selected entity. The following settings set selected entities to the single entity with 'entity\_id' 1.

#### **[OpenM]** TraceToFile = true ProgressPercent = 25

[Parameter]

SimulationCases = 1

#### [EventTrace]

; format ReportStyle = readable NameColumnWidth = 20 ; filters SelectedEntities = 1 SelectLinkedEntities = yes ; events ShowEnterSimulation = yes ShowEvents = yes SelectedEvents = \ SpawnEvent, \ MortalityEvent

#### The trace output is

The answer is	42!					
Time En	ntity	Age le	d Trace		Value Name	Remarks
0.000000 F	Person	0.000000	) 1	ENTER		
0.000000 F	Person	0.000000	) 1	EVENT	S	pawnEvent
0.000000 F	Person	0.000000	) 1	selected	++ 2	my_thing1
0.000000 F	Person	0.000000	) 1	selected	++ 13	my_thing2
48.288955	Person	48.28895	55 1	. EVENT	Г	MortalityEvent
48.288955	Person	48.28895	55 1	. EXIT		
117.760965	Thing	117.76096	65 2	2 EVEN	Г	MortalityEvent
117.760965	Thing	117.76096	65 2	2 EXIT		
144.675208	Thing	144.67520	08 1	3 EVEN	Т	MortalityEvent
144.675208	Thing	144.67520	08 1	3 EXIT		

The messages with selected++ in the Trace column show two entities 2 and 13 added to the set of selected entities. Subsequent messages include contributions from the three entities 1,2, and 13. Had entity 2 or 3 added links to other entities during the simulation, the set of selected

entities would have been expanded to include them, too.

[back to worked example 3] [back to topic contents]

# Worked example 4

This worked example illustrates Event Trace options which show RiskPaths pushing table increments to accumulators for the entity table T06\_BirthsByUnion. Generally, model developers don't need to probe the low-level mechanics of entity tabulation in OpenM++, but it can sometimes be useful.

Here's the declaration of that table:

```
table Person T06_BirthsByUnion //EN Pregnancies by union status & order
[trigger_entrances(parity_status, PS_PREGNANT)]
{
    {
        {
            unit //EN Number of pregnancies
        }
        * union_status+ //EN Union Status at pregnancy
};
```

With a 5,000 case run, that table looks like this:

Union Status at pregnancy	Number of pregnancies
Never in union	1,285
First union < 3 years	2,986
First Union > 3 years	293
After first union	11
Second union	57
After second union	1
All	4,633

When analyzing table increments, it's generally best to restrict the table to a single entity of interest, because otherwise the output may be too voluminous to be useful.

Here's what that table looks like in a run with only 1 case:

Union Status at pregnancy	Number of pregnancies
Never in union	0
First union < 3 years	1
First Union > 3 years	0
After first union	0
Second union	0
After second union	0
All	1

The table shows that the one **Person** in the run had a single pregnancy which occurred in the first 3 years of the first union. The marginal total over all **union\_status** categories is necessarily also 1.

The following run settings trace events, increments to this table, and changes to the two attributes parity\_status and union\_status used in the table declaration:

Trace Torlie – u

[Parameter] SimulationCases = 1

[EventTrace] ReportStyle = readable NameColumnWidth = 25 MaximumLines = 20000 ShowEnterSimulation = yes ShowExitSimulation = yes ShowAttributes = yes SelectedAttributes = parity\_status, union\_status ShowEvents = yes ShowTableIncrements = yes SelectedTables = T06 BirthsByUnion

With these settings, the trace output looks like this:

Time	Entity	Age	ld Tra	ce	Valu	ue Na	ame		Remarks		
0.000000	Person	0.0000	000	1 El	NTER						
0.000000	Person	0.0000	000	1	attr	0	parity_sta	ıtus	initial		
0.000000	Person	0.0000	000	1	attr	0	union_sta	ıtus	initial		
24.260999	Person	24.260	999	1	EVENT		Union1	1Formatio	nEvent		
24.260999	Person	24.260	999	1	attr	1	union_st	tatus	was 0		
26.537813	8 Person	26.537	'813	1	EVENT		FirstPr	regEvent			
26.537813	8 Person	26.537	'813	1	attr	1	parity_st	tatus	was 0		
27.260999	Person	27.260	999	1	EVENT		Union	Period2Ev	rent		
27.260999	Person	27.260	999	1	INCREME	NT	1 T	06_Births	ByUnion.acc0	cell=[1] accumulator=1	1
27.260999	Person	27.260	999	1	INCREME	NT	1 T	06_Births	ByUnion.acc0	cell=[6] accumulator=1	1
27.260999	Person	27.260	999	1	attr	2	union_st	tatus	was 1		
100.00000	0 Person	100.00	00000	1	EVENT		Death	hEvent			
100.00000	0 Person	100.00	0000	1	EXIT						

The trace output is coherent with the table shown above: The Person experienced a FirstPregEvent at age 26.537813, when union\_status was at its second level First union < 3 years (which has integer value 1).

The event trace shows two **INCREMENT** lines. The first pushes an increment with value 1 to cell [1] of the table, which is correct (index [1] is the second cell, corresponding to First union < 3 years). The second pushes the same increment to cell [6] of the table. That's correct because [6] is the margin index for the table dimension. An increment is always pushed to the body and to all margin dimensions, and to all crossings of margin dimensions. For example, if a table has two dimensions and both have a margin, an increment will be pushed to 4 cells: one for the table body, one for each margin, and one for the crossed margins.

The INCREMENT lines above are correct, but their timing in the Person timeline may be puzzling. That's because by design a table increment is pushed to an accumulator 'lazily'. The push happens only when an upcoming attribute change would invalidate the pending increment. Pushes can also happen when the entity exits the simulation. So, an increment may appear in the timeline later than might be expected. You can see that in action in the event trace output above when an upcoming change to union\_status at time 27.260999 causes the pending increment to be pushed immediately before union\_status changes. That increment was originally created when the table filter flashed true at time 26.537813 when the pregnancy occurred.

Table increments are 'lazy' to ensure that changes in multiple classificatory dimensions and/or filter settle down before being treated as a single finalized and coherent table increment.

For **INCREMENT** rows, the Value column is the value of the increment being pushed to an accumulator (always 1 in this example because 'unit'). There are two increments shown, one is for the body of the table, the other for the margin. Each cell of a table has an accumulator (more than one if table expressions use multiple accumulators). The cell indices of the increment/accumulator are shown in the Remarks column, as is the value of the accumulator after the increment (from all cases so far in the sub). The two accumulators shown in the trace output are both 1 because the run had no other cases.

#### [back to topic contents]

## **General information**

A model built with event trace capability can be run repeatedly with different trace options with no need to rebuild.

Event trace works with Release versions of models, so can be used to probe details in large simulations.

Event trace is intended for model development, not production. A model built with event trace will output the following warning to the log whenever it is run:

Warning : possible performance impact - model built with event\_trace = on

A model built with event trace will also output the following warning to the log whenever it is run:

Warning : model can expose microdata at run-time with event\_trace = on

If this is not a concern, for example the model generates a synthetic population, this warning can be disabled by the following statement:

options event\_trace\_warning = off;

Some entity attributes are created by the OpenM++ compiler to implement model functionality. For example, if an entity table has a filter, an identity attribute is created to implement it. These internal generated attributes are normally hidden but they can be made visible by the following statement:

options all\_attributes\_visible = on;

An event trace message can only be produced by an active entity. Event trace messages are not produced before the entity enters the simulation or after the entity exits the simulation.

Event trace messages are produced directly and immediately as model code executes. The messages are output to the trace file if EventTrace filter conditions are met. For example, if an attribute is selected, an event trace message will be produced immediately whenever the valus changes. If the attribute is changed more than once during the implementation of an event, each change will produce a separate message.

Trace output is disabled by default when a model is run. Use OpenM.TraceToFile to enable it, e.g.

[OpenM] TraceToFile = true

See the subtopic Trace file options for a complete listing of trace file options.

Event trace options are processed only if the model is run with the command line option <u>-OpenM.IniAnyKey true</u>. Unlike other options, <u>OpenM.IniAnyKey</u> must be specified on the command line, not in an <u>ini</u> file.

To avoid confusing output, event trace should be used in runs with a single sub/replicate/member.

A model can write lines to the trace file directly, in which case those lines will be interleaved with any event trace messages.

[back to topic contents]

#### Event trace columns

Each event trace message has up to 8 columns of information. Values for Time, Entity, Age, Id, and Trace are always present. Values for Value, Name, and Remarks may be absent, depending on the nature of the message.

The order, left- or right-justification, capitalization, and indentation of columns varies by message to help peruse voluminous output for salient features.

Column	Column header	Description
1	Time	The time of the entity when it produced the message.
2	Entity	The type of entity which produced the message, e.g. Person .
3	Age	The age of the entity when it produced the message.
4	Id	The entity_id of the entity which produced the message.
5	Trace	The kind of message, e.g. <b>EVENT</b> is a message for event occurrence. See Event trace messages for all possible values.
6	Value	A value associated with the message, e.g. the current value of an attribute.
7	Name	A name associated with the message, e.g. the name of the event or attribute.

Column	Column header	Description
8	Remarks	Supplementary information, e.g. the value of the attribute before it changed, or the contents of a multilink

If ReportStyle is csv, an additional leading column Line is present. For more information, see Event trace options - format.

[back to topic contents]

# **Event trace messages**

The following table lists all possible kinds of event trace message. Values noted as 'initial' are those when the entity first enters the simulation before it experiences any events. The initial value of time does not necessarily correspond to the global time when the message was produced.

Kind of message	Trace (5)	Value (6)	Name (7)	Remarks (8)
Entity enters simulation	ENTER			
Entity exits simulation	EXIT			
Event occurrence	EVENT		event name	
Event future time	queued	The future time	event name	The previous value of the future event time.
Attribute - initial	attr	The initial value	attribute name	
Attribute - change	attr	The current value	attribute name	The previous value of the attribute.
Link - initial	link	The entity_id or nullptr	link name	
Link - change	link	The entity_id or nullptr	link name	The previous value of the link.
Multilink - initial	multi		multilink name	A list of all entities in the multilink.
Multilink - add	multi++	The entity_id of the added entity	multilink name	A list of all entities in the multilink.
Multilink - remove	multi	The entity_id of the removed entity	multilink name	A list of all entities in the multilink.
Entity added to list of selected entities	selected++	The entity_id of the added entity	link or multilink name	
Table increment pushed to accumulator	INCREMENT	The value of the increment	table name and accumulator #	The table cell indices of the accumulator to which the increment was pushed, and the updated value of the accumulator.

#### [back to topic contents]

# **Event trace options**

Event trace options fall into five broad categories which are described in the following sections.

- Format ReportStyle , MaximumLines , NameColumnWidth
- Filters Block/pass messages based on entity characteristics

- Events Block/pass messages on events and entity life cycle
- Attributes Block/pass messages on attribute changes
- Increments Block/pass messages on push table increment to accumulator

For reference, here is an extract of a model run ini file with all event trace options:

<pre># event tace model development options using -OpenM.InAnyKey (see above). # Proquies sturt, model code contains the statement # options event, foce = on; # Roging's OpenM.TraceToFile = true # See walk for explanation of EventTrace options # Roging's OpenM.TraceToFile = true # Roging's Production of EvenTTrace options # RomeToTaceToFile = true # Roging's Production of EvenTTrace options # RomeToTaceToFile = true # Roging's Production of EvenTTrace options # RomeToTaceToFile # Roging's Production # RomeToTaceT</pre>	;#=====================================
<pre># # Requires activation of model development options using -OpenM.IniAnyKey (see above). # Requires shaft model code contains the statement # options event, trace = on: # Requires OpenM.TraceToFile = rue # # certifies CommA.TraceToFile = rue # CommA.TraceToFile = rue # CommA.CommA.CommA.commA.commA.file CommA.file CommA.file # Certifies CommA.file # Certifies</pre>	
<pre># Requires that model code contains the statement # options event. Trace = on: # Requires OpenAt. TraceToFile = true # # Generation of EventTrace options # EventTrace] # Commat # Requires ChernAt. TraceToFile = true # # Generation # Requires ChernAt. TraceToFile = true # # Generation # Requires ChernAt. TraceToFile = true # # Generation # Requires ChernAt. TraceToFile = true # # Generation # Requires ChernAt. TraceToFile = true # # Generation # Requires ChernAt. TraceToFile = true # # Generation # Requires ChernAt. TraceToFile = true # # Generation # Requires ChernAt. TraceToFile = true # # Generation # Requires ChernAt. TraceToFile = true # # Generation # Requires ChernAt. TraceToFile = true # # Generation # Requires ChernAt. TraceToFile = true # # Generation # Requires ChernAt. TraceToFile = true # # Generation # Requires ChernAt. # Requires Chern</pre>	
<pre>[EventTrace] [format ReportStyle = readable : 'modgen', 'readable', or 'csv', default: modgen MaximunLines = 100000 : imeger value, default: 20000 NameColumnWidth = 20 : imeger value, default: 40 ifilers SelectedEntifyKinds = e1,e2,e3 : comma separated list of entry kinds, if empty all entity kinds SelectedEntifyKinds = e1,e2,e3 : comma separated list of integers, if empty all entities SelectedLinkedEntities = 1, 2, i comma separated list of case seeds, if empty all entities SelectedLinkedEntities = 0 : default: no SelectedCaseSeeds = 1, 2, 3 : comma separated list of case seeds, if empty all cases MinimumArge = 2025 : double value, defaultinf MaximumTime = 2025 : double value, defaultinf MinimumArge = 65 : double value, defaultinf MiximumTime = 2025 : dotable value, default. +inf SelectedCaseSeeds = 1, 2, 3 : comma separated list of event names, if empty all events ShowEvents = 1, 2, 4 : comma separated list of attribute names, if empty all events ShowQueuedEvents = no  : default: no ShowQueuedEventSert = no  : default: no ShowQueuedEventSert = no  : default: no ShowQueuedEventSert = no  :</pre>	;# Requires that model code contains the statement ;# options event_trace = on; ;# Requires OpenM.TraceToFile = true
<pre>informat if Amant ReportStyle = readable ; 'modgen', "readable", or "csv", default: modgen MaximumLines = 100000 ; integer value, default: 20000 NameColumnWidth = 20 ; integer value, default: 40 if filers if ifters is SelectedEntityKInds = e1.e2.e3 ; comma separated list of entry kinds, if empty all entity kinds SelectedEntities = no ; idefault: no SelectedEntities = no ; idefault: no MaximumTime = 2025 ; double value, default: +inf MaximumAge = 66 ; double value, default: +inf MaximumAge = 66 ; double value, default: +inf MaximumAge = 66 ; dofault: yes ShowEenterSimulation = yes ; idefault: yes ShowEenterSimulation = no ; idefault: no SelectedChardsters = 1.e2.e3 ; comma separated list of event names, if empty all events ShowQueuedEvents = no ; idefault: no ShowQueuedEven</pre>	
ReportStyle = readable ; 'modgen', 'readable', or 'csv', default: modgen MaximumLines = 100000 ; integer value, default: 20000 NameColumnWidh = 20 ; integer value, default: 40 ; filters SelectedEntify(Kinds = e1,e2,e3 ; comma separated list of entify Kinds, if empty all entity Kinds SelectedEntifies = 1,2,3 ; comma separated list of integers, if empty all entities SelectedCaceSelectors = 1,2,3 ; comma separated list of case seeds, if empty all cases MinimumTime = 2025 ; double value, default: +inf MinimumTime = 2025 ; double value, default: +inf MinimumTime = 2025 ; double value, default: +inf MinimumTime = 2025 ; double value, default: +inf SelectedEvents = 5 ShowEnterSimulation = yes ; default: yes ShowEvents = 2,2,2,3 ; comma separated list of event names, if empty all events ShowQueuedUnchanged = no ; default: no ShowQueuedUnchanged = no ; default: no ShowQueuedUnchanged = no ; default: no ShowQueuedSelfSchedulingEvents = no ; default: no ShowZelfSchedulingEvents = no ; default: no SelectedAtitibutes = yes, idve default: no SelectedAtitibutes = yes, idve default: no SelectedAtitibutes = 1 ; double value, default: +inf MaximumAttribute = 1 ; double value, default: +inf SelectedAttributes = no ; default: no	; [EventTrace]
<pre>MaximumLines = 10000 ; integer value, default: 2000 NameColumnWidth = 20 ; integer value, default: 40 ifilers SelectedEntifyKinds = e1,e2,e3 ; comma separated list of entity kinds, if empty all entity kinds SelectedEntities = 1,2,3 ; comma separated list of entity kinds, if empty all entities SelectedEntities = 1,2,3 ; comma separated list of case seeds, if empty all cases SelectedEntities = 1,2,3 ; comma separated list of case seeds, if empty all cases MinimumTime = 2025 ; double value, default: +inf MaximumTime = 2025 ; double value, default: +inf MaximumAge = 66 ; double value, default: +inf MaximumAge = 66 ; double value, default: +inf ShowEnterSimulation = yes ; default: yes ShowEnterSimulation = yes ; default: yes ShowEnterSimulation = yes ; default: no ShowQueuedUrnstanged = no ; default: no ShowQueuedUrnstanged = no ; default: no ShowQueuedSetISchedulingEvents = no ; default: no ShowQueuedSetISchedulingEvents = no ; default: no ShowQueuedSetISchedulingEvents = no ; default: no Attributes = 1 ; double value, default: +inf MaximumAttribute = 1 ; doub</pre>	, ; format
<pre>SelectedEntityKinds = e1,e2,e3 ; comma separated list of entity kinds, if empty all entity kinds SelectedEntities = 1,2,3 ; comma separated list of case seeds, if empty all entities SelectedEntities = no ; default: no SelectedEaseSeeds = 1,2,3 ; comma separated list of case seeds, if empty all cases MinimumTime = 2025 ; double value, default: +inf MaximumTime = 2025 ; double value, default: +inf MinimumAge = 66 ; double value, default: +inf MaximumAge = 66 ; double value, default: +inf ShowEnterSimulation = yes ; default: yes ShowExitSimulation = yes ; default: yes ShowExitSimulation = yes ; default: yes ShowExitSimulation = yes ; default: ne ShowQueuedEvents = e1,e2,e3 ; comma separated list of event names, if empty all events ShowQueuedEvents = no ; default: no ShowQueuedEvents = no ; default: no ShowQueuedSetISchedulingEvents = no ; default: ni ShowTimBerts ShowTimBerts ShowTimBerts ShowTimBerts = 1 ; double value, default: +inf</pre>	; MaximumLines = 100000 ; integer value, default: 20000
<pre>SelectedEntities = 1.2.3 ; comma separated list of integers, if empty all entities SelectedCaseSeeds = 1.2.3 ; comma separated list of case seeds, if empty all cases MinimumTime = 2025 ; double value, default: -inf MaximumAge = 65 ; double value, default: -inf MaximumAge = 66 ; double value, default: -inf MaximumAge = 66 ; double value, default: -inf MaximumAge = 66 ; double value, default: -inf ShowEnterSimulation = yes ; default: yes ShowExitSimulation = yes ; default: yes ShowEvents = yes ; default: yes ShowEvents = yes ; default: no SelectedEvents = 0 ; default: no ShowQueuedEvents = no ; default: no ShowQueuedEvents = no ; default: no ShowQueuedSetfSchedulingEvents = no ; default: no SelectedAttributes = no ; default Selecte</pre>	; filters
<pre>; comma separated list of event names, if empty all events ; ShowEvents = yes ; default: yes ; ShowQueuedEvents = no ; default: no ; ShowQueuedEvents = no ; default: no ; ShowQueuedLochanged = no ; default: no ; ShowQueuedSelfSchedulingEvents = no ; default: no ; SelectedAttributes = year,alive ; comma separated list of attribute names, if empty all attributes ; MinimumAttribute = 1 ; double value, default: -inf ; MaximumAttribute = 1 ; double value, default: +inf ; table increments ; table increments ; ShowTableIncrements = no ; default: no</pre>	; SelectedEntities = 1,2,3; comma separated list of integers, if empty all entities; SelectLinkedEntities = no; default: no; SelectedCaseSeeds = 1,2,3; comma separated list of case seeds, if empty all cases; MinimumTime = 2025; double value, default: -inf; MaximumTime = 2025; double value, default: +inf; MinimumAge = 65; double value, default: -inf
<pre>; ShowExitSimulation = yes ; default: yes ; ShowEvents = yes ; default: yes ; SelectedEvents = e1,e2,e3 ; comma separated list of event names, if empty all events ; ShowQueuedEvents = no ; default: no ; ShowQueuedUnchanged = no ; default: no ; ShowQueuedSelfSchedulingEvents = no ; default: no ; ShowQueuedSelfSchedulingEvents = no ; default: no ; showAutributes ; attributes ; ; ShowAttributes = no ; default: no ; SelectedAttributes = year,alive ; comma separated list of attribute names, if empty all attributes ; MinimumAttribute = 1 ; double value, default: -inf ; MaximumAttribute = 1 ; double value, default: +inf ; table increments ; ; ShowTableIncrements = no ; default: no</pre>	; events
; ShowAttributes = no ; default: no ; SelectedAttributes = year,alive ; comma separated list of attribute names, if empty all attributes ; MinimumAttribute = 1 ; double value, default: -inf ; MaximumAttribute = 1 ; double value, default: +inf ; table increments ; ShowTableIncrements = no ; default: no	; ShowExitSimulation = yes; default: yes; ShowEvents = yes; default: yes; SelectedEvents = e1,e2,e3; comma separated list of event names, if empty all events; ShowQueuedEvents = no; default: no; ShowQueuedUnchanged = no; default: no; ShowSelfSchedulingEvents = no; default: no
; SelectedAttributes = year,alive ; comma separated list of attribute names, if empty all attributes ; MinimumAttribute = 1 ; double value, default: -inf ; MaximumAttribute = 1 ; double value, default: +inf ; table increments ; ShowTableIncrements = no ; default: no	; attributes
; ; ShowTableIncrements = no ; default: no	; SelectedAttributes = year,alive ; comma separated list of attribute names, if empty all attributes ; MinimumAttribute = 1 ; double value, default: -inf
	, ; table increments

### [back to topic contents]

### Event trace options - format

Option	Туре	Default	Description
ReportStyle	string	modgen	One of readable, csv, or modgen (see below in this section).
MaximumLines	integer	20000	Blocks messages if the line count exceeds this value. A final message is written to the trace.
NameColumnWidth	integer	40	The width of the Name column (column 7) in message output.

The ReportStyle option specifies the content and format of trace output. It can be readable, csv, or modgen. For compatibility for x-compatible models, the default value is modgen.

The examples earlier in this topic illustrate the readable style.

applications such as Excel. The csv style contains an additional leading column Line which contains the original line number. This can be useful as a secondary sort key to disambiguate the order of otherwise tied records. In the example below, lines 8 and 9 have identical Time but Line indicates the order in which the two attributes changed value. The exact order can be particularly important if events have tied times, or if an attribute changes value more than once at a given time.

In csv format some columns may have additional numeric precision compared to readable format.

The trace file name extension can be changed from the default <u>txt</u> to <u>.csv</u> using the <u>OpenM.TraceFilePath</u> model run option, e.g. in a run <u>ini</u> file. See Trace file options.

Here is the output for the previous example Attributes with event context using ReportStyle = csv :

Line,Time,Entity,Age,Id,Trace,Value,Name,Remarks
1,0,"Person",0,222,"ENTER",,,
2,0,"Person",0,222,"attr",0,"in_union","initial"
3,0,"Person",0,222,"attr",0,"union_duration","initial"
4,18.19845239664,"Person",18.19845239664,222,"EVENT",,"Union1FormationEvent",
5,18.19845239664,"Person",18.19845239664,222,"attr",1,"in_union","was 0"
6,19.19845239664,"Person",19.19845239664,222,"attr",1,"union_duration","was 0"
7,19.94488519046,"Person",19.94488519046,222,"EVENT",,"Union1DissolutionEvent",
8,19.94488519046,"Person",19.94488519046,222,"attr",0,"in_union","was 1"
9,19.94488519046,"Person",19.94488519046,222,"attr",0,"union_duration","was 1"
10,20.01096416538,"Person",20.01096416538,222,"EVENT",,"Union2FormationEvent",
11,20.01096416538,"Person",20.01096416538,222,"attr",1,"in_union","was 0"
12,20.21281842274,"Person",20.21281842274,222,"EVENT",,"FirstPregEvent",
13,21.01096416538,"Person",21.01096416538,222,"attr",1,"union_duration","was 0"
14,21.19845239664,"Person",21.19845239664,222,"EVENT",,"UnionPeriod2Event",
15,23.01096416538,"Person",23.01096416538,222,"attr",2,"union_duration","was 1"
16,25.01096416538,"Person",25.01096416538,222,"attr",3,"union_duration","was 2"
17,29.01096416538,"Person",29.01096416538,222,"attr",4,"union_duration","was 3"
18,33.01096416538,"Person",33.01096416538,222,"attr",5,"union_duration","was 4"
19,100,"Person",100,222,"EVENT",,"DeathEvent",
20,100,"Person",100,222,"EXIT",,,

# Here is the same output, displayed in a table as it might look in Excel:

Line	Time	Entity	Age	Id	Trace	Value	Name	Remarks
1	0	Person	0	222	ENTER			
2	0	Person	0	222	attr	0	in_union	initial
3	0	Person	0	222	attr	0	union_duration	initial
4	18.19845239664	Person	18.19845239664	222	EVENT		Union1FormationEvent	
5	18.19845239664	Person	18.19845239664	222	attr	1	in_union	was 0
6	19.19845239664	Person	19.19845239664	222	attr	1	union_duration	was 0
7	19.94488519046	Person	19.94488519046	222	EVENT		Union1DissolutionEvent	
8	19.94488519046	Person	19.94488519046	222	attr	0	in_union	was 1
9	19.94488519046	Person	19.94488519046	222	attr	0	union_duration	was 1
10	20.01096416538	Person	20.01096416538	222	EVENT		Union2FormationEvent	
11	20.01096416538	Person	20.01096416538	222	attr	1	in_union	was 0
12	20.21281842274	Person	20.21281842274	222	EVENT		FirstPregEvent	
13	21.01096416538	Person	21.01096416538	222	attr	1	union_duration	was 0
14	21.19845239664	Person	21.19845239664	222	EVENT		UnionPeriod2Event	
15	23.01096416538	Person	23.01096416538	222	attr	2	union_duration	was 1
16	25.01096416538	Person	25.01096416538	222	attr	3	union_duration	was 2
17	29.01096416538	Person	29.01096416538	222	attr	4	union_duration	was 3
18	33.01096416538	Person	33.01096416538	222	attr	5	union_duration	was 4

Line	Time	Entity	Age	Id	Trace	Value	Name	Remarks
19	100	Person	100	222	EVENT		DeathEvent	
20	100	Person	100	222	EXIT			

The modgen output style looks like this:

Person - actor_id=1 - case_seed=1 - : event=timeDeathEvent - time=100.0000000000000000000000000000000000
Person - actor_id=1 - case_seed=1 - : event=scheduled - 0 - time=2.000000000000000000000000000000000000

The modgen report style allows detailed comparison of modgen and ompp versions of a x-compatible model. The Test Models utility rearranges, reformats, and normalizes modgen style of event trace output of both Modgen and OpenM++ versions of a model to improve comparability and help understand differences.

#### [back to event trace options]

[back to topic contents]

# **Event trace options - filters**

Filter options pass or block any kind of event trace message based on the characteristics of the entity when it produced the message.

Option	Туре	Default	Description
SelectedEntityKinds	comma separated list	empty	Block any message if entity kind (e.g. <b>Person</b> ) not in this list (unless list is empty).
SelectedEntities comma separated list		empty	Block any message if entity not in this list (unless list is empty).
SelectLinkedEntities	yes/no	no	An active entity in <u>SelectedEntities</u> will add new linked entities to <u>SelectedEntities</u> .
SelectedCaseSeeds	comma separated list	empty	Block any message if case seed not in this list (unless list is empty).
MinimumTime	floating point number	-inf	Block any message if global time < this.
MaximumTime	floating point number	+inf	Block any message if global time > this.
MinimumAge	floating point number	-inf	Block any message if entity age < this.
MaximumAge	floating point number	+inf	Block any message if entity age > this.

For examples, see Worked example 1 Using filters

# [back to event trace options] [back to topic contents]

### Event trace options - events

Event options pass or block specific kinds of message associated with entity lifecycle and events.

Option Type Def	Description
-----------------	-------------

Option	Туре	Default	Description
ShowEnterSimulation	yes/no	yes	Pass/block entity entrance message.
ShowExitSimulation	yes/no	yes	Pass/block entity exit message.
ShowEvents	yes/no	yes	Pass/block event occurrence message.
SelectedEvents	comma separated list	empty	Block event message if event not in this list (unless list is empty).
ShowQueuedEvents	yes/no	no	Pass/block event time message.
ShowQueuedUnchanged	yes/no	no	Pass/block event time message if future time did not change.
ShowSelfSchedulingEvents	yes/no	no	Pass/block self-scheduling event occurrence message.
ShowQueuedSelfSchedulingEvents	yes/no	no	Pass/block self-scheduling event time message.

An entity produces a message when it recalculates the future scheduled time of an event. However, the default setting ShowQueuedUnchanged = no blocks the message if the recalculated future scheduled time did not change.

For examples, see Worked example 1 Using filters

[back to event trace options] [back to topic contents]

# Event trace options - attributes

Attribute options pass or block messages for attributes, links, and multilinks. An entity produces a message for an attribute when it enters the simulation and whenever the attribute changes.

Option	Туре	Default	Description
ShowAttributes	yes/no	no no Pass/block attribute message	
SelectedAttributes	comma separated list	empty	Block attribute message if attribute not in this list (unless list is empty).
MinimumAttribute	floating point number	-inf	Block attribute message if attribute value < this.
MaximumAttribute	floating point number	+inf	Block attribute message if attribute value > this value.

If SelectedAttributes is not specified, all attribute messages are passed, including for attributes created by the OpenM++ compiler.

MinimumAttribute and MaximumAttribute apply only to normal numerical attributes, not links or multilinks.

The value of an attribute of type bool is 0 for false and 1 for true. The value of an attribute of type classification or partition is {0,1,2,...}.

For examples, see Worked example 2 Tracing attributes Worked example 3 Tracing links and multilinks

[back to event trace options] [back to topic contents]

#### Event trace options - table increments

Table increment options pass or block messages related to pushing table increments to accumulators. An entity produces a table increment message whenever it pushes a completed increment to an accumulator.

Option	Туре	Default	Description
ShowTableIncrements	yes/no	no	Pass/block push increment message
SelectedTables	comma separated list	empty	Block table increment message if table not in this list (unless list is empty).

If SelectedTables is not specified, all push increment messages are passed.

For an example, see Worked example 4.

[back to event trace options] [back to topic contents]

# **Trace file options**

A number of OpenM options control if, how, and where the trace file is produced. The following is extracted from OM\_ROOT/props/model/Modelexample.ini .

```
;# trace settings:
  ;# trace can be enabled/disabled for 3 independent streams:
  :# console
                    - cout stream
  ;# "last run" file - trace file with specified name, overwritten on every model run
  ;# "stamped" file - trace file with unique name, created for every model run
  :#
  ;# "stamped" name produced from "last run" name by adding time-stamp and/or pid-stamp, i.e.:
  ;# trace.txt => trace.2012_08_17_16_04_59_148.987654.txt
  :#
  ;# If trace to file is enabled
  ;# then existing "last run" trace file is overwritten even if model does not write anything to trace output
  ; TraceToConsole = false
                                    ; trace to console, default false
  ; TraceToFile = false ; trace to file
  ; TraceToStampedFile = false ; trace to "stamped" file
  ; TraceFilePath = trace.txt ; trace file path, default: current/dir/modelExeName.trace.txt
  ; TraceUseTimeStamp = false ; use time-stamp in trace "stamped" file name ; use pid-stamp in trace "stamped" file name ; use pid-stamp in trace "stamped" file name ; if true then do not prefix trace messages with date-time
  ; TraceRank = false ; if true then prefix trace messages with MPI process rank
[back to topic contents]
```

# Trace file API

Trace output can be toggled off or on from model code provided the model was built with event trace capability. The API consists of the two functions

void StartEventTrace(void); void StopEventTrace(void);

This can be helpful in situations where the filtering functionality described in this topic is insufficient. For example, a rare condition in model code can be used to toggle event trace on to identify entities which experienced the condition for further exploration. Event trace is on at the beginning of a run, so an initial call to <a href="https://www.so.an.initial.com">StopEventTrace</a> at the beginning of a run (or case) is required for a subsequent call to <a href="https://www.so.an.initial.com">StartEventTrace</a> to have an effect.

[back to topic contents]

# **External Names**

# Home > Model Development Topics > External Names

This topic describes how to specify the names exposed to external software for parameter and table dimensions, table expressions, and enumerations of classifications. These names are used in csv files produced by dbcopy and in downloads from the OpenM++ UI.

#### **Related topics**

Model Code

#### **Topic contents**

- Default name
- Explicit name
- Identifying missing explicit names
- Heuristic name
- Name restrictions
- All generated names

#### Default name

Each dimension of a parameter or table, each expression of a table, and each enumerator of a classification has an associated *external name*. The OpenM++ compiler provides a *default name* for each *external name*. The *default name* can be overridden by an *explicit name* or a *heuristic name*.

The default name for a parameter dimension has the form ParameterName.DimN, where N is {0,1,...,rank-1}, and rank is the number of parameter dimensions.

The default name for a table dimension has the form TableName.DimN, where N is {0,1,...,rank-1}, and rank is the number of classificatory dimensions in the table, i.e. the number of dimensions not counting the expression 'dimension'. Because rank excludes the expression dimension of a table, the expression dimension is skipped over in the numbering of a table dimension default name. Note: The default name of a table dimension may differ from what's used to identify a dimension in *//LABEL* and */\*NOTE* documentation comments. For compatibility with Modgen models, documentation comments count the expression dimension of the table in the numbering scheme. For more on labels and notes, see symbol labels.

The default name for a table expression has the form TableName.ExprN, where N is {0,1,...,expressions-1}, and expressions is the number of expressions in the table.

The default name of an enumerator of a classification is the same as the enumerator name in model code.

Here's an example of the default names for a 1-dimensional table:

table Person T02_TotalPopulationByYear $/\!/EN$ Life table
{
//EN Curtate age
integer_age *
{
unit, //EN Population start of year
duration() //EN Average population in year
}
};

This table has a single classificatory dimension with *default name* Dim0 and two expressions with default names Expr0 and Expr1. These names identify individual cells in the table. If a run with this table is exported in .csv format, an extract of the file T02\_totalPopulationByYear.csv might look like this:

expr_name	Dim0	expr_value
Expr0	0	5000
Expr0	1	5000

expr_name	Dim0	expr_value
Expr0	2	5000
Expr0	99	5000
Expr0	100	5000
Expr1	0	5000
Expr1	1	5000
Expr1	2	5000

Where Dim0 identifies the cell coordinates and Expr0 and Expr1 identify the expression. The generated default names Dim0, Expr0, and Expr1 are positional, not descriptive. That can make downstream use of exported results difficult and error-prone.

Here's an example of the default names of the enumerators of a classification, taken from the **RiskPaths** model. The **UNION\_ORDER** classification has the following declaration:



The default names of the two enumerators are the same as the codes in the declaration: UO\_FIRST and UO\_SECOND .

#### [back to topic contents]

# **Explicit name**

An *explicit name* can be assigned to dimension and expressions in model source code using the naming operator =>, in which case it replaces the default name. The following example replaces the default names Dim0, Expr1, and Expr2 with more descriptive names:

```
table Person T02_TotalPopulationByYear //EN Life table
{
    //EN Curtate age
    age => integer_age *
    {
        pop => unit, //EN Population start of year
        py => duration() //EN Average population in year
    }
};
```

The table dimension is now named age and the measures are named pop and py . The .csv file would now look something like:

expr_name	age	expr_value
рор	0	5000
рор	1	5000
рор	2	5000
рор	99	5000
рор	100	5000
ру	0	5000
ру	1	5000
ру	2	5000

expr_name	age	expr_value

An explicit name can also be specified with a comment-based syntax using the default name. The following lines have the same effect as the preceding example:

//NAME T02\_TotalPopulationByYear.Dim0 age //NAME T02\_TotalPopulationByYear.Expr0 pop //NAME T02\_TotalPopulationByYear.Expr1 py

*Modgen-specific*: The naming operator => is not recognized by Modgen and will produce a syntax error. For x-compatible model code, use the //NAME syntax.

Explicit names can be specified for dimensions of a parameter. For example, the parameter declaration

double UnionDurationBaseline[UNION\_ORDER][UNION\_DURATION];

can incorporate explicit names using the naming operator before a dimension:

double UnionDurationBaseline Order => [UNION\_ORDER] Duration => [UNION\_DURATION];

or by using the comment-based syntax:

//NAME UnionDurationBaseline.Dim0 Order //NAME UnionDurationBaseline.Dim1 Duration

Explicit names can be specified for an enumerator of a classification. For the classification declaration



an explicit name can be specified using the naming operator before the enumerator:

```
classification UNION_ORDER //EN Union order
{
    First => UO_FIRST, //EN First union
    Second => UO_SECOND //EN Second union
};
```

or by using the comment-based syntax

//NAME UO\_FIRST First //NAME UO\_SECOND Second

#### [back to topic contents]

# Identifying missing explicit names

If a default name is being used, a downloaded parameter or table has column names like Dim0 or Dim2, and table expressions like Expr2 or Expr5, which are less than helpful for model users. An issue for model developers is to identify missing explicit names like these, and, once identified, to insert the missing explicit name in the model code.

The OpenM++ compiler supports a family of options to aid that process. Each member of the family targets a specific kind of missing explicit name. When an option is set to on, the compiler will generate a warning for each missing explicit name of that kind. The warning includes the model code file and line where the symbol was declared. In an IDE like Visual Studio, double-clicking on the warning in the log window navigates immediately to that model source code location in the IDE editor.

By default these options are off. Multiple options can be turned on at the same time.

The following example identifies all dimensions and expressions of published tables in **RiskPaths** which lack an explicit name. Inserting the following line in **omp\_framework.ompp** 

options missing\_name\_warning\_published\_table = on;

causes the compiler to emit warnings like:

1>../code/Tables.mpp(40): warning : missing explicit name for dimension 0 of published table 'T02\_TotalPopulationByYear' 1>../code/Tables.mpp(42): warning : missing explicit name for expression 0 of published table 'T02\_TotalPopulationByYear' 1>../code/Tables.mpp(43): warning : missing explicit name for expression 1 of published table 'T02\_TotalPopulationByYear'

Double-clicking one of these warnings navigates directly to the model code line of the dimension or expression.

The following table lists the available options to emit warnings for missing explicit names, grouped by category. The Scope column shows what produces a warning for the given option.

Option	Scope
All	
missing_name_warning_classification	classification level (enumerator)
missing_name_warning_parameter	dimension
missing_name_warning_table	dimension, expression
Published only	
missing_name_warning_published_classification	as above, but only for published symbols
missing_name_warning_published_parameter	as above, but only for published symbols
missing_name_warning_published_table	as above, but only for published symbols

[back to topic contents]

#### **Heuristic name**

A *heuristic name* is a name which replaces a default name with a name generated by the OpenM++ compiler. A heuristic name is generated based on contextual information about the dimension or expression, if no explicit name was provided in model code. Explicit names are generally preferable to heuristic names. Heuristic names can provide an immediate improvement in the usability of downloaded parameters and tables, replacing default names like Dim2 or Expr5 with something better.

Heuristic names are not generated by default. To generate heuristic names, include the following statement in model source code:

options use\_heuristic\_short\_names = on;

The table in the previous example, with no explicit names, would produce the following exported csv :

expr_name	Curtate_age	expr_value
Population_start_of_year	0	5000
Population_start_of_year	1	5000
Population_start_of_year	2	5000
Population_start_of_year	99	5000
Population_start_of_year	100	5000
Average_population_in_year	0	5000
Average_population_in_year	1	5000

expr_name	Curtate_age	expr_value	
Average_population_in_year	2	5000	

In this example, the OpenM++ compiler generated heuristic names using *VEN* labels found in the model source code (*EN* is the default language of this model). However, the OpenM++ compiler may, particularly if a label exceeds the name length limit, create a heuristic name based on other information, such as the name of the classification underlying the dimension of a table. To respect name length limits, a heuristic name may be based on a label with an interior portion snipped out and replaced by *X*, or prefixed by *X* so that the name starts with an alphabetic character.

If a heuristic name clashes with the name of a previous dimension or measure, a disambiguating suffix will be appended to the heuristic name. For example the parameter k year declared as

```
parameters {
    YEAR k_year[REGION][REGION];
};
```

has a repeated dimension REGION. The heuristic name for the second repeated dimension of k\_year will be disambiguated by appending Dim1 :

```
// Parameter k_year: k_year
//NAME k_year.Dim0 Region
//NAME k_year.Dim1 RegionDim1
```

The maximum length of heuristic names can be controlled by the following option:

options short\_name\_max\_length = 32;

Heuristic name generation for enumerators of classifications can be disabled by the following option:

options enable\_heuristic\_names\_for\_enumerators = off;

By default, this option is on. If this option is off, the name of a classification enumerator will always be the same as the enumerator model code name. This option has effect only if the option use\_heuristic\_short\_names is on.

#### [back to topic contents]

#### Name restrictions

Dimension and measure names in exported files facilitate direct use in downstream analysis. For example, a cov could be opened in Excel and used as a pivot table, or imported into R or SAS, with meaningful column names. A wide variety of applications can be used to do downstream analysis, each with its own name restrictions. OpenM++ imposes the following restrictions to explicit names to reduce potential problems in downstream analysis:

A name

- has a maximum length in characters given by the option short\_name\_max\_length (default 32)
- has characters in uppercase A-Z, lowercase a-z, digits 0-9, and the \_ character
- · is unique within the dimensions or expressions of the parameter or table

If a name does not meet these restrictions, the OpenM++ compiler will emit a warning and 'mangle' the name to meet the restrictions, e.g. by replacing forbidden characters by \_, by truncating the name, or by appending a trailing numeric suffix to disambiguate identical names.

If **Default** values for a parameter are provided using a .csv file, any name used in the file must correspond to the corresponding *external name* in the model. The same applies to uploads of parameter data in .csv files, or to parameters supplied programmatically using an external script.

#### [back to topic contents]

#### All generated names

Any name generated or modified by the OpenM++ compiler is written to a file named GeneratedNames.ompp in the compiler output directory, which

in Windows is MODEL/ompp/src/GeneratedNames.ompp . GeneratedNames.ompp does not contain explicit names given in model source code using => or //NAME , unless for some reason the OpenM++ compiler needed to modify them.

The content of GeneratedNames.ompp uses //NAME statements to make it suitable as a starting point to specify explicit names in model source code, for example in a separate source code module named code/ExplicitNames.ompp, or perhaps immediately following the declaration of a classification, parameter or table.

Here is an extract of src/GeneratedNames.ompp from the RiskPaths model:

// Parameter AgeBaselineForm1: Age baseline for first union formation //NAME AgeBaselineForm1.Dim0 X\_2\_5\_year\_age\_intervals

// Parameter AgeBaselinePreg1: Age baseline for first pregnancy //NAME AgeBaselinePreg1.Dim0 X\_2\_5\_year\_age\_intervals

// Parameter ProbMort: Death probabilities //NAME ProbMort.Dim0 Simulated\_age\_range

// Table T01\_LifeExpectancy: Life Expectancy //NAME T01\_LifeExpectancy.Expr0 Total\_simulated\_cases //NAME T01\_LifeExpectancy.Expr1 Total\_duration //NAME T01\_LifeExpectancy.Expr2 Life\_expectancy

// Table T02\_TotalPopulationByYear: Life table //NAME T02\_TotalPopulationByYear.Dim0 Curtate\_age //NAME T02\_TotalPopulationByYear.Expr0 Population\_start\_of\_year //NAME T02\_TotalPopulationByYear.Expr1 Average\_population\_in\_year

// Table T04\_FertilityRatesByAgeGroup: Fertility rates by age group //NAME T04\_FertilityRatesByAgeGroup.Dim0 Age\_interval //NAME T04\_FertilityRatesByAgeGroup.Dim1 Union\_Status //NAME T04\_FertilityRatesByAgeGroup.Expr0 Fertility

# **Generated Model Documentation**

#### Home > Model Development Topics > Generated Model Documentation

This topic describes one of the two components of model documentation: the generated Symbol Reference.

This topic is under construction and/or revision.

#### **Related topics**

- Model Documentation: Home topic on model documentation
- Authored Model Documentation: The autonomous authored component of model documentation
- Model Symbols: Symbols in model code and in the user interface
- Symbol Labels and Notes: Human-language labels and notes for model symbols

#### **Topic contents**

- Introduction and outline
- Symbol Reference User Edition
- Customizing the Symbol Reference
- Symbol Reference Developer Edition
- Navigation Aid Topics

### Introduction and outline

Model Documentation has two components: An autonomous authored component and a generated Symbol Reference component. This topic describes the latter.

Human-language labels and notes for model symbols are combined with symbol metadata and cross-reference information to produce a Symbol Reference for a model. There are two versions of the Symbol Reference, one targeted to model users and one to model developers. Each version can be customized using options statements in model code.

The User Edition of the Symbol Reference is targeted to model users. It documents all symbols exposed to users and deliberately excludes aspects of a model not exposed to users. Here are some examples of aspects excluded in the User Edition:

- Parameters deliberately suppressed from the UI using parameters\_retain.
- Derived parameters
- Enumerations used only in model code
- Entity Table filters
- Attributes not exposed to users
- Modules
- · cross-reference information on symbol use in model code

The Developer Edition of the Symbol Reference is targeted to model developers. It includes all content in the User Edition, and adds symbols, topics and topic sections for aspects of a model not exposed to users. For example, the Developer Edition includes a topic which lists all model code modules, as well as a topic for each module.

Independent of the Symbol Reference, labels and notes for all symbols exposed in the model UI are published to the model database, for all human languages declared in the model.

The Symbol Reference component of Model Documentation can be disabled by an option in model code:

options generated\_documentation = off;

# **Symbol Reference - User Edition**

To explore the User Edition of the Symbol Reference for RiskPaths, turn off Developer Edition by commenting the following line in RiskPaths/code/ompp\_options.ompp so that it looks like this:

//options symref\_developer\_edition = on;

Next, rebuild the model, run it, click the 'book' icon, and from the RiskPaths Home topic click Symbol Reference .

The browser should look like this:

By default, a model's Symbol Reference documents only symbols which are exposed to users. Labels and notes for model symbols which are not available to users when the model is run are not published, and are not present in the Symbol Reference. This includes parameters and tables suppressed from the model at build time and associated classifications, ranges, and partitions not used by other published symbols. Information on attributes is published only if the model was built with microdata output enabled using the statement:

options microdata\_output = on;

#### **Symbol Reference - Developer Edition**

To explore the Developer Edition of the Symbol Reference for RiskPaths, turn on Developer Edition by uncommenting the following line in RiskPaths/code/ompp\_options.ompp so that it looks like this:

options symref\_developer\_edition = on;

Next, rebuild the model, run it, click the 'book' icon, and from the RiskPaths Home topic click Symbol Reference .

The browser should look like this:

	Ô	Iocalhost:49474/doc/RiskPaths.doc.EN.html#sy	mbol-reference	—	Ο	×
÷	C û i loc	alhost:49474/doc/RiskPaths A ロロ ☆		@ %		
٦	RiskPaths	S - Symbol Reference (Description)	eveloper Edit	ion)		Q
Q	Version 3.0.	0.0 built on 2024-03-10 23:18	3:46			-
2	Navigation Aids	3				٥
٩	Торіс	Description				0
٩	Hierarchies					
	Parameters	Input parameters arranged hierarchically				+
٩	Tables	Output tables arranged hierarchically				
Q	Lists					
	Parameters	Input parameters in alphabetic order				
0	Tables	Output tables in alphabetic order				
	Attributes	Attributes in alphabetic order				
	Enumerations	Enumerations in alphabetic order				
C	Modules	Modules in alphabetic order				
-	[Home]					
+					•	\$\$

The Developer Edition of the Symbol Reference augments the User Edition as follows:

- Topics for unpublished parameters, tables, attributes, and enumerations.
- Cross-reference tables in each symbol topic.
- Module topics

#### [back to topic contents]

# **Customizing the Symbol Reference**

# Options which suppress the main topic:

Option	Default	Effect if changed from default
symref_main_topic	on	Removes the main topic including the navigation aid table.
symref_model_symbol	on	Removes the topic for the unique model symbol, if declared in the model.

#### Options which suppress navigation aids:

Option	Default	Effect if changed from default
symref_parameters_alphabetic	on	Removes the parameters alphabetic list topic.
symref_parameter_major_groups	on	Removes the parameter major groups topic.
symref_parameter_hierarchy	on	Removes the parameter hierarchy topic and parameter hierarchy breadcrumbs.
symref_tables_alphabetic	on	Removes the tables alphabetic list topic.
symref_table_major_groups	on	Removes the table major groups topic.
symref_table_hierarchy	on	Removes the table hierarchy topic and table hierarchy breadcrumbs.
symref_attributes_alphabetic	on	Removes the attributes alphabetic list topic.
symref_enumerations_alphabetic	on	Removes the enumerations alphabetic list topic.

### Options which suppress individual topics:

Option	Default	Effect if changed from default
symref_topic_parameters	on	Removes parameter topics and parameter cross-reference sections in other topics.
symref_topic_tables	on	Removes table topics and table cross-reference sections in other topics.
symref_topic_attributes	on	Removes attribute topics.
symref_topic_enumerations	on	Removes enumeration topics and enumeration cross-reference sections in other topics.

### Options controlling symbol notes:

Option	Default	Effect if changed from default
symref_topic_notes	on	Removes the note sections of <i>all</i> symbol topics.
symref_topic_notes_early	on	Places notes after other sections in symbol topics.
symref_topic_note_heading	on	Suppresses the Note: heading in symbol topics.

#### Options affecting only the Developer Edition:

Option	Default	Effect if changed from default
symref_developer_edition	off	Turns on symbols not exposed to users and appends "(Developer Edition)" to title in main topic.

Option	Default	Effect if changed from default
symref_unpublished_symbols	on	Removes unpublished symbols, e.g. those absent due to parameters_retain or tables_retain statements in model code.
symref_global_functions	on	Removes global function cross-reference sections in symbol topics.
symref_entity_functions	on	Removes entity function cross-reference sections in symbol topics.
symref_identity_attributes	on	Removes identity attribute cross-reference sections in symbol topics.
symref_topic_entity_sets	on	Removes entity set alphabetic list, topics, and cross-reference sections in symbol topics.
symref_topic_modules	on	Removes module alphabetic list, topics, and cross-reference sections in symbol topics.
symref_topic_modules_use	off	Includes use module topics.
symref_topic_modules_symbols_declared	on	Turns off the alphabetic "symbols declared" section in individual module topics.
symref_topic_attributes_internal	on	Turns off attribute topics for internally-generated attributes, including derived attributes.

[back to topic contents]

# **Navigation Aid Topics**

The following table lists navigation aid topics in the Symbol Reference.

Navigation aid	Topic name	Description and notes
Symbol Reference	symbol-reference	The Symbol Reference main topic.
Parameters in alphabetic order	parameters-alphabetic	
Parameter hierarchy	parameter-hierarchy	Present if the model has at least one published parameter group. May contain a trailing 'Orphan parameters' group.
Parameter major groups	parameter-major-groups	Present if parameter hierarchy present.
Tables in alphabetic order	tables-alphabetic	
Table hierarchy	table-hierarchy	Present if the model has at least one published table group. May contain a trailing 'Orphan tables' group.
Table major groups	table-major-groups	Present if table hierarchy present.
Enumerations in alphabetic order	enumerations-alphabetic	
Modules in alphabetic order	modules-alphabetic	
Attributes in alphabetic order	attributes-alphabetic	
Entity sets in alphabetic order	entity-sets-alphabetic	

Note that derived parameters published as tables group with tables in the navigation aid topics, not with parameters.

[back to topic contents]

# Illustrative Model Align1

#### Home > Model Development Topics > Illustrative Model Align1

Align1 is an experimental model which manipulates the event queue to align with external counts. This topic describes the approach and implementation, and includes some experiments and notes.

#### **Related topics**

Model Code

#### **Topic contents**

- Introduction and description
- Experiment #1 Illustrative run
- Experiment #2 Computational cost
- Remarks Some notes on the approach and possible future steps
- Align1 code Model code module Alignment.mpp
- Align1 input Default parameter values Alignment.dat

# Introduction and description

The Align1 model is a proof of concept and testbed for dynamic alignment of time-based models using event queue look-ahead. Align1 steers itself to aggregate annual targets by reading and modifying the event queue dynamically at the beginning of each year.

Align1 is based on the NewTimeBased model which is part of the OpenM++ distribution. It adds alignment apparatus in a new module Alignment.mpp and associated parameters in Alignment.dat but is otherwise unmodified. NewTimeBased has a Ticker entity with a timekeeping TickEvent and Person entities with Mortality events. Align1 adds a new event AlignmentEvent to Ticker, which occurs at the same time as TickEvent but at lower priority. The input parameter MortalityAlignmentTarget contains target mortality counts by year. At the beginning of each year AlignmentEvent reads the event queue and counts the number of deaths scheduled to occur during that year. If the count is higher than the target for the year, enough scheduled events are deferred to the subsequent year to hit the target. If the count is lower than the target, enough scheduled events are advanced from subsequent years to the current year to hit the target. The exact rules are mechanical and described in model code comments. This process is repeated at the beginning of each year.

The events which are deferred or advanced to hit alignment targets are those which are closest to the upper boundary of the current alignment year.

The Default run has 10,000 Persons and sets MortalityAlignmentTarget to the mortality counts which would occur in the absence of alignment (using table MortalityCounts from a previous run with alignment off).

#### [back to topic contents]

### Experiment #1

This experiment sets target mortality to 122 in each of the 20 years. 122 is the average annual mortality in the 20 years in the Default run with no alignment. The first column shows mortality counts in the Default run with no alignment. One observes a secular decrease (with some noise) because the population is progressively smaller so fewer die each year due to the lower base population (the morality hazard is constant). The target column, in contrast, sets the number of deaths to a fixed value in each year. Compared to the Default run, deaths need to be decreased in early years and increased in later years to hit the target.

Year	Mortality (Default)	Target	Mortality (Aligned)	Events Deferred	Events Advanced
0	141	122	122	19	0
1	144	122	122	41	0
2	114	122	122	33	0
3	146	122	122	57	0
4	142	122	122	77	0

Year	Mortality (Default)	Target	Mortality (Aligned)	Events Deferred	Events Advanced
5	126	122	122	81	0
6	129	122	122	88	0
7	139	122	122	105	0
8	111	122	122	94	0
9	118	122	122	90	0
10	112	122	122	80	0
11	118	122	122	76	0
12	102	122	122	56	0
13	110	122	122	44	0
14	104	122	122	26	0
15	116	122	122	20	0
16	114	122	122	12	0
17	124	122	122	14	0
18	112	122	122	4	0
19	112	122	122	0	6

The algorithm attained the annual targets by deferring mortality events in each of the first 19 years and advancing 6 mortality events for the final year. Mortality events were advanced only in the final year of the run because for all other years sufficient deaths had been deferred in previous years. The annual targets are hit exactly because event times are not recalculated during the year-in-progress in this model.

#### [back to topic contents]

### **Experiment #2**

This second experiment explored computational cost and scaling behaviour, using a run with 10 million **Person** entities. With this population size, there were over 100,000 mortality events per year. Three runs were done.

Run	Description	Time
1	No alignment	1m25s
2	Alignment with targets=actual	1m27s
3	Alignment with targets=+/- 5% actual	1m26s

Run 1 had alignment disabled. Run 2 had alignment enabled, but the targets were the same as the results without alignment. So, no adjustment of the event queue was done, but the event queue was probed each year. Run 3 had random targets within +/- 5% of the original mortality results. So alignment was doing some work with the event queue to hit the targets in run 3.

The table shows that the run times were indistinguishable. For this model, anyway, the incremental cost of alignment was barely detectable.

#### [back to topic contents]

# Remarks

- 1. A natural way for continuous time models to align is to tinker with the timing of events which "would have occurred anyway". This helps preserve aspects of model logic, since prohibited events remain prohibited under alignment.
- 2. An event which was deferred or advanced by alignment will still have its event time recomputed if entity attributes change (perhaps to +inf if the entity is no longer eligible for the event). This maintains aspects of the internal causative logic of the model, even under alignment.
- 3. The 'event censoring' optimization should perhaps not be used in models using this alignment technique, since that might deplete the pool of future events which can be advanced into an alignment interval. For example, in experiment 1 above, the 6 events which were advanced to

year 19 to hit the target had original times beyond the end of the run (which ended at time=20). They would have been right censored hence never placed in the queue.

- 4. In the current version of Align1, event times do not change during the simulation within an alignment window (year). It might be interesting to add a birthday event to the model and have a mortality schedule which varies by single year of age, to make tests more realistic.
- 5. The algorithm could be adapted to split an alignment interval (year) into sub-intervals (e.g. 10 equal intervals in each year), with recalculation of progress to the target for the current year. That would allow the algorithm to adjust for interacting events during the simulation of the current year. That would require counting events as they occur during the alignment interval, which was not needed in this version of Align1.
- 6. As the number of alignment targets increases, and if targets are classified by entity characteristics (e.g. age group), the code volume for alignment could become massive and error-prone (even though mechanical). That makes it a tempting candidate for new supporting functionality to automate some aspects.

#### [back to topic contents]

# Model code

Below is the model source code for the module Alignment.mpp

```
//LABEL (Alignment, EN) Alignment using event queue
#include "omc/optional_IDE_helper.h" // help an IDE editor recognize model symbols
#if 0 // Hide non-C++ syntactic island from IDE
parameters {
  bool EnableAlignment;
  int MortalityAlignmentTarget[REPORT_TIME];
};
actor Ticker
  //EN Time of next Alignment event
  TIME next alignment;
  //EN Mortality events deferred by alignment (cumulative)
  int mortality_deferred;
  //EN Mortality events advanced by alignment (cumulative)
  int mortality advanced;
  //EN Deficit in advanced mortality events because queue was exhausted (cumulative)
  int mortality_deficit;
  // AlignmentEvent should be lower priority than any other event
  // so that it executes after other tied events which might influence
  // events in the current alignment interval.
  event timeAlignmentEvent, AlignmentEvent, 1; //EN Alignment event
};
table Person MortalityCounts
  report time
   * {
     entrances(alive, false) //EN Mortality events
};
table Ticker AlignmentReport
{
  report time
  * {
     mortality_deferred, //EN Mortality events deferred
     mortality_advanced, //EN Mortality events advanced
     mortality deficit //EN Mortality target deficit
};
#endif // Hide non-C++ syntactic island from IDE
TIME Ticker::timeAlignmentEvent()
{
  // is synchronous with TickEvent, but lower priority
  return EnableAlignment ? next_alignment : time_infinite;
}
void Ticker::AlignmentEvent(void)
```

{
 // get event\_id of MortalityEvent

int event id mortality = omr::event name to id("MortalityEvent"); assert(event\_id\_mortality != -1); // MortalityEvent not found // width of the target window TIME alignment\_window\_width = 1.0; // The upper bound of the target window, NB is just beyond the current alignment window TIME alignment\_window\_upper\_bound = time + alignment\_window\_width; int alignment\_window\_target\_count = MortalityAlignmentTarget[report\_time]; // walk the event queue, from present to future // add events to defer\_list or advance\_list // as needed to hit the target count in the alignment time window auto& event\_queue = \*BaseEvent::event\_queue; // alias for the model event queue std::forward\_list<BaseEvent\*> defer\_list; // list of events to defer std::forward\_list<BaseEvent\*> advance\_list; // list of events to advance int unadjusted\_count = 0; // count of scheduled events in the alignment time window before alignment int deferred events = 0; // count of scheduled events deferred to the future beyond the alignment time window int advanced events = 0; // count of scheduled events advanced from the future to within the alignment time window for (auto evt : event\_queue) { int id = evt->get\_event\_id(); if (id != event\_id\_mortality) { // not a mortality event, skip continue: double evt\_time = evt->event\_time; if (evt time < alignment window upper bound) { // we are inside the target alignment time window // update the count of currently scheduled events within the window ++unadjusted\_count; if (unadjusted\_count > alignment\_window\_target\_count) { // there is an excess of scheduled events within the alignment time window // so add this event to the defer list defer\_list.push\_front(evt); ++deferred\_events; } } else { // we are beyond the alignment time window if (advanced\_events + unadjusted\_count >= alignment\_window\_target\_count) { // no need to find more events to advance, have found what's needed // so stop queue walk break: } // there is a deficit of events within the alignment time window // so add this event to the advance list advance\_list.push\_front(evt); ++advanced events: } } if (alignment\_window\_target\_count > unadjusted\_count && unadjusted\_count - alignment\_window\_target\_count != advanced\_events) { // there were insufficient events in the queue beyond the alignment window to meet the target mortality\_deficit += alignment\_window\_target\_count - unadjusted\_count - advanced\_events; // for AlignmentReport } if (deferred\_events > 0) { mortality\_deferred += deferred\_events; // for AlignmentReport assert(advanced\_events == 0); for (auto evt : defer\_list) { // defer this event // remove it from the event queue event\_queue.erase(evt); // postpone the event time by one alignment interval evt->event\_time += alignment\_window\_width; // re-insert it to the event queue event\_queue.insert(evt); } else if (advanced\_events > 0) { mortality\_advanced += advanced\_events; // for AlignmentReport // advance this event for (auto evt : advance\_list) { // advance this event // remove it from the event queue event\_queue.erase(evt); // advance the event time by an integral number of alignment intervals // until it falls within the alignment window TIME new time = evt->event time; while (new\_time >= alignment\_window\_upper\_bound) { new\_time -= alignment\_window\_width; } evt->event\_time = new\_time;

```
// re-insert it to the event queue
        event_queue.insert(evt);
     }
  }
  else {
    // nothing to do
  }
  {
     // schedule next alignment
     Time t = next_alignment + alignment_window_width;
      \  \  if \ (t \geq = SimulationEnd) \  \{
       next_alignment = time_infinite;
     }
     else {
       next_alignment = t;
     }
  }
}
```

# [back to topic contents]

# Model input

Below is the Default model input parmeters in Alignment.dat :

```
parameters {
  bool EnableAlignment = true;
  int MortalityAlignmentTarget[REPORT_TIME] = {
   141, //141,
    144, //144,
    114, //114,
    146, //146.
    142, //142,
    126, //126,
    129,
    139,
    111,
    118,
    112,
    118,
    102,
    110,
    104,
    116,
    114,
    124,
    112,
    112,
  };
};
```

[back to topic contents]

# **Lifecycle Attributes**

Home > Model Development Topics > Lifecycle Attributes

An OpenM++ option can create a pair of built-in attributes, lifecycle\_event and lifecycle\_counter, which can be used to probe events in the entity.

# **Related topics**

Model Code

# **Topic contents**

- Activating lifecycle attributes
- Worked example 1 Activating lifecycle attributes in RiskPaths
- Lifecycle attribute maintenance
- Worked example 2 Event counts
- Worked example 3 Cross-tabulated event counts
- Worked example 4 Statistics at an event
- Worked example 5 Microdata output at an event
- Worked example 6 Event context for microdata output
- Worked example 7 Filtering microdata output by event

# Activating lifecycle attributes

The lifecycle attributes are not present by default. They can be created for a specified kind of entity using a statement like

options lifecycle\_attributes = Person;

This example assumes that the model has a Person entity. This statement causes the OpenM++ compiler to create, for the Person entity, the built-in attributes lifecycle\_event and lifecycle\_counter, and the supporting built-in classification LIFECYCLE\_Person.

Lifecycle attributes are activated on an entity-by-entity basis. For example, if the model also had a Ticker entity, lifecycle attributes could be enabled for Ticker entities as well as Person entities by including a second options statement

options lifecycle\_attributes = Ticker;

This statement would cause OpenM++ compiler to create, for the Ticker entity, the built-in attributes lifecycle\_event and lifecycle\_counter, and the supporting built-in classification LIFECYCLE\_Ticker.

Model code should not contain clashing explicit declarations of lifecycle attributes or the supporting classification or enumerators. If it does, a build error will occur.

[back to topic contents]

# Worked example 1

This section shows how to create and examine lifecycle attributes for the RiskPaths model. RiskPaths contains a single kind of entity, Person . Request the creation of lifecycle attributes for Person by adding the following statement to ompp\_options.ompp , if not already present:

options lifecycle\_attributes = Person;

Build the model, open the UI, click the book icon, then click Symbol Reference. The browser should display:

Ô		Iocalhost:61279/doc/RiskPaths.doc.EN.html#s	ymbol-reference	-		o
C	G i loca	alhost:61279/doc/RiskPaths A 🕅 🛱	🚯 🗘 🗘	£ @ '	\$ <del>2</del>	
	RiskPaths	- Symbol Reference (De	eveloper Ec	dition)		•
	Version 3.0.	0.0 built on 2024-04-07 14:0	2:03			
	Navigation Aids	;				0
	Торіс	Description				
	Hierarchies					
	Parameters	Input parameters arranged hierarchically				
	Tables	Output tables arranged hierarchically				
	Lists					
	Parameters	Input parameters in alphabetic order				
	Tables	Output tables in alphabetic order				
	Attributes	Attributes in alphabetic order				
	Enumerations	Enumerations in alphabetic order				
	Modules	Modules in alphabetic order				
		·	a			
	[Home]					

Next, click the Attributes link under Lists. The browser should display:


	Ŵ	M: localhost:61279/doc/RiskPaths.doc.EN.html#attributes-alphabetic — 🛛	×
$\leftarrow$	C A (	① localhost:61279/doc/Ri A 다 다 ☆ 🛞 🤃 다 …	
Ō	Attributes	in alphabetic order	Q
	acdefilo	pstuv	
	Entity	Name	0
	Person	<pre>active_spell_duration(in_union,true)</pre>	0
	Person	<pre>active_spell_duration(union_status,US_AFTER_FIRST_UNION)</pre>	_
	Person	age_status	+
	Person	age	
	Person	case_id	
Mt	Person	case_seed	
+	Person	dissolution_duration	
	Person	dissolution_hazard	
	Person	duration()	
	Person	<pre>duration(parity_status,PS_CHILDLESS)</pre>	
	Person	<pre>duration(union_status,US_NEVER_IN_UNION)</pre>	
	Person	entity_id	
	Person	<pre>entrances(union_status,US_FIRST_UNION_PERIOD1)</pre>	
	Person	formation_hazard	
	Person	in_union	
	Person	integer_age	
	Person	life_status	
	Person	lifecycle_counter	
	Person	lifecycle_event	
	Person	om_aia_0	- 

Scroll down if necessary or click the letter 'l' (lower case 'L') at the top of the Attributes list to see the two attributes lifecycle\_counter and

lifecycle\_events .

Click the link for  $\ensuremath{\mathsf{lifecycle\_counter}}$  .

The browser should display:




The built-in attribute lifecycle\_counter created by the OpenM++ compiler has type short, which is a C++ integer type. The Symbol Reference shows that lifecycle\_counter is currently unused in RiskPaths model code.

Return to the Attributes list by clicking the browser back button, or by clicking the Symbol Reference link, then the link to the Attributes list as before.

Next, click the link for lifecycle\_event .

The browser should display:



The built-in attribute lifecycle\_event created by the OpenM++ compiler has type LIFECYCLE\_Person, which is a classification created by the OpenM++ compiler to support lifecycle\_event and its use in model code. Click the link LIFECYCLE\_Person after **Type:**. The browser should display:

	sification Size: 9 Value		}					
External			Enumerat	or		Value	Label	
LC_Perso	on_enter_simulation		LC_Person	_enter_simulation		0	enter simulation	
LC_Perso	on_exit_simulation_e	xternal	LC_Person	_exit_simulation_ex	ternal	1	exit simulation (ex	(ternal)
LC_Perso	on_DeathEvent		LC_Person_DeathEvent LC_Person_FirstPregEvent		2	DeathEvent FirstPregEvent		
LC_Perso	on_FirstPregEvent				3			
LC_Perso	on_Union1Dissolution	Event	LC_Person_Union1DissolutionEvent			4	Union1Dissolution	nEvent
LC_Perso	on_Union1FormationEv	ent	LC_Person	_Union1FormationEve	nt	5	Union1Formation	Event
LC_Perso	on_Union2Dissolution	Event	LC_Person	_Union2DissolutionE	vent	6	Union2Dissolution	nEvent
LC_Perso	on_Union2FormationEv	ent	LC_Person_Union2FormationEvent			7	Union2FormationEven	Event
LC_Perso	on_UnionPeriod2Event		LC_Person	_UnionPeriod2Event		8	UnionPeriod2Ever	nt
Attributes	of type LIFECYCLE_Pe	erson:						
Entity	Name	Label						
Person	lifecycle event	Lifecyc	le event					

The classification LIFECYCLE\_Person created by the OpenM++ compiler has 9 enumerators, all with the prefix LC\_Person\_. This prefix is intended to minimize the chance of a clash with other symbols in model code. The LC\_ portion of the prefix is a mnemonic for 'lifecycle'.

The first enumerator LC\_Person\_enter\_simulation notes when a Person entity enters the simulation.

The second enumerator LC\_Person\_exit\_simulation\_external notes when a Person entity exits the simulation not from an event in that Person entity, for example from an event in some other entity.

The remaining 7 enumerators note the occurrence of the 7 Person events in RiskPaths , in alphabetic order by event name.

This concludes worked example 1. Worked example 2 involves additional modifications to model code. To prepare for it, close the browser window for **RiskPaths** model documentation, the browser window for the **RiskPaths** UI, and the **oms** instance which supported the **RiskPaths** UI, if necessary.

# [back to topic contents]

# Lifecycle attribute maintenance

 ${\sf OpenM++}\ {\sf run-time\ code\ generated\ by\ the\ {\sf OpenM++}\ compiler\ maintains\ lifecycle\ attributes\ as\ follows:$ 

- 1. When an entity is created via new, lifecycle\_counter is 0 and lifecycle\_event is LC\_Person\_enter\_simulation .
- 2. When the entity enters the simulation by a call to enter\_simulation(), life\_cycle\_event is assigned LC\_Person\_enter\_simulation (no change), and lifecycle\_counter is incremented (so it changes and has the value 1).
- 3. When an event in the entity occurs, life\_cycle\_event is assigned the corresponding enumerator for the event, and lifecycle\_counter is incremented.
- 4. Self-scheduling events, e.g. self\_scheduling\_int(age) have no effect on life\_cycle\_event or life\_cycle\_counter.
- 5. When an entity exits the simulation by a call to exit\_simulation() in an event in that entity, the value of life\_cycle\_event and life\_cycle\_counter retain the values for that event, as in 3 above. If the call to exit\_simulation() comes from elsewhere, for example from an event in some other entity, life\_cycle\_event is assigned LC\_Person\_exit\_simulation\_external and lifecycle\_counter is incremented.

#### This means that

- 1. lifecycle\_counter always changes whenever an event occurs in the entity.
- 2. lifecycle\_event contains the enumerator corresponding to that event.
- 3. When an entity exits the simulation, lifecycle\_event contains either the event responsible for the exit, or LC\_Person\_exit\_simulation\_external if the exit was not caused by an event in the entity.

Note that an event can occur with no change to <u>lifecycle\_event</u> if the same event occurs in succession. But even if the same event occurs in succession, <u>lifecycle\_counter</u> will change. So, for example, the self-scheduling derived attribute <u>trigger\_changes(lifecycle\_counter</u>) is guaranteed to note all events in the entity, whereas <u>trigger\_changes(lifecycle\_event</u>) may not.

Entity tables process increments only after all attribute changes in an event have completed. So, attribute values tabulated using lifecycle\_counter or lifecycle\_event reflect the values of attributes *after* all event-related model code has executed.

In models with entity links, an event in entity A can change the attributes of a different entity B. However, the value of lifecycle\_counter and lifecycle\_event in entity B do not change due to the event in entity A. They retain the values they had at the most recent event which occurred in entity B.

[back to topic contents]

#### Worked example 2

This example shows how to tabulate event counts by event.

Ensure that lifecycle attributes are enabled by the following statement in model code:

options lifecycle\_attributes = Person;

In RiskPaths , copy/paste the following code to code/Tables.mpp :



Build and run the model, selecting the output table X01\_Events.

The browser should display:

	Ô					M: OpenM++							—	0	×
$\leftarrow$		C	í i loca	alhost:58737	7/model/a92	8e9f2953641	AN ₹	<u>چ</u>	\$	C D	ל≡	Ē	ŝ		-
٦	≡	(j) (	🔳 RiskPath	is: 3.0.0	.0: An ill	ustrative m	icros	imulatic	on mo	odel c	of fe	. P	G	:	Q
Q Q			aths_Default_2 04-14 08:27:29		4_08_27_2	22_728   🚺	Defa	ult -04-14 08:	27:05	Defau	t				<ul><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li></ul>
C	<ul> <li>✓ ■ Model Runs 1 × → Input Scenarios 1 × ホ Run the Model × ■ All Events × = &gt;</li> </ul>														
6	I		Paths_Default_2 04-14 08:27:29		4_08_27_	22_728									• • •
Q		i	Σ (x) 🐼	f×	<b>±</b>			.0 <u>0</u> , 0, 0	•]		<b>1</b>	X01_E All Eve		3	
م <u>الا</u>												Slice	er dimer	nsions	
+	₩×	N		•											
		Stat	tistic	1/1		04-41-41-									
	<b>U</b>	ent	er simulation,	•	Event	Statistic	N								
		Eve	nt	9/9	enter simu	ulation	5,000								
						ation (external)	0								
					DeathEver		5,000								
					FirstPregE	Event	4,633								
					Union1Dis	solutionEvent	160								
					Union1For	mationEvent	3,495								
	Union2DissolutionEvent 59														
					Union2For	mationEvent	141								
					UnionPeri	od2Event	3,495								ŝ

The filter of this snapshot table trigger\_changes(lifecycle\_counter) is instantaneously true when any event occurs, and is false otherwise. The analysis dimension consists of the single expression unit, which sums increments whose values are always 1. The table thus counts events by event type.

# [back to topic contents]

# Worked example 3

This example shows how to tabulate event counts by event and another characteristic (integer age).

Ensure that lifecycle attributes are enabled by the following statement in model code:

options lifecycle\_attributes = Person;

In RiskPaths , copy/paste the following code to code/Tables.mpp :

```
table snapshot untransformed Person X02_Events //EN Events by age
[ trigger_changes(lifecycle_counter) ]
{
  {
   unit //EN N
 } //EN Statistic
 * lifecycle_event //EN Event
* self_scheduling_split(age,AGE_FERTILEYEARS) + //EN Age
};
```

Build and run the model, selecting the output table  $X02\_Events$ .

The browser should display (with 7 of 28 age categories selected):

	Ô				M: OpenM+	+					_	- C	) X		
$\leftarrow$	$\rightarrow$ (	ට බ 🛈 local	lhost:5891	7/model/5ba920	2acdc9fdd7	A <sup>%</sup> ۲		) (3	l (þ	ל≡	٦ ا	≈ ·	🌗		
Ō		🛈 💷 RiskPath	s: 3.0.0	.0: An illus	trative m	icrosiı	mulati	on mo	del of	fer		c :	Q,		
م م		iskPaths_Default_20 024-04-14_08:40:50		4_08_40_43_	541   <b>G</b>	Defau		8:40:23	Default				-		
e	<	Model Runs 1	× 🍃 ing	put Scenarios	1 × \$	• Run th	ne Mode	el × [	🔛 Even	ts by aç	je ×	>	- ©		
	RiskPaths_Default_2024_04_14_08_40_43_541														
										🚬 X0	)2_Ever	nts	+		
۹		iΣ(x)∞.	fx [	± <u>∓</u> □			"⊈"←	ΨĽ		Re Ev	ents by a	age			
MI		Ν	•												
+		Statistic	1/1								Slicer	dimensio	ns 		
		Age	7 / 28												
		enter simulation,	-	Frank	Age	(-∞,15)	[15,16)	[20,21)	[25,26)	[30,31)	<b>[40,∞)</b>	All			
		Event	9/9	Event		5.000						5 0 0 0			
				enter simulat		5,000	0	0	0	0		5,000			
				exit simulatio	n (external)	0	0	0	0	0	0	0			
				DeathEvent		0	0	0	0	0		5,000			
				FirstPregEver		0	80	584	209	63		4,633			
				Union1Dissol		0	0	4	5	0	63	160			
				Union1Forma Union2Dissol		0	127	413	128	28		3,495			
			0	0	0	55	59								
	Union2FormationEvent 0 0 4 2 3 72										141				
				UnionPeriod2	Event	0	0	359	266	83	25	3,495	ŝ		

This table is like example 2 except for an additional classification dimension and a minor permutation of dimension order. The table shows the evolution of event frequencies over the life course. As expected, the margin over age has the same total event counts as example 2.

### [back to topic contents]

# Worked example 4

This example shows how to tabulate descriptive statistics for an attribute ( age ) at occurrences of a specific event ( FirstPregEvent ).

Ensure that lifecycle attributes are enabled by the following statement in model code:

options lifecycle\_attributes = Person;

In RiskPaths , copy/paste the following code to code/Tables.mpp :



Build and run the model, selecting the output table X03\_Events.

The browser should look like this, after moving expressions to rows and reducing display precision to two decimals:

	Ô		M‡ Ope	nM++						_	Ο	×				
$\leftarrow$	Cú	බ () localhost:49459/mode	I/624 A <sup>ℕ</sup>	☆	•	<₿	C))	£≞	Ē	\$ <del>,</del>						
Ō		🛈 🔳 RiskPaths: 3.0.0	.0: An illu	strati	ve mi	cros	imula	atio	. 🕛	C	:	o,				
	(i) R	iskPaths_Default_2024_04_0	7_22_23_00	)_555	•	Defa	ult					-				
	2024-04-07 22:23:11 Default															
	Model Runs 1 × provide Input Scenarios 1 × r Run the Model × solution S > :															
		RiskPaths_Default_2024_04_( 024-04-07 22:23:11 Default	)7_22_23_0	0_555												
		(03_Events									=	+				
	502	elected statistics for age at FirstF				_										
		i Σ (x) 🔟 ƒ <sub>×</sub> [	<b>⊥</b> #	▣ͺ⊑	IJ∎,		.00, .0	- [€		R						
+																
	Statistic for age at FirstPregEvent															
		Statistic for age at FirstPreg 9 / 9	N				4,63	3.00								
			Mean				2	2.23								
			Min					5.00								
			P5					7.13								
			Q1					9.16								
			Median					1.29								
			Q3					4.30								
			P95					0.80								
			Мах				3	9.97				ŝ				

The filter of this snapshot table restricts event snapshots to a specific kind of event, using the C++ & operator. This same approach could be used to cross-tabulate a population at a specific event.

[back to topic contents]

This example shows how lifecycle attributes can be used to output microdata when an event occurs.

Ensure that lifecycle attributes are enabled by the following statement in model code:

options lifecycle_attributes = Person;	
In RiskPaths, copy/paste the following code:	
<pre>options microdata_output = on; entity Person { hook write_microdata, trigger_entrances(lifecycle_event, LC_Person_Union1DissolutionEvent); };</pre>	

This code fragment writes a microdata record when the Union1DissolutionEvent OCCUrs.

Build the model. In the run model screen, request microdata attributes age and case\_id. Run the model and open the Person microdata tab. In the drop-down for size, select All.

The browser should display:

	Ô						M: OpenM++				_	0	×		
	C	<u>م</u> (آ	localhost:50868	3/model/k	bd2277acf48b722	201c9424	5b3af2d3ba/run/b369c	A <sup>N</sup> &	<b>(</b> 3	山 4	\ € \$				
											<u> </u>	4			
		(i) 🔳 Ri	skPaths: 3	3.0.0.0	): An illustra	ative n	nicrosimulation r	nodel of fe	ertility be	haviou	i G	:	Q		
q	RiskPaths_Default_2024_04_07_23_07_18_502         Default           2024-04-07         23:09:23         Default														
0															
	RiskPaths_Default_2024_04_07_23_07_18_502														
ß	RiskFaths_Delaut_2024_04_07_23_07_10_302														
۹		i 🐼	<b>K K</b> 0	>>	Size		± # ■ ■	E III	.•_ ⊕		🗞 Person				
۹															
M1															
+	U 🖞	Age,		-											
		Person		2 / 2											
	Ш,	Person key	/s:	160		Person	Age	Case identifier							
					Person keys										
					110001		26.72555433903122	10	D						
					130001		37.367205355012025	12	2						
					650001		24.464593985120057	64	4						
					940001		25.6000001863285	93	3						
					1010001		64.15325374705407	100	D						
					1320001		74.48565308623029	131	1						
					1350001		16.48747938052918	134	4						
					2110001		21.84356875477835	210	D						
					2220001		19.944885190462536	221	1				ŝ		
	Ч														

The screenshot shows 160 Person keys, which is the number of microdata records. This is the same as the number of Union1DissolutionEvent events shown in example 2.

Microdata can be output by hooking write\_microdata() directly to an event implement function. The approach illustrated in this example can nevertheless be useful if the event implement function has multiple function return paths, or does not contain the required function call to implement function hooks. This approach also guarantees that write\_microdata() is called only after all model code associated with the event has completed, which might include other entity functions hooked to the event implement function.

The technique of hooking write\_microdata to trigger\_entrances does not work for an event which causes the entity to exit the simulation. That's

because once the entity has exited the simulation no further events occur in it, including the internal self-scheduling event to which write\_microdata is hooked.

[back to topic contents]

# Worked example 6

This example shows how lifecycle attributes can help provide context in microdata output.

Ensure that lifecycle attributes are enabled by the following statement in model code:

options lifecycle\_attributes = Person;

In RiskPaths, copy/paste the following code (replacing code in the previous example):

options microdata_output = on;
options microdata_write_on_exit = on;
entity Person
{
hook write_microdata,
trigger_changes(lifecycle_counter);
};

This code fragment writes a microdata record on simulation enter and on every event, and when a Person exits the simulation. It's purpose in this example is just to produce some arbitrary microdata.

Build the model. In the run model screen, request microdata attributes age and lifecycle\_event. Run the model and open the Person microdata tab. Drag Person keys so that it comes first in the row categorical list on the left, just before lifecycle\_event (see screenshot below). Putting Person keys first sorts the microdata records by entity and timeline order.

The browser should display:

	Ô					M: (	OpenN	1++						_	0	×
$\leftarrow$	$\rightarrow$ (	C 6	()	localhos	<b>t</b> :60094/	model/f3f	A»	☆		<β ∣	C)	ל≞	Ē	~?? ~??		•
٦		i 🗉 I	RiskP	aths: 3	3.0.0.(	0: An illu	istra	ntive n	nicros	simula	atior	۱ m	<u>.</u>	G	:	Q
	R	iskPaths <u>.</u>	_Defau	lt_2024	_04_14	_10_35_20	0_64	5   🗩	Defa	ault						-
		024-04-14							i) 2024	-04-14	10:3	4:57	Default			6
	< Ио	del Runs	1 >	< 🍃 Inj	put Sce	enarios 1	) ×	<b>ક</b> ે Ri	un the N	/lodel	×	👍 Pei	rson	× >	:	0]
		RiskPaths	_Defau	ult_2024	_04_14	4_10_35_2	0_64	5								
	<b>(</b> ) <sub>2</sub>	024-04-14	4 10:3	5:52 Def	ault											+
	.0,	⊕⊡	R	Rers	on											
		<b>i</b> ••	K	< 0		>I Size	•			∰ [G				.0 <u>0</u>		
MI																
+		Age			•											
		Person			1/1											
		Person k	OV6.		10					Perso	n					
			cys.			Person	keys	Lifecyc	le event			Α	ge			
	<b>₩</b> ŏ	enter sin	nulation	,	•	10001		enter si	imulatio	n				0		
		Lifecycle	event		9/9	10002		Union1	Formatio	onEven	t 24	.26099	992115	3568		
						10003		FirstPre	egEvent		26.	537812	272839	0552		
						10004			eriod2E	vent	27	.26099	92115	3568		
						10005		DeathE						100		
						20001			imulatio					0		
						20002			Formatio		_		262764			
						20003 20004			egEvent eriod2E		-		780114 262764			
						20004		DeathE		vent	23.	032372	202704	100		
	[					20003		DeathE	Vent					100		ŝ

The column lifecycle\_event in the display provides context for other microdata attributes (in this example, the age attribute).

The next example continues directly from this one, with no need to modify, rebuild, or rerun RiskPaths.

[back to topic contents]

# Worked example 7

This example shows how lifecycle attributes can be used to filter microdata output in the UI.

It continues directly from the preceding example.

In the UI microdata viewer, click the x in the Lifecycle event drop-down to deselect all events, then open the drop-down and click Union1FormationEvent and Union2FormationEvent to select just them. Increase the Size to 100.

The browser should display:

	Ô					M:	OpenN	1++						—	0	×
$\leftarrow$	$\rightarrow$ (	C 6	(i)	localho	st:60094/	model/f3	A»	ជ		<3 ∣	¢	€≣	Ē	<del>%</del>		
٦		() []] []]	RiskP	aths:	3.0.0.(	D: An illu	ustra	ative n	nicro	simul	atic	on	1	G	:	Q
	R					_10_35_2				fault						_
		024-04-14				_10_00_2	0_04		i	4-04-1	4 10	:34:57	Defau	lt		6
	< No	del Runs	1	< 🍃 ir	nput Sce	enarios 1	۲ (	<b>ક</b> ે Ri	un the	Model	×	<b>Ġ</b> ₽€	erson	>	:	
		RiskPaths	Defai	ilt 2024	4 04 14	4_10_35_2	20 64	5								
		2024-04-1						0								+
	.0,	⊕D	R	Rer:	son											
		i 🐼	к	< 0	> 2	Size	-		Ŧ	로 미			<b>=</b>	.0 <u>0</u>		
MI																
+																
		Age			•											
		Person			1/1					_						
		Person k	keys:		100					Perso	on		Age			
		Union1F	ormatio	nEvent,	•		кеуз	Lifecyc Union1				04.0600	00011	50560		
		Lifecycle			2/9	10002 20002		Union1				24.2609				
						30002		Union1				17.0501				
						60002		Union1			_	2.50291				
						70002		Union1				7.84570				
						80002		Union1			_					
						90002		Union1							-	
						100002	2	Union1			_	28.3014				
						110002		Union1	Format	ionEver	_	4.68021			-	
						110005	5	Union2	Format	ionEver	nt a	85.7486	54111	76762	2	
						120002	2	Union1	Format	ionEver	nt	18.1068	96086	57391		
						130002	2	Union1	Format	ionEver	nt 2	7.01728	57205	74122		ŝ

The microdata viewer displays age for all union formation events, in entity and timeline order.

[back to topic contents]

# **Local Random Streams**

#### Home > Model Development Topics > Local Random Streams

Model code can optionally specify that the state of random number streams be maintained locally for each entity rather than shared among entities. This can significantly reduce variance in run comparisons of models which simulate multiple instances of entities together, such as timebased models or case-based models with multiple entities in a case. It can also make run comparisons at the microdata level feasible for such models. Local random streams are not relevant for case-based models with a single entity per case. To jump to charts comparing the effect with and without local random streams in a highly interacting time-based model, click here.

#### **Related topics**

- Model Code
- Microdata Output
- Model Resource Use

#### **Topic contents**

- Background and overview
- Syntax and use
- Illustrative example Shows decoherence reduction graphically in a time-based model

#### **Background and overview**

Model code can draw random values from selected statistical distributions using built-in random number generator (RNG) functions, for example:

double x = RandUniform(1); double y = RandNormal(2); double z = RandPoisson(3);

These functions return pseudo-random streams of numbers. The streams appear random but are actually produced by a deterministic algorithm which generates a fixed sequence of values. That algorithm knows which value to return next by maintaining an internal state which changes from one function call to the next.

The sequence of numbers returned depends on the SimulationSeed for the run, on the run member (aka sub, replicate), on the case for case-based models, and on the *random stream number* (the small integer argument in RNG function calls).

The random stream number in an RNG function call specifies a distinct underlying random stream which produces values independent of those produced by other random streams. This avoids spurious interactions among unrelated random processes in the model. For example, values returned by calling RandUniform(4) in a Fertility module will not affect values returned by calling RandUniform(6) in a Migration module.

Independent random streams can reduce statistical noise in the difference of two model runs, reducing the run size needed to obtain reliable results for run differences. They also make microdata comparisons of two runs correspond better with model logic. For example, if there is no logical dependence between Fertility and Migration in the model, changing a Fertility parameter should not, logically, affect Migration. Had the same random stream, e.g. stream 4 in RandUniform(4), been used in both Fertility and Migration, a call to RandUniform(4) in Fertility would affect the value returned in a subsequent call to RandUniform(4) in Migration. That would produce a spurious (but statistically neutral) interaction between Fertility and Migration. That can be avoided by using a different random stream in Migration, e.g. by calling RandUniform(6) to specify stream 6 instead of stream 4. Spurious correlation of random streams can be avoided by specifying a distinct random stream in each call to an RNG function throughout model code.

However, a model which simulates multiple instances of an entity together, e.g. multiple Person entities, could have spurious interactions of random streams among those entities. For example, a call to RandUniform(4) in Person A will affect the result from a subsequent call in Fertility to RandUniform(4) in Person B, because the same random stream 4 is used in both. In a time-based model with many entities, a spurious interaction could extend from one entity to the entire population. Such spurious interactions do not affect the statistical validity of aggregate model results, but they can create additional statistical noise in run comparisons, and produce differences at the microdata level which are not explained by model logic.

This issue can be resolved by maintaining independent *local random streams* in each entity, rather than *global random streams* shared among entities. For example, using local random streams, a call to RandUniform(4) in Person A uses a different random stream from a call to RandUniform(4) in Person B.

Local random streams require additional memory in each entity to maintain the state of the pseudo-random number generator for each stream. This additional memory can be significant for time-based models with many entities and many random streams.

Local random streams must also be initialized distinctly in each entity so that different entities produce different random streams. That requirement is met by providing a unique key for each entity. The entity key is used to initialize local random streams independently in each each entity before it enters the simulation. The entity key needs to be stable from one run to another so that local random streams are the same for the same entity in two different runs. The code to specify the unique entity key is, in general, model dependent.

Given these trades, local random streams are not implemented by default in OpenM++.

However, a model coded to use local random streams can turn them off by changing a single line of model code and rebuilding, and reduce memory requirements when local random streams are not required for analysis.

#### [back to topic contents]

## Syntax and use

Sections:

- Activation
- Entity key
- RNG use in entity initialization
- RNG use before simulation
- Memory use
- Internals

## [back to topic contents]

## Activation

Use the option local\_random\_streams to implement local random streams for all instances of a given entity, e.g.

options local\_random\_streams = Host;

to implement local random streams for all instances of the Host entity. Use multiple options statements to implement local random streams for more than one kind of entity.

During model build, a log message like

Entity 'Host' has 11 local random streams, of which 1 are Normal

is issued for each entity with local random streams. The message indicates how many of the local streams use a Normal distribution, because those use additional memory in the entity to maintain state.

[back to syntax and use] [back to topic contents]


## Entity key

As mentioned in Background and overview, an entity with local random streams needs a unique identifier to produce random streams which differ among entities.

The entity key needs to be not only unique in a run, but must also uniquely identify the same entity in the model runs being compared.

The entity key is provided by the entity member function get\_entity\_key(). get\_entity\_key returns a 64-bit value which is used internally by the built-in function initialize\_local\_random\_streams() to initialize the local random streams of the entity before it enters the simulation.

If model code does not supply a definition for get\_entity\_key() a definition like the following is generated by the OpenM++ compiler:



This default definition uses the built-in attribute entity\_id as the entity key. entity\_id is guaranteed to be unique for all entities in a run, making it a natural candidate for the entity key. However, entity\_id might not identify the same entity in two different runs. That can happen if model code generates entities dynamically, or if the runs being compared have different numbers of entities or members (aka subs, replicates).

A model might already have an attribute which uniquely identifies the same entity in two different runs. For example, the model might be based on microdata which contains a unique personal identifier for each record/entity.

If the definition of get\_entity\_key() is supplied in model code, it would typically create the entity key using the values of one or more entity attributes before the entity enters the simulation.

The following hypothetical definition of get\_entity\_key() uses the helper function xz\_crc64 to combine the starting value of age and time to create the entity key. xz\_crc64 creates a 64-bit key using the crc-64 open source checksum (hash) algorithm, and can use one value or combine multiple values together using successive calls.

```
uint64_t Host::get_entity_key()
{
    uint64_t key64 = 0;
    key64 = xz_crc64((uint8_t*)&age, sizeof(age), key64);
    key64 = xz_crc64((uint8_t*)&time, sizeof(time), key64);
    return key64;
}
```

## [back to syntax and use] [back to topic contents]

#### RNG use in entity initialization

This section applies only to calls to RNG functions in entity context. See section RNG use before simulation for information about using RNG functions outside of entity context before the simulation starts.

If an entity uses local random streams they must be initialized before use. If they are not initialized a fatal error like the following will be raised when the model is run:

```
Simulation error: RandUniform called with uninitialized local random streams
```

By default, initialization is performed automatically when an entity enters the simulation, after starting values of all attributes have been assigned.

However, if model code in entity scope calls an RNG function before the entity enters the simulation, the local random streams of the entity will not have been initialized, causing the run-time error.

For example, the following code

```
void Host::Start()
{
    // Initialize all attributes (OpenM++).
    initialize_attributes();
    z_score = RandNormal(11);
    // Have the entity enter the simulation (OpenM++).
    enter_simulation();
}
```

assigns a random value to the Host attribute z\_score before the Host enters the simulation. If Host uses local random streams, the run-time error would occur.

However, model code can explicitly initialize local random streams before the entity enters the simulation by calling the provided function initialize\_local\_random\_streams().

The following modified code

```
void Host::Start()
{
    // Initialize all attributes (OpenM++).
    initialize_attributes();
    // Need to explicitly initialize local random streams here
    // because they are used before the entity enters the simulation.
    initialize_local_random_streams();
    z_score = RandNormal(11);
    // Have the entity enter the simulation (OpenM++).
    enter_simulation();
}
```

initializes local random streams for the Host before the call to RandNormal, avoiding the error.

initialize\_local\_random\_streams() uses get\_entity\_key() internally. If the definition of get\_entity\_key() is supplied in model code, assign all attributes used in get\_entity\_key() before the call to initialize\_local\_random\_streams().

initialize\_local\_random\_streams() can be called (with no effect) even if the entity does not use local random streams, so there is no need to remove the call from model code if local random streams are not used in the entity.

*Modgen specific*: Modgen does not recognize the function initialize\_local\_random\_streams. That causes an error when building the Modgen version of a x-compatible model. For x-compatible models, use code like:



[back to syntax and use] [back to topic contents]

## **RNG** use before simulation

Use of local random streams in one or more entities does not preclude use of global (shared) random streams.

Global random streams work normally in an entity not specified in a local\_random\_streams options statement.

Global streams also work normally in **PreSimulation** and in **Simulation**, before the simulation starts. For example, the **IDMM** model used in the **Illustrative example** uses two shared RNG streams in **Simulation**, one (random stream 5) to randomly infect a portion of the population at the beginning of the simulation:

```
// Create the initial population of Hosts, and infect some probabilistically.
for ( int nJ = 0; nJ < NumberOfHosts; nJ++ ) {
    auto prHost = new Host();
    prHost->Start();
    if (InitialDiseasePrevalence > RandUniform(5)) {
        prHost->Infect();
    }
}
```

and another (random stream 3) to construct the starting social network:

```
// Construct the initial social network
int nHosts = asAllHosts->Count();
for (int nJ = 0; nJ < nHosts; nJ++) {
  auto prHost = asAllHosts->Item( nJ );
  for (int nK = 0; nK < ContactsOutPerHost; nK++ ) {</pre>
     // Choose a host randomly from all hosts
     auto prContact = asAllHosts->GetRandom( RandUniform(3) );
     // Add it to the outgoing contacts link.
     // Note that if the contact happens to already be a contact, it will not be added
     // because links contain no duplicates.
     if (prContact != prHost) {
       // do not link to self
       prHost->mlContactsOut->Add( prContact );
     }
  }
}
```

A global random stream does not affect a local random stream with the same number. However, best practice uses a unique random stream for each call to an RNG function in model code.

# Memory use

Memory impacts of local random streams are incorporated into the Resource Use Report in the run log, if resource use monitoring is on. To turn resource use monitoring on, add the following statement to model code:

options resource\_use = on;

For example, here's the Resource Use Summary table from a 1,000,000 Hosts run of IDMM with local random streams:

	+
	Jse Summary
+	+
Category	MB
+	++
Entities	448
Host	448
Ticker	0
Multilinks	63
Events	95
Sets	48
Tables	0
+	+
All	655
+	+

The same table without local random streams looks like this:

I

+	+
Resource I	Jse Summary
+	++
Category	MB
+	+
Entities	384
Host	384
Ticker	0
Multilinks	63
Events	95
Sets	48
Tables	0
+	+
All	591
+	+

In this example, memory requirements for the run increased from 591 MB to 655 MB in the version built with local random streams.

Additional lines appear in the entity member detail section of the report in a model with local random streams.

An additional row for the random state arrays is present in the member count table. The count is 1 if the entity does not use RandNormal or 3 if it does. This line counts the number of arrays used to maintain the state of local random streams, not the size of those arrays.

++
Host Members
++   Member   Count   ++
Attributes   19
Built-in   6     Simple   12
Maintained   1    Link   0
Events 3    Increments 2
Multilink   2
Internal   6     Array   0
Foreign0    Random state arrays3
++   All   35
++

Additional lines appear in the entity member detail table.

Here's an extract from **IDMM** with local random streams:

Host Members (detail)	 +
member +	bytes
Attributes:	
Built-in:	
age	8
case_seed	8
 Linterne di	
Internal:	
X01_History (in) om_du	
X02_Host_Events (inev	,
asAllHosts (current cell	, , ,
event_count (lagged)	
event_count (counter a	
om_local_rng_streams	_initialized   1
Array:	
Foreign:	
Random state arrays:	
om_stream_X	40
om_other_normal	8
om_other_normal_valid	
Sum of member bytes	372
,	372
Bytes per entity	
Storage efficiency (%)	83.0

An additional Internal member on\_local\_rng\_streams\_initialized is used to manage the entity life cycle of local random streams. Additional lines towards the end of the table show the memory used by the arrays which maintain random state.

# [back to syntax and use] [back to topic contents]

#### Internals

Local random streams are implemented using a multiplicative congruential generator (MCG), with an unused multiplier mentioned in the module OM\_ROOT/use/random/random\_lcg200.ompp . The multiplier of the MCG is 1187848453 and the modulus is the Mersenne prime 2^31-1.

For memory efficiency, the state of local random streams is maintained only for streams used in the entity. For example, IDMM model code in the Illustrative example uses 12 random streams, but only 10 are used in the Host entity. Local random state is maintained in each Host for just the 10 streams used in Host. The other 2 random streams are global and are used in Simulation to create the starting population before the simulation starts, as described in RNG use before simulation.

A random stream associated with the RandNormal RNG function requires additional memory to maintain state, because the underlying algorithm produces a pair of draws from N(0,1), and memory is required to save the second value of the pair which is returned by the next call to RandNormal for the stream.

Local random streams are seeded before the entity enters the simulation using 4 integer values: 1) the value returned by get\_entity\_key(), 2) the run seed for a time-based model or the case seed for a case-based model, 3) the run member (aka sub, replicate), and 4) the random stream number.

A local random stream thus depends on all 4 of these values, as required by the role of each.

These 4 values are combined using the xz\_crc64 hash function and the 64-bit result reduced to the allowed range of the MCG using the remainder of an appropriate integer division.

For more details, see the commented function definition of initialize\_local\_random\_streams in the C++ file src/om\_declarations.h which is generated by the OpenM++ compiler.

[back to syntax and use] [back to topic contents]

# Illustrative example

This example illustrates how local random streams can improve run coherence in a time-based model. Click here to jump directly to the graphical comparison.

#### Sections:

- Summary
- IDMM overview
- Base run
- Variant **run**
- Base-Variant coherence
- IDMM differences

#### [back to topic contents]

# Summary

This example illustrates the effect of local random streams vs. global random streams on run coherence. It uses the time-based IDMM model with minor modifications. Microdata is output at 100 time points during the simulation, and later merged and compared between Base and Variant runs to measure how run coherence evolves during the simulation.

Four runs are used in this example , a Base and a Variant with two versions of the model:

- 1. Base run with shared random streams
- 2. Variant run with shared random streams
- 3. Base run with local random streams
- 4. Variant run with local random streams

The same version of IDMM was used for runs 1 and 2. A different version of IDMM was used for runs 3 and 4, the only difference being activation of local random streams.

All 4 runs have the same number of Hosts and an identical contact network created before the simulation starts using global random streams. That means that entity\_id refers to the same Host in all 4 runs, so the default version of get\_entity\_key() can be used.

The Base runs have identical inputs in runs 1 and 3. The Variant runs have identical inputs in runs 2 and 4. A single parameter differs slightly between the Variant runs and the Base runs. That change causes only 2 entities to differ at the start of the Variant runs compared to the Base runs.

Aggregate outputs over time for the 4 runs are so similar that they are visually indistinguishable (see below). However, the degree of coherence at the microdata level between runs 3 and 4 (with local random streams) is noticeably different than that between runs 1 and 2 (with shared random streams).

Run-time resource reports were used to compare memory use for the two versions of IDMM. Without local random streams, each Host entity was 384 bytes in size. With local random streams, each Host entity was 448 bytes in size, an increase of 64 bytes or 17%.

[back to illustrative example] [back to topic contents]

#### **IDMM overview**

IDMM simulates an interacting dynamic contact network of Host entities, together with a disease which can be transmitted over that contact network. The contact network is initialized randomly at the start of the simulation. During the simulation, each Host interacts with other Hosts in contact events. Each Host can change its connected Hosts in contact change events. Optionally, a Host can change a connected Host in a contact event, if that host is infectious.

During a contact event, the disease can propagate between the two Hosts, depending on the disease status of each Host. An infected Host progresses through 4 fixed length disease phases: susceptible, latent, infectious, and immune. On infection, a Host enters the latent phase, during which it is both asymptomatic and non-infectious. After the latent phase, the Host enters an infectious phase during which it can infect another Host during a contact event. After the infectious phase, the Host enters an immune phase. After the immune phase, the Host returns to the susceptible state.

Before the simulation starts, all Host entities are in the susceptible state. After a Host enters the simulation but before the first simulated event, it

is randomly infected at a given probability.

For this example, some mechanical changes were made to the version of IDMM in the OpenM++ distribution.

[back to illustrative example] [back to topic contents]

#### **Base run**

The Base run consists of 5,000 Hosts simulated for 100 time units, with the initial probability of infection set to 0.1000. All other parameters are left at Default values, which are as follows:



The ini file for the Base run looks like this:

[OpenM]

RunName = Base

# [Parameter]

InitialDiseasePrevalence = 0.1000


## [Microdata]

ToDb = yes Host = report\_time, disease\_phase, age\_infected

In the Base run, 501 Hosts are infected at the beginning of the simulation.

The time evolution of the susceptible population in Run 1 ( Base with shared random streams) looks like this:

#### Base susceptibles, with shared random streams




Before the simulation starts, all 5,000 Hosts are in the susceptible state. Next, 501 Hosts are randomly infected and change disease status from susceptible to latent. This is the cause of the immediate drop of the count of susceptible Hosts from 5,000 to 4,499 in the chart. The following

plateau is caused by the length 5.0 latent period of the 501 infected hosts during which no forward infections occur. At the end of the plateau, the 501 Hosts leave the latent phase and enter the infectious phase. Then the infection spreads through the social network, progressively reducing the susceptible population. At around time 30.0, almost all Hosts have been infected and less than 25 susceptible Hosts remain. At time 35.0 the 501 initially infected Hosts lose protective immunity and become susceptible once again, causing a new plateau in the count of susceptible Hosts. Starting at time 41.0 progressively more Hosts lose protective immunity. The disease then propagates among the new and growing population of susceptible Hosts. The number of susceptible Hosts peaks at around time 57, and decreases subsequently as the disease infects more and more susceptibles. At time 82 less than 100 susceptible hosts remain. A new epidemic wave, with initial conditions smoothed out, commences towards the end of the simulation.

The same chart for Run 3 (Base with local random streams) looks like this:





This Base run with local random streams looks very similar to the Base run with shared random streams immediately above, despite all RNG draws differing during the simulation phase of the two runs. This is because the size of the population and the number of RNG draws dominates the effects of individual idiosyncratic RNG draws in the two runs. Put another way, the two versions of IDMM are statistically equivalent.

Exactly the same 501 Hosts are infected in Run 1 and Run 3, despite Run 3 using the version of IDMM with local random streams. That's because the initial infections are implemented during the creation of the starting population, before the simulation begins. Calls to RNG functions before the simulation starts use the usual shared random streams, not local random streams, as explained in RNG use before simulation.

# [back to illustrative example] [back to topic contents]

#### Variant run

[OpenM]

The Variant runs are the same as the Base runs, except for a very slightly higher probability of initial infection of 0.1001 versus 0.1000 in the Base runs.

The ini file for the Variant runs looks like this:


RunName = Variant
[Parameter]

InitialDiseasePrevalence = 0.1001

[Microdata] ToDb = yes Host = report\_time, disease\_phase, age\_infected

503 Hosts are infected at the beginning of the simulation in the Variant run. That's 2 more than in the Base run. In the Variant runs, 501 of the 503 infected Hosts are identical to those infected at the beginning of the Base runs. The same 2 additional Hosts are infected in Variant runs 2


The time evolution of the susceptible population in Run 2 ( Variant with shared random streams) looks like this:



Variant susceptibles, with shared random streams

The aggregate effect of 503 initially infected Hosts vs. 501 initially infected Hosts is not visually perceptible, as might be expected.

The time evolution of the susceptible population in Run 4 (variant with local random streams) looks like this:



Variant susceptibles, with local random streams

Run 2 and Run 4 are indistinguishable visually, despite having entirely different RNG draws in the simulation phase. They are by construction statistically equivalent.


[back to illustrative example] [back to topic contents]

# **Base-Variant coherence**

Base-Variant coherence is measured by counting the number of Hosts which have an identical infection history in the Base and Variant runs. The infection history of each Host is summarized in a 64-bit hash which combines the exact (fractional) ages of all previous infections experienced by the Host. Base-Variant coherence is evaluated at each of 101 time points in the runs by merging Base and Variant microdata population snapshots which are output at each time point.

The time evolution of Base-Variant coherence with shared random streams (runs 1 and 2) looks like this:

## Base-Variant population coherence with shared random streams




Base-Variant coherence from time 0 to time 5 is constant at 4,998. As explained previously, exactly 2 Hosts differ between Base and Variant at the beginning of the runs, and no forward infections occur during the latent phase.

Base-Variant coherence is lost precipitously when the infectious phase begins, because of shared random streams among all Hosts in the population.

Virtually no coherence remains by time 72.

The time evolution of Base-Variant coherence with local random streams (runs 3 and 4) looks like this:

#### Base-Variant population coherence with local random streams



As in the previous chart, Base-Variant coherence starts at 4,998, with exactly 2 Hosts differing at the beginning of the simulation. The same initial plateau is present, but is difficult to distinguish visually. Coherence remains very high but is gradually lost as the effects of the tiny difference in initial conditions propagate in a causative way through the contact network and affect progressively more of the population.

Coherence remains above 99% until time 56. Coherence then decreases more rapidly until time 75, perhaps because of surging infections during that interval. Coherence drops to 90% by the end of the simulation.

The two versions of **IDMM** in this example, the one with and the one without local random streams, are statistically equivalent at the aggregate level. However, the difference in coherence at the micro level is striking.

The population of Hosts in IDMM is highly connected and interactive. Models with less connected and less interactive populations may well have very high coherence if they use local random streams.

# [back to illustrative example] [back to topic contents]

## **IDMM differences**

The version of IDMM used in this example differs slightly from the version in the OpenM++ distribution in OM\_ROOT/models/IDMM.

The differences are as follows:

- 1. The Host attributes age\_infected and history\_hash were added and implemented to measure coherence between runs.
- 2. Code to infect a portion of the population at the beginning of the simulation was moved from Host::Start to the Simulation function, so that the same global random streams are used in all 4 runs in the example, ensuring that the starting populations are the same.
- 3. A custom version of Host::get\_microdata\_key() was added to provide a unique microdata key for each Host at each value of report\_time .
- 4. initialize\_local\_random\_streams was called explicitly in Host::Start to permit use of RandUniform later in Host::Start to schedule the first ContactEvent and the first ChangeContactsEvent .
- 5. Ticker::TickEvent was modified to write microdata for each Host at each time tick.
- 6. The **REPORT\_TIME** range was enlarged from 20 to 100.
- 7. The options local\_random\_streams, microdata\_output, and resource\_use were enabled.
- 8. Two unused Host attributes z\_score and L\_score were added and implemented to test the local random streams implementation of RandNormal and RandLogistic .

[back to topic contents]

# **Memory Use**

## Home > Model Development Topics > Memory Use

This topic opens with a general discussion of memory use in models and follows with a compendium of techniques to optimize memory use in time-based models.

# **Related topics**

- Model Code
- Model Resource Use

# **Topic contents**

- Introduction and Background
- Bag of Tricks Techniques to economize memory

# Introduction and Background

This topic describes techniques to simulate large populations of entities in time-based models by reducing per-entity memory requirements. It is not applicable to case-based models which by design can simulate populations of unlimited size in a fixed amount of memory.

A computer's physical memory is a limited fixed resource, whether the computer is a desktop, a server, or a component of a cloud service. If memory requested by an application exceeds the computer's available physical memory, the request may be denied, causing the application to fail. More typically the computer will attempt to ration physical memory by swapping less-used portions of application memory to disk and bringing them back on demand, a process called paging. Paging is very slow relative to the speed of physical memory, but can work well if memory demands over time are concentrated in some regions of memory while being infrequent in others.

Models can request large amounts of memory, and use that memory frequently and intensively. A time-based model with a large interacting population of entities will access and update those entities frequently during a run over large regions of memory. Because the model accesses large regions of memory in a scattered rather than a concentrated way, models respond poorly to paging. When models are starved for memory and start paging, they may slow down by orders of magnitude and become unusable. So in practice the entities in the population need to all fit into the physical memory of the target computer.

Reducing per-entity memory use increases the maximum number of entities which can be in memory simultaneously. The techniques in this topic can help reduce per-entity memory use without changing model logic.

Time-based models have an inherent tradeoff between population size and model complexity, because the size of an entity increases with model complexity. Case-based models have no such tradeoff between population size and complexity, but they can't represent large interacting populations. When the modelling problem to be solved requires both large population size and high complexity, it may be possible to factor it into two models which are run sequentially: an upstream time-based model which simulates an interacting population with limited complexity paired with a downstream case-based model with no population interactions but unlimited complexity. An example is the combination HPVMM and OncoSim, where the upstream time-based HPVMM model simulates infectious disease dynamics and the downstream case-based OncoSim model simulates disease screening, diagnosis, treatment, health consequences, and health system resources and costs. In the HPVMM-OncoSim pairing, HPVMM results on disease incidence (rates of infection) are communicated as inputs to the downstream OncoSim model.

# [back to topic contents]

# **Bag of Tricks**

This subtopic contains links to sections which describe techniques to manage memory use. It is not always appropriate to apply one of these techniques. It may not be worth the effort or additional model complexity, or there may be a functionality trade-off which is not worth making. The Entity Member Packing report can help identify which techniques will be most fruitful. The list of links is followed by another list of BoT candidates.

- Exploit the resource use report Use the report to focus efforts fruitfully
- Suppress table groups: Use and suppress table groups
- Change time type to float: Use time\_type to halve time storage
- Use value\_out with flash tables: Use value\_out instead of value\_in, especially with flash tables
- Enable entity packing: Enable the entity\_member\_packing option

- Use mutable real type: Use real for floating point values
- Prefer range and classification to int: They take fewer bytes of storage
- Use bitset instead of bool array: Store large arrays of bool efficiently
- Purge available entity list: Purge the available list after all entities of a given type are gone

## BoT candidates:

- · compute rather than store
- use smaller C types
- hook to self-scheduling events, e.g. self\_scheduling\_int(age)
- · be economical with events
- · be economical with tables
- · avoid ordinal statistics
- use a unitary Ticker actor to push common characteristics to the population, e.g. year

## [back to topic contents]

## Exploit the resource use report

Software developers often guess wrong about the causes of high resource use. It is best to gather data before embarking on efforts to improve efficiency. The Model Resource Use report was designed for that purpose.

# [back to BoT] [back to topic contents]

### Suppress table groups

Organize tables into functional groups using table\_group statements. Then, use retain\_tables to keep only the tables needed for the current purpose when the model is built. When a table is suppressed when a model is built, memory savings accure both from the memory for the table cells and for entity members associated with the table.

Organizing tables into groups and retaining only those required for immediate needs allows a model to have many tables without paying a high memory cost. If a diagnostic table is required after exploring run results, a variant of the model can be built with that table retained and the simulation re-run.

[back to BoT] [back to topic contents]

## Change time type to float

The Time type of a model can be changed from the default double to float by inserting the following statement in model code:

time\_type float;

The Time type is ubiquitous in models. It is used in attributes, events, and internal entity members. By default, Time wraps the C++ type double, which is a double-precision floating point number stored in 8 bytes. The time\_type statement allows changing the wrapped type to float, which is stored in 4 bytes. This can reduce memory use. For example, here is the summary report for the 1 million GMM run used to illustrate the Model Resource Use topic where time\_type is double (the default value):

++   Resource Use Summary ++				
Category	MB			
Entities	1924			
Doppelgar	nger   552			
Person	1372			
Ticker	0			
Multilinks	10			
Events	80			
Sets	196			
Tables	0			
+	++			
All	2213			
+	++			

I

Here is the report for the same 1 million run with time\_type set to float :

++				
Resource U	se Summary			
+	+			
Category	MB			
+	++			
Entities	1566			
Doppelgar	nger   515			
Person	1050			
Ticker	0			
Multilinks	10			
Events	80			
Sets	196			
Tables	0			
+	++			
All	1854			
+	++			

In this example, memory usage of the Person entity was 23% less with time\_type set to float compared to double.

A float has a precision of about 7 decimal digits. Roughly, that means that the float time value 2025.123 is distinguishable from 2025.124, which is a precision of ~8 hours. A model with a time origin of 0 and maximum time of 100 years would have higher float precision than that. The runtime function GetMinimumTimeIncrement() gives the actual precision of Time values in a model. The actual precision is based on time\_type and the maximum Time value required by the model in a previous call to SetMaxTime() in model code.

Changing time\_type to float may affect model results due to the reduced precision of Time values. If model logic is well represented by float precision, such differences are likely to be statistical. That can be verified by comparing model results with time\_type float vs. time\_type double by changing a single line of model code.

# [back to BoT] [back to topic contents]

## Use value\_out with flash tables

Flash tables are entity tables which tabulate at instantaneous points in time. They do that using an attribute like trigger\_changes(year) in the table filter which becomes instantaneously true and then immediately false in a subsequent synthetic event. Because an increment to a flash table is instantaneous it has identical 'in' and 'out' values. That means that a flash table using 'value\_in' will produce the same values as 'value\_out'. However, value\_in in a table causes the compiler to create an additional member in the entity to hold the 'in' value of an increment. For flash tables, this memory cost can be avoided by using 'value\_out' instead of 'value\_in'.

[back to BoT] [back to topic contents]

## Enable entity packing

Members of entities can be packed more efficiently by turning on the entity\_member\_packing option, but there is a trade-off. For mode information see Entity Member Packing.

[back to BoT] [back to topic contents]

## Use mutable real type

Floating point values can be declared in model code using the real type. By default, real is the same as the C++ type double, but it can be

changed to the C++ type float by inserting the following statement in model code:

real\_type float;

This single statement will change all uses of real from double to float, which will halve the storage requirements of `real' values.

A float has a precision of around 7 digits, so can represent a dollar amount of 12345.67 to an accuracy of 1 cent.

Because a single real\_type statement changes the meaning of real throughout, it is easy to assess to what extent changing real from double to float affects results. This provides more flexibility than changing (say) double to float in code.

# [back to BoT] [back to topic contents]

#### Prefer range and classification to int

Values of type Range or Classification are automatically stored in the smallest C type which can represent all valid values. This can reduce memory use. For example, if YEAR is declared as

range YEAR //EN Year
{
 0, 200
};

a member year

```
entity Person {
    YEAR year;
};
```

declared with type YEAR will be stored efficiently in a single byte. In contrast, of year was declared as int it would require 4 bytes.

# [back to BoT] [back to topic contents]

#### Use bitset instead of bool array

The bool type takes one byte of storage, even though a byte contains 8 bits. Some models use large arrays of bool in entity members, e.g.

```
entity Person {
    bool was_primary_caregiver[56][12];
}
```

which records whether a Person was a primary caregiver in each month of 56 possible working years during the lifetime. The Model Resource Use report would show that the was\_primary\_caregiver array member of Person consumes 672 bytes of memory in each Person, a significant amount for a time-based model with a large population.

The same information could be stored in a foreign member of Person using the a C++ std::bitset. A code sketch follows:

```
typedef std::bitset<56*12> ym_bools; // flattened bit array of 56 years and 12 months
...
entity Person {
    ym_bools was_primary_caregiver;
}
std::size_t ym_index(std::size_t year, std::size_t month) {
    return 12 * year + month;
}
```

Then model code like

ptCareGiver->was\_primary\_caregiver[nEarningIndex][nM] = true;

could be replaced by similar functionally equivalent code

In this example, replacing the array of bool by a std::bitset reduces storage requirements from 672 bytes to 84 bytes, a significant saving for each Person entity.

If the **bool** array was 1-dimensional rather than 2-dimensional, the code would be simpler.

Possibly, a general wrapper class bitset2D could be added to OpenM++ runtime support to avoid changing model code at all, e.g.

```
#include "bitset2D.h"
...
typedef bitset2D<56,12> ym_bools; // 2-D bit array of 56 years and 12 months
...
entity Person {
    ym_bools was_primary_caregiver;
}
```

Then existing model code like

ptCareGiver->was\_primary\_caregiver[nEarningIndex][nM] = true;

would require no changes.

[back to BoT] [back to topic contents]

## Purge available entity list

Depending on the model design, an entity type might be used only at a particular phase of the simulation. For example, an Observation entity migh only be used during the creation of the starting population. OpenM++ maintains pools of entities which have exited the simulation which are available for potential reuse. If there will be no reuse of an entity type, the corresponding pool can be emptied and the memory reclaimed by a function call like

Observation::free\_available();

[back to BoT] [back to topic contents]

# **Microdata Output**

# Home > Model Development Topics > Microdata Output

Microdata output allows a model to output records containing the values of selected entity attributes during a run for later use. This topic describes microdata output from a model developer perspective.

# **Related topics**

- Model Code
- Event Trace

# **Topic contents**

- Introduction
- Topic outline
- Quick start How to build and run a model with microdata output
- Worked example 1a Entity life cycle
- Worked example 1b Entity life cycle with event context
- Worked example 1c Entity life cycle with event filtering
- Worked example 2a Output using a hook to a model event
- Worked example 2b Output using a hook to a self-scheduling attribute
- Worked example 2c Output by calling write\_microdata in model code
- Worked example 3 Database output in a time-based model
- Worked example 4 Database output in a complex case-based model
- Microdata output modes Text mode and database mode
- Microdata output control Enabling microdata and microdata attributes
- Run-time settings Run-time settings
- Build-time settings Build-time settings
- Writing microdata from model code Controlling microdata output from model code
- The microdata key The purpose of the microdata key and how to set it

# Introduction

A model built with microdata output capability can output records containing the values of entity attributes. As well as attribute values, each microdata output record contains a microdata key to match corresponding records between runs.

By default, a model does not have microdata output capability. See Enabling microdata output or Quick start on how to build a model with microdata output capability.

Two microdata output modes are supported: text mode and database mode. Text mode is targeted more to model developers, while database mode is targeted more to users of production models and to future OpenM++ run-time tabulation functionality. Both modes can be active in the same run.

Text mode writes microdata to text files in csv format. Text mode can filter output at run using event context. Text mode output can include an additional column showing the event context of the record.

Database mode writes microdata to the model database, from which it can be extracted using dbcopy or an API. Database mode will be used for future OpenM++ run-time tabulation functionality, including microdata comparisons between runs.

Microdata output is controlled by run-time settings, build-time settings, and model code.

Run-time settings specify which attributes are output during a run, provided the model was built with microdata output capability. All attributes are available for selection at run-time without rebuilding the model. Some run-time settings apply only to text mode. Those text mode settings can filter records by event context and can create an additional column showing the event context for each record.

Build-time settings are statements in model code which make the model capable of microdata output and control related warning messages. Build-time settings can also (optionally) determine when microdata output is written in the entity life cycle: on entrance, on exit, or on the occurrence of an event.

Model code can write microdata explicitly by calling the supplied entity member function write\_microdata. The write\_microdata function can be hooked to an existing entity function such as the implementation function of an event.

## [back to topic contents]

# **Topic outline**

Quick Start shows how to build a model capable of microdata output and how to activate that capability in a model run.

The quick start is followed by several worked examples with illustrative inputs and outputs, mostly using the RiskPaths model.

The first group of examples entity life cycle, entity life cycle with event context, and entity life cycle with event filtering illustrate how to probe the life cycle of entities using microdata text mode.

A second group of examples output using a hook to a model event, output using a hook to a self-scheduling attribute, and output by calling write\_microdata in model code illustrate how to control when microdata output occurs using model code.

The next example illustrates database output in a time-based model. The example outputs microdata for all entities in the IDMM model at the end of the run. A Base run and a Variant are performed, and the results compared at the microdata level using files exported by sbcopy.

The final example illustrates database output in a case-based model. The example outputs microdata for all entities in the complex case-based model OncoSim. A Base run and a Variant are performed, and summary microdata indicators (years lived and health system cost) are output for each Person at the end of each case. The results are exported by dbcopy and analyzed to identify all cases which differed due to the parameter change in the Variant run, and by how much.

The worked examples are followed by subtopics which explore specifics in more detail:

- Microdata output modes
- Enabling microdata output
- Run-time settings
- Build-time settings
- Writing microdata from model code
- The microdata key

## [back to topic contents]

# **Quick start**

This subtopic contains the following sections.

- 1. Build model with microdata output capability
- 2. Create model ini file with microdata output options
- 3. Run model using microdata output

#### [back to topic contents]

## 1. Build model with microdata output capability

Add the following statements to the model source code file RiskPaths/code/ompp\_framework.ompp :

options microdata\_output = on; options microdata\_write\_on\_exit = on;

Build the Release version of RiskPaths.

In Windows, the model executable will be RiskPaths/ompp/bin/RiskPaths.exe . In Linux, the model executable will be RiskPaths/ompp-linux/bin/RiskPaths .

[back to quick start] [back to topic contents]

## 2. Modify model ini file with microdata output options

In the same folder as the RiskPaths executable there may already be a copy of the default model ini file RiskPaths.ini. If not create it using your IDE or a text editor such as Notepad.

Edit RiskPaths.ini to have the following content:

SimulationCases = 5 [Microdata] ToCsv = yes Person = age, union\_status, parity\_status

[back to quick start] [back to topic contents]

[Parameter]

#### 3. Run model using microdata output

Launch the model in its bin directory using the ini file created in the previous step.

RiskPaths -ini RiskPaths.ini

In Windows you can run the Release version of RiskPaths from inside Visual Studio as follows:

- Solution Configurations to Release and Solution Platforms to x64
- Project Properties > Configuration Properties > Debugging > Command Arguments to
   -ini RiskPaths.ini
- Project Properties > Configuration Properties > Debugging > Working Directory to \$(TargetDir)
- To launch the model, do Debug > Start without debugging Or Press Ctrl-F5.

When the model run completes, the file RiskPaths.Person.microdata.csv should be present in the model bin directory and look like this:

key,age,union\_status,parity\_status 1,100,2,1 2,100,2,1 3,100,2,1 4,100,0,1 5,100,0,1

or formatted as a table, like this:

key	age	union_status	parity_status
1	100	2	1
2	100	2	1
3	100	2	1
4	100	0	1

key	age	union_status	parity_status
5	100	0	1

The run-time settings output the attributes age, union\_status, and parity\_status. The leading column key can be used to match microdata records between runs. The build-time option microdata\_write\_on\_exit causes a microdata record to be written whenever an entity leaves the simulation. In RiskPaths there is no mortality and Person entities exit the simulation at age 100. The values of union\_status and parity\_status are those at that age, for each Person entity in the run.

The model log contains the following warning, which is expected.

Warning : model can expose microdata at run-time with output\_microdata = on

# [back to quick start] [back to topic contents]

# Worked example 1a

This example is the first of three which probe entity life cycle using microdata output in text mode. It continues the quick start example to output multiple microdata records for a single entity: when it enters the simulation, at each event, and when it leaves the simulation.

In ompp\_framework.ompp , change the build-time microdata settings to

```
options microdata_output = on;
options microdata_write_on_enter = on;
options microdata_write_on_exit = on;
options microdata_write_on_event = on;
```

Change the run-time settings in RiskPaths.ini to consist of only one case

[Parameter] SimulationCases = 1 [Microdata] ToCsv = yes Person = age, union\_status, parity\_status

and run the model.

Here's the resulting microdata output in RiskPaths.Person.microdata.csv , with some rows elided.

key	age	union_status	parity_status
1	0	0	0
1	1	0	0
1	2	0	0
1	3	0	0
1	22.5	0	0
1	23	0	0
1	24	0	0
1	24.2609992115357	1	0
1	25	1	0
1	25.2609992115357	1	0
1	26	1	0

key	age	union_status	parity_status
1	26.5378127283906	1	1
1	26.5378127283906	1	1
1	27	1	1
1	27.2609992115357	1	1
1	27.2609992115357	2	1
1	27.5	2	1
1	28	2	1
1	29	2	1
1	29.2609992115357	2	1
1	30	2	1
1	99	2	1
1	100	2	1
1	100	2	1
1	100	2	1

The microdata output shows the values of the attributes at every event in the life cycle. Multiple microdata records can occur at the same age due to multiple tied events at that age.

# Worked example 1b

This example is the second of three which probe entity life cycle using microdata output in text mode. It continues the previous example, adding event context information to each microdata record.

Leave the build-time microdata settings in ompp\_framework.ompp unchanged from the previous example:

```
options microdata_output = on;
options microdata_write_on_enter = on;
options microdata_write_on_exit = on;
options microdata_write_on_event = on;
```

Activate the CsvEventColumn option by modifying the run-time settings in RiskPaths.ini so that it looks like this:

```
[Parameter]
SimulationCases = 1
[Microdata]
ToCsv = yes
CsvEventColumn = true
Person = age, union_status, parity_status
```

#### Run the model.

Here's the resulting microdata output in RiskPaths.Person.microdata.csv , with some rows elided.

key	event	age	union_status	parity_status
1	(no event)	0	0	0
1	om_ss_event	1	0	0
1	om_ss_event	2	0	0

key	event	age	union_status	parity_status
1	om_ss_event	3	0	0
1	om_ss_event	22.5	0	0
1	om_ss_event	23	0	0
1	om_ss_event	24	0	0
1	Union1FormationEvent	24.2609992115357	1	0
1	om_ss_event	25	1	0
1	om_ss_event	25.2609992115357	1	0
1	om_ss_event	26	1	0
1	FirstPregEvent	26.5378127283906	1	1
1	om_ss_event	26.5378127283906	1	1
1	om_ss_event	27	1	1
1	om_ss_event	27.2609992115357	1	1
1	UnionPeriod2Event	27.2609992115357	2	1
1	om_ss_event	27.5	2	1
1	om_ss_event	28	2	1
1	om_ss_event	29	2	1
1	om_ss_event	29.2609992115357	2	1
1	om_ss_event	30	2	1
1	om_ss_event	99	2	1
1	om_ss_event	100	2	1
1	DeathEvent	100	2	1
1	DeathEvent	100	2	1

The microdata output now contains an event column showing the name of the event being implemented when each microdata record was output. There is no event at the beginning of a case in a case-based model like RiskPaths, so when the first entity in the case enters the simulation (no event) is shown in the event column. If the event associated with microdata output is a self-scheduling event, om\_ss\_event is shown in the event column. The internal self-scheduling event for an entity implements all self-scheduling attributes in the entity. Note that Event Trace can be used to obtain more information about events, including the names of self-scheduling events.

The final three microdata output records all occur at age 100. Here's a detailed explanation of each of these apparent duplicate records:

The first is from the self-scheduling event which maintains the derived attribute self\_scheduling\_int(age). That derived attribute is in turn used in the declaration of the identity attribute integer\_age :

```
actor Person //EN Individual
{
    //EN Current integer age
    LIFE integer_age = COERCE( LIFE, self_scheduling_int(age) );
...
```

The second is from the event **DeathEvent** which is triggered by model logic and the **ProbMort** parameter immediately when **integer\_age** is 100:

```
TIME Person::timeDeathEvent()
{
    TIME event_time = TIME_INFINITE;
    if (CanDie)
    {
        if (ProbMort[integer_age] >= 1)
        {
            event_time = WAIT(0);
        }
...
```

The third occurs when the entity leaves the simulation, because the option microdata\_write\_on\_exit is on in the example. The event DeathEvent was the active event when the entity left the simulation, so that's what's shown in the event column.

Although it's not illustrated in this example, the name in the event column can be prefixed by a \*. This indicates that the active event is in a different entity than the one being output. This can occur in a time-based model or in a case-based model with multiple entities in a case. For example a ChildBirth event in a Person entity could cause a new Person entity to enter the simulation and generate a microdata output record. The microdata record for the newborn would contain \*ChildBirth in the event column to indicate that the active event was in a different entity than the microdata record.

[back to topic contents]

## Worked example 1c

This example is the third of three which probe entity life cycle using microdata output in text mode. It extends the previous example by filtering on specific events.

Leave the build-time microdata settings in ompp\_framework.ompp unchanged from the previous example:

```
options microdata_output = on;
options microdata_write_on_enter = on;
options microdata_write_on_exit = on;
options microdata_write_on_event = on;
```

Modify the run-time settings in RiskPaths.ini to increase the number of cases to 5000, and restrict output to two named events using the Events option:

[Parameter] SimulationCases = 5000 [Microdata] ToCsv = yes CsvEventColumn = true Person = age, union\_status, parity\_status Events = Union1FormationEvent. FirstPreqEvent


#### Run the model.

The resulting microdata output RiskPaths.Person.microdata.csv has 8,128 records and looks like this:

key	event	age	union_status	parity_status	
1	Union1FormationEvent	24.2609992115357	1	0	
1	FirstPregEvent	26.5378127283906	1	1	
2	Union1FormationEvent	22.0523726276488	1	0	
2	FirstPregEvent	24.6780778011483	1	1	
3	Union1FormationEvent	17.050111243303	1	0	
3	FirstPregEvent	20.024664717724	1	1	
4	FirstPregEvent	17.4107170399441	0	1	
5	FirstPregEvent	24.1577392012077	0	1	
6	Union1FormationEvent	22.502915072767	1	0	

key	event	age	union_status	parity_status
6	FirstPregEvent	24.7534475294375	1	1

This csv file can be used to perform multivariate statistical analysis. For example, the csv file can be opened in Excel, filtered to just FirstPregEvent and a histogram generated to visualize the first birth distribution by age:



The data could be additionally filtered in Excel using the union\_status column to visualize how union status affects the age distribution to produce the overall pattern.

#### [back to topic contents]

## Worked example 2a

This example is the first of three illustrating control of microdata output at build time using model code. It outputs microdata whenever a specific event occurs using a hook in model code, specifically whenever FirstPregEvent occurs in RiskPaths.

In RiskPaths, prepare the event implement function for hooks by adding the required statement at the end of the event implement function FirstPregEvent :

```
void Person::FirstPregEvent()
{
    parity_status = PS_PREGNANT;
    hook_FirstPregEvent();
}
```

Next, add code to hook the built-in function write\_microdata to FirstPregEvent :

```
actor Person {
    hook write_microdata, FirstPregEvent;
};
```

In ompp\_framework.ompp, turn off options which automatically write microdata, which were previously turned on in example 1.

The statements inserted in example 1 were commented to revert to the default value off. This means that only explicit calls to write\_microdata will generate microdata output.

Set the number of cases to 20 in RiskPaths.ini :

[Parameter] SimulationCases = 20

# [Microdata]

ToCsv = yes Person = age, union\_status, parity\_status

#### Run the model.

key	age	union_status	parity_status	
1	26.5378127283906	1	1	
2	24.6780778011483	1	1	
3	20.024664717724	1	1	
4	17.4107170399441	0	1	
5	24.1577392012077	0	1	
6	24.7534475294375	1	1	
7	18.2797585879836	1	1	
8	22.110326319997	1	1	
9	21.2430736420085	1	1	
10	29.168835553187	1	1	
12	37.7955780112222	2	1	
14	26.9550960057145	1	1	
15	21.6012847802494	0	1	
16	20.3178392448776	1	1	
18	22.8298415328563	1	1	
19	26.7999269606788	1	1	
20	19.0257883348614	1	1	

The microdata output file RiskPaths.Person.microdata.csv should look like this:

The microdata file shows the values of attributes at all occurrences of the FirstPregEvent in the run. It could, for example, be used to chart the distribution of age at first birth using a downstream application like Excel or R, similar to example 1c.

## [back to topic contents]

# Worked example 2b

This example is the second of three illustrating control of microdata output at build time using model code. It outputs microdata records giving a snapshot of an entity at each integer age, using a hook to a self-scheduling attribute.

Change the hook in the previous example to

and simulate a single case by modifying RiskPaths.ini:

[Parameter] SimulationCases = 1

[Microdata] ToCsv = yes Person = age, union\_status, parity\_status

Run the model. Microdata output should look like this:

key	age	union_status	parity_status
1	1	0	0
1	2	0	0
1	3	0	0
1	4	0	0
1	26	1	0
1	27	1	1
1	28	2	1
1	29	2	1
1	100	2	1

The microdata output contains a snapshot of the attributes at each integer age.

The technique of hooking write\_microdata to a self-scheduling or a trigger attribute will not output microdata if the current event causes the entity to exit the simulation. That's because once the entity has exited the simulation no further events occur in it, including the internal self-scheduling event to which write\_microdata is hooked.

## [back to topic contents]

# Worked example 2c

This example is the third of three illustrating control of microdata output at build time using model code. It outputs microdata directly by calling the entity function write\_microdata explicitly in model code.

Remove any changes to RiskPaths model code made in previous examples.

```
In ompp_framework.ompp, insert the single statement
```

options microdata\_output = on;

Insert a call to write\_microdata in the implementation function of the FirstPreg event in the module Fertility.mpp :

```
void Person::FirstPregEvent()
{
    parity_status = PS_PREGNANT;
    write_microdata();
}
```

Set the run-time settings in RiskPaths.ini as follows:

[Parameter] SimulationCases = 5

[Microdata] ToCsv = yes Person = age, union\_status, parity\_status

#### Run the model.

Output should look as follows:

```
key,age,union_status,parity_status
1,26.5378127283906,1,1
2,24.6780778011483,1,1
3,20.024664717724,1,1
4,17.4107170399441,0,1
5,24.1577392012077,0,1
```

This example could be accomplished without using a direct call to write\_microdata. In a more complex model, a call to write\_microdata could be placed inside conditional model logic, for example to output microdata when a rare causative path is taken in model logic, to probe correctness.

[back to topic contents]

# Worked example 3

This example outputs microdata in database mode for the time-based model IDMM. Two runs Base and Variant are performed with an incremental parameter change. Microdata with infection status is output for all Host entities at the end of the run. Each run consists of multiple replicates. The dbcopy utility is used to extract the microdata for the two runs. Excel is used to import the microdata and construct a table showing the concordance of disease state at the microdata level between the Base and Variant runs.

Modify the IDMM model to activate microdata output when entities leave the simulation by adding the following statements to omp\_framework.ompp:

options microdata\_output = on; options microdata\_write\_on\_exit = on;

#### Rebuild the model.

Arrange that IDMM uses the file IDMM.ini to get run-time settings (see quick start), and set the contents of IDMM.ini to create a run named Base as follows:

[OpenM] SubValues = 5 Threads = 5 RunName = Base

[Parameter] NumberOfHosts = 10000 ImmunePhaseDuration = 20.0

[Microdata] ToDb = yes Host = disease\_phase

These settings create a Base run with 5 replicates, each with a population of 10,000 Host entities.

Run the model.

The log file should contain a line like

2023-01-13 17:01:04.874 Warning : model can expose microdata at run-time with output\_microdata = on

which indicates that the version of IDMM is capable of writing microdata. It should also contain a line similar to

2023-01-13 17:01:08.295 Writing microdata into database, run: 103

which indicates that the model is merging microdata from replicates into the database when the run completes.

Change the file IDMM.ini , modifying RunName and ImmunePhaseDuration for a second run named Variant :

[Parameter] NumberOfHosts = 10000 ImmunePhaseDuration = 22.0

[Microdata] ToDb = yes Host = disease\_phase

The variant run is the same as the Base run, except for a 10% increase in the duration of protective immunity from a previous infection.

Run the model.

The model database now contains results for the two runs Base and Variant .

Open a command shell. Change the current directory to the ompp/bin directory of the IDMM model. Run dbcopy to extract the microdata results from the model database to csv files using the command

dbcopy -dbcopy.To csv -dbcopy.ModelName IDMM

By default dbcopy looks for a model database in the current directory, so it's not necessary in this example to provide it the path of the model database.

Console output should be similar to the following:

C:\Development\X\ompp\models\DMM\ompp\bin>%OM\_ROOT%\bin\dbcopy -dbcopy.To csv -dbcopy.ModelName IDMM 2023-01-13 17:01:45.580 Model IDMM 2023-01-13 17:01:45.599 Model run 102 Base 2023-01-13 17:01:45.600 Parameters: 13 2023-01-13 17:01:45.609 Tables: 3 2023-01-13 17:01:45.688 Model run 103 Variant 2023-01-13 17:01:45.690 Parameters: 13 2023-01-13 17:01:45.700 Tables: 3 2023-01-13 17:01:45.712 Microdata: 1 2023-01-13 17:01:45.712 Microdata: 1 2023-01-13 17:01:45.781 Workset 101 Default 2023-01-13 17:01:45.782 Parameters: 13 2023-01-13 17:01:45.798 Done.

The console output above was done on Windows. There would be minor cosmetic differences in Linux. Note the use of the global environment variable **OM\_ROOT** to ensure that the version of **dbcopy** matches the version of **OpenM++** used to build the model.

The dbcopy log output shows the extraction of the microdata for the two runs Base and Variant .

dbcopy creates a folder IDMM The folder structure of dbcopy output looks like

Each microdata sub-folder contains a file named Host.csv containing the microdata of Host entities for the run. Had microdata for the Ticker actor been requested in the run, a file Ticker.csv would also be present. The first few records of IDMM/run.Base/microdata/Host.csv look like this:

key	disease_phase		
10	DP_SUSCEPTIBLE		
11	DP_LATENT		
12	DP_IMMUNE		

disease_phase
DP_LATENT
DP_IMMUNE
DP_LATENT
DP_SUSCEPTIBLE
DP_LATENT
DP_SUSCEPTIBLE
DP_IMMUNE
DP_IMMUNE

For large output files, one can use the dbcopy option -dbcopy.ldCsv to output numeric id's instead of alphanumeric codes.

The default microdata key entity\_id is used in this example. entity\_id is unique for all entities in a run, and will correspond to the same entity in two IDMM runs provided the runs have the same number of entities per replicate and the same number of replicates.

The two files run.Base/microdata/Host.csv and run.Variant/microdata/Host.csv were imported to Excel, and the 50,000 rows matched one-to-one. Below is an Excel PivotTable (aka cross-tab) which counts the 50,000 Host entities at the end of the runs, classified by disease phase in the Base run (rows) and disease phase in the Variant run (columns).

Base↓/Variant →	DP_IMMUNE	DP_INFECTIOUS	DP_LATENT	DP_SUSCEPTIBLE	All
DP_IMMUNE	24284	806	390	2649	28129
DP_INFECTIOUS	1849	137	92	334	2412
DP_LATENT	2268	94	67	354	2783
DP_SUSCEPTIBLE	13932	421	352	1971	16676
All	42333	1458	901	5308	50000

The lexicographic ordering of disease phase in the table does not follow the ordering in model code, which makes the table harder to interpret. The intuitive order is Susceptible, Latent, Infectious, Immune. That could be addressed by revising the **DISEASE\_PHASE** classification codes in IDMM model code to align lexicographic order with model code order, e.g.

```
classification DISEASE_PHASE //EN Disease phase {
//EN Susceptible
DP0_SUSCEPTIBLE,
//EN Latent
DP1_LATENT,
//EN Infectious
DP2_INFECTIOUS,
//EN Immune
DP3_IMMUNE
};
```

Alternatively, the microdata could have been exported using the option -dbCopy.IdCsv to output 0,1,2,3 instead of codes in the csv files. However, numeric id's in table rows and columns are not informative.

From the table, the level of coherence between Base and Variant at the end of the simulations is not high. This could be because

- a 10% increase in the duration of immunity is not as minor as one might think a priori;
- the increase in duration of immunity is expected to increase the period of epidemic cycles, which would cause epidemic cycles to be out of
  phase between Base and Variant at the end of the simulations;
- IDMM simulates a highly interacting population which can diverge rapidly from a small initial perturbation;
- simulation divergence is accelerated because IDMM does not use entity-specific random number generators for decoherence control.

# Worked example 4

This example illustrates run comparison at the microdata level using a large scale complex case-based model (a working version of the Statistics Canada OncoSimX model). This example is divided into the following sections:

## **Example 4 sections**

- Summary
- Build steps
- Run steps
- Microdata extraction
- Downstream analysis

[back to topic contents]

## Summary

The default microdata key entity\_id is not suitable for run comparison in OncoSimX, so a model-specific definition of get\_microdata\_key was added to model code. A pair of attributes (years lived and health system cost) were output for each Person entity at the end of each case. A Base run with 500,000 cases and 12 replicates was performed with microdata output enabled, in database mode. A Variant run was performed, changing a single scalar parameter. Results for both runs were exported using dbcopy to csv files and analyzed in Excel to identify all cases which differed between Base and Variant runs for either of the two attributes.

The mechanical steps in this example are similar to those in the previous example.

[back to example 4 sections] [back to topic contents]

## **Build steps**

The model code was modified to enable microdata output when the **Person** in each case exits the simulation by adding the following statements to model code.

options microdata\_output = on; options microdata\_write\_on\_exit = on;

In OncoSimX a case contains exactly one Person entity, but might contain other entities depending on the simulation, such as one or more Tumour entities. Because the built-in attribute entity\_id is incremented whenever a new entity is created, entity\_id is unsuitable as a microdata key to match corresponding Person entities between two OncoSimX runs. However, the built-in attribute case\_id is suitable as a microdata key for Person because it has a one-to-one relationship with the single Person entity in each case, and this relationship is robust across runs provided the runs have the same number of cases and replicates. A function definition of Person::get\_microdata\_key was added to model code so that case\_id is used as the microdata key for Person entity\_id :

```
uint64_t Person::get_microdata_key()
{
    return case_id;
}
```

[back to example 4 sections] [back to topic contents]

## **Run steps**

The model was run using the settings file OncoSimX/ompp/bin/OncoSimX.ini , like previous examples.

The following run settings were used for the Base run:

[Parameter] SimulationSeed = 1 SimulationCases = 500000 MaxConsecutiveHpvTreatmentAllowed = 2

[Microdata] ToDb = yes Person = age, cancer\_cost\_all

The parameter MaxConsecutiveHpvTreatmentAllowed was chosen arbitrarily for this example. A scalar parameter rather than an array parameter was chosen to make this example simpler, because the value of a scalar parameter can be specified in a model run ini file, obviating the need to set up and use a directory for Variant parameters which differ from Base.

Because the microdata for a Person entity is output when a Person leaves the simulation at death, the attribute cancer\_cost\_all will contain lifetime cancer-related costs and the age attribute will contain the duration of life in years. These two attributes are measures of benefit and cost at the Person level. The case\_seed attribute can be useful to probe a case of interest in a subsequent run, but there is no need to include it in the Person microdata attributes because the key column already contains the value of case\_seed, as described above.

For Variant, the parameter MaxConsecutiveHpvTreatmentAllowed was changed from 2 to 1, and RunName was changed to name the run Variant :

[OpenM] SubValues = 12 Threads = 12

RunName = Variant

## [Parameter]

SimulationSeed = 1 SimulationCases = 500000 MaxConsecutiveHpvTreatmentAllowed = 1

[Microdata] ToDb = yes Person = age, cancer\_cost\_all

#### [back to example 4 sections]

[back to topic contents]

## **Microdata extraction**

After the runs completed, microdata results were extracted from the database using dbcopy as in the previous example. Here's the Windows command session:

C:\Development\X\models	\OncoSimX\ompp\bin>%OM_ROOT%\bin\dbcopy -dbcopy.To csv -dbcopy.ModelName OncoSimX
2023-01-14 18:00:10.259	Model OncoSimX
2023-01-14 18:00:10.392	Model run 102 Base
2023-01-14 18:00:10.392	Parameters: 402
2023-01-14 18:00:16.227	250 of 402: IncidenceRatesHpvMultiplier
2023-01-14 18:00:18.842	Tables: 27
2023-01-14 18:00:25.153	0 of 27: CervicalCancer_TreatmentCost_Table all accumulators
2023-01-14 18:00:31.685	1 of 27: Cervical_Cancer_Cases_PAY_Table all accumulators
2023-01-14 18:00:36.055	7 of 27: Cervical_Cancer_ICER_Table_Discounted all accumulators
2023-01-14 18:00:42.357	26 of 27: Hpv_Screening_Costs_Prov_Table all accumulators
2023-01-14 18:00:43.923	Microdata: 1
2023-01-14 18:00:45.023	Model run 103 Variant
2023-01-14 18:00:45.023	Parameters: 402
2023-01-14 18:00:51.051	250 of 402: IncidenceRatesHpvMultiplier
2023-01-14 18:00:53.794	Tables: 27
2023-01-14 18:01:00.062	0 of 27: CervicalCancer_TreatmentCost_Table all accumulators
2023-01-14 18:01:06.623	1 of 27: Cervical_Cancer_Cases_PAY_Table all accumulators
2023-01-14 18:01:11.144	8 of 27: Cervical_Cancer_LifetimeCost_Table
2023-01-14 18:01:17.385	26 of 27: Hpv_Screening_Costs_Prov_Table all accumulators
2023-01-14 18:01:18.976	Microdata: 1
2023-01-14 18:01:20.115	Workset 101 Default
2023-01-14 18:01:20.116	Parameters: 402
2023-01-14 18:01:26.157	250 of 402: IncidenceRatesHpvMultiplier
2023-01-14 18:01:29.024	Done.

key,age,cancer\_cost\_all 0,79.4991129115706,45100.08867191 1,67.281040126587,2229.937944223 2,87.4865314659319,1670.3732276699 3,0.379665603266858,0

The first rows of microdata for the Variant run are identical. However, some of the 500,000 microdata output records differ between Variant and Base .

[back to example 4 sections] [back to topic contents]

# Downstream analysis

An Excel workbook was created and used to

- load the csv microdata for Base and Variant as queries, renaming columns to distinguish Base and Variant ;
- merge the two queries matching on key to create a new query with one row for each case and Base and Variant microdata in distinct columns.
- add a column to the merge query to compute the Variant-Base difference in years lived;
- add a column to the merge query to compute the Variant-Base difference in lifetime cancer-related costs;
- add a column named Differs to compute whether a microdata record differed in either years lived or cost between Base and Variant .

A dynamic filter was applied to the Differs column of the Excel table for the merge query to display all records which differed between Variant and Base . 13 of the 500,000 microdata records differed, as follows:

key	life(base)	cost(base)	life(variant)	cost(variant)	life(delta)	cost(delta)	Differs
26847	82.90	9,099	82.90	10,570	0.0000	1,471	TRUE
59368	89.07	60,812	89.07	61,528	0.0000	717	TRUE
208131	72.68	40,304	98.16	19,647	25.4839	-20,657	TRUE
214559	94.60	31,285	94.60	27,932	0.0000	-3,353	TRUE
229714	86.53	25,446	86.53	13,450	0.0000	-11,996	TRUE
231202	95.18	101,255	95.18	100,388	0.0000	-867	TRUE
247895	97.40	40,914	97.40	9,396	0.0000	-31,518	TRUE
290098	92.17	13,059	92.17	14,461	0.0000	1,402	TRUE
302510	78.51	63,695	78.51	54,770	0.0000	-8,926	TRUE
357201	78.91	8,080	78.91	9,482	0.0000	1,402	TRUE
436603	39.75	112,787	39.75	111,870	0.0000	-916	TRUE
438020	65.36	84,806	63.36	80,545	-2.0000	-4,261	TRUE
447567	94.15	34,830	94.15	32,333	0.0000	-2,498	TRUE

The key column contains the value of case\_seed and could be used to re-simulate any (or all) of these differing cases using Event Trace to explore the different causative pathways taken in the Base and Variant runs, and how those different pathways affected Person attributes.

These differences suggest that it might be interesting to understand how the change in MaxConsecutiveHpvTreatmentAllowed from 2 to 1 resulted in

- an additional ~25 years of life for case\_id 208131,
- · both positive and negative changes in health system costs for cases which experienced no change in years lived,
- case\_id 438020 living an exact integer number of years 2.0000 less in Variant compared to Base .

Quite possibly all these Base-Variant differences are explained by different but realistic causative pathways taken in the two runs. That could be

verified by comparing the Base and Variant causative pathways for individual differing cases using Event Trace, perhaps by tracing all events, event times, and attribute changes in a differing case and examining differences in the Base and Variant event trace outputs.

This example illustrates how microdata differences between two runs can augment aggregate differences by drilling down to the detail underlying the aggregate differences. It also illustrates how microdata differences from a marginal change to a single model parameter can probe model logic and causative pathways and assist in model validation.

[back to example 4 sections] [back to topic contents]

# Microdata output modes

Two distinct modes are supported: Database mode and Text mode.

## Database mode

- Targeted primarily for use of a production model, to drill down to underlying microdata or to compare two runs at a microdata level.
- · uniqueness of key is required
- all microdata output, including from multiple instances and multiple threads, is merged into the model database.
- no run-time event filtering (but can be done in model code with build-time settings).
- dbcopy can be used to extract microdata to csv files, supports numeric id's or codes.
- oms can be used to extract microdata
- will support future functionality for run-time tabulation, including microdata compare (winner-loser).

## Text mode

- Targeted primarily to probe a model during development, validation, and debugging
- · uniqueness of key is not required
- · to trace file or to entity-specific csv files
- runs using multiple instances have distinct csv files for each instance
- · multiple threads in an instance share csv files.
- · optional event context column
- optional event filtering

## Text mode csv file names

It is one file per process, all threads do write into the same file. As it is today file name can be:

(a) typical developer / desktop use case: single process, single model run:

ModelName.Entity.microdata.csv

(b) MPI cluster / cloud use case: multiple processes, single model run:

ModelName.Entity.07.microdata.csv

07 is an example of process rank, zero padded It is not limited to 00 - 99, it can be as large as cluster allow us to have, in ComputeCanada can be 5 digits

(c) modelling task run, for example from R or Python using single process:

ModelName.Entity.2022\_12\_31\_22\_33\_44\_981.microdata.csv

2022\_12\_31\_22\_33\_44\_981 is a model run timestamp, time when model run started. Because modelling task run include multiple model runs then each run creates it own microdata cvs file(s)

(d) = c + b: modeling task run in cloud with MPI cluster, it is possible from R on our CPAC cloud:

ModelName.Entity.2022\_12\_31\_22\_33\_44\_981.07.microdata.csv

[back to topic contents]

## Microdata output control

This subtopic is divided into the following sections:

#### Microdata output control sections

- Enabling microdata and controlling warnings
- Weight-enabled models
- Internal attributes
- Attributes with many enumerators

#### [back to topic contents]

## Enabling microdata and controlling warnings

A model is capable of writing microdata if and only if model code contains the following statement:

options microdata\_output = on;

A model with microdata capability will write the following warning to the log whenever it is run:

Warning : model can expose microdata at run-time with microdata\_output = on

If this is not a concern, for example if the model generates entities synthetically, this warning can be disabled by the following statement:

options microdata\_output\_warning = off;

[back to microdata output control sections] [back to topic contents]

#### Weight-enabled models

A weight-enabled model which is also microdata-enabled will write the following message to the log when run

Note : model is weight-enabled and microdata-enabled, include entity\_weight in Microdata for downstream weighted operations

as a reminder that the attribute entity\_weight needs to be included in microdata output for downstream weighted tabulation.

[back to microdata output control sections] [back to topic contents]

## Internal attributes

Some internal entity attributes are created by the OpenM++ compiler. For example, the compiler creates an identity attribute to implement the filter of an entity table. These internal entity attributes are normally hidden. They can be made visible, including as microdata, using the following statement:

options all\_attributes\_visible = on;

[back to microdata output control sections] [back to topic contents]

## Attributes with many enumerators

Attributes whose type is an enumeration with a large number of enumerators may not be eligible as microdata. For example, the following code fragment declares the Person attribute id\_tracker with type ID\_LIST which has 5,000,001 possible values (enumerators):

actor Person
{
 ID\_LIST id\_tracker; //EN Unique identifier of each actor
}:

If microdata output is enabled, the OpenM++ compiler will emit a warning like

PersonCore.mpp(254): warning - attribute 'id\_tracker' has 5000001 enumerators making it ineligible as microdata - consider using int.

and the attribute id\_tracker will not be available as microdata at runtime.

However, if *id\_tracker* is instead declared to be of type *int* instead of type *ID\_LIST*, no warning will be issued and *id\_tracker*, with the same integer values assigned in model code, will be available as microdata at runtime.

The maximum number of enumerators for an attribute (of type enumerator) to be eligible as microdata is 1,000, but can be raised or lowered using the option microdata\_max\_enumerators. For example,

options microdata\_max\_enumerators = 500;

will restrict microdata attributes of enumeration type to those with 500 or fewer enumerators. The threshold only applies to attributes declared with enumeration types like range. It does not apply to attributes declared with non-enumeration types such as int, counter, big\_counter, etc.

Attributes with large numbers of enumerators can cause performance degradation or instability in the microdata viewer and the microdata tabulator due to the large number of cells being manipulated and displayed.

[back to microdata output control sections] [back to topic contents]

# **Run-time settings**

Run time settings are specified as options, either on the model executable command line or in a model run ini file. In an ini file, microdata options are in the [Microdata] section. On the command line, they are given like -Microdata.Person age .

The following table lists all microdata run-time settings with an example and a short description.

Option	Example	Description
entity	Person = ageGroup,sex,time	Store the named attributes for the specified entity kind, e.g. the attributes $\[ageGroup]$ , sex, and time, for Person entities.
entity	Person = All	Store all non-internal attributes of Person entities.
ToDb	true	Write microdata entity attributes into database. Important: each microdata entity <i>must</i> have a unique key. Default is false.
ToCsv	true	Write microdata entity attributes and events (if enabled) into csv file(s). each microdata entity is written in its own file. Default is false.
UseInternal	true	Store all non-internal attributes of all entities. NOT recommended for production, use for debug only. Default is false .
CsvDir	path/to/some/directory	Directory where microdata csv file(s) are written, must be an existing directory. Default is the current directory.
ToTrace	true	Write microdata entity(s) attributes and events (if enabled) to model Trace output. Trace must be enabled to produce any output. Default is false.
Events	Birth,Union,Death	Write selected events into Trace or csv file.
CsvEventColumn	true	If true then write event name into csv file. Default is false.

For a complete example of a run ini file, including the [Microdata] section, see OpenM++ ini-file run options.

# **Build-time settings**

Build-time settings which enable a model to output microdata are described in Enabling microdata output. Other build-time options can output microdata during the simulation of each entity. The available options are:

Option	Default	Description
microdata_write_on_enter	off	microdata is written when an entity enters the simulation, before any event occurs in the entity.
microdata_write_on_exit	off	microdata is written when an entity exits the simulation.
microdata_write_on_event	off	microdata is written after an event occurs in an entity.

These options can be combined. If none of these options are on no microdata will be written unless model code does so explicitly by calling or hooking the built-in function write\_microdata.

Note that attributes of an entity can change due to events in other linked entities in a model with interacting entities. So, even if microdata\_write\_on\_event is on, changes in attributes of an entity can be absent from microdata output for that entity. For example, in IDMM, if an infectious Host A infects Host B through A's social contacts, the event associated with the infection occurs in A and not in B. If one wanted to output Host microdata at the moment of infection, one could do so by calling output\_microdata explicitly in model code.

#### [back to topic contents]

#### Writing microdata from model code

#### Under construction

Microdata can be written by calling the built-in entity function write\_microdata() from model code, either directly or by using a hook statement.

If a model is not enabled for microdata, calls to write\_microdata have no effect.

*Modgen-specific:* The Modgen build of a cross-compatible model inserts a do-nothing version of write\_microdata() into the Modgen-generated C++ code. This allows use of write\_microdata in model code without producing C++ build errors in the Modgen build of a x-compatible model.

#### [back to topic contents]

## The microdata key

A key is a unique identifier used to match entities or microdata records across runs. It is a 64-bit value of C++ type uint64\_t.

The key for an entity is returned by the entity member function get\_entity\_key(). If this function is not defined in model code, the OpenM++ compiler will provide a definition which returns the value of the built-in attribute entity\_id. The entity key is described further here.

The key for a microdata output record is produced by the entity member function get\_microdata\_key(). If this function is not defined in model code, the OpenM++ compiler will provide a definition which computes and returns the following value:

10000 \* get\_entity\_key() + om\_microdata\_counter

where om\_microdata\_counter is an internally-maintained counter of output microdata records for each individual entity. This formula produces unique microdata keys because it combines the unique entity\_id with an entity-specific counter of microdata records output for that entity. Uniqueness is guaranteed provided that fewer than 10,000 microdata records are output for a single entity.

For example, if microdata is output at each event using the microdata\_write\_on\_event option, the default microdata key would be

entity_id	Event	get_microdata_key()
42	first	420001
42	second	420002
101	first	1010001
101	second	1010001

The OpenM++ compiler generates C++ code to create and maintain om\_microdata\_counter only if the get\_microdata\_key() function has not been defined for that kind of entity in model code.

Note that the entity key from get\_entity\_key() can be used both to calculate the result of get\_microdata\_key() and to support local random streams in model architectures which use both.

Uniqueness of the microdata key is enforced for Database mode, but is not enforced for Text mode.

A model run-time error will occur if uniqueness of the microdata key is violated in Database mode, with log output similar to the following:

```
2023-01-24 12:22:27.202 Writing microdata into database, run: 102
2023-01-24 12:22:28.525 : UNIQUE constraint failed: Host_g732a1637.run_id, Host_g732a1637.entity_key
```

2023-01-24 12:22:28.528 Error at microdata: 2100, 100, 3

2023-01-24 12:22:28.559 DB error: UNIQUE constraint failed: Host\_g732a1637.run\_id, Host\_g732a1637.entity\_key

The line Error at microdata: 2100, 100, 3 indicates that the record {2100, 100,3} violated key uniqueness. The first value is the non-unique key value, which is 2100 in this example. The following values are the other attributes of the microdata record with the non-unique key

The case-based model in Example 4 supplies a custom implementation of get\_microdata\_key() to correctly match Person microdata results between two runs, because in that model the number of secondary entities in a case can vary between two runs. The time-based model in Example 3 uses the standard implementation of get\_microdata\_key() because there are no additions to the starting population of Host entities created at the beginning of a run, and runs of equal size are being compared.

The following hypothetical definition of get\_microdata\_key() uses the helper function xz\_crc64 to combine the value of get\_entity\_key() and report\_time to create the microdata key. xz\_crc64 creates a 64-bit key using the crc-64 open source checksum (hash) algorithm, and can use one value or combine multiple values together using successive calls.

```
uint64_t Host::get_microdata_key()
{
    uint64_t key64 = 0;
    auto entity_key = get_entity_key();
    key64 = xz_crc64((uint8_t*)&entity_key, sizeof(entity_key), key64);
    key64 = xz_crc64((uint8_t*)&report_time, sizeof(report_time), key64);
    return key64;
}
```

This definition might be used in a model which outputs a microdata record for each entity at each report\_time, if the number of entities might vary from one run to another due to parameter differences (e.g. fertility).

For a model based on a microdata input file where each input record has a unique personal identification number person\_id, and in which only a single microdata record is output for each Person, a suitable definition might look like:

```
uint64_t Person::get_microdata_key()
{
    uint64_t key64;
    key64 = person_id;
    return key64;
}
```

[back to topic contents]

# **Model Code**

## Home > Model Development Topics > Model Code

This topic contains general information about the source code of an OpenM++ model. It describes model source code in broad terms, the contents of the model source code folder, and the Default scenario. It also briefly outlines the build process which transforms model source code and a Default scenario into an executable and accompanying database.

## **Topic contents**

- Coding a model
- Code folder and source files
- Doc folder and documentation files
- Source file content
- Default scenario
- Model build
- Hiding syntactic islands

*Modgen-specific*: References to Modgen in this documentation refer to the Statistics Canada Modgen > platform. In this wiki, a model with common source code from which either a Modgen executable or an OpenM++ executable can be built is called a *cross-compatible model*. Wiki content apecific to existing Modgen users, cross-compatible models, or models originally developed in Modgen is highlighted *Modgen-specific* in the text.

# Coding a model

OpenM++ models are written in two languages: the OpenM++ language and the C++ language. The OpenM++ language is used to specify the *declarative* aspects of a model, for example the model's classifications, parameters, entities, attributes, events, tables, labels, and notes. The C++ language is used to specify the *procedural* aspects of a model, for example the sequentially executed statements which change an entity's attributes when an event occurs in the simulation.

## The OpenM++ language

The OpenM++ language consists of declarative statements. The location and ordering of those statements in model source code files is arbitrary and has no effect on the model specification. This provides a high level of modularity in model source code which can be particularly useful in large and complex models.

A statement in the OpenM++ language starts with an opening keyword which specifies the nature of the declaration and ends with a closing ;. The syntax between the opening keyword and the closing ; depends on the nature of the declaration.

For example, the classification keyword is used to declare a named ordered list of symbolic values:

```
classification SEX //EN Sex
{
    //EN Male
    MALE,
    //EN Female
    FEMALE
};
```

This example declares an OpenM++ classification named SEX. It has two possible values MALE and FEMALE. The declaration of SEX means that SEX can be used as the dimension of a parameter or table, or as the type (characteristic) of an attribute of an entity in the simulation.

The OpenM++ language also recognizes specially formatted *u* and *m*...\*/ comments. Recognized comments are optional and do not affect the model specification. They contain textual information stored with the model which can be used to produce more human-readable input and output and a generated user interface for the model. OpenM++ is multilingual, and the human language of the textual information is specified inside the comment using a two-letter code.

The *IVEN* comments in the example provide English-language labels for the **SEX** classification and its values. These labels will appear in the user interface of the model, for example as row or column headings and labels of multi-dimensional parameters and tables.

## The C++ language in model code

The C++ language portion of model code consists mostly or entirely of C++ function definitions. Here's an example:

```
// The implement function of MortalityEvent
void Person::MortalityEvent()
{
    alive = false;
    // Remove the entity from the simulation.
    Finish();
}
```

This C++ model code defines the function which implements mortality in the simulation. The Person entity, its attribute alive, its event MortalityEvent, and the helper function Finish are all declared elsewhere in the OpenM++ language code of the model.

Typically only a small, limited portion of the C++ language is used in model code. Note that it is usually neither useful nor recommended for a model developer to create C++ classes and class hierarchies in model code. The C++ classes and objects required for simulation are pregenerated by OpenM++ from the model specification given in the OpenM++ language.

The C++ language elements most used in model code are expressions at to compute values, assignments at to store those values, if statements at to implement branching logic, and for statements or range for a statements for iteration. C++ functions are used to specify when events occur and what happens when they do. Functions are also used to compute derived parameters and derived tables. Functions can also be used facultatively to organize code in complex models.

The C++ standard library can be used in model code. It includes useful and powerful components such as array A and vector A in the containers A library, and supports string operations.

The limited dialect of C++ used for coding models can be explored by perusing the source code of existing models and referring to comprehensive C++ documentation  $\nearrow$  when necessary, or to the many C++ tutorials available on the web.

*Modgen-specific*: Unlike Modgen, OpenM++ does not modify the C++ language portions of model code. This provides logical clarity and allows an IDE and other tools to function correctly with the C++ code of a model.

## Model symbols in OpenM++ and C++

Many of the named symbols declared in the OpenM++ code of a model are transformed by OpenM++ into identically named C++ symbols for use in the C++ code of the model. The alive attribute of the Person entity in the previous example is such a symbol. These C++ symbols can usually be used transparently in C++ model code even though they may be implemented as more complex C++ objects 'under the hood'. So, when alive is assigned the value false in the example, the C++ symbol alive will silently implement side-effects to update any tables, derived attributes, or events which depend on the change in its value. Incidentally, these wrapped objects have no memory overhead (the alive attribute consumes a single byte of memory) and little computational overhead.

There are some situations where the objects which implement entity attributes can produce unexpected C++ compiler error messages in C++ model code. For more on this issue and how to address it, see Entity Attributes in C++.

#### Model functions in OpenM++ and C++

OpenM++ ignores function definitions in the C++ language portions of model code, with several exceptions:

- Event time function definitions in model code are parsed by OpenM++ to determine which attributes can affect the event time. An event time function will be called to recompute the event time if any of those attributes change value.
- PreSimulation function definitions are recognized by OpenM++ and will be called before the simulation starts. PreSimulation functions are used to validate input parameters and assign values to derived parameters.
- UserTables function definitions are recognized by OpenM++ and will be called after the simulation completes. UserTables functions are used to compute the values of derived tables.

#### [back to topic contents]

# Code folder and source files

The source code of an OpenM++ model is in one or more source files (also called modules) located in a single model code folder, eg Alpha2/code for the Alpha2 model. Each model source file has a name and extension which determine its language and role when the model is built, as follows:

- \*.h C++ header files included by other source files.
- \*.cpp C++ source files, can also contain OpenM++ code NOT YET IMPLEMENTED
- \*.mpp OpenM++ source files, can also contain C++ code
- \*.ompp OpenM++ source files, can also contain C++ code
- Modgen-specific: modgen\_\*.mpp Modgen source files explicitly ignored by OpenM++

*Modgen-specific*: Only model source files with the .mpp extension are recognized by Modgen. The names and extensions \*.ompp and modgen\_\*.mpp allow selected model source code files to be processed exclusively by OpenM++ or exclusively by Modgen. This can be useful in cross-compatible models. For example, tables which use the median statistic (which is not supported by Modgen) could be declared in a model source file named OrdinalStatistics.ompp. Those tables would be present in the OpenM++ version of the model, but absent in the Modgen version. Declaring those tables in a file with extension .ompp means that they will not cause Modgen to stop with a syntax error when building the Modgen version of the model.

The following model-specific source files must be present:

- custom.h C++ header file containing model-specific declarations.
- custom\_early.h C++ header file containing model-specific declarations early in header file inclusion order.

The following model source files are present, by convention:

- ompp\_framework.ompp Model-specific source file containing use statements which specify the names of framework source code modules to be incorporated when the model is built. Framework source code modules are supplied with OpenM++ and are located in the OM\_ROOT/use folder. For more information, see OpenM++ Framework Library.
- ompp\_options.ompp Model-specific source file containing options statements which specify commonly modified model options, such as Model Documentation options.

Some source files in the OpenM++ model code folder have fixed names and fixed content. Typically a model developer copies them to the model code folder from an example model in the OpenM++ distribution, for example from OM\_ROOT/models/NewCaseBased/code or OM\_ROOT/models/NewTimeBased/code . They are:

- case\_based.h Model-independent declaration of a structure present in case-based models, included in custom.h.
- Modgen-specific: modgen\_case\_based.mpp Model-independent implementation of the simulation core of a case-based Modgen model.
- Modgen-specific: modgen\_time\_based.mpp Model-independent implementation of the simulation core of a time-based Modgen model.

#### [back to topic contents]

## Doc folder and documentation files

The human language documentation of an OpenM++ model can be embedded in the model source code in Label and Note comments or in files in a single model documentation folder, e.g. RiskPaths/doc for the RiskPaths model. Each model documentation file has a name and extension which determine its language and role when model documentation is built, for example:

- NOTE.SymbolName.EN.md Markdown file documenting the model symbol SymbolName in English.
- NOTE.SymbolName.FR.md Markdown file documenting the model symbol SymbolName in French.
- LABEL.SymbolName.EN.txt Text file containing the label of the model symbol SymbolName in English.
- LABEL.SymbolName.FR.txt Text file containing the label of the model symbol SymbolName in French.
- Home.EN.md Markdown file containing the Home topic of the Authored Model Documentation in English.
- Home.FR.md Markdown file containing the Home topic of the Authored Model Documentation in French.
- TopicName.EN.md Markdown file containing the autonomous authored topic TopicName in English.
- TopicName.FR.md Markdown file containing the autonomous authored topic TopicName in English.
- \*.pdf Auxiliary downloadable PDF documentation file

See Model Documentation for more about model documentation.

#### [back to topic contents]

# Source file content

A model source file can contain only C++ content, only OpenM++ language content, or a mixture of both. OpenM++ uses keywords at the outermost level of code to recognize OpenM++ *syntactic islands* which contain declarative information about the model. Here's an example of an OpenM++ syntactic island in a model source file:

parameters	
//FN Annual hazard of death	
double MortalityHazard;	
/* NOTE(MortalityHazard, EN)	
A constant hazard of death results in an exponential	
survival function.	
*/	
};	

This syntactic island starts with the OpenM++ keyword parameters and ends with the terminating ; .

All code outside of a syntactic island is C++ code. When processing .mpp and .ompp model code files, OpenM++ extracts all C++ code found outside of syntactic islands and assembles it into the single C++ file src/om\_developer.cpp for subsequent processing by the C++ compiler. By default, OpenM++ inserts #line directives > into this file so that any errors or warnings from the C++ compiler will refer back to the original model source file and line rather than to the assembled file src/om\_developer.cpp.

When processing a .cpp model code file, OpenM++ processes any syntactic islands, but does not extract C++ code outside of syntactic islands. This lets one organize all model code into .cpp files in the model code folder, and pass those files directly to the C++ compiler in Step 2 of the model build process (see below). Alternatively one could organize all OpenM++ language content in .ompp files, and all C++ language content in .cpp files. NOT YET IMPLEMENTED

C++ directives can be inserted into model code to improve the usability of an IDE. For more information, see the subtopic Hiding syntactic islands.

Modgen-specific: Modgen processes only .mpp files, not .cpp files.

#### [back to topic contents]

#### **Default scenario**

The model build process requires a starting scenario containing values for all model input parameters, which is normally named **Default**. The parameter values for the Default scenario are in the model subfolder **parameters/Default**. It is also possible to publish multiple scenarios, not just the Default scenario, when a model is built, see Model Run: How model finds input parameters.

Selected Default parameters can be made invariant and incorporated directly into the model executable. This is done either by placing parameter files into the model subfolder parameters/Fixed, or using parameters\_retain or parameters\_suppress statements in model code.

The following file types for input parameters are recognized:

- .dat Contains values for one or more parameters in Modgen format
- .odat Contains values for one or more parameters in Modgen format
- Contains values for one parameter in csv format
- Isv Contains values for one parameter in tsv format

*Modgen-specific*: Only parameter files with the \_\_dat extension are recognized by Modgen. The \_\_odat extension lets a selected parameter file be processed only by OpenM++. This can be useful in cross-compatible models. It is used in OpenM++ sample cross-compatible models to provide values for parameters which are implemented by scenario properties in Modgen. For example, for the NewCaseBased model, the parameter input file OM\_ROOT/models/NewCaseBased/parameters/Default/Framework.odat provides values for the SimulationSeed and SimulationCases parameters. The file OM\_ROOT/models/NewCaseBased/parameters/Default/scenario\_info.odat contains no parameters but provides a label and note for the scenario. Those structured comments would generate an error in Modgen if they were in a \_\_dat file.

[back to topic contents]

# Model build

The model build process uses the model source code and the Default scenario to construct an executable and accompanying database which implement the model. The model build process can be launched by issuing a command inside an Integrated Development Environment (IDE) such as Visual Studio on Windows, or Visual Studio Code on Linux or MacOS. The build process can also be launched by a command line utility such as msbuild on Windows or make in Linux. For more information please see Model development in OpenM++. The model build process consists of two steps. Bpth steps can produce warning and error messages. These messages explain the nature of the warning or error and contain the file and line in the model source code. In an IDE, these messages can usually be clicked to navigate directly to the error or wanring location in the IDE code editor.

Many aspects of the OpenM++ framework can be adapted or replaced to work differently or to support other environments. It is also possible to publish models to an existing database and to move or copy published models and scenarios from one database to another. For more information, see subtopics at Home.

#### Step 1: OpenM++ build

OpenM++ reads and parses all files in the model source subfolder code and the files for the Default scenario in parameters\Default (and possibly in parameters\Fixed ), checks for errors, and performs the following steps:

- Extracts the C++ portions of model code from all .mpp and .ompp files and assembles them into a single C++ source file.
- Generates several C++ header files and a C++ source file which implements the model specification.
- Generates a C++ source file which contains the values of invariant parameters.
- Creates a new empty database for the model.
- Publishes the model's metadata to the database, including classifications, parameter properties, table properties, parameter and table hierarchies, labels and notes, etc.
- Publishes the Default scenario to the database, ie values of all modifiable parameters in the Default scenario.

## Step 2: C++ build

After Step 1 completes, the C++ compiler is invoked. The input to the C++ compiler consists of all C++ files in the model source code folder (\*cpp, \*.h), together with the C++ files generated by OpenM++ in Step 1. Additional general purpose code is included from the OpenM++ distribution and from the C++ standard library.

The results of the C++ compilation are linked with standard C++ libraries and an OpenM++ support library to create the model executable. Because OpenM++ integrates with C++, it is possible to link in other components such as a math library, or even a complete additional model, possibly written in a different language like Fortran.

#### [back to topic contents]

# Hiding syntactic islands

Modern IDEs have powerful abilities to parse and navigate C++ code, e.g. context sensitive popup menus which identify all uses of a symbol in a project. However, these abilities require that the project consist of valid C++. OpenM++ syntactic islands are not valid C++, and will cause errors when processed by an IDE (or an external tool like doxygen). Syntactic islands can be hidden from a C++ compiler or IDE by using C++ preprocessor conditional inclusion *>* directives. Here's an example showing how the syntactic island in the earlier example can be hidden from the C++ compiler or IDE.

```
#if 0 // Hide from C++ compiler or IDE
parameters
{
    //EN Annual hazard of death
    double MortalityHazard;
    /* NOTE(MortalityHazard, EN)
        A constant hazard of death results in an exponential
        survival function.
    */
};
#endif // Hide from C++ compiler or IDE
```

OpenM++ will still process the syntactic island because it ignores C++ preprocessor directives.

An IDE may display a hidden syntactic island differently as a visual cue that it's an inactive code block, for example by reducing the opacity of characters in the block to make them fade into the background compared to normal characters. That can make it more difficult to read and edit code in syntactic islands.

To change the display of inactive code blocks in Visual Studio 2022, do Tools > Options > Text Editor > C/C++ > View and modify the settings in 'Inactive Code' as desired.

C++ code in model code files will not be considered valid by a C++ compiler or IDE if a required master header file is missing. That's because C++ requires that a symbol be declared before being used in code. That requirement can be met by including the optional include file omc/optional\_IDE\_helper.h at the top of the model code file, as follows:

#include "omc/optional\_IDE\_helper.h" // help an IDE editor recognize model symbols

Modgen-specific: The optional helper include file omc/optional\_IDE\_helper.h is x-compatible and will not interfere with a Modgen build.

[back to topic contents]

# **Model Documentation**

# Home > Model Development Topics > Model Documentation

This is the main topic on model documentation.

# **Related topics**

- Authored Model Documentation: The autonomous authored component of model documentation
- Generated Model Documentation: The Symbol Reference component of model documentation
- Model Languages: The human languages supported by a model
- Model Symbols: Symbols in model code and in the user interface
- Symbol Labels and Notes: Human-language labels and notes for model symbols

# **Topic contents**

- Introduction and outline
- Use cases Use cases for model documentation: end users, model developers, content developers
- The two components of model documentation Autonomous authored and the generated Symbol Reference
- Building model documentation How to build (or not) model documentation and control its content
- Using model documentation UI access, stand-alone file, searching, printing
- Exploring internals using doxygen Going down the rabbit hole of OpenM++ internals

# Introduction and outline

For an immediate hands-on tour of model documentation, build the **RiskPaths** model, open the model UI, and click on the 'book' icon. For a model or content developer perspective, open the **RiskPaths** project and explore the contents of the **doc** sub-directory containing markdown content. The example **RiskPaths** model documentation is configured for model and content developers.

Model documentation has multiple audiences and multiple use-cases, and a one-size-fits-all approach is unlikely to match all of these needs well. The architecture of Model Documentation in OpenM++ is designed for flexibility and easy reconfiguration to meet one need or another, for the same model.

This topic starts with a general exposition on the principal use cases for model documentation. It then describes the two main components of model documentation and how they are structured into topics. The next two subtopics describe how to build and use model documentation. A final stand-alone subtopic describes how doxygen can be used to explore model internals, including components normally hidden from model developers.

# [back to topic contents]

# Use cases

Model documentation has several different audiences:

- model users
- model developers
- content developers

# Model users

Model users need to understand the model in general, including its

- substance
- methods
- intended uses

limitations

Users who run the model also need to understand the meaning and proper use of the model symbols exposed through the user interface, run downloads, or through external tools like R or Python. Those symbols consist of exposed

- input parameters
- output tables
- entity attributes in microdata
- · enumerations associated with exposed parameters, tables, and attributes.

Typically, only a subset of model symbols are exposed to model users. Model users access model documentation through the model UI, or perhaps through a stand-alone PDF or HTML 'User Edition' file built and provided by a model developer.

[back to use cases] [back to topic contents]

#### Model developers

Model developers need to understand all aspects of the model:

- probe the model to understand or debug issues
- understand internal relationships and dependencies among symbols and model code
- · develop new functionality coherent with existing code

Model developers access model documentation through the model UI, or perhaps by directly opening a previously built HTML 'Developer Edition' file. They may also access model documentation through an IDE when working with the model source code. Typically, model developers access all of the models symbols, including symbols not directly relevant to model users such as entity sets, functions, and model code modules, as well as parameters, tables, entity attributes, and enumerations not visible to users in the UI.

[back to use cases] [back to topic contents]

#### **Content developers**

Content developers use model documentation to review and author model documentation, focusing on

- introducing the model to new users
- · presenting the subject matter of the model
- · reviewing the coherence and coverage of model documentation

## [back to use cases] [back to topic contents]

# The two components of model documentation

Model documentation consists of two components which can work independently or synergistically:

- 1. A configurable Symbol Reference of generated cross-referenced content on parameters, tables, enumerations, etc., available in either a User Edition (default) or a Developer Edition.
- 2. Optional autonomous authored model documentation, organized as a collection of distinct topics, which can link to each other, to topics in the Symbol Reference, or to optional downloadable supporting files.

Model documentation can consist of one of these two components, or both.

Each component consists of a collection of topics, where each topic can be the target of a link from elsewhere in the model documentation.

A topic in the Symbol Reference is either a model symbol (the topic name / link target is the symbol name), or one of several fixed topics used to navigate the Symbol Reference. The main topic of the Symbol Reference contains some tombstone information about the model and a table of links to several navigation aid topics. By default, the Symbol Reference is targeted to a model user, so it documents only those symbols which are exposed in the model UI.

A topic in autonomous authored documentation is a ...md markdown file in the model's doc sub-directory (the topic name / link target is the stem of the filename of the corresponding ...md markdown file). If present, the Home authored document becomes the main (first) topic of model documentation. Other autonomous authored topics follow in lexicographic order by topic name (same order as filename).

#### [back to topic contents]

# **Building model documentation**

By default, model documentation is built and assembled as an intrinsic step in the model build. Building model documentation for a large model can take a noticeable amount of time, so a model developer might want to turn it off to speed development cycles, and turn it back on from time to time to refresh the Developer Edition of the Symbol Reference for their own use, or to build a final User Edition version of model documentation for a model release.

In Visual Studio, the Model project OpenM++ property page contains an option to turn building model documentation on or off:

Configuration:	All Configurations		<ul> <li>Platform: All Platfo</li> </ul>	rms v	Configuration Manager
VC++E OpenM C/C++ Linker Manifer XML Do Browse Build Ev	ed ging praries for oneAPI Directories I++ st Tool pocument Generator Information yents h Build Step	~	1. Names         Model Name         Scenario Name(s)         Fixed Name         2. Build Options         Grid computing (MPI)         Generate model documentation         Disable metadata publishing (!)         Disable #line directives         Disable #line directives         Disable Microsoft iterator debug         3. Run Options         Run the scenario after build         Model ini file         Number of processes to launch (requires         Export model run results into csv files         Open model web UI	No grid computing (EMPTY) Yes No No No No No No No	
			nerate model documentation oduce human readable reference docum	entation for the model.	

In development environments using make, setting the MODEL\_DOC\_DISABLE variable will disable the model documentation build step.

The most recently built version of model documentation will continue to be available from the model UI, even after the model is rebuilt. If model documentation is disabled in the build, its content may not reflect the model code, and it may differ from context-sensitive help displayed in the UI.

Symbol labels and notes for symbols exposed to the user through the UI are always published, independent of build settings for model documentation. The model UI uses those labels and notes to display up-to-date context-specific information on exposed parameters, tables, attributes, and for any enumerations used by those exposed symbols.

Which of the two documentation components are built and assembled into the final model documentation can be controlled using the following options in model code, e.g. in the model code module code/ompp\_options.ompp :

options authored\_documentation = on; options generated\_documentation = on;

By default, both options are on, and if the model has no autonomous authored content, model documentation will consist of only the generated Symbol Reference component.

The content of the generated Symbol Reference, including the choice of User Edition or Developer Edition, can be controlled through options in model code, as described in customizing the Symbol Reference.

# Using model documentation

For each model language, the two components of model documentation are built and assembled into one ...tml file for each model language. The UI links to this file when a user requests model documentation by clicking the 'book' icon. The 'book' icon is available in several places in the UI:

- the landing page which lists available models
- the title bar displayed at the top of all pages
- the information pop-up for a symbol

Model documentation can take a noticeable time to load in a browser if the model is large and complex, and if the Developer Edition of the Symbol Reference is selected.

From a browser, the entire model documentation can be searched using the browser's Find on page command or Ctrl-F key combination to identify all occurrences of a word or phrase in the model documentation.

From a browser, the model documentation can be converted from <u>.html</u> to <u>.pdf</u> format by invoking the browser's <u>Print</u> command or <u>Ctrl-P</u> key combination and selecting <u>pdf</u> as the target printer. Model documentation is designed so that each topic starts on a new page in the resulting <u>.pdf</u> file (only tested on the Microsoft Edge browser).

The .html files containing the model documentation can be accessed directly in the file system used to build the model. They are located in a doc sub-directory of the bin directory of the model (not to be confused with the doc sub-directory of the model root, which contains authored content). For RiskPaths, the files are

```
RiskPaths/.../bin/doc/RiskPaths.doc.EN.html (English)
and
RiskPaths/.../bin/doc/RiskPaths.doc.FR.html (French)
```

Label and note information for symbols exposed in the UI are always written to the model database for access by the UI, external utilities like dbcopy, the oms business layer, and (possibly) external packages written R or python using oms.

## [back to topic contents]

# Exploring internals using doxygen

The wiki subtopic Background on doxygen mentions that the doxygen application can generate hyperlinked HTML documentation for a C++ project. After the OpenM++ compiler has run and produced the C++ code to implement a model, a complete C++ project for that model exists. Doxygen can be run with this project as input to create hyperlinked HTML documentation of the C++ code of the model. An example doxygen input file for RiskPaths is located at OM\_ROOT/models/RiskPaths.doxyfile . Below is a screenshot of a browser displaying the C++ documentation produced by doxygen for RiskPaths :

		🗅 RiskPaths: Person Class Reference — 🗆 🗙
$\leftarrow$	ightarrow $ ightarrow$ $ ig$	velopment/X/ompp/models/RiskPaths/omc_doxygen/html/class_person 🗛 🏠 🚯 🛟   🗲 🔂 😩 …
	RiskPaths	
M‡	Main Page Classes -	Q• Search
G	check_time	◆ timeUnion1DissolutionEvent()
æ.	dissolution_duration_update dissolution_hazard_update_	TIME Person::timeUnion1DissolutionEvent ( )
PDF	Finish FirstPregEvent	Return the time to the event Union1DissolutionEvent in the Person agent (model code).
C	formation_hazard_update_id get_censor_time	Definition at line 185 of file Unions.mpp.
0	in_union_update_identity integer_age_update_identity operator<	<pre>186 { 187 double dHazard = 0; 188 TIME event_time = TIME_INFINITE; 189</pre>
0	preg_hazard_update_identit set_censor_time	<pre>190 if ((union_status == US_FIRST_UNION_PERIOD1    191 union_status == US_FIRST_UNION_PERIOD2) &amp;&amp; parity_status == PS_CHILDLESS) 192 { 193 dHazard = UnionDurationBaseline[U0_FIRST][union_duration];</pre>
C C	Start timeDeathEvent	194 if (dHazard > 0) 195 { 196 event_time = WAIT(-log Person::union_duration_ 197 }
0	timeFirstPregEvent timeUnion1DissolutionEvent timeUnion1FormationEvent	198       }         199       return event_time;         200       }
C G	timeUnion2DissolutionEvent timeUnion2FormationEvent	References parity_status, union_duration, and union_status.
	timeUnionPeriod2Event Union1DissolutionEvent	◆ timeUnion1FormationEvent()
ß	Union1FormationEvent	TIME Person::timeUnion1FormationEvent ( )
ß	Union2FormationEvent union_duration_update_iden UnionPeriod2Event	Return the time to the event Union1FormationEvent in the <b>Person</b> agent (model code).
0	age age_status	Definition at line 130 of file Unions.mpp.
0	case_id case_seed dissolution duration	<pre>131 { 132 double dHazard = 0; 133 TIME event_time = TIME_INFINITE; 134 134 if (union status == US NEWED IN UNION 22 parity status == PS (HTIDLESS)</pre>
+	file:///C:/Development/X/ompp/models/RiskPath	s/omc_doxygen/html/class_person.html#a2c6a931e22d0e6997ca6714b9148dfa4 ated on Mon Jul 4 2022 13:37:54 for RiskPaths by

The screenshot shows information for the Person member function timeUnion1DissolutionEvent() which is an event time function supplied in model code. Note that hovering over the symbol union\_duration in the model source code gives summary information about the symbol, a bit like the display in the Visual Studio IDE. Note also the References section below the function body, which lists all non-local variables used in the function with each hyperlinked to its section elsewhere in the doxygen-generated HTML documentation.

The documentation generated by doxygen for RiskPaths is based not just on model code. It is also based on C++ code generated by the OpenM++ compiler and fixed framework OpenM++ code. That code is rarely pertinent to a model developer. Future enhancements may remove those superfluous portions from doxygen output and add customized doxygen sections targetted to model developers.

[back to topic contents]

# **Model Languages**

# Home > Model Development Topics > Model Languages

The human languages supported by a model.

This topic is under construction and/or revision.

# **Related topics**

- Authored Model Documentation: The autonomous authored component of model documentation
- Generated Model Documentation: The symbol reference component of model documentation
- Model Symbols: Symbols in model code and in the user interface
- Symbol Labels and Notes: Human-language labels and notes for model symbols

# **Topic contents**

- Introduction and outline
- The languages statement

# Introduction and outline

Content to follow.

[back to topic contents]

# The languages statement

Each human language supported by a model has an associated *language code* given in the languages statement of the model.

A model is required to have a languages statement which declares at least one language.

# For example,

languages {
EN, // English
FR // Français
};

declares two languages EN and FR. These codes can be used in model code to provide language-specific documentation of model symbols. OpenM++ imposes no limitations on language codes, but it is strongly recommended to use the two-letter prefix of standard locale codes, as in the example above. Using upper case language codes helps them stand out in model code. So, the suggested code for Spanish is ES, and for German DE. The OpenM++ UI renders model-independent text, e.g. the word Run, using a human-language specific library. Libraries for EN and FR are currently available. If there is no library for a language specified in a model, the UI will display model-specific content in that language, but will fall back to one of the available libraries for model-independent text.

The first language listed in the languages statement is the *default language* of the model, which in this example is **EN**. The default language of the model is usually the language in which the source code is written, i.e. the choice of symbol names and the language of explanatory code comments. The language presented initially in the UI might not be the default language, but instead the language of the locale on the end user's device. An end user can switch languages dynamically in the UI.

The trailing comment after each language code provides a language-specific label for the language code declared previously in the line. The UI uses these labels to display human-language versions of the model's available languages when a user selects or changes the UI language.

[back to topic contents]

# **Model Localization**

Home > Model Development Topics > Model Localization

This topic describes how to provide translations for model-specific run-time messages.

## **Related topics**

• Multilingual Support forthcoming content

#### **Topic contents**

- Quick start
- · How model finds translated message
- Model developer: How to mark strings for translation in model code

# **Quick Start**

You can provide translated messages for your model by editing modelName.message.ini file located in the same directory where modelName.exe is.

#### For example:

dir /B openmpp\_win\_20180205\models\bin .... modelOne.exe modelOne.ini modelOne.message.ini modelOne.sqlite

modelOne.message.ini is translated messages for modelOne.exe

Message.ini file must be UTF-8 encoded and it contain model translated messages:

```
;
; modelOne localized messages
;
[FR]
Run %d = Exécution: %d
[fr-CA]
Run %d = Exécution: %d
;
; Example of multi-line translated message:
;
"Scenario processing" = "\
Traitment \
du scénario\
"
[en]
; Model = Model
```

If translation the same as original message you can exclude it, e.g.: Model = Model is not required.

#### [back to topic contents]

#### How model finds translated message

At start model determine list user preferred languages. For example if current environment is French Canadian and model default language is EN then language list will be: (fr-ca, fr, en).

User language preference can be changed in Windows Control Panel or by Linux LANG environment variable. You can override environment language by using model command-line or ini-file argument:

```
modelOne.exe -OpenM.MessageLanguage es-EC
```

To find translated message model does lookup in:

- modelName.message.ini
- database table model\_word
- database table lang\_word Search done in order of user preferred languages.

For example, if modelOne.message.ini is same as above and database table model\_word contains entry:

fr-CA Done. Fini.

Then model messages in French Canadian environment can be similar to:

```
2014-03-17 17:14:24.0023 Model: modelOne
2014-03-17 17:14:24.0070 Exécution 101
....
2014-03-17 17:14:24.0179 Fini.
```

As you can see for current user language fr-CA model found two messages translated in "generic fr" French: "Exécution" and "Fini", however "Model" still untranslated. To fix this you can update modelOne.message.ini by adding:

[fr-CA] Model = Modèle

Then result would look like:

```
2014-03-17 17:14:24.0023 Modèle: modelOne
2014-03-17 17:14:24.0070 Exécution 101
....
2014-03-17 17:14:24.0179 Fini.
```

#### [back to topic contents]

## Model developer: How to mark strings for translation in model code

Omc model compiler automatically include first "const char \*" argument of

- theLog->logMsg("some message");
- theLog->logFormatted("some format %d %g %s",....);
- macro LT("some message")
- WriteLogEntry("some message");
- WriteDebugLogEntry("some message");
- WarningMsg("some message");
- ModelExit("some message"); into output model.message.ini file, which can be used as translation starting point.

If your source code directory already contains translated code/model.message.ini then such file is merged with newly added model messages into output bin/model.message.ini , which you can forward to translation team.

It is possible to use macro LT("something") in order to build concatenated message, however LT is "strictly inline" because it returns temporary const char \* pointer. As result following will crash your model:

```
const char * myBadDay = LT("nice day");
if (myBadDay .... // memory access violation, model crash
```

How to avoid string concatenation. String concatenation considered as bad practice by any translation guide. For example, if you have something like:

```
string msg = LT("Table has ") + std::to_string(rowCount) + LT(" rows");
theLog->logMsg(msg.c_str());
```

Non-translatable strings. Not every output in your model you want to translate For example, you may don't want to translate your model trace output:

```
WriteDebugLogEntry(NO_LT("------"));
WriteDebugLogEntry(NO_LT("{1, 2, 3, 4}"));
WriteDebugLogEntry(NO_LT("-----"));
```

Please use NO\_LT macro to disable unnecessary translation.

[back to topic contents]

# **Model Metrics Report**

## Home > Model Development Topics > Model Metrics Report

This topic describes and illustrates the Model Metrics Report produced by the OpenM++ compiler. The report summarizes code inputs and code outputs, model inputs and model outputs, model symbols, and maintained dependencies.

## **Related topics**

- Model Code: How model code is organized into modules, syntactic islands, and C++
- Model Resource Use: Activating and interpreting information about model resource use

## **Topic contents**

- Introduction
- Code input
- Code output
- Model input
- Model output
- Model Symbols
- Published Symbols
- Maintained dependencies

# Introduction

The OpenM++ compiler ( omc ) produces the Model Metrics Report in the file MODEL/.../src/ModelMetrics.txt . The report consists of 7 summary tables about the model's

- source code base
- user interface
- symbols
- implicit causal web

The Model Metrics Report is about the model, not about a run of the model. To produce metrics for a run of the model, see Model Resource Use.

The report begins with a title line like

Model Metrics for RiskPaths 2023-10-13

which gives the model name and the date of compilation.

The remainder of this topic describes each of the 7 tables in turn using the RiskPaths model as an example.

[back to topic contents]

# **Code input**

The CODE INPUT table is a summary of the model code processed by omc. Here it is for RiskPaths :

++			
CODE INPUT (model source code)			
++			
Source  Files   Lines			
++			
Model-specific   14   1504			
Islands     286			
C++     1218			
Common   9  1707			
Islands     11			
C++     1696			
Both   23   3211			
Islands     297			
C++     2914			
++			
Total   23   3211			
++			
Note: Does not include parameter data			

The table groups the model source code files into two categories:

- model-specific files in the MODEL/code folder
- common files supplied by OpenM++ and incorporated into the model by use statements

The model-specific RiskPaths source code consists of 1,504 lines in 14 .mpp and .ompp files. An example of one of those 14 files is RiskPaths/code/PersonCore.mpp , which implements core functionality for the Person entity.

The common source code in RiskPaths consists of 1,707 lines in 9 .ompp files specified by use statements. An example of one of those 9 files is OM\_ROOT/use/random/random\_lcg41.ompp , which implements a family of simple and fast random number generators.

Common source code files are specified in use statements, which in RiskPaths are in the model-specific source code file RiskPaths/code/ompp\_framework.ompp . Common source code files can also contain use statements.

The MODEL CODE table assigns each line of a source code file to one of 2 categories:

- · Syntactic island
- C++ code

A syntactic island is a section of declarative code written in the ompp language. Here's an example from RiskPaths - the declaration of the table T02\_TotalPopulationByYear :



A syntactic island starts with a keyword, e.g. table , and ends with a matching ;.

Source code which is not part of a syntactic island is C++ code. Model C++ code implements C++ functions associated with events, derived parameters, and derived tables. It can also implement other functions to support the model.

Here's an example of model C++ code from RiskPaths - the C++ function which implements the DeathEvent :

void Person::DeathEvent()
{
life_status = LS_NOT_ALIVE;
Finish();
}

For more on model source code, see Model Code.

The CODE INPUT table does not report on parameter value files read by omc to publish the starting Default scenario/set for the model. For RiskPaths those are the 2 files RiskPaths.dat and Framework.odat in the folder RiskPaths/parameters/Default .

# Code output

The CODE OUTPUT table contains summary information about C++ code generated by omc . Here it is for RiskPaths :

++				
CODE OUTPUT (generated C++)				
++				
Description   Files   Lines				
++				
Header (.h)   3   1395				
Implementation (.cpp)   1   3766				
++				
Total   4  5161				
++				

Note: Table does not include C++ initializers for burned-in parameter data.

omc uses the *declarative* model specification in syntactic islands to generate *procedural* C++ code which implements the model specification. For RiskPaths, the 297 lines in syntactic islands which specify the model are used by omc to generate the 5,161 of C++ code which implement the model. The large difference between the # of lines of input declarative code and the # of lines of output procedural code reflects the conciseness and power of the ompp declarative language.

Generally, model developers don't need to examine generated C++ code because it just works, but here's a peek at it anyway. The following 2 extracts show the code generated by onc for the internal function on\_side\_effects\_age\_status, one of the C++ functions used to implement RiskPaths.

The function is declared in the generated header file RiskPaths/.../src/om\_declarations.h and looks like this:



The function is defined in the generated implementation file RiskPaths/.../src/om\_definitions.cpp and looks like this:

```
void Person::om_side_effects_age_status(int om_old, int om_new)
{
    // Code Injection: group=8, injector=formation_hazard
    // Maintain identity for 'formation_hazard'
    formation_hazard_update_identity();
    // Code Injection: group=8, injector=preg_hazard
    // Maintain identity for 'preg_hazard'
    preg_hazard_update_identity();
    // Code Injection: group=10, injector=FirstPregEvent
    // Recalculate time to event FirstPregEvent
    if (om_active) om_FirstPregEvent_om_event.make_dirty();
    // Code Injection: group=10, injector=Union1FormationEvent
    // Recalculate time to event Union1FormationEvent
    if (om_active) om_Union1FormationEvent_om_event.make_dirty();
}
```

The generated function om\_side\_effects\_age\_status handles the side-effects of a change in the age\_status attribute of the Person entity. It is automatically called if the value of age\_status changes during an event in a run, and when called it

- updates the identity attributes formation\_hazard and preg\_hazard because their declarations in syntactic islands use age\_status .
- marks for recalculation the future times of the events FirstPregEvent and UnionFormationEvent because the time functions of those events use age\_status, which could affect those future times.

These 4 actions in om\_side\_effects\_age\_status are examples of Maintained dependencies, which have a dedicated table of their own in the Model Metrics report.

This example shows that the C++ code generated by onc contains comments as well as code and is formatted for readability. This can help to understand the generated code if there's ever a need to examine or trace into it in a debug session of a model.

omc also generates, in the output C++ header file MODEL/.../src/om\_declarations.h, doxygen brief descriptions for model symbols such as classifications, ranges, partitions, parameters, and attributes. For example, the generated doxygen brief description for the age\_status attribute looks like this:

/// attribute(identity) int: Current age interval
age\_status\_om\_type age\_status;

The generated doxygen brief description which starts with *III* says that age\_status is an attribute, more specifically an identity attribute, that its type is int, and its label in the model's default human language is Current age interval. Doxygen brief descriptions are automatically recognized by the Visual Studio and VSCode IDEs, and those IDEs display a popup with the doxygen brief description for a symbol when the cursor is hovered over that symbol name in model C++ source code. For more, see Doxygen brief descriptions for model symbols.

ome transforms burned-in parameter values to C++ initializers in the output file MODEL/.../src/om\_fixed\_parms.cpp . The CODE OUTPUT table does not report on this file or its contents.

#### [back to topic contents]

## Model input

The MODEL INPUT table provides summary information about the model's input parameters. It reports counts of parameters and counts of parameter cells.

MODEL\_INPUT classifies parameters into 4 mutually exclusive categories:

- Visible parameters, which are immediately available in the UI.
- Hidden parameters, which are made visible in the UI when the user clicks a reveal button.
- Burned-in parameters, which have fixed values and are absent from the model database and UI. A parameter is burned into the model executable if its Default value file is located in the Fixed folder, or if it was removed from the model database and UI by a suppress\_parameters or retain\_parameters statement.
- Derived parameters, which are computed by model-specific code during run initialization.

Here's the MODEL INPUT table for RiskPaths :

+	, u	arameters)
Kind +	Count	Cells
Visible   Hidden   Burned-in   Derived +	2    7    0   0	18   133     0   0
Total +		151   ++

Note: Burned-in includes fixed and suppressed parameters.

1

The table shows that **RiskPaths** presents a highly simplified UI to users by hiding all but 2 parameters. The 2 visible parameters contain 18 values (they're arrays). The remaining parameters are hidden but can be examined and modified by a user by clicking the reveal button in the UI. This design reflects that **RiskPaths** was used as a hands-on simple example in a demography course.

#### [back to topic contents]

# Model output

The MODEL OUTPUT table provides summary information about the model's output tables. It reports counts of tables and counts of table cells.

MODEL\_OUTPUT classifies tables in two ways:

#### Entity/Derived:

- Entity tables are declared in model-specific syntactic islands. They are computed dynamically during a run.
- Derived tables are computed by model-specific C++ code after the simulation phase completes.

#### Visible/Hidden:

- Visible tables are immediately available in the UI after a run completes.
- Hidden tables are made visible in the UI when the user clicks a reveal button.

Here's the MODEL OUTPUT table for RiskPaths :

++   MODEL OUTPUT (tables)   ++				
Kind				
	L	1	I	
Visible   Hidden	Ξ.	5		
Derived   Visible			 0	
Hidden   Both		0   	0	
Visible   Hidden				
+	+	+-	+	
Total +		•	353   +	
Note: Cells includes margins and expression dimension.				

For didactic purposes, **RiskPaths** shows only 2 key tables in the UI when a run completes. However, all tables in **RiskPaths** can be made visible and explored in the UI. No derived tables were required in **RiskPaths**, so those rows are zero in the report.

## [back to topic contents]

## Model Symbols

The MODEL SYMBOLS table reports counts of all symbols in syntactic islands by category, together with counts of associated labels and notes in the model's default human language.

Some model symbols are given names in the model code, such as the table T02\_TotalPopulationByYear in the example in Code input. Some model symbols are declared positionally in the model code with no name, such as the expression dimension of that table. Other model symbols are declared when used, such as the derived attribute duration(parity\_status,PS\_CHILDLESS) which automatically maintains a running sum of the time a Person has spent in the PS\_CHILDLESS state.

Here's the MODEL SYMBOLS table for RiskPaths :

++
MODEL SYMBOLS   ++
Description   Count   Label   Note
Language (human)   2   0   0
Enumeration
Classification   4  4  0
Level   12  12  0
Range   1  1  0
Partition   4  4  0
Aggregation   0  0  0
Input/Output
Parameter   9  9  0
Dimension   7  7  0
Group   3  3  0
Table   7  7  0
Dimension   13  6  0
Expression   13   13   0
Group   3  3  0
Import   0  0  0
Import   0  0  0   Entity
Kind   1  0  0
Event         7         0         0           Attribute         38         13         0
Built-in   6  0  0
Simple   5  5  0
Identity   13  8  0
Derived   14
Link   0  0  0
Multilink aggregate   0
Function   2  2  2
Multilink   0  0  0
Array   0  0  0
Foreign   0  0  0
Entity set   0  0  0
Dimension   0  0  0  ++
Total   126   84   2
++++++
Supplementary Info
Random streams   6
Eligible microdata   0
++

Notes: Parameter includes derived parameters.

Table > Dimension includes the expression dimension.

Entity > Attribute > Identity includes those generated from filters.

Entity > Function does not include event time and implement functions.

The RiskPaths model is relatively simple, and contains only 126 symbols in syntactic islands.

The Eligible microdata row has a count of 0 because RiskPaths does not enable microdata output. For more, see Microdata Output.

# [back to topic contents]

# **Published Symbols**

The **PUBLISHED SYMBOLS** table is similar to **MODEL SYMBOLS** but reports only on symbols which are published to the model database and visible to model users in the UI, exported model metadata, or run data. Model code can suppress or retain parameters and tables to create a trimmed down model for publishing, while full preserving model logic. For more on that, see the subtopic Model trim down.

Here's the PUBLISHED SYMBOLS table for RiskPaths :

PUBLISHED SYMBOLS
++
Description   Count   Label   Note
++
Language (human)   2  0  0
Enumeration
Classification   2   2   0
Level   8  8  0
Range   1  1  0
Partition   4  4  0
Input/Output
Parameter   9  9  0
Dimension   7   7   0
Group   3  3  0
Table   7  7  0
Dimension   13   6   0
Expression   13   13   0
Group   3  3  0
Import   0  0  0
++
Total   72   63   0
++
Note: Table > Dimension includes the expression

The table shows that **RiskPaths** supplies labels for almost all published model symbols, which can help model users navigate and understand model inputs and outputs. **RiskPaths** eschews the use of notes, which would have been viewable with a click in the UI, providing additional information about the model's parameters and tables.

dimension.

This table reveals a couple of minor issues in RiskPaths. First, human-language labels for the 2 languages declared in RiskPaths (EN and FR) are absent for the model's default human language. This causes OpenM++ to present language codes rather than language names in the UI for switching languages. Second, 7 table dimensions lack labels in the model's default language, which causes omc to generate fall-back labels mechanically.

## [back to topic contents]

## **Maintained dependencies**

As described in Code input, the ompp language is *declarative*. Here again is the declaration of the table T02\_TotalPopulationByYear :

```
table Person T02_TotalPopulationByYear //EN Life table
{
    //EN Age
    integer_age *
    {
        unit, //EN Population start of year
        duration() //EN Average population in year
    }
};
```

The resulting table has 101 rows for integer age and 2 columns for the computed expressions. Whenever a Person has a birthday and integer\_age changes, the cell in T02\_TotalPopulationByYear to which they are contributing changes and the table must be updated. In other words, there is a dependency between integer\_age and T02\_TotalPopulationByYear.

The example in Code output illustrates other kinds of dependency, where changes in the age\_status attribute requires updating the identity attributes formation\_hazard and preg\_hazard and and recalculating the events FirstPregEvent and Union1FormationEvent.

To implement the model specification, omc generates C++ code which maintains all such dependencies, both direct and indirect. The MAINTAINED DEPENDENCIES table groups and counts these dependencies by category. Here's it is for RiskPaths :

++		
MAINTAINED DEPENDENCIES		
(in generated C++ runtime code)		
++		
Dependency   Count		
++		
Reciprocal link   0		
Attribute maintenance		
Identity   18		
Derived   23		
Multilink aggregate   0		
Table dimension/filter   8		
Set dimension/filter/order   0		
Event maintenance   17		
++		
Total   66		
++		

The table shows that the implicit causative web in RiskPaths contains 17 dependencies between attributes and events.

**RiskPaths** is a simple model with only 286 lines of model code in syntactic islands. Nevertheless, it has 66 dependencies which are automatically maintained by the C++ code generated by onc.

[back to topic contents]

# **Model Resource Use**

# Home > Model Development Topics > Model Resource Use

This topic describes how to activate and interpret reports on run-time computation and memory use.

# **Related topics**

• Model Code

# **Topic contents**

- Introduction and Background
- Syntax and Use How to activate and use
- Illustrated Reference Illustrated reference of each report use table
- Appendix The complete report used in the illustrations (over 500 lines)

# Introduction and Background

OpenM++ models can be demanding applications for processing and memory use. The resource\_use option collects and reports information which can help model developers identify areas where efficiency can be improved. The reports can also sometimes identify model anomalies revelaed by unusually high (or low) resource use. For example, the reports can identify an event never occurs, or an an event with an anomalously high event frequency per entity.

The following subsections provide background on entities, multilinks, entity tables, sets, and events which may be helpful in understanding resource use reports.

# Entities

An entity of a given type such as a Person in the RiskPaths model consists of a block of memory which holds the values of attributes and other data members. Each type of entity has a fixed size. For efficiency, entities which leave the simulation are placed in a pool for potential reuse. As a result, the number of activated entities (entities which enter the simulation) can be larger than the number of allocated entities (entity objects consuming memory).

# Multilink

A multilink is an attribute of an entity, but the linked entities in that multilink are stored outside the entity. The number of entities in a multilink is variable. The value of an operation on a multilink (such as sum\_over) is held in an attribute of the entity.

# Entity table

The cells of an entity table are in memory outside of entities. Each cell contains accumulators to which entity increments are pushed during the simulation. Each entity contains an Increment member for each table which manages the entity's current contribution to the table. Additional members in the entity may be required by a table, for example an identity attribute for the table filter, the lagged value of an attribute, the value of an attribute at the start of the current table increment. An entity table can also contain, for each cell, one or more collections of microdata used to calculate ordinal statistics such as median, Gini coefficient, and percentiles.

# Set

The cells of an entity set are in memory outside of entities. Each cell of a set contains a collection of entities which satisfy the conditions to be in the cell. The entity contains a data member for the index of the entity in each set. If the entity set has a filter, the entity will contain an attribute for it.

# Event

Each event has an **Event** data member in the associated entity. Pointers to these events are held in an event queue. The event queue of a timebased (interacting population) model can be large because each event of each entity is in the queue. The next occurrence time for an event is recalculated when, as a result of an event, the attributes used in the calculation of the event occurrence time change. Not all events are in the event queue. An event with next occurrence time of infinity is not in the queue, as are events whose future time is explicitly right-censored by model logic using the **censor\_event\_time** option. Maintaining the event queue can be computationally intensive and account for a significant fraction of model run time. The computational cost of event queue maintenance depends on the number of queue operations and the size of the queue.

# Syntax and Use

By default, gathering and reporting of runtime information is disabled. To activate it, include the statement

options resource\_use = on;

in the source code of a model. A natural place to insert this statement is the module ompp\_framework.ompp.

The resource use report is produced only for sub/replicate/member 0. It is written to the run log when the sub completes.

It is recommended to run with a single sub when using resource\_use. If the run has multiple subs and they run concurrently the run log file may contain interleaved lines from multiple subs, which could fragment the resource report in the run log.

The resource\_use option is intended for model development, not model use. With the option on, there might be a slight reduction in run performance and a voluminous report is written to the run log.

If resource\_use is enabled, the model will write a warning like the following to the log on every model run:

Warning : Model built with resource\_use = on

#### [back to topic contents]

## **Illustrated Reference**

This subtopic describes each table of the resource use report, using for illustration a run of the GMM model (Genetic Mixing Model). Some modelspecific commentary is included to illustrate interpretation of the reports. For context, GMM simulates an interacting population over multiple generations, with genetic inheritance related to cancer. The GMM run for these examples used a starting population of 1 million.

This subtopic contains the following sections. Each section describes one of the tables in the resource use report, and is illustrated with commentary using the GMM run.

- · General: General information about the report
- · Resource use summary: MB of memory broken out by major categories
- Entity instances: Entity counts and MB
- Entity members: Categorized counts of the data members of the entity
- Entity multilinks: Size of multilinks and MB of the entity
- Entity events: Event frequencies and presence in the event queue for the entity
- Entity sets: Sets of the entity
- Entity tables: Tables of the entity
- · Entity member detail: Information on all members of the entity
- Derived tables: Size and MB of derived tables

## [back to topic contents]

#### General

The resource use report consists of a series of sections with one or more tables in each section. Headers in the report demarcate the sections, e.g.

```
*****
```

```
********************************
```

The report starts with a summary table of memory use. This is followed by a section on resource use for each kind of entity in the model. These entity sections can contain up to 7 tables on resource use for each kind of entity.

GMM has three kinds of entities: Person, Doppleganger, and Ticker, so the GMM report contains three sections with up to 7 tables each. Inapplicable tables are suppressed.

<sup>\*</sup> Resource Use Detail for Person \*

The report concludes with a table on memory use of derived tables.

Memory use in MB are lower bound estimates. Actual memory use depends on implementation details of the C++ standard library and the host operating system.

Each line of the resource report has a timestamp prefix, as do all lines in run logs. These prefixes have been stripped in the example.

For brevity, "run" below means "sub/replicate/member 0 of the run". If the run consists of a single sub as recommended above, the two are the same.

[back to illustrated reference] [back to topic contents]

#### **Resource use summary**

The resource use report begins with a Resource Use Summary section containing two tables. The first table looks like this:

This table summarizes information found in detailed tables elsewhere in the report (except for parameters, which currently have no detailed section). The first lines give memory use for entities by the kind of entity. Subsequent lines report memory use outside of entities.

In the example, total memory use was a bit over 2 GB, and the bulk of memory use was concentrated in the Person entity. Memory use for the Doppleganger entity was nevertheless significant at around 0.5 GB. The event queue consumed only 80 MB, and the entity sets used to implement union formation took around 200 MB.

The second table in the Memory Use Summary section looks like this:

++
Resource Use by Persistence
++
Persistence   MB
++
Constant per instance   0
Constant per sub   4
Variable by pop. size   2164
++
Total   2169
++

This table regroups memory use to help project the memory required by a run as a function of population size and parallel execution.

Memory use which is independent of population size and shared among simulation threads executing in parallel is reported in row 1.

Memory use which is independent of population size and required by each sub is reported in row 2.

Memory use which varies with population size is reported in row 3. This row is zero for case-based models, by design.

[back to illustrated reference] [back to topic contents]

#### **Entity instances**

This is table 1 of 7 in the Resource Use Detail section for the entity type.

It is a one-row table about instances of the entity.

Here it is for the Person entity:

++							
Person Instances	1						
++++++							
Activations   Allocations   MB							
++++++	+						
2302315   1003104   1	324						
++++++	+						

Activations is the number of times a Person entity entered the simulation. Allocations is the number of times memory for a Person entity was allocated. MB is the product of allocations and the size in bytes of a Person entity.

Allocations differ from activations because OpenM++ recycles an entity for reuse when it leaves the simulation. So when a Person dies and leaves the simulation in GMM the Person is placed into a pool and recycled when a new Person is born during the simulation.

In the illustration, a bit over half of the Person entities were recycled during the run.

Here is the same table for the Doppleganger entity:

+			+			
Doppelganger Instances						
+	+	+	+			
Activations   Allocations   MB						
+	+	+	-+			
230231	.5	2302315	552			
+	+	+	+			

Unlike for Person entities, the number of Allocations of Doppleganger entities is identical to the number of Activations.

In GMM, each Person entity has an associated Doppleganger entity which duplicates several attributes of the linked Person during the simulation. The Doppleganger entity has no events or tables of its own and is considerably smaller than the Person entity. Unlike the Person entity, the Doppleganger entity persists after death. That allows the construction of a multi-generational pedigree for the desendants of each Person, even if the ancestors of the Person are no longer present in the simulation.

# [back to illustrated reference] [back to topic contents]

#### **Entity members**

This is table 2 of 7 in the Resource Use Detail section for the entity type.

Here it is for the **Person** entity in the example:

++
Person Members
++
Member   Count
++
Attributes   201
Built-in   6
Simple   57
Maintained   136
Link   2
Events   11
Increments   3
Multilink   0
Internal   60
Array   0
Foreign   1
++
All   276
++

This table provides counts of all data members fo the entity, by category. The meaning of each category is given in the following table. Detail on each data member of the entity is reported in the Entity member detail table.

Row	Description
Attributes	All attributes in the entity, including attributes generated by the OpenM++ compiler.
Built-in	Attributes such as time, age, and entity_id.
Simple	Attributes declared in model code with values set explicitly by model code.
Maintained	Automatically maintained attributes such as duration(), identity attributes, and operators on multilinks such as sum_over.
Link	Links to another entity declared in the model.
Events	Events declared in the model, and possibly the generated event om_ss_event for self-scheduling attributes.
Increments	Increments for entity tables, one for each accumulator in each entity table.
Multilink	Multilinks declared in model code.
Internal	Data members (not attributes) created by the OpenM++ compiler to implement the model.
Array	Arrays declared in the model code.
Foreign	Members with a developer-supplied type declared in model code.

In GMM the Person entity has 276 data members.

Here's the same table for the Doppleganger entity:

++   Doppelganger Memb	oers
Member   Count	1
Attributes     44       Built-in     6       Simple     28       Maintained     7       Link     3       Events     0       Increments     0       Multilink     2       Internal     10       Array     0	
Foreign   0   ++   All   56   ++	

The Doppleganger entity has fewer members than the Person entity. This was a design goal of the GMM architecture. A Doppleganger entity contains minimal information echoed from its corresponding Person entity. Doppleganger entities are deliberately small because they persist after death, which increases memory use as simulation time advances.

From the table, the **Doppleganger** entity has 2 multilinks whereas the **Person** entity has none. That's because the multilinks between parent and children need to persist beyond the lifetime of the parent to generate multi-generational family pedigrees which assess the genetic component of cancer risk of descendants.

# [back to illustrated reference] [back to topic contents]

#### **Entity multilinks**

This is table 3 of 7 in the Resource Use Detail section for the entity type.

Here it is for the **Doppelganger** entity in the example:

+			+	
Doppelganger Multili	nk eleme	nts		
++++	+	+	++	
multilink   max s	size   er	ntity_id   avg	size   ME	3
+++	+	+	+	
mlFather_children	11	3241001	0.2954	5
mlMother_children	7	2794375	0.2954	5
+++	+	+	+	
All	1	10		
++	+	+	+	

The meaning of each column is given in the following table.

Column	Description
multilink	The name of the multilink as declared in model code.
max size	The maximum of the multilink size over all entities in the run.
entity_id	An entity_id for which that maximum was attained.
avg size	The average over all entities of the maximum per-entity multilink size.

When resource\_use is turned on, the maximum multilink size is tracked and the associated entity\_id recorded and reported in this table to help model developers probe extreme cases or anomalies.

In the example, the maximum number of children of fathers was 11, which occurred for entity\_id 3241001. The maximum number of children of mothers was 7. This assymetry is an expected consequence of the model design, which acounts for pregnancy, reduced fertility after childbirth, age- and sex-specific union formation and dissolution patterns, and patterns of completed fertility for females.

At first glance the average size of the parent-children multilinks seems small at 0.2954, which is well below replacement fertility. This is an expected consequence of the GMM design for several reasons. First, the starting population of Person entities is cross-sectional and those entities have no children. Second, fertility is exogenous during the model's burn-in period when coherent patterns of union formation, union duration, and family structure are being established. Third, all entities exit the run when it ends at year 200, and for many that will occur before lifetime fertility is complete.

[back to illustrated reference] [back to topic contents]

## **Entity events**

This is table 4 of 7 in the Resource Use Detail section for the entity type.

Here it is for the Person entity in the illustrative GMM run:

Person Eve	nts						1		
+	+	+-		+	+	+	+	+	
event	time	calcs	censor	ed   occur	rences	s   per ent	ty   max in qı	ueue   MB	
+	+	+-		+	+	+	+	+	
CancerBreast	Event	14214	11567	13267895	66	109264	0.0475	98068	3
CancerOvaryE	vent	14204	46175	14046845	59	13872	0.0060	16588	0
CancerPancre	asEvent	142	059175	138987	528	26872	0.0117	31477	1
CancerProstat	eEvent	1421	83730	1297905	85	151427	0.0658	120050	3
ConceptionEv	ent	66577	109	48877013	10	081390	0.4697	110508	3
MortalityEvent	1	420323	03   93	L704028	207	74535	0.9011	396686   1	2
PregnancyClo	ckEvent	663	24484	3383265	5  ;	3240779	1.4076	8603	0
SexualDebutE	vent	14350	3691	13281154	1	1471388	0.6391	87064	2
UnionDissoluti	onEvent	1870	14898	1442583	40	10000504	4.3437	257025	i  8
UnionFormatio	nEvent	766	57431	6340111	1	11722623	5.0917	389374	12
om ss event	1	431081	130	457311	2880	52240	125.1142	1003104	32
+	+	+-		+	+	+	+	+	
All	1	1	1	1	1	80			
_		· _	•		· .	· .			

The meaning of each column is given in the following table.

Column	Description	
event	The name of the event as given in model code. The event om_ss_event , if present, is a generated event which implements all self-scheduling attributes in the entity.	

Column	Description
time calcs	The number of calculations of the time of next occurrence of the event.
censored	The number of such calculations which were censored and not inserted into the event queue. Events can be censored either because their next occurrence time is infinity, or by explicit model code in conjunction with the censor_event_time option.
occurrences	The number of occurrences of the event during the run.
per entity	The average number of occurrences per entity, calculated as the number of event occurrences divided by the number of activations of the entity type during the run.
max in queue	The maximum number of entities awaiting this event in the event queue during the run.
MB	The number of MB required to store that maximum in the event queue, calculated as the product of the maximum and the size in bytes of an element of the queue datastructure.

In the illustrative GMM run, the average number of union formations is somewhat larger than the number of union dissolutions, which is expected. The frequency of cancer events is as expected, taking into account that the denominator in the table is all <u>Person</u> entities, both male and female. The average number of self-scheduling events is high at 288 million. This is probably due to the attribute <u>self\_scheduling\_int(age)</u>, which is listed along with all self-scheduling attributes in the <u>Entity member detail</u> report for <u>Person</u>.

[back to illustrated reference] [back to topic contents]

## **Entity sets**

This is table 5 of 7 in the Resource Use Detail section for the entity type.

Here it is for the Person entity in the example:

Person Sets		1
+++	++	+
set   rank   ce	ells   inserts   per e	ntity   max pop   MB
+++	++	+
asAllPerson   0	1   2302315	1.0000   1003104   48
asAvailableMen   2	48   14336309	6.2269 396653 19
asAvailableMenV 3	96   15484605	6.7257   396653   1
+++	++	+
All I I		86
		+

The meaning of each column is given in the following table.

Column	Description
set	The name of the entity set as given in model code.
rank	The number of dimensions in the entity set.
cells	The number of cells in the entity set, calculated as the product of the dimension sizes.
inserts	The number of insert operations on the set during the run, which counts entrances into the set and movements from cell to cell within the set. The number of remove operations is not reported because it is equal to the number of insert operations over the course of a run.
per entity	The number of inserts per entity, calculated as the number of inserts divided by the number of activations of the entity type during the run.
max pop	The maximum count of entities in the set during the run.
MB	The number of MB required to store that maximum count in the entity set, calculated as the product of the maximum count and the size in bytes of an element of the set datastructure.

In the example, the set asAllPerson has a single cell and contains all Person entities. This set is used to communicate the passage of integer time (year) from the single Ticker entity to all Person entities during the run. The maximum population in this set is slightly higher than the starting

population of 1 million, perhaps due to Monte Carlo variation during the burn-in phase of the run.

The other two entity sets help implement a female choice model of union formation. The churning in these sets is a consequence of changes in union status ('single' is a filter condition of these sets) and age group (a dimension of these sets).

[back to illustrated reference] [back to topic contents]

## **Entity tables**

This is table 6 of 7 in the Resource Use Detail section for the entity type.

Here it is for the Person entity in the GMM run:

Person Tables							1	
+   table							er entity	
+   Boadicea RR cross								
IM_RiskEvaluationDis								
PersonEvents	I.	2   22	222   2	1  1	0   168	8607252	73.2338	0
+	+					+	+	+
All +				I.		0		

Entity tables suppressed at run-time are not included in this report. If any are suppressed at run-time, a message with the number of run-time suppressed tables follows immediately after the table.

The meaning of each column is given in the following table.

Column	Description
table	The name of the entity table as given in model code.
rank	The number of dimensions in the table.
cells	The number of cells in the table, calculated as the product of the dimension sizes, including margins if present.
accum	The number of accumulators in the table.
measr	The number of measures in the table.
colls	The number of collections in the table.
incrmnts	The number of increments pushed to the table during the run.
per entity	The number of increments per entity, calculated as the number of increments divided by the number of activations of the entity type during the run.
MB	The number of MB required by the cells of the table, calculated as the product of the number of cells, the number of accumulators, and the size in bytes of a double.

GMM contains many tables, but most are suppressed in the production variant of the model using tables\_retain statements. The PersonEvents table was retained, but given the high volume of increments shown in the table above (168m) and its diagnostic nature it is a candidate for suppression in the production variant of GMM.

# [back to illustrated reference] [back to topic contents]

#### Entity member detail

This is table 7 of 7 in the Resource Use Detail section for the entity type.

This table contains one row for each entity member, and so can have many rows. Here is an extract for the Person entity for the GMM example.

+	+
Person Members (detail)	I
+	+   bytes
+	
Attributes:	
Built-in:	
age	8
entity_id	4
time	8
Simple:	
alive	1
union_status	1
year	1
Maintained:	
age_group	1
can_conceive	1
Array:	1 1
Foreign:	
breast cancer hazard	24
+	+
Sum of member bytes	1170
Bytes per entity	1320
Storage efficiency (%)	88.6
+	+

The rows of this table are grouped like the Entity members summary table. Each member has a row with the member name followed by its size in bytes. Some members generated by the compiler have non-intuitive names which are replaced by more easily interpreted text in the report.

There are three summary rows at the end of the table: the sum of member bytes, the actual size of the entity in bytes, and the implied storage efficiency. For more on member packing and storage efficiency see Entity Member Packing.

For GMM, the Entity Member Detail table has around 300 rows. For the full version see the Appendix of this topic.

The following table extracts selected rows from the full table and adds some remarks to aid interpretation.

member	bytes	remarks
Attributes:		
Built-in:		
age	8	Automatically maintained age of the entity, of type Time.
case_seed	8	Not sure why this member is present in a time-based model like GMM.
censor_time	8	Created and maintained if the censor_event_time option is activated.
entity_id	4	Automatically assigned unique numeric identifier of the entity.
events	2	An automatically maintained counter of events undergone by the entity.
time	8	Automatically maintained time for the entity, of type Time .
Simple:		
alive	1	Declared in model as type <b>bool</b> . Note that a <b>bool</b> takes one byte of storage, not one bit.
union_status	1	An attribute of type UNION_STATUS declared in the model. UNION_STATUS is a classification with 3 levels, and is stored efficiently in a single byte.
year	1	Declared in model as type YEAR, which is a range declared as {0,200}. It is stored efficienty in a single byte. The value of year is maintained by the Ticker entity which updates it for all Person entities by iterating the asAllPersons entity set when the TickEvent occurs.
Maintained:		
can_conceive	1	An identity attribute declared in model code by logical can_conceive = fertile && stable_union && eligible_union
om_aia_0	1	An identity attribute created by the compiler to implement other attributes.

member	bytes	remarks
om_asAvailableMen_filter	1	An identity attribute created by the compiler to implement the filter of the entity set asAvailableMen .
entrances(union_status,US_SINGLE)	2	A maintained attribute declared implicitly in model code.
self_scheduling_int(age)	2	A maintained attribute declared implicitly in model code. This is a self-scheduling attribute, so the compiler will also create the special self-scheduling event om_ss_event to implement it and any other self-scheduling attributes in the entity.
trigger_changes(year)	1	A self-scheduling attribute declared implicitly in model code. Used in table filters to create snapshot-style tables.
Link:		
IDoppelganger	8	A link attribute declared in model code.
IPartner	8	Another link attribute.
Events:		
ConceptionEvent	24	The member used to manage the ConceptionEvent event declared in model code.
MortalityEvent	24	The member for another event declared in the model.
om_ss_event	24	The generated event which schedules and implements all self-scheduling attributes in the entity. This event is not present if the entity has no self-scheduling attributes.
Increments:		
Boadicea_RR_cross increment	16	The member managing the current increment of the Person for the table Boadicea_RR_cross .
PersonEvents increment	16	Another increment, this one for the PersonEvents table.
Multilink:		The Person entity has no multilinks. Multilinks for children are held in the parallel Doppleganger entity.
Internal:		
PersonEvents (inevent) event_count	4	Supports tabulation of event_count using the event keyword in the PersonEvents table.
asAvailableMen (current cell)	4	The cell in the entity set asAvailableMen currently occupied by the Person , provided it meets the filter condition of asAvailableMen .
event_count (lagged)	4	Holds the lagged value of the attribute event_count . Lagged values are required by some table operators.
event_count (counter at lagged)	8	Used to detect changes in the lagged value of event_count .
om_self_scheduling_int_FOR_age (next time)	8	Contains the next scheduled time of the self-scheduling attribute self_scheduling_int(age).
Array:		There are no array members of <b>Person</b> in the GMM model.
Foreign:		
breast_cancer_hazard	24	Declared in model code as type std::vector <double> for reasons explained by the model developer in model source code comments.</double>

8

[back to illustrated reference] [back to topic contents]

# Derived tables

This is the final table of the resource use report.

++
Derived Tables
+++++++
derived table   rank   cells   measr   MB
+++
IM_GMM_KeyInputs   1  7  1  0
IM_IncidenceRR   3   24480   1   0
IM_MajorGeneBirthDistribution   1   6   1   0
IM_OncogenesisRR   3   24480   1   0
IM_PolygeneBirthDistribution   1   51   1   0
IM_RiskEvaluationAge   0  1  1  0
+++++++
All       0
++

Derived tables suppressed at run-time are not included in this report. If there are any such, a message giving the number of derived tables suppressed at run-time follows immediately after the table.

The meaning of each column is given in the following table.

Column	Description
derived table	The name of the derived table as given in model code.
rank	The number of dimensions in the table.
cells	The number of cells in the table, calculated as the product of the dimension sizes, including margins if present.
measr	The number of measures in the table.
MB	The number of MB required by the cells of the table, calculated as the product of the number of cells, the number of measures, and the size in bytes of a double.

GMM contains other derived tables which are suppressed in the production variant of the model using tables\_retain statements. Retained tables in GMM include those required to feed the downstream OncoSim model which simulates the health system consequences of genetic risk-based screening simulated in a GMM run. The GMM model code prefixes those tables with IM\_ to distinguish them.

[back to illustrated reference] [back to topic contents]

# Appendix

For reference, here is the complete report of the GMM run used in the illustrations.

I

++
Resource Use by Category
++
Category   MB
++
Entities   1876
Doppelganger   552
Person   1324
Ticker   0
Multilinks   10
Events   80
Sets   196
Tables   0
Entity   0
Derived   0
Parameters   4
Fixed   0
Scenario   0
Derived   3
++
Total   2169
++

++
Resource Use by Persistence
++
Persistence   MB
++
Constant per instance   0
Constant per sub 4
Variable by pop. size   2164
++
Total   2169
++

#### 

\* Resource Use Detail for Doppelganger \*

+		+		
Doppelganger Instances				
++	+	+		
Activations   Allocations   MB				
++	+	+		
2302315	2302315	552		
++	+	+		

Note: MB does not include storage of elements of multilinks

I

+	+				
Doppelganger Members					
+	++				
Member	Count				
+	++				
Attributes	44				
Built-in	6				
Simple	28				
Maintained	7				
Link	3				
Events	0				
Increments	0				
Multilink	2				
Internal	10				
Array	0				
Foreign	0				
+	+				
All	56				
+	++				

+						+
Doppelganger Multilink elements						
+	+	+-		+	+	+
multilink	m	nax size	entity_i	d  avg	size	MB
+	+	+-		+	+	+
mlFather_	children	11	324	1001	0.2954	4  5
mlMother	_children	7	279	4375	0.2954	5
+	+	+-		+	+	+
All	1	1	1	10		
+	+	+-		+	+	+
Note: MB does not include entity members						

+				+
Doppelganger Set	s			
++	+	-+	-+	+
set   rank	cells	inserts	per en	tity   max pop   MB
++	+	-+	-+	+
asAllDoppelganger	0	1  230	2315	1.0000   2302315   110
++	+	-+	-+	+
All	1	1		110

Note: MB does not include entity members

+	+
Doppelganger Mem	bers (detail)
+	+
member	bytes
+	+
Attributes:	
Built-in:	
age	8
case_seed	8
censor_time	8
entity_id	4
events	2
time	8
Simple:	
boadicea_risk_facto	r_code   4
children	4
endogenous_grandp	parent_count   1
enhanced_screening	g_reason   1
g1_atm_mutation	1
I at breat mutation	1

g1_brca1_mutation	
<pre>g1_brca2_mutation g1_chek2_mutation</pre>	1
	1
g1_palb2_mutation	1    1
g2 brca1 mutation	
g2_brca2_mutation	1    1
g2_chek2_mutation	1
g2_palb2_mutation	1
grandparent_count	1
major_genotype	1
one_column	1
polygene_bin	1
polygenic_known	4
polygenic_unknown	4
	1
year_born	2
<pre>year_cancer_breast</pre>	2
year_cancer_ovary	2
year_cancer_pancreas	2
<pre>year_cancer_prostate</pre>	2
year_died	2
<pre>year_start_enhanced_s</pre>	creening   2
Maintained:	
any_mutation	1
atm_mutation	1
brca1_mutation	1
brca2_mutation	1
<pre>chek2_mutation</pre>	1
palb2_mutation	1
polygenic_total	4
Link:	
IFather	8
IMother	8
IPerson	8
Events:	
Increments:	
Multilink:	
mlFather_children	24
mlMother_children	24
Internal:	
MajorGenotype1 (in) an	y_mutation   1
MajorGenotype1 (in) atr	m_mutation   1
MajorGenotype1 (in) bro	ca1_mutation   1
MajorGenotype1 (in) bro	
MajorGenotype1 (in) ch	ek2_mutation   1
MajorGenotype1 (in) pa	
Polygene1 (in) polygeni	c_known   4
Polygene1 (in) polygeni	c_total   4
Polygene1 (in) polygeni	
asAllDoppelganger (cur	
Array:	
Foreign:	
+	+
Sum of member bytes	189
Bytes per entity	240
Storage efficiency (%)	78.8
+	+

\*\*\*\*\*\*\*\*\*

\* Resource Use Detail for Person \*

\*\*\*\*\*\*\*\*\*\*\*\*

+-----+ Person Instances +-----+ | Activations | Allocations | MB | +-----+----+---| 2302315| 1003104| 1324|

+----+

Note: MB does not include storage of elements of foreign objects

+	+
Person Me	
Member +	Count
Attributes	201
Built-in	6
Simple	57
Maintained	136
Link	2
Events	11
Increments	3
Multilink	0
Internal	60
Array	0
Foreign	1

+	+
All	276
+	

+					+		
Person Events					1		
++-	+	+	+	+	+	+	
event   ti	ime calcs   ce	ensored   occ	urrences	per entit	y   max in qu	eue   MB	
++-	+	+	+	+	+	+	
CancerBreastEvent	1421415	67   132678	956	109264	0.0475	98068	3
CancerOvaryEvent	1420461	75  140468	459	13872	0.0060	16588	0
CancerPancreasEv	ent   142059	175   13898	87528	26872	0.0117	31477	1
CancerProstateEve	nt   1421837	30   129790	)585	151427	0.0658	120050	3
ConceptionEvent	66577109	4887701	3  10	81390	0.4697	110508	3
MortalityEvent	142032303	91704028	2074	4535         C	.9011  3	96686   12	2
PregnancyClockEve	ent   66244	84   33832	65   3	240779	1.4076	8603	0
SexualDebutEvent	14350369	91  132811	541  1	L471388	0.6391	87064	2
UnionDissolutionEv	ent   1870148	98   144258	3340   3	10000504	4.3437	257025	8
UnionFormationEve	ent   766574	31  63401	111  1	1722623	5.0917	389374	12
om_ss_event	431081130	457311	28805	52240   1	25.1142	1003104	32
++-	+	+	+	+	+	+	
All	I I			80			
+ +	+	+	+	+	+	+	

Note: MB does not include entity members

++
Person Sets
+++++++
set   rank   cells   inserts   per entity   max pop   MB
+++++++
asAllPerson   0   1   2302315   1.0000   1003104   48     asAvailableMen   2   48   14336309   6.2269   396653   19
asAvailableMenV   3   96   15484605   6.7257   396653   19
+++++++
All         86
+++++++

Note: MB does not include entity members

+	+	
Person Tables		
+	++++++	
table	rank   cells   accum   measr   colls   incrmnts   per entity   MB	
+	++++++	
Boadicea_RR_cross	2 256 3 3 0 154304 0.0670 0	1
IM_RiskEvaluationDist	utionDetailed   2   150   1   1   0   154304   0.0670	0
PersonEvents	2  2222  1  1  0 168607252  73.2338  0	1
+	++++++	
All		

Note: MB does not include entity members

+	+
Person Members (detail)	 +
member	bytes   +
+   Attributes:	
Built-in:	
age age	8
case_seed	8
censor_time	8
entity_id	4
events	2
time	8
Simple:	
PRS_top_5	1
activity_level	1
actual_RR	8
actual_risk	8
alive	1
base_risk	8
boadicea_CPU	8
boadicea_RR	8
boadicea_evaluations	4
boadicea_risk	8
cancer_breast	1
cancer_ovary	1
cancer_pancreas	1
cancer_prostate	1
children_born	4
eligible_union	1
endogenous_grandparent_count	1
endogenous_parent_count	1
enhanced_screening	1
enhanced_screening_reason	1
entry_year	1
event_count	4
event type	1

generation	1
grandparent_count	1
has_any_mutation	1    1
in_union_ey in_union_ybey	1    1
is_in_starting_population	1
major_genotype	1
match_failures_forbidden	4
match_failures_none	4
match_successes mother cancer	4    1
one_column	1
parent_count	
polygene_bin	1
post_partum	1
pregnant ps	1    1
risk_assessments	4
risk_factor_alcohol	1
risk_factor_bmi	1
risk_factor_first_b	1
risk_factor_mammo_density risk factor menarche	1
risk_factor_menopause	1    1
risk_factor_mht	1
risk_factor_oc	1
risk_factor_parity	1
sex	1
simulate_risk_factors time_pregnancy_clock	1    8
twin pregnancy	1
undergone_debut	1
union_status	1
year	1
Maintained:	
age_group age_group1	1    1
age_group_15	1
age_group_for_debut	4
ar_er	8
boadicea_horizon can_conceive	4    1
children0	1    1
children1	1
children2	1
children3	1
children4	1
children4plus children5	1    1
children6	1
children7	1
children8plus	1
delta_partners_ybey diff_RR	4    8
diff_RR_abs	8
dissolutions	4
ever_had_sex	1
fertile	1
fertile_age genotype_group	1    1
in_casual_union	1
in_scope_fertility	1
in_stable_union	1
in_union	1
in_utero incidenceRR50	1    8
incidence_rr	8
integer_age	4
is_ey	1
multiple_fathers	1
my_year active_spell_delta(year_spell,true,partners)	1    2
om_aia_0	1
om_aia_1	1
om_aia_10	1
om_aia_11	1
om_aia_12 om_aia_13	1    1
om_aia_13 om_aia_14	
om_aia_15	1
om_aia_16	1
om_aia_17	1
om_aia_18 om_aia_19	
om_aia_19 om_aia_2	1    1
om_aia_20	1
om_aia_21	1

1	om olo 174
	om_aia_22   1
	om_aia_23   1
	om_aia_24   1
	om_aia_25   1
1	om_aia_26   1
	om_aia_27   1
1	om_aia_28   1
i	om_aia_29   4
i i	om_aia_3   1
i i	om_aia_30   1
i	om_aia_31   1
!	om_aia_32   1
!	om_aia_4   1
	om_aia_5   1
	om_aia_6   1
	om_aia_7   1
1	om_aia_8   1
	om_aia_9   1
1	om_asAvailableMenV_filter   1
i	om_asAvailableMen_filter   1
i i	completed_spell_delta(year_spell,true,partners) 2
i	duration()   8
i	duration(activity_level,AL_0)   8
!	duration(activity_level,AL_2)   8
	duration(activity_level,AL_3)   8
I	duration(boadicea_evaluations,1)   8
	duration(can_conceive,true)   8
	duration(cancer_breast,true)   8
1	duration(enhanced_screening,true)   8
i	duration(undergone_debut,true)   8
i	entrances(cancer_breast,true) 2
i	entrances(cancer_ovary,true) 2
i i	entrances(cancer_pancreas,true)   2
i	entrances(cancer_prostate,true)   2
ļ	entrances(in_stable_union,true)   2
1	entrances(union_status,US_CASUAL)   2
Ι	entrances(union_status,US_SINGLE)   2
1	entrances(union_status,US_STABLE)   2
	self_scheduling_int(age)   2
1	self_scheduling_int(duration(boadicea_evaluations,1))   2
	split(activity_level,ACTIVITY_3)   1
1	split(actual_RR,PARTITION_RR)   1
i	split(boadicea_RR,IM_PARTITION_RR)   1
i i	split(boadicea_RR,PARTITION_RR)   1
i i	split(diff_RR,DIFF_RR)   1
i	split(integer age,AGE GROUP15 1549)
!	split(integer_age,AGE_GROUP5_1549)   1
Ì	split(integer_age,AGE_GROUP5_1559)   1
	split(integer_age,AGE_GROUP5_1559)   1   split(integer_age,GROUPE_AGE2_1070)   1
   	split(integer_age,AGE_GROUP5_1559)   1   split(integer_age,GROUPE_AGE2_1070)   1   split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1
   	split(integer_age,AGE_GROUP5_1559)         1          split(integer_age,GROUPE_AGE2_1070)         1          split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)         1          split(partners_ybey,PARTNERS_5)         1
   	split(integer_age,AGE_GROUP5_1559)         1          split(integer_age,GROUPE_AGE2_1070)         1          split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)         1          split(partners_ybey,PARTNERS_5)         1          trigger_changes(boadicea_evaluations)         1
   	split(integer_age,AGE_GROUP5_1559)         1          split(integer_age,GROUPE_AGE2_1070)         1          split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)         1          split(partners_ybey,PARTNERS_5)         1          trigger_changes(boadicea_evaluations)         1          trigger_changes(cancer_breast)         1
	split(integer_age,AGE_GROUP5_1559)         1          split(integer_age,GROUPE_AGE2_1070)         1          split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)         1          split(partners_ybey,PARTNERS_5)         1          trigger_changes(boadicea_evaluations)         1          trigger_changes(cancer_breast)         1          trigger_changes(year)         1
	split(integer_age,AGE_GROUP5_1559)  1  split(integer_age,GROUP5_1559)  1  split(integer_age,GROUPE_AGE2_1070)  1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)  1  split(partners_ybey,PARTNERS_5)  1  trigger_changes(boadicea_evaluations)  1  trigger_changes(cancer_breast)  1
	split(integer_age,AGE_GROUP5_1559)  1  split(integer_age,GROUP5_1559)  1  split(integer_age,GROUPE_AGE2_1070)  1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)  1  split(partners_ybey,PARTNERS_5)  1  trigger_changes(boadicea_evaluations)  1  trigger_changes(cancer_breast)  1  trigger_changes(year)  1
	split(integer_age,AGE_GROUP5_1559)         1          split(integer_age,GROUPE_AGE2_1070)         1          split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)         1          split(partners_ybey,PARTNERS_5)         1          trigger_changes(boadicea_evaluations)         1          trigger_changes(cancer_breast)         1          trigger_changes(year)         1          trigger_entrances(boadicea_evaluations,1)         1
	split(integer_age,AGE_GROUP5_1559)       1         split(integer_age,GROUPE_AGE2_1070)       1         split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)       1         split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)       1         split(partners_ybey,PARTNERS_5)       1         trigger_changes(boadicea_evaluations)       1         trigger_changes(cancer_breast)       1         trigger_entrances(boadicea_evaluations,1)       1         trigger_entrances(integer_age,0)       1         trigger_exits(children_born,0)       1
	split(integer_age,AGE_GROUP5_1559)         1          split(integer_age,GROUPE_AGE2_1070)         1          split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)         1          split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)         1          split(partners_ybey,PARTNERS_5)         1          trigger_changes(boadicea_evaluations)         1          trigger_changes(cance_breast)         1          trigger_entrances(boadicea_evaluations,1)         1          trigger_entrances(integer_age,0)         1          trigger_exits(children_born,0)         1          trigger_exits(children_born,1)         1
	split(integer_age,AGE_GROUP5_1559)  1 split(integer_age,GROUPE_AGE2_1070)  1 split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)  1 split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)  1 split(partners_ybey,PARTNERS_5)  1 trigger_changes(boadicea_evaluations)  1 trigger_changes(cancer_breast)  1 trigger_entrances(boadicea_evaluations,1)  1 trigger_entrances(boadicea_evaluations,1)  1 trigger_entrances(integer_age,0)  1 trigger_exits(children_born,0)  1 trigger_exits(children_born,1)  1
	split(integer_age,AGE_GROUP5_1559)  1 split(integer_age,GROUPE_AGE2_1070)  1 split(integer_age,GROUPE_AGE2_1070)  1 split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)  1 split(partners_ybey,PARTNERS_5)  1 trigger_changes(boadicea_evaluations)  1 trigger_changes(cancer_breast)  1 trigger_entrances(boadicea_evaluations,1)  1 trigger_entrances(integer_age,0)  1 trigger_exits(children_born,1)  1 trigger_exits(children_born,1)  1 trigger_exits(integer_age,39)  1 undergone_change(partners)  1
	split(integer_age,AGE_GROUP5_1559)         1          split(integer_age,GROUPE_AGE2_1070)         1          split(integer_age,GROUPE_AGE2_1070)         1          split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)         1          split(partners_ybey,PARTNERS_5)         1          trigger_changes(boadicea_evaluations)         1          trigger_changes(cancer_breast)         1          trigger_entrances(boadicea_evaluations,1)         1          trigger_entrances(boadicea_evaluations,1)         1          trigger_exits(children_born,0)         1          trigger_exits(children_born,1)         1          trigger_exits(integer_age,39)         1          undergone_change(partners)         1          undergone_change(union_status)         1
	split(integer_age,AGE_GROUP5_1559)  1 split(integer_age,GROUP5_1559)  1 split(integer_age,GROUPE_AGE2_1070)  1 split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)  1 split(partners_ybey,PARTNERS_5)  1 trigger_changes(boadicea_evaluations)  1 trigger_changes(cancer_breast)  1 trigger_entrances(boadicea_evaluations,1)  1 trigger_entrances(integer_age,0)  1 trigger_exits(children_born,0)  1 trigger_exits(children_born,1)  1 trigger_exits(integer_age,39)  1 undergone_change(partners)  1 undergone_change(union_status)  1 undergone_entrance(pregnant,true)  1
	split(integer_age,AGE_GROUP5_1559)  1 split(integer_age,GROUPE_AGE2_1070)  1 split(integer_age,GROUPE_AGE2_1070)  1 split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)  1 split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)  1 split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)  1 trigger_changes(boadicea_evaluations)  1 trigger_changes(cancer_breast)  1 trigger_changes(vear)  1 trigger_entrances(boadicea_evaluations,1)  1 trigger_entrances(integer_age,0)  1 trigger_exits(children_born,0)  1 trigger_exits(children_born,1)  1 trigger_exits(integer_age,39)  1 undergone_change(union_status)  1 undergone_entrance(pregnant,true)  1 undergone_entrance(risk_assessments,1)  1
	split(integer_age,AGE_GROUP5_1559)1split(integer_age,GROUPE_AGE2_1070)1split(integer_age,GROUPE_AGE2_1070)1split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)1split(partners_ybey,PARTNERS_5)1trigger_changes(boadicea_evaluations)1trigger_changes(cancer_breast)1trigger_entrances(boadicea_evaluations,1)1trigger_entrances(integer_age,0)1trigger_exits(children_born,0)1trigger_exits(children_born,1)1trigger_exits(children_born,1)1undergone_change(union_status)1undergone_entrance(pregnant,true)1undergone_entrance(pregnant,true,union_number)4
	split(integer_age,AGE_GROUP5_1559)         1          split(integer_age,GROUPE_AGE2_1070)         1          split(integer_age,GROUPE_AGE2_1070)         1          split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)         1          split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)         1          split(partners_ybey,PARTNERS_5)         1          trigger_changes(boadicea_evaluations)         1          trigger_entrances(boadicea_evaluations,1)         1          trigger_entrances(integer_age,0)         1          trigger_exits(children_born,0)         1          trigger_exits(children_born,1)         1          trigger_exits(integer_age,39)         1          undergone_change(partners)         1          undergone_entrance(ipregnant,true)         1          value_at_first_entrance(pregnant,true,union_number)         4          value_at_first_entrance(risk_assessments,1,cancer_breast)         1
	split(integer_age,AGE_GROUP5_1559)   1  split(integer_age,GROUP5_1559)   1  split(integer_age,GROUPE_AGE2_1070)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(partners_ybey,PARTNERS_5)   1  trigger_changes(boadicea_evaluations)   1  trigger_changes(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_exits(children_born,0)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  undergone_change(partners)   1  undergone_entrance(pregnant,true)   1  undergone_entrance(pregnant,true,union_number)   4  value_at_first_entrance(risk_assessments,1,cancer_breast)   1  value_at_latest_entrance(om_aia_17,true,partners)   4
	split(integer_age,AGE_GROUP5_1559)   1  split(integer_age,GROUP5_1559)   1  split(integer_age,GROUPE_AGE2_1070)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(partners_ybey,PARTNERS_5)   1  trigger_changes(boadicea_evaluations)   1  trigger_changes(cancer_breast)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_exits(children_born,0)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  undergone_change(partners)   1  undergone_change(partners)   1  undergone_entrance(pregnant,true,union_number)   4  value_at_first_entrance(risk_assessments,1,cancer_breast)   1  value_at_latest_entrance(pregnant,true,union_number)   4
	split(integer_age,AGE_GROUP5_1559)         1          split(integer_age,GROUPE_AGE2_1070)         1          split(integer_age,GROUPE_AGE2_1070)         1          split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)         1          split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)         1          split(partners_ybey,PARTNERS_5)         1          trigger_changes(boadicea_evaluations)         1          trigger_changes(cancer_breast)         1          trigger_entrances(boadicea_evaluations,1)         1          trigger_entrances(boadicea_evaluations,1)         1          trigger_entrances(boadicea_evaluations,1)         1          trigger_entrances(beadicea_evaluations,1)         1          trigger_entrance(sinteger_age,0)         1          trigger_exits(children_born,0)         1          trigger_exits(children_born,1)         1          undergone_change(partners)         1          undergone_change(union_status)         1          undergone_entrance(pregnant,true)         1          value_at_first_entrance(risk_assessments,1)         1          value_at_first_entrance(risk_assessments,1,cancer_breast)         1          value_at_latest_entrance(risk_assessments,1,cancer_breast)         4          value_at_latest_entrance(risk_assessments,1,cancer_breast) <td< td=""></td<>
	split(integer_age,AGE_GROUP5_1559)   1  split(integer_age,GROUP5_1559)   1  split(integer_age,GROUPE_AGE2_1070)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(partners_ybey,PARTNERS_5)   1  trigger_changes(boadicea_evaluations)   1  trigger_changes(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(biddren_born,1)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  undergone_change(partners)   1  undergone_change(partners)   1  undergone_entrance(pregnant,true)   1  value_at_first_entrance(risk_assessments,1)   1  value_at_first_entrance(risk_assessments,1,cancer_breast)   4  value_at_latest_entrance(pregnant,true,union_number)   4  value_at_latest_entrance(pregnant,true,union_number)   4  value_at_latest_entrance(pregnant,true,union_number)   4  parity   1  partners   4
	split(integer_age,AGE_GROUP5_1559)         1          split(integer_age,GROUPE_AGE2_1070)         1          split(integer_age,GROUPE_AGE2_1070)         1          split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)         1          split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)         1          split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)         1          trigger_changes(boadicea_evaluations)         1          trigger_changes(cancer_breast)         1          trigger_entrances(boadicea_evaluations,1)         1          trigger_entrances(boadicea_evaluations,1)         1          trigger_exits(children_born,0)         1          trigger_exits(children_born,1)         1          undergone_change(union_status)         1          undergone_change(union_status)         1          undergone_entrance(pregnant,true)         1          value_at_first_entrance(pregnant,true,union_number)         4          value_at_latest_entrance(oregnant,true,union_number)         4          value_at_latest_entrance(pregnant,true,union_number)         4          partners         4          partners         4
	split(integer_age,AGE_GROUP5_1559)   1  split(integer_age,GROUP5_1559)   1  split(integer_age,GROUPE_AGE2_1070)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(partners_ybey,PARTNERS_5)   1  trigger_changes(boadicea_evaluations)   1  trigger_changes(year)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(biddren_born,0)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  undergone_change(union_status)   1  undergone_entrance(pregnant,true)   1  undergone_entrance(pregnant,true, union_number)   4  value_at_first_entrance(pregnant,true, union_number)   4  value_at_latest_entrance(pregnant,true, union_number)   4  partners   4  partners   4  partners_casual   4  partners_casual   4  partners_casual   4
	split(integer_age,AGE_GROUP5_1559)   1  split(integer_age,GROUP5_1559)   1  split(integer_age,GROUPE_AGE2_1070)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(partners_ybey,PARTNERS_5)   1  trigger_changes(boadicea_evaluations)   1  trigger_changes(year)   1  trigger_entrances(integer_age,0)   1  trigger_entrances(integer_age,0)   1  trigger_entrances(integer_age,0)   1  trigger_exits(children_born,0)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  undergone_change(partners)   1  undergone_entrance(pregnant,true)   1  value_at_first_entrance(pregnant,true,union_number)   4  value_at_first_entrance(risk_assessments,1,cancer_breast)   1  value_at_latest_entrance(pregnant,true,union_number)   4  partners_casual   4  partners_casual   4  partners_casual   4  partners_table   4  partners_ybey   4
	split(integer_age,AGE_GROUP5_1559)   1  split(integer_age,GROUP5_AGE2_1070)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(partners_ybey,PARTNERS_5)   1  trigger_changes(boadicea_evaluations)   1  trigger_changes(cancer_breast)   1  trigger_entrances(integer_age,0)   1  trigger_entrances(integer_age,0)   1  trigger_entrances(integer_age,0)   1  trigger_exits(children_born,0)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  trigger_exits(integer_age,39)   1  undergone_change(partners)   1  value_at_first_entrance(pregnant,true)   1  value_at_first_entrance(risk_assessments,1)   1  value_at_first_entrance(risk_assessments,1,cancer_breast)   1  value_at_latest_entrance(om_aia_17,true,partners)   4  partners_casual   4  partners_casual   4  partners_table   4  polygenic_total   4
	split(integer_age,AGE_GROUP5_1559)   1  split(integer_age,GROUPE_AGE2_1070)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(partners_ybey,PARTNERS_5)   1  trigger_changes(boadicea_evaluations)   1  trigger_changes(boadicea_evaluations,1)   1  trigger_entrances(integer_age,0)   1  trigger_entrances(integer_age,0)   1  trigger_entrances(integer_age,0)   1  trigger_exits(children_born,0)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,2)   1  undergone_change(partners)   1  undergone_entrance(pregnant,true)   1  value_at_first_entrance(pregnant,true,union_number)   4  value_at_first_entrance(risk_assessments,1,cancer_breast)   1  value_at_latest_entrance(on_aia_17,true,partners)   4  partners_casual   4  partners_casual   4  partners_table   4  partners_byey   4  polygenic_total   4  possible_proband   1
	split(integer_age,AGE_GROUP5_1559)   1  split(integer_age,GROUPE_AGE2_1070)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(partners_ybey,PARTNERS_5)   1  trigger_changes(boadicea_evaluations)   1  trigger_changes(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_exits(children_born,0)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  undergone_change(partners)   1  undergone_entrance(pregnant,true)   1  undergone_entrance(pregnant,true,union_number)   4  value_at_first_entrance(pregnant,true,partners)   4  value_at_first_entrance(risk_assessments,1,cancer_breast)   1  partners   4  partners_casual   4  partners_casual   4  partners_stable   4  partners_ybey   4  possible_proband   1  range_age   1
	split(integer_age,AGE_GROUP5_1559)   1  split(integer_age,GROUPE_AGE2_1070)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(partners_ybey,PARTNERS_5)   1  trigger_changes(boadicea_evaluations)   1  trigger_changes(boadicea_evaluations,1)   1  trigger_entrances(integer_age,0)   1  trigger_entrances(integer_age,0)   1  trigger_entrances(integer_age,0)   1  trigger_exits(children_born,0)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,2)   1  undergone_change(partners)   1  undergone_entrance(pregnant,true)   1  value_at_first_entrance(pregnant,true,union_number)   4  value_at_first_entrance(risk_assessments,1,cancer_breast)   1  value_at_latest_entrance(on_aia_17,true,partners)   4  partners_casual   4  partners_casual   4  partners_table   4  partners_byey   4  polygenic_total   4  possible_proband   1
	split(integer_age,AGE_GROUP5_1559)   1  split(integer_age,GROUPE_AGE2_1070)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(partners_ybey,PARTNERS_5)   1  trigger_changes(boadicea_evaluations)   1  trigger_changes(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_exits(children_born,0)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  undergone_change(partners)   1  undergone_entrance(pregnant,true)   1  undergone_entrance(pregnant,true,union_number)   4  value_at_first_entrance(pregnant,true,partners)   4  value_at_first_entrance(risk_assessments,1,cancer_breast)   1  partners   4  partners_casual   4  partners_casual   4  partners_stable   4  partners_ybey   4  possible_proband   1  range_age   1
	split(integer_age,AGE_GROUP5_1559)   1  split(integer_age,GROUP5_AGE2_1070)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(partners_ybey,PARTNERS_5)   1  trigger_changes(boadicea_evaluations)   1  trigger_changes(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_exits(children_born,0)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  undergone_change(partners)   1  undergone_entrance(pregnant,true)   1  undergone_entrance(pregnant,true,union_number)   4  value_at_first_entrance(risk_assessments,1, cancer_breast)   1  value_at_latest_entrance(pregnant,true,partners)   4  partners value_at_latest_entrance(pregnant,true,union_number)   4  partners_casual   4  partners_due   4  partners_due   4  partners_due   4  partners_due   4  partners_due   4  partners_atable   4  partners_due   4  pa
	split(integer_age,AGE_GROUP5_1559)   1  split(integer_age,GROUP5_AGE2_1070)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(partners_ybey,PARTNERS_5)   1  trigger_changes(boadicea_evaluations)   1  trigger_changes(vear)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_exits(children_born,0)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  undergone_change(union_status)   1  undergone_change(union_status)   1  undergone_entrance(pregnant,true)   1  value_at_first_entrance(pregnant,true,union_number)   4  value_at_first_entrance(pregnant,true,union_number)   4  value_at_first_entrance(pregnant,true,union_number)   4  value_at_first_entrance(pregnant,true,union_number)   4  partners   4  partners_casual   4  partners_casual   4  partners_table   4  polygenic_total   4  possible_proband   1  range_age   1  range_age_80   1  stable_union   1
	split(integer_age,AGE_GROUP5_1559)   1  split(integer_age,GROUPE_AGE2_1070)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(partners_ybey,PARTNERS_5)   1  trigger_changes(boadicea_evaluations)   1  trigger_changes(vear)   1  trigger_entrances(integer_age,0)   1  trigger_entrances(integer_age,0)   1  trigger_exits(children_born,0)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  undergone_change(partners)   1  undergone_change(union_status)   1  undergone_entrance(pregnant,true)   1  value_at_first_entrance(pregnant,true,union_number)   4  value_at_first_entrance(pregnant,true,union_number)   4  partners_casual   4  partners_casual   4  partners_casual   4  partners_table   4  partners_table   4  partners_table   4  partners_table   4  partners_table   4  partners_asual   4  p
	split(integer_age,AGE_GROUP5_1559)   1  split(integer_age,GROUP5_AGE2_1070)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(partners_ybey,PARTNERS_5)   1  trigger_changes(boadicea_evaluations)   1  trigger_changes(year)   1  trigger_entrances(integer_age,0)   1  trigger_entrances(integer_age,0)   1  trigger_exits(children_born,0)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  undergone_change(partners)   1  undergone_change(partners)   1  undergone_entrance(irsk_assessments,1)   1  value_at_first_entrance(pregnant,true,union_number)   4  value_at_first_entrance(pregnant,true,union_number)   4  partners_casual   4  partners_table   4  partners_casual   4  polygenic_total   4  polygenic_total   4  union_number   4  union_number   4  union_number   4  union_number   4  union_number   4
	split(integer_age,AGE_GROUP5_1559)   1  split(integer_age,GROUPE_AGE2_1070)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(partners_ybey,PARTNERS_5)   1  trigger_changes(boadicea_evaluations)   1  trigger_changes(boadicea_evaluations,1)   1  trigger_entrances(integer_age,0)   1  trigger_entrances(integer_age,0)   1  trigger_exits(children_born,0)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  undergone_change(partners)   1  undergone_entrance(irsk_assessments,1)   1  value_at_first_entrance(pregnant,true, union_number)   4  value_at_first_entrance(pregnant,true,union_number)   4  partners_casual   4  partners_casual   4  partners_table   4  partners_table   4  possible_proband   1  range_age_80   1  union_number_at_first_conception   4  union_number_at_latest_conception   4  virgin   1
	split(integer_age,AGE_GROUP5_1559)   1  split(integer_age,GROUPE_AGE2_1070)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(partners_ybey,PARTNERS_5)   1  trigger_changes(boadicea_evaluations)   1  trigger_changes(boadicea_evaluations,1)   1  trigger_entrances(integer_age,0)   1  trigger_entrances(integer_age,0)   1  trigger_exits(children_born,0)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,1)   1  trigger_exits(children_born,2)   1  undergone_change(partners)   1  undergone_entrance(pregnant,true)   1  value_at_first_entrance(pregnant,true,union_number)   4  value_at_first_entrance(risk_assessments,1, cancer_breast)   1  value_at_latest_entrance(on_aia_17,true,partners)   4  partners_casual   4  partners_casual   4  partners_table   4  partners_table   4  partners_table   4  partners_deg = 0   1  range_age   1  range_age_80   1  union_number_at_first_conception   4  union_number_at_latest_conception   4  virgin   1  year_flash   1
	split(integer_age,AGE_GROUP5_1559)   1  split(integer_age,GROUP5_AGE2_1070)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)   1  trigger_changes(boadicea_evaluations)   1  trigger_changes(vear)   1  trigger_entrances(boadicea_evaluations,1)   1  trigger_exits(children_born,0)   1  trigger_exits(children_born,0)   1  trigger_exits(children_born,0)   1  undergone_change(union_status)   1  undergone_change(union_status)   1  undergone_entrance(pregnant,true)   1  value_at_first_entrance(pregnant,true,union_number)   4  value_at_latest_entrance(om_aia_17,true,partners)   4  value_at_latest_entrance(pregnant,true,union_number)   4  partners_stable   4  partners_stable   4  partners_stable   4  partners_stable   4  partners_stable   4  partners_gage   1  range_age   1  range_age   1  range_age   1  stable_union   4  union_number   4  union_number_at_latest_conception   4  virgin   1  year_flash   1  year_flash   1  year_spell   1
	split(integer_age,AGE_GROUP5_1559)         1          split(integer_age,AGE_GROUP5_AGE2_1070)         1          split(integer_age,PAGE_FOR_SEXUAL_DEBUT)         1          split(partners_ybey,PARTNERS_5)         1          trigger_changes(boadicea_evaluations)         1          trigger_changes(cancer_breast)         1          trigger_entrances(boadicea_evaluations,1)         1          trigger_entrances(integer_age,0)         1          trigger_exits(children_born,0)         1          undergone_change(partners)         1          undergone_entrance(pregnant,true)         1          undergone_entrance(risk_assessments,1)         1          value_at_first_entrance(risk_assessments,1, cancer_breast)         4          value_at_first_entrance(om_aia_17,true,partners)         4          partners_casual         4          partners_stable         4          polygenic_total         4          polygenic_total         4          union_number         4          union_number_at_first_conception         4          union_number         4          undergone_entrance(pregnant,true,union_number)         4          value_at_first_entrance(ins_assessments,1, cancer_breast)         1          value_at_first
	split(integer_age,AGE_GROUP5_1559)         1          split(integer_age,GROUPE_AGE2_1070)         1          split(integer_age,P_AGE_FOR_SEXUAL_DEBUT)         1          split(partners_ybey,PARTNERS_5)         1          trigger_changes(boadicea_evaluations)         1          trigger_changes(cancer_breast)         1          trigger_changes(cancer_breast)         1          trigger_exits(children_born,0)         1          trigger_exits(children_born,1)         1          undergone_change(partners)         1          undergone_entrance(pregnant,true)         1          value_at_first_entrance(risk_assessments,1, cancer_breast)         1          value_at_first_entrance(risk_assessments,1, cancer_breast)         4          value_at_latest_entrance(pregnant,true,union_number)         4          partners         4          partners_casual         4          partners_table         4          polygenic_total         4          polygenic_total         4          union_number         4          union_number         4          polygenic_total         4          union_number_at_first_conception         4          union_number_at_first_conception         4
	split(integer_age,AGE_GROUP5_1559)         1          split(integer_age,AGE_GROUP5_AGE2_1070)         1          split(integer_age,PAGE_FOR_SEXUAL_DEBUT)         1          split(partners_ybey,PARTNERS_5)         1          trigger_changes(boadicea_evaluations)         1          trigger_changes(cancer_breast)         1          trigger_entrances(boadicea_evaluations,1)         1          trigger_entrances(integer_age,0)         1          trigger_exits(children_born,0)         1          undergone_change(partners)         1          undergone_entrance(pregnant,true)         1          undergone_entrance(risk_assessments,1)         1          value_at_first_entrance(risk_assessments,1, cancer_breast)         4          value_at_first_entrance(om_aia_17,true,partners)         4          partners_casual         4          partners_stable         4          polygenic_total         4          polygenic_total         4          union_number         4          union_number_at_first_conception         4          union_number         4          undergone_entrance(pregnant,true,union_number)         4          value_at_first_entrance(ins_assessments,1, cancer_breast)         1          value_at_first

CancerBreastEvent     24       CancerOvaryEvent     24
CancerOvaryEvent 24
CancerPancreasEvent 24
CancerProstateEvent   24
ConceptionEvent   24
MortalityEvent   24
PregnancyClockEvent   24
SexualDebutEvent 24
UnionDissolutionEvent
UnionFormationEvent   24
om_ss_event   24
Increments:
Boadicea RR cross increment   16
IM RiskEvaluationDistributionDetailed increment     16
PersonEvents increment   16
Multilink:         Internal:
ALT_ActivityLevel (in) om_duration   8
ALT_ActivityLevel (in) om_duration_FOR_activity_level_X_AL_0       8         ALT_ActivityLevel (in) om_duration_FOR_activity_level_X_AL_0       8
ALT_ActivityLevel (in) om_duration_FOR_activity_level_X_AL_1   8
ALT_ActivityLevel (in) om_duration_FOR_activity_level_X_AL_2   8
ALT_ActivityLevel (in) om_duration_FOR_activity_level_X_AL_3   8
BirthRate (in) children_born     4
BirthRate (in) om_duration     8
BreastCancerRates (in) om_duration 8
BreastCancerRates (in) om_duration_FOR_cancer_breast_X_true 8
BreastCancerRates (in) om_entrances_FOR_cancer_breast_X_true   2
CanConceive (in) om_duration
CanConceive (in) om_duration_FOR_can_conceive_X_true   8
CancerRates (in) om_duration
CancerRates (in) om duration FOR cancer breast X true
CancerRates (in) om_entrances_FOR_cancer_breast_X_true   2
CancerRates (in) om_entrances_FOR_cancer_ovary_X_true 2
CancerRates (in) om_entrances_FOR_cancer_pancreas_X_true   2
FertilityByAge (in) children_born     4       FertilityByAge (in) children_born     4
FertilityByAge (in) om_duration     8       In Influence (in) om_duration     8
InUtero (in) om_duration   8
MatchReport (in) match_failures_forbidden     4
MatchReport (in) match_failures_none     4
MatchReport (in) match_successes       4
PYAgeZero (in) om_duration   8
PersonEvents (inevent) event_count   4
Polygene1a (in) polygenic_total   4
PopulationByYear (in) om_duration 8
SDT_SexualDebut (in) om_duration   8
SDT_SexualDebut (in) om_duration 8
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration       8
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1         Screening2 (in) om_duration       8
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1         Screening3 (in) cancer_breast       1
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening3 (in) om_duration       8
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1         Screening2 (in) om_duration       8         Screening2 (in) cancer_breast       1
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening4 (in) cancer_breast       1         Screening5 (in) cancer_breast       1
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening4 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening4 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         SimulatedProportionStable (in) in_stable_union       1
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         SimulatedProportionStable (in) in_stable_union       1         X4_Observed_RR (in) cancer_breast       1
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         SimulatedProportionStable (in) in_stable_union       1         X4_Observed_RR (in) cancer_breast       1         X4_Observed_RR (in) om_duration       8
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         SimulatedProportionStable (in) in_stable_union       1         X4_Observed_RR (in) om_duration       8         X5_Difference_RR (in) diff_RR_abs       8
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         SimulatedProportionStable (in) in_stable_union       1         X4_Observed_RR (in) cancer_breast       1         X4_Observed_RR (in) om_duration       8         X5_Difference_RR (in) diff_RR_abs       8         X5_Difference_RR (in) entity_id       4
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         SimulatedProportionStable (in) in_stable_union       1         X4_Observed_RR (in) cancer_breast       1         X4_Observed_RR (in) om_duration       8         X5_Difference_RR (in) om_duration       8         X5_Difference_RR (in) om_duration       8         X5_Difference_RR (in) entity_id       4         asAllPerson (current cell)       4
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         SimulatedProportionStable (in) in_stable_union       1         X4_Observed_RR (in) cancer_breast       1         X5_Difference_RR (in) om_duration       8         X5_Difference_RR (in) om_duration       8         X5_Difference_RR (in) om_duration       4         asAllPerson (current cell)       4
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         SimulatedProportionStable (in) in_stable_union       1         X4_Observed_RR (in) cancer_breast       1         X4_Observed_RR (in) om_duration       8         X5_Difference_RR (in) om_duration       8         X5_Difference_RR (in) omity_id       4         asAvailableMenV (current cell)       4
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         SimulatedProportionStable (in) in_stable_union       1         X4_Observed_RR (in) om_duration       8         X5_Difference_RR (in) om_duration       8         X5_Difference_RR (in) entity_id       4         asAllPerson (current cell)       4         asAvailableMenV (current cell)       4         event_count (agged)       4
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening4 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         SimulatedProportionStable (in) in_stable_union       1         X4_Observed_RR (in) om_duration       8         X5_Difference_RR (in) om_duration       8         X5_Difference_RR (in) om_duration       8         X5_Difference_RR (in) entity_id       4         asAvailableMenV (current cell)       4         asAvailableMenV (current cell)       4         event_count (lagged)       4         event_count (counter at lagged)       8
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         SimulatedProportionStable (in) in_stable_union       1         X4_Observed_RR (in) om_duration       8         X5_Difference_RR (in) om_duration       8         X5_Difference_RR (in) entity_id       4         asAvailableMenV (current cell)       4         asAvailableMenV (current cell)       4         asAvailableMen (current cell)       4         event_count (lagged)       4         om_self_scheduling_int_FOR_age (next time)       8
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         SimulatedProportionStable (in) in_stable_union       1         X4_Observed_RR (in) om_duration       8         X5_Difference_RR (in) diff_RR_abs       8         X5_Difference_RR (in) entity_id       4         asAvailableMenV (current cell)       4         asAvailableMenV (current cell)       4         event_count (lagged)       4         event_count (counter at lagged)       8         om_self_scheduling_int_FOR_age (next time)       8
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         SimulatedProportionStable (in) in_stable_union       1         X4_Observed_RR (in) om_duration       8         X5_Difference_RR (in) diff_RR_abs       8         X5_Difference_RR (in) entity_id       4         asAvailableMenV (current cell)       4         asAvailableMenV (current cell)       4         event_count (lagged)       4         event_count (counter at lagged)       8         om_self_scheduling_int_FOR_age (next time)       8         om_self_scheduling_int_FOR_maduration_FOR_boadicea_evaluations_X_1 (next time)   <
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) om_duration       8         Screening2 (in) om_duration       8         Screening2 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         X4_Observed_RR (in) om_duration       1         X4_Observed_RR (in) om_duration       8         X5_Difference_RR (in) entity_id       4         asAvailableMenV (current cell)       4         asAvailableMenV (current cell)       4         event_count (counter at lagged)       4         om_self_scheduling_int_FOR_age (next time)       8         om_self_scheduling_int_FOR_m_duration_FOR_boadicea_evaluations_X_1 (next time)         om_trigger_changes_FOR_cancer_breast (next time)       8
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) risk_assessments       4         Screening2 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         Streenerge (in) om_duration       8         X4_Observed_RR (in) cancer_breast       1         X4_Observed_RR (in) om_duration       8         X5_Difference_RR (in) off_RR_abs       8         X5_Difference_RR (in) off_RR_abs       8         X5_Difference_RR (in) entity_id       4         asAvailableMenV (current cell)       4         event_count (counter at lagged)       4         om_self_scheduling_int_FOR_age (next time)       8         om_self_scheduling_int_FOR_moduration_FOR_boadicea_evaluations_X_1 (next time)         0         om_trigger_changes_FOR_cancer_preast (next time)
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening2 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         X4_Observed_RR (in) cancer_breast       1         X4_Observed_RR (in) cancer_breast       1         X5_Difference_RR (in) om_duration       8         X5_Difference_RR (in) om_duration       8         X5_Difference_RR (in) om_tity_id       4         asAvailableMenV (current cell)       4         asAvailableMen (current cell)       4         event_count (counter at lagged)       8         om_self_scheduling_int_FOR_age (next time)       8         om_self_scheduling_int_FOR_om_duration_FOR_boadicea_evaluations_X_1 (next tim
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration       8         Screening2 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         SimulatedProportionStable (in) in_stable_union       1         X4_Observed_RR (in) om_duration       8         X5_Difference_RR (in) om_duration       8         X5_Difference_RR (in) entity_id       4         asAllPerson (current cell)       4         asAvailableMenV (current cell)       4         event_count (counter at lagged)       4         om_self_scheduling_int_FOR_age (next time)       8         om_self_scheduling_int_FOR_om_duration_FOR_boadicea_evaluations_X_1 (next time)       8
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration       8         Screening2 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         SimulatedProportionStable (in) in_stable_union       1         X4_Observed_RR (in) om_duration       8         X5_Difference_RR (in) om_duration       8         X5_Difference_RR (in) entity_id       4         asAllPerson (current cell)       4         asAvailableMenV (current cell)       4         event_count (lagged)       4         om_self_scheduling_int_FOR_age (next time)       8         om_self_scheduling_int_FOR_mo_duration_FOR_boadicea_evaluations_X_1 (next time)       1         om_trigger_changes_FOR_boadicea_evaluations (next time)
SDT_SexualDebut (in) om_duration         8          SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true         8          Screening1 (in) om_duration_FOR_enhanced_screening_X_true         8          Screening1 (in) om_duration_FOR_enhanced_screening_X_true         8          Screening1 (in) om_duration         8          Screening2 (in) cancer_breast         1          Screening3 (in) cancer_breast         1          Screening3 (in) om_duration         8          Screening3 (in) cancer_breast         1          Screening4 (in) cancer_breast         1          Screening5 (in) cancer_breast         1          SimulatedEverHadSex (in) ever_had_sex         1          SimulatedEverHadSex (in) om_duration         1          X4_Observed_RR (in) cancer_breast         1          X5_Difference_RR (in) om_duration         8          X5_Difference_RR (in) om_duration         8          X5_Difference_RR (in) omity_id         4          asAvailableMenV (current cell)         4          asAvailableMen (current cell)         4          event_count (lagged)         4          om_self_scheduling_int_FOR_age (next time)         8          om_self_scheduling_int_FOR_ade(next time)         8          om_trigger_changes_FOR_boadicea_evalu
SDT_SexualDebut (in) om_duration         8           SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true         8           Screening1 (in) om_duration_FOR_enhanced_screening_X_true         8           Screening1 (in) om_duration_FOR_enhanced_screening_X_true         8           Screening1 (in) om_duration         8           Screening2 (in) cancer_breast         1           Screening3 (in) cancer_breast         1           Screening3 (in) om_duration         8           Screening3 (in) cancer_breast         1           Screening3 (in) cancer_breast         1           Screening4 (in) cancer_breast         1           Screening5 (in) cancer_breast         1           SimulatedEverHadSex (in) ever_had_sex         1           SimulatedEverHadSex (in) om_duration         1           X4_Observed_RR (in) cancer_breast         1           X5_Difference_RR (in) diff_RR_abs         8           X5_Difference_RR (in) diff_RR_abs         8           X5_Difference_RR (in) evert_hadge()         4           asAvailableMenV (current cell)         4           asAvailableMenv (current cell)         4           event_count (counter at lagged)         8           om_self_scheduling_int_FOR_age (next time)         8           om_trigger
SDT_SexualDebut (in) om_duration         8          SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true         8          Screening1 (in) om_duration_FOR_enhanced_screening_X_true         8          Screening1 (in) om_duration_FOR_enhanced_screening_X_true         8          Screening1 (in) isk_assessments         4          Screening2 (in) cancer_breast         1          Screening3 (in) om_duration         8          Screening3 (in) cancer_breast         1          Screening3 (in) cancer_breast         1          Screening3 (in) cancer_breast         1          Screening3 (in) cancer_breast         1          SimulatedEverHadSex (in) ever_had_sex         1          SimulatedProportionStable (in) in_stable_union         1          X4_Observed_RR (in) cancer_breast         1          X4_Observed_RR (in) om_duration         8          X5_Difference_RR (in) diff_RR_abs         8          X5_Difference_RR (in) entity_id         4          asAvailableMenV (current cell)         4          asAvailableMenV (current cell)         4          event_count (agged)         8          om_self_scheduling_int_FOR_age (next time)         8          om_self_scheduling_int_FOR_age (next time)         8          om_trigger_changes_FOR_
SDT_SexualDebut (in) om_duration         8          SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true         8          Screening1 (in) om_duration_FOR_enhanced_screening_X_true         8          Screening1 (in) insk_assessments         4          Screening2 (in) cancer_breast         1          Screening3 (in) om_duration         8          Screening3 (in) om_duration         8          Screening3 (in) cancer_breast         1          Screening3 (in) cancer_breast         1          Screening4 (in) cancer_breast         1          Screening5 (in) cancer_breast         1          SimulatedEverHadSex (in) ever_had_sex         1          SimulatedProportionStable (in) in_stable_union         1          X4_Observed_RR (in) om_duration         8          X5_Difference_RR (in) diff_RR_abs         8          X5_Difference_RR (in) om_duration         4          asAvailableMenV (current cell)         4          asAvailableMenV (current cell)         4          event_count (agged)         8          om_self_scheduling_int_FOR_age (next time)         8          om_self_scheduling_int_FOR_age (next time)         8          om_trigger_changes_FOR_cancer_breat (next time)         8          om_trigger_changes_FOR_cancer_breat
SDT_SexualDebut (in) om_duration         8          SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true         8          Screening1 (in) om_duration_FOR_enhanced_screening_X_true         8          Screening1 (in) risk_assessments         4          Screening2 (in) cancer_breast         1          Screening3 (in) om_duration         8          Screening3 (in) om_duration         8          Screening3 (in) om_duration         8          Screening3 (in) cancer_breast         1          Screening3 (in) cancer_breast         1          Screening4 (in) cancer_breast         1          SimulatedProportionStable (in) in_stable_union         1          X4_Observed_RR (in) cancer_breast         1          X5_Difference_RR (in) cancer_breast         8          X5_Difference_RR (in) cancer_breast         8          X5_Difference_RR (in) om_duration         4          asAllPerson (current cell)         4          asAvailableMenv (current cell)         4          asAvailableMenv (current cell)         8          om_self_scheduling_int_FOR_age (next time)         8          om_trigger_changes_FOR_boadicea_evaluations (next time)         8          om_trigger_changes_FOR_boadicea_evaluations X_1 (next time)         8          om_t
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening2 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening2 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         SimulatedProportionStable (in) in_stable_union       1         X4_Observed_RR (in) anduration       8         X5_Difference_RR (in) entity_id       4         asAvailableMenV (current cell)       4         asAvailableMenV (current cell)       4         event_count (agged)       4         om_self_scheduling_int_FOR_age (next time)       8         om_self_scheduling_int_FOR_age (next time)       8         om_trigger_changes_FOR_boadicea_evaluations_X_1 (next time)       8         om_trigger_changes_FOR_perance_treats (next time)       8         om_trigger_entraces_FOR_in
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening2 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       11         Screening5 (in) cancer_breast       11         SimulatedEverHadSex (in) ever_had_sex       11         SimulatedProportionStable (in) in_stable_union       11         X4_Observed_RR (in) om_duration       8         X5_Difference_RR (in) entity_id       41         asAvailableMenV (current cell)       41         asAvailableMen (current cell)       41         event_count (lagged)       41         event_count (agged)       81         om_self_scheduling_int_FOR_age (next time)       81         om_trigger_changes_FOR_cancer_breast (next time)       81         om_trigger_changes_FOR_boadicea_evaluations (next time)       81         om_trigger_changes_FOR_cancer_breast (next time)       81
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening2 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening2 (in) om_duration       8         Screening3 (in) cancer_breast       1         Screening3 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         Screening5 (in) cancer_breast       1         SimulatedEverHadSex (in) ever_had_sex       1         SimulatedEverHadSex (in) ever_had_sex       1         X4_Observed_RR (in) diff_RR_abs       8         X5_Difference_RR (in) diff_RR_abs       8         X4_Observed_RR (in) entity_id       4         asAvailableMenV (current cell)       4         asAvailableMenV (current cell)       4         event_count (agged)       4         om_self_scheduling_int_FOR_ong_duration_FOR_boadicea_evaluations_X_1 (next time)         om_trigger_changes_FOR_boadicea_evaluations (next time)       8         om_trigger_changes_FOR_boadicea_evaluations (next time)       8         om_trigger_entraces_FOR_boadicea_evaluations (next time)       8
SDT_SexualDebut (in) om_duration       8         SDT_SexualDebut (in) om_duration_FOR_undergone_debut_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening1 (in) om_duration_FOR_enhanced_screening_X_true       8         Screening2 (in) cancer_breast       1         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) om_duration       8         Screening3 (in) cancer_breast       11         Screening5 (in) cancer_breast       11         SimulatedEverHadSex (in) ever_had_sex       11         SimulatedProportionStable (in) in_stable_union       11         X4_Observed_RR (in) om_duration       8         X5_Difference_RR (in) entity_id       41         asAvailableMenV (current cell)       41         asAvailableMen (current cell)       41         event_count (lagged)       41         event_count (agged)       81         om_self_scheduling_int_FOR_age (next time)       81         om_trigger_changes_FOR_cancer_breast (next time)       81         om_trigger_changes_FOR_boadicea_evaluations (next time)       81         om_trigger_changes_FOR_cancer_breast (next time)       81

8|

\*\*\*\*\*

\* Resource I lee Netail for Ticker \*

ILESUULCE	030	Detail	IUI	
المحلو والروال والمحلو والروال والروال والروال والرو				

+				-+
T	icker Insta	nces		1
+	+		+	+
Acti	vations   A	llocatio	ons	MB
+	+		+	+
1	1	1	0	
+	+		+	+

+	τ
Ticker Me	mbers
+	+
Member	Count
+	+
Attributes	15
Built-in	6
Simple	8
Maintained	1
Link	0
Events	2
Increments	1
Multilink	0
Internal	3
Array	0
Foreign	0
+	++
All	21
+	+

 +------+
 |

 | Ticker Events
 |

 +-----+
 +----++

 | event | time calcs | censored | occurrences | per entity | max in queue | MB |

 +-----+
 +-----++

 +-----+
 +-----++

 | NewPerson | 622150 | 1 | 622149 | 622149.0000 | 1 | 0 |

 | TickEvent | 202 | 0 | 201 | 201.0000 | 1 | 0 |

 +-----+

 | All | | | | 0 |

 +-----+

 +----++

Note: MB does not include entity members

+			+
Ticker Tables			
+++	+++-	++	+
table   rank   c	ells   accum   measr	colls   incrmnts   pe	er entity   MB
++	+++-	+++	+
TickerEvents   2	603   1   1	0   253   253.0	000 0 0
+++	+-	++	+
All		0	
+++	+-	++	+
	1 I I I I I I I I I I I I I I I I I I I		

Note: MB does not include entity members

+	+
Ticker Members (de	etail)
member +	bytes
Attributes:	
Built-in:	
age	8
case_seed	8
censor_time	8
entity_id	4
events	2
time	8
Simple:	
event_count	4
event_type	1
exogenous_births	1
integer_year	4
premier_tic	1
prochain_tic	8
ps	1
year	1
Maintained:	
endogenous_conce	ptions   1
Link:	
Events:	
NewPerson	24
TickEvent	24
Increments:	
TickerEvents increm	nent   16
Multilink:	
Internal:	
<ul> <li>TickerEvents (ineve event count (lagged)</li> </ul>	
i cveni_count (lagget	1 4

event_count (counter at lagged)   8   Array:      Foreign:     +
Sum of member bytes       140         Bytes per entity       192         Storage efficiency (%)       72.9         ++
**************************************
Derived Tables   ++++++
derived table   rank   cells   measr   MB   +++++++++++
IM_GMM_KeyInputs         1        7        1        0            IM_IncidenceRR         3        24480        1        0            IM_MajorGeneBirthDistribution         1        6        1        0            IM_OncogenesisRR         3        24480        1        0            IM_PolygeneBirthDistribution         1        51        1        0            IM_PolygeneBirthDistribution         1        51        1        0            IM_RiskEvaluationAge       0        1        1        0

Resource Use Report - End

[back to topic contents]

# **Model Symbols**

### Home > Model Development Topics > Model Symbols

Symbols in model code and in the user interface.

This topic is under construction and/or revision.

## **Related topics**

- Model Documentation: Home topic on model documentation
- Symbol Labels and Notes: Human-language labels and notes for model symbols

# **Topic contents**

- Introduction and outline
- · Doxygen brief descriptions for model symbols

# Introduction and outline

Content to follow.

#### [back to topic contents]

# Doxygen brief descriptions for model symbols

This subtopic describes doxygen brief descriptions created by the OpenM++ compiler for model symbols. An IDE such as Visual Studio can use these doxygen labels to provide information on model symbols used in C++ model code directly from the code editor. Syntactic islands in model code should be hidden so that doxygen and the IDE can correctly parse the C++ portions of the model project, as described in Model Code - Hiding syntactic islands.

This subtopic contains the following sections:

- Background on doxygen
- RiskPaths example
- Examples of doxygen brief descriptions

## [back to topic contents]

# Background on doxygen

Doxygen is a widely used tool which generates human-readable hyperlinked HTML documentation for a C++ project. Doxygen fully parses the project's C++ source code for symbols and symbol references, and will incorporate descriptive information provided in specially-structured comments in the C++ source code. Here's an example of a structured doxygen comment in the C++ source code of the OpenM++ compiler:

In this example the comment block starting with *i*<sup>th</sup> tells doxygen to parse the comment block for structured descriptive text about the C++ symbol whose declaration or definition follows in the code. Doxygen takes the first line of the comment block as a brief description of the symbol push\_header.

Doxygen recognizes several ways to supply information in structured comments. For example, the following supplies only the doxygen 'brief description' for push\_header:

class CodeBlock : public list <string></string>
{
public:
/// Push block of code at the top of the list.
<pre>void push_header(const CodeBlock &amp; push_block);</pre>

};

Doxygen is so widely used that some IDEs (e.g. Visual Studio) scan a project's C++ source code for doxygen comments to improve functionality. For example, in the Visual Studio C++ project for the OpenM++ compiler, hovering the cursor over the symbol push\_header in line 347 of the module CodeGen.cpp causes the IDE to display a pop-up which includes information extracted from the doxygen comment for push\_header which the IDE found elsewhere in the project:

CodeBlock.h	Symbol.cpp Symbol.h omc.cpp CodeGen.cpp + X omc_common.h omModel.h 🛛 🗣 🗛	- <b>-</b>
🖽 omc	- 🗸 CodeGen 🛛 - 🕆 🕅	
335		Se
336		
337	// insert commomn headers in all files and define model name and digest	
	⊡void CodeGen::do_name_digest(void)	
339		
340	// common elements of all file headers	
341	<pre>string model_str = " for model '" + metaRows.modelDic.name + "' - Generated by openM++ co string version_str = " Model version = " + metaRows.modelDic.version;</pre>	
342 343	<pre>string version_str = " Model version = " + metaRows.modelDic.version; string created_str = " Model created = " + metaRows.modelDic.createDateTime;</pre>	
343	<pre>string digest_str = " Model digest = " + metaRows.modelDic.digest;</pre>	
345	sting digest still indet digest = + metanows.modetbic.digest,	
345	// om_types0.h	
347	t0.push_header(doxygen(	
348		
349	♥ void CodeBlock::push_header(const CodeBlock &push_block) "Fu	
350	Push block of code at the top of the list. No indentation applied (assuming zero indent at the top)	•
351	ver Parameters: push_block The block of code to be inserted.	
352	cre Search Online	
353	dig	
354	D);	
355		
356	// om_types1.h	
357	t1.push_header(doxygen(	
358	"@file om_types1.h",	

[back to doxygen brief descriptions for model symbols] [back to topic contents]

## **RiskPaths example**

The OpenM++ compiler generates C++ code which declare C++ symbols to implement model symbols declared in syntactic islands in model code.

For example, the model code which declares the unions attribute of the Person entity in the Unions.mpp module in RiskPaths is

actor Person { //EN Union counter int unions = {0};

The OpenM++ compiler parses this code and creates the following C++ code in om\_declarations.h to implement the unions attribute:



The OpenM++ compiler generated a line of C++ code to declare unions as well as a preceding doxygen comment containing the doxygen brief description. The doxygen brief description = generated by the OpenM++ compiler has two parts. The first part gives the kind of symbol (a simple attribute) and the the underlying type (int). The second part after the : is the symbol label provided in model code, in the default language of the model (EN for RiskPaths).

If the RiskPaths project is opened in Visual Studio and the model built, hovering the cursor over the symbol unions in line 148 of the module Unions.mpp causes the IDE to display a pop-up for that symbol:

File       Edit       Yiew       Git       Project       Build       Debug       Test       Analyze       Tools       Extensions        Risompp         Window       Help         ⓒ       •	- 🗆	× R
Unions.mpp *     Vnions.mpp     *     Model     * <td>&lt;&lt; <b>₹</b></td> <td>Notifications Diagnostic Tools</td>	<< <b>₹</b>	Notifications Diagnostic Tools
145         146       ⊃void Person::Union1FormationEvent()         147       {         148       unions++;         149       un         150       un         151       }         152       Search Online	-	ज • • •
153       □/*NOTE(Person.Union2FormationEvent, EN)         154       The second union formation event. Union events are only simulated for         155       childless women, as pregnancy censors the union career.         156       */         157       □TIME Person::timeUnion2FormationEvent()         158       {         110%       •         110%       •	•	
integer_age' refer Find "unions" Error List Exception Settings Compiler Inline Re Compiler Optimiz Output Find Sym Ready  ↑↓ 0 / 0 ▲  Ø 99+  8º master ▲	nbol Results	<u>پ</u> ۵

The first line of the popup displays C++ information for unions, which can contain useful information like array shape, C++ type, and the containing class. In this example, the first line gives the kind of entity of the unions attribute, namely Person. The second line of the popup displays the doxygen brief description for unions generated by the OpenM++ compiler. In this example, it shows that unions is a simple assignable attribute of type int, with label Union counter.

[back to doxygen brief descriptions for model symbols] [back to topic contents]

# Examples of doxygen brief descriptions

The following table shows, for each kind of model symbol, an example from **RiskPaths** and the doxygen brief description generated by the OpenM++ compiler. The brief description will appear in a pop-up if the cursor is hovered over the symbol in the Visual Studio IDE, as illustrated above.

Kind of symbol	RiskPaths symbol	Generated brief description	Remarks
attribute	age	attribute(built-in) Time: age	The type of the built-in attribute age is Time
attribute	parity_status	attribute(simple) PARITY_STATE: Parity status derived from the state parity	parity_status is a simple assignable attribute of type PARITY_STATE (a classification)
attribute	integer_age	attribute(identity) LIFE: Current integer age	integer_age is an identity attribute whose RHS is the expression COERCE( LIFE, self_scheduling_int(age) )
classification	PARITY_STATE	Classification {01}: Parity status	The range of possible values is shown.

Kind of symbol	RiskPaths symbol	Generated brief description	Remarks
classification level	PS_PREGNANT	Classification PARITY_STATE(PS_PREGNANT): Pregnant	The Visual Studio IDE also gives the integer value of the classification level.
range	LIFE	Range {0100}: Simulated age range	The range of possible values is shown.
partition	AGEINT_STATE	Partition {011}: 2.5 year age intervals	The range of possible values is shown.
entity function	Union1DissolutionEvent	Implement the event Union1DissolutionEvent when it occurs in the Person entity (model code)	The label of the function from model code is shown, followed by (model code) to indicate the provenance of the function definition.
parameter	ProbMort	Parameter double: Death probabilities	The Visual Studio IDE also gives the shape of array parameters which for <b>ProbMort</b> is 101.

[back to doxygen brief descriptions for model symbols] [back to topic contents]

# Parameter and Table Display and Content

Home > Model Development Topics > Parameter and Table Display and Content

This topic describes how to control the display and presence of parameters and tables using statements in model code.

# **Related topics**

- OpenM++ User Interface
- Model Code

# **Topic contents**

- Parameter groups Organizing parameters into a hierarchy
- Table groups Organizing tables into a hierarchy
- Dual UI Specifying a user interface with switchable simplified and detailed views
- Model trim down Creating a trimmed-down model by removing parameters and tables
- Derived parameters as tables Output derived parameters as tables

# **Parameter groups**

A parameter group is a named, ordered list of parameters and other parameter groups. Parameter groups can be used to organize the parameters of a model into a hierarchical structure for display and navigation in the model UI. A parameter or parameter group can be a component of zero, one, or more than one parameter groups.

In the hierarchical display of input parameters in the model UI, parameters and parameter groups which are not part of any other parameter group are displayed at the root level in lexicographical order by name.

Parameter groups can also be used to identify groups of parameters in other model code statements such as hide, parameters\_retain, or (for derived parameters) parameters\_to\_tables.

The following example declares a parameter group named PG12\_SchoolOneFate which consists of the model input parameter Educ1Model followed by three other parameter groups.

```
parameter_group PG12_SchoolOneFate //EN Primary School
{
Educ1Model,
PG10_SchoolOneFateBase,
PG11_SchoolOneFateRefined,
PG10_ShoolOneTracking
};
```

Derived parameters in a parameter\_group are absent from the hierarchical display of parameters in the model UI. Derived parameters can be displayed in the UI as described below.

*Modgen-specific*: The Modgen-specific statement model\_generated\_parameter\_group is treated as a synonym of parameter\_group by OpenM++.

## [back to topic contents]

# **Table groups**

Table groups are very similar to Parameter groups. They are used to display a model's tables in a hierarchy in the model UI. A table or table group can be a component of zero, one, or more than one table groups.

In the hierarchical display of tables in the model UI, tables and table groups which are not part of any other table group are displayed at the root level in lexicographical order by name.

Table groups are also used to identify groups of tables in other model code statements such as hide or tables\_retain .

Table groups can be used for run-time table selection using model options Tables.Retain Or Tables.Suppress .

The following example declares a table group named TG04\_Education which consists of three other table groups.

```
table_group TG04_Education //EN Education {
TG04_Preschool,
TG04_Primary,
TG04_Secondary
};
```

#### [back to topic contents]

# **Dual UI**

The OpenM++ UI can present either a simplified or a detailed model interface to the user, and the user can switch between the two dynamically in the UI by tapping a button. The simplified interface can contain fewer parameters and tables than the detailed interface. Which parameters and tables are displayed in each interface is specified in model source code using one or more hide or show statements. A model can contain either hide statements or show statements, but not both. If a model contains no hide or show statements, it has a single interface and the button to choose the simplified or detailed interface is absent from the UI. If a model has both interfaces, the simplified interface is displayed by default.

The hide statement syntax is like:

hide P02\_Fertility, TG01\_Life\_Tables;

The arguments to hide can be the names of tables, parameters, or groups.

The show statement has the same syntax. The show statement hides all parameters, tables, and groups except those listed as arguments to show statements.

hide and show do not change which parameters or tables are present in the model. They should not be confused with suppress or retain statements in model code which burn in parameters or remove tables from the model itself when it is built: parameters\_retain, parameters\_suppress, tables\_retain, tables\_suppress.

hide and show should also not be confused with the run-time model options Tables.Suppress and Tables.Retain which specify which tables are output in a model run.

*Modgen-specific*: The Modgen hide syntax which surrounds arguments in parentheses is also recognized, and treated as described in the description of hide above. Modgen hide functionality is similar but not equivalent to ompp hide functionality. Modgen hide of a table suppresses it from the model, and is similar to the ompp tables\_suppress statement. Modgen hide of a parameter does not remove it, but instructs the UI to not display it.

### [back to topic contents]

## Model trim down

A family of four model code statements can be used to trim down a model at build time by selectively suppressing parameters using parameters\_suppress or tables using tables\_suppress. Suppression of parameters or tables does not affect the simulation. The complementary statements parameters\_retain and tables\_retain specify that the model is only to contain specified parameters or tables, suppressing all others. Suppress and retain are mutually exclusive: The OpenM++ compiler will raise an error if model code contains both parameters\_suppress and parameters\_retain statements, or both tables\_suppress and tables\_retain statements.

Suppressed parameters are burned into the executable using values published when the model is built. Suppressed parameters are absent from the user interface and the model database, and from metadata in the database. Large models can benefit both in build time and start-up time by suppressing parameters, because there is no need to read suppressed parameters from the database when launching the model. Suppressing parameters can also simplify the UI of a deployed model.

Suppressed tables are completely removed from the model. Large models can benefit both in build time and run time by suppressing tables.

Table dependencies specified using the dependency statement are nevertheless respected if a suppressed table is required by a non-suppressed table. Suppressed tables which are required by other tables are computed internally but are otherwise invisible.

Branches of the parameter or table hierarchy which become empty because of parameter or table suppression are suppressed from the model metadata and the user interface.

The following example is an extract from a model code module SuppressRetain.ompp which was added to the large OncoSim model to create a trimmed-down test version of the model which contained only parameters and tables related to breast cancer.

TG01\_Breast\_Cancer\_Tables

OpenM++ also includes the ability to selectively suppress tables at run-time using the model run options **Tables.Suppress** and **Tables.Retain**. These options allow a model user to economize processing time and storage by restricting output to specific tables of interest from the available tables in the model.

Unlike the model run options Tables.Suppress and Tables.Retain, the model code statements tables\_suppress and tables\_retain remove tables completely from a model. That can improve model build time, run time, and run storage, but tables suppressed at build time are not available to users at run time.

A model with suppressed parameters builds faster because its metadata and Default values are not published to the model database. The model also launches faster because there is no need for it to read the suppressed parameters from the database when the model starts. A suppressed parameter can be made visible and editable in the model UI by changing the suppress/retain statement and rebuilding the model. This can be simpler than using the Fixed parameter mechanism which requires moving the file containing the parameter values between two folders.

Models can contain diagnostic tables used for testing and development, but which are only needed occasionally subsequently. Instead of commenting out or removing such tables, they can be kept, but added to a table group and then suppressed using tables\_suppress. Doing so ensures that the diagnostic tables continue to be parsed and verified when the model is built, without imposing additional complexity or costs to the published model.

During model development, a model is often modified, built, and run repeatedly when working on a specific component. That iterative development process can be accelerated by using parameters\_retain and tables\_retain temporarily to focus only on the parameters and tables associated with the current development activity. That optimizes the model to the current development activity without changing the simulation logic. After the development activity is complete, the temporary parameters\_retain and tables\_retain statements can be removed.

#### [back to topic contents]

# Derived parameters as tables

## Summary

A derived parameter is normally invisible in model inputs and outputs but can be made visible by exporting it as a derived table using the parameters\_to\_tables\_statement.

The argument of parameters\_to\_tables is a comma separated list of derived parameters or groups of derived parameters. Model code can contain multiple occurrences of parameters\_to\_tables.

The corresponding derived table

- · has the same name as the derived parameter
- · has the same metadata as the derived parameter including parameter label, note, dimension labels, and dimension names
- converts parameter values to double, with classifications, ranges, and partitions converted to {0,1,2,...} and bool converted to {0,1}, where 0 is false and 1 is true.
- has an implicit dimension for sub/member/replicate for runs with multiple subs
- · computes, for overall run results, the average across subs (like other derived tables)

A derived table created by parameters\_to\_tables acts like other derived tables and can be

- · displayed in the UI as a multi-dimensional table
- organized in the hierarchical display of tables in the model UI using table\_group
- suppressed or retained in model outputs using tables\_suppress Or tables\_retain
- exported in csv format for downstream analysis either from the UI or by using dbcopy

• used in model output comparisons with test\_models

#### **Exposition and example**

A derived parameter (aka model-generated parameter) is declared using the derived keyword. It is computed by model code before the simulation starts using values of other parameters.

*Modgen-specific*: In Modgen, derived parameters are declared using the keyword model\_generated . OpenM++ treats model\_generated as a synonym of derived. In Modgen, derived tables are declared using the keyword user\_table . OpenM++ treats user\_table as a synonym of derived\_table .

For example, here's the declaration of the derived parameter ImmigrantDonors in the OzProj model:

parameters {
 //EN Number of immigrant donors in initial population model_generated int ImmigrantDonors;
 };

OzProj computes the value of ImmigrantDonors in the function PersonCore\_PreSimulation by counting microdata input records which satisfy particular conditions. The computation depends on the input parameter MicroDataInputFile which gives the name of the file containing input microdata.


Derived parameters are not editable and are not present in the hierarchical display of parameters in the model UI. However, parameters\_to\_tables makes selected derived parameters visible in the UI by converting them to derived tables.

The following statement in OzProj makes the 7 derived parameters in OzProj visible as identically-named derived tables in the model UI.

parameters\_to\_tables EmigrationHazard, FertilityHazard, MortalityHazard, ImmigrantDonors, EmigrationHazard, FertilityHazard, MortalityHazard

Every parameter specifies the type of its value(s), e.g. double, int, bool, REGION, AGE\_GROUP. Because the value of a table cell is always double, parameters\_to\_tables may need to convert the parameter value type to double in the derived table. The conversion follows normal C++ type conversion rules. This includes converting parameter values of type Range, Classification or Partition to {0,1,2,...}, and parameter values of type bool to {0,1}, where 0 is false and 1 is true.

Derived parameters transformed to derived tables can be members of a table group, e.g.



This allows them to be organized hierarchically in the UI, or suppressed/retained as a group using tables\_suppress or tables\_retain .

[back to topic contents]

# **Population Size and Scaling**

# Home > Model Development Topics > Population Size and Scaling

This topic describes ways a model can specify the size of the simulation population, the size of the real-world population represented by the simulation population, and the scaling of table results to the size of the real-world population.

# **Related topics**

Use Modules: The use statement and supplied library of use framework modules

# **Topic contents**

- Introduction
- Population size and scaling case-based model
- Population size and scaling time-based model

# Introduction

The following concepts are used in this topic.

Term	Explanation
run	An execution of a model. A run can consist of one or more independent subs/members/replicates.
member/replicate/sub/subsample	Synonyms denoting each of the independent simulations which together constitute a run.
case	An independent, isolated entity or small collection of related entities such as a family or clan.
case-based model	A model which simulates, in each sub/replicate, a population of independent, non-interacting cases.
time-based model	A model which simulates, in each sub/replicate, a population of interacting entities.
simulation population	The population of entities in a model simulation.
real population	The real-world population represented by a simulation population.
use module	A code module supplied with OpenM++ which implements underlying functionality for a model.

An OpenM++ model specifies population size and scaling in different ways depending on what kind of model it is. For example, a model which creates a synthetic population from multivariate distributions has no intrinsic size whereas a model based on a micro-data file may have its size fixed to the number of observations in that file.

To support different model frameworks OpenM++ includes a library of source code modules. Selected modules from this library are incorporated into a model through use statements to implement the desired model framework. These use statements are usually found in a model code module named ompp\_framework.ompp. For more information, please see the Use Modules topic.

# [back to topic contents]

# Population size and scaling - case-based

Population size and scaling is specified for a case-based model by selecting a pair of modules from the use library, one which determines population size and one which determines population scaling. For example, the following code fragment from the ompp\_framework.ompp module for a model specifies that population size is given for the entire run (rather than for each replicate of the run), and that the results are not scaled to a real population.

use "case\_based/case\_based\_cases\_per\_run\_exogenous.ompp"; use "case\_based/case\_based\_scaling\_none.ompp";

The following table lists the available choices to specify population size for a case-based model:

use	module	
-----	--------	--

use module	Description
case_based/case_based_cases_per_member_exogenous.ompp	The number of cases in a member is given by the input parameter CasesPerMember which is declared in this module. The number of cases in the run is the product of CasesPerMember and the number of replicates specified for the run.
case_based/case_based_cases_per_run_exogenous.ompp	The number of cases for the entire run is given by the input parameter SimulationCases which is declared in this module. The cases are evenly divided among the members specified for the run. Any 'extra' cases are assigned to lower- numbered members.
case_based/case_based_cases_per_member_endogenous.ompp	The number of cases in a member is given endogenously by the derived parameter CasesPerMember, which is declared in this module. CasesPerMember is set by a PreSimulation function in model code. CasesPerMember might, for example, be set to the number of observations in a micro-data input file. The number of cases in the run is the product of CasesPerMember and the number of replicates specified for the run. NOT YET IMPLEMENTED
case_based/case_based_cases_per_run_endogenous.ompp	The number of cases for the entire run is given endogenously by the derived parameter SimulationCases, which is declared in this module. SimulationCases is set by a PreSimulation function in model code. SimulationCases might, for example, be set to the number of observations in a micro-data input file. Model code would allocate observations in the micro-data file evenly to each of the members of the run, and allocate any 'extra' cases to lower-numbered members. <i>NOT YET IMPLEMENTED</i>

The following table shows the available choices to specify population scaling for a case-based model:

use module	Description
case_based/case_based_scaling_exogenous.ompp	The simulated population in each sub/member/replicate is scaled to represent the real-world population given by the input parameter <u>SimulatedPopulation</u> , which is declared in this module. Incorporates weights if model uses weighted tabulation.
case_based/case_based_scaling_endogenous.ompp	The simulated population in each sub/member/replicate is scaled to represent a real- world population provided by model code by a call to the global function SetPopulation(). Incorporates weights if model uses weighted tabulation.
case_based/case_based_scaling_none.ompp	The simulated population in each sub/member/replicate is scaled to the number of cases in the run. For a run with a single member, this is equivalent to no population scaling. For a run with more than one member, each member is scaled up by the number of members in the run.
case_based/case_based_scaling_endogenous_or_none.ompp	Acts like case_based_scaling_endogenous if the parameter DisablePopulationScaling is false, or like case_based_scaling_none if true.
case_based/case_based_scaling_disable.ompp	Disables population scaling. Each sub is scaled up by the number of subs, which causes overall (average) run results to become the sums of the original (unscaled) subs.

## [back to topic contents]

# Population size and scaling - time-based

Population size and scaling is specified for a time-based model by selecting a module from the use library which determines both population size and scaling. All such modules declare a parameter StartingPopulationSize which gices the size of the starting population. The size of the starting population is the same for all members of a time-based model run.

The following code fragment from the ompp\_framework.ompp module for a model specifies that results are not scaled.

use "time\_based/time\_based\_scaling\_none.ompp";

The following table shows the available choices to specify population size scaling for a time-based model:

use module	Description
time_based/time_based_scaling_exogenous.ompp	The simulated population in each member/replicate is scaled to represent the real-world population given by the input parameter SimulatedPopulation, which is declared in this module.
time_based/time_based_scaling_endogenous.ompp	The simulated population in each member/replicate is scaled to represent the real-world population given by the input parameter <u>SimulatedPopulation</u> , which is declared in this module. Or maybe by a call to the function SetPopulation(). <i>NOT FULLY TESTED</i>
time_based/time_based_scaling_none.ompp	The simulated population in each member/replicate is not scaled.

[back to topic contents]

# Symbol Labels and Notes

## Home > Model Development Topics > Symbol Labels and Notes

This topic describes human-language labels and notes associated with model symbols. These labels and notes are used in a model's UI, documentation, and the IDE.

## **Related topics**

- Model Documentation: Home topic on model documentation
- Authored Model Documentation: The autonomous authored component of model documentation
- · Generated Model Documentation: The symbol reference component of model documentation
- Model Languages: The human languages supported by a model
- Model Symbols: Symbols in model code and in the user interface

## **Topic contents**

- Introduction and outline
- Symbol labels A label provides a one-line short description of a model symbol
- Symbol notes A note provides in-depth information about a model symbol
- · Identifying missing symbol documentation Describes options to identify missing symbol documentation

# Introduction and outline

This topic describes how to provide human-readable documentation for model symbols using labels and notes. Symbol labels and notes are used in the model's UI and in the model's generated Symbol Reference.

Labels and notes are described in separate subtopics. A final subtopic describes a family of options understood by the OpenM++ compiler which can help identify missing labels, notes, or translations.

#### [back to topic contents]

# Symbol labels

This subtopic is organized into the following sections:

- Symbol labels: introduction
- Symbol labels: inline with declaration, e.g. //EN
- Symbol labels: //LABEL
- Symbol labels: //LABEL with two-part name
- Symbol labels: //LABEL with two-part name (explicit short name)
- Symbol labels: //LABEL with two-part name (Modgen scheme)
- Symbol labels: LABEL text file

## [back to topic contents]

## Symbol labels: introduction

Labels for model symbols play an important role in the UI for a model, providing comprehensible human-language text for

- parameters,
- parameter dimensions,
- enumerations (classifications, ranges, partitions),

- enumerators of classifications,
- tables,
- · table dimensions,
- · table expressions,
- parameter groups (parameter hierarchy)
- table groups (table hierarchy),
- attributes.

Labels for model symbols are also used to aid a model developer using C++ symbols in an IDE. The OpenM++ compiler uses a model's labels to construct doxygen comments in generated C++ code, which can be used by an IDE to display contextual pop-ups for symbols in the model's C++ code, as described below.

See the subtopic identifying missing symbol documentation in this topic for functionality to help identify missing labels or translations. This can be helpful when publishing a model for external users.

A symbol label can also be used in the authored component of model documentation if that content uses GetLabel, as described here.

# [back to symbol labels] [back to topic contents]

## Symbol labels: inline with declaration, e.g. IIEN

Model symbols are declared in syntactic islands in model code. A model symbol can have a *label* for each human language declared in the **languages** statement. A symbol label can be provided where the symbol is declared using an in-line comment, for example

actor Person
{
 //EN Union counter
 int unions = {0};
...

To be recognized as a language label, there must be no white space between  $\mathcal{U}$  and the language code, and some white space is required between the language code and the label text. OpenM++ silently ignores unrecognized language codes.

In this example, a label is provided for the symbol unions by a comment on the line immediately preceding the symbol declaration. It can also be provided on the same line as the declaration by placing the trailing *n* comment there.

Model code sometimes declares a symbol positionally rather than using a name. A label can be provided for a positionally-delcared symbol on the same line or on the immediately preceding line, just like for symbols with names. For example the table declaration

```
table Person T01_LifeExpectancy //EN Life Expectancy {
    {
        {
            unit, //EN Total simulated cases
            duration(), //EN Total duration
            duration()/unit //EN Life expectancy decimals=3
        }//EN Quantities
};
```

provides a label for the table itself, for each of the three expressions in the table, and for the expression dimension of the table, all in the EN language of the model.

Notice that the positional location of the table expression dimension is the trailing closing } of the expression dimension, after all expressions.

[back to symbol labels] [back to topic contents]

### Symbol labels: **//LABEL**

A symbol label can also be provided by a *ILABEL* comment in model code. This is particularly useful for models which support more than one language.

In the following example, the EN label for the SimulationCases parameter is provided where it is declared

```
parameters {
    //EN Number of cases in run (over all members)
    long long SimulationCases;
};
```

and the French language version of the label is provided elsewhere using //LABEL

//LABEL(SimulationCases,FR) Nombre de cas (dans tous les membres de l'execution)

To be recognized as a human-language label, there must be no white space between *//* and LABEL. Subsequent white space is optional. The arguments to *//LABEL* are the symbol name and the language code, which to be recognized must be one of those declared in the languages statement.

A label supplied inline with the symbol declaration in model code takes precedence over a label supplied through a *I*/LABEL comment in model code.

OpenM++ silently ignores unrecognized symbol names and language codes in *IILABEL* comments. *Modgen-specific*: Modgen treats a **LABEL** comment with an unrecognized symbol or language as an error. Note that OpenM++ has other mechanisms to help model devs identify missing or mistyped labels described here.

[back to symbol labels] [back to topic contents]

### Symbol labels: **//LABEL** with two-part name

The *I*/LABEL syntax uses a two-part name to provide a label for the dimension of a parameter or table, for an expression of a table, for the expression dimension of a table, and for classification levels (enumerators).

The first part of a two-part name is the name of the parameter, table, or classification. The second part of a two-part name denotes the dimension, expression, or enumerator.

The separator for a two-part name in a LABEL comment can be either :: or ... *Modgen-specific*: Modgen recognizes only . as a separator in two-part names.

There are two ways to specify the second part of a two-part name:

- · the explicit short name, or
- the Modgen naming scheme.

[back to symbol labels] [back to topic contents]

### Symbol labels: **//LABEL** with two-part name (explicit short name)

In the following example, the dimensions and expressions of the table TotalPopulationByYear have been given explicit short names:

```
table Person TotalPopulationByYear //EN Life table
{
    //EN Curtate age
    age => integer_age +
    *
    {
        pop => unit, //EN Population start of year
        py => duration() //EN Average population in year
        } //EN Quantity
};
```

The following *IILABEL* statements provide a French language label for the table dimensions and expressions using their explicit short names age, pop, and py :

```
//LABEL(TotalPopulationByYear.age,FR) Âge intègre
//LABEL(TotalPopulationByYear.pop,FR) Population au début de l'année
//LABEL(TotalPopulationByYear.py,FR) Population moyenne pendant l'année
```

The expression dimension of a table is a special case. It uses the fixed name expression\_dimension as the second part of the two-part name.

Continuing the above example, a French version of the expression dimension of the table is supplied by

//LABEL(T01\_LifeExpectancy.expression\_dimension,FR) Quantité

This string is displayed in the UI in the header of the table's expressions.

Here's another example showing *//LABEL* comments with explicit short names to provide French versions for the dimensions of the parameter UnionDurationBaseline in RiskPaths :

double UnionDurationBaseline union\_order => [UNION\_ORDER] //EN Union order union\_dur => [UNION\_DURATION]; //EN Union duration //LABEL(UnionDurationBaseline.union\_order,FR) Ordre d'union //LABEL(UnionDurationBaseline.union\_dur,FR) Durée d'union

Here's an example showing *//LABEL* comments with explicit short names to provide the translation for the levels (enumerators) of the classification UnionDurationBaseline in RiskPaths :

classification UNION\_ORDER //EN Union order { first => UO\_FIRST, //EN First union second => UO\_SECOND //EN Second union }; //LABEL(UNION\_ORDER.first,FR) Première //LABEL(UNION\_ORDER.second,FR) Deuxième

## [back to symbol labels] [back to topic contents]

#### Symbol labels: *IILABEL* with two-part name (Modgen scheme)

The other method to specify the second part of a two-part name in a *//LABEL* comment uses the naming scheme used in Modgen for *//LABEL*.

In the Modgen naming scheme, a LABEL comment for a parameter dimension has the form

//LABEL(ParameterName.DimN,LANG) text

where N is {0,1,...,rank-1}, rank is the number of parameter dimensions, LANG is the language code, and text is the label.

and a LABEL comment for a table dimension has the form

//LABEL(TableName.DimN,LANG) text

where **N** is {0,1,...,rank}, rank is the number of classificatory dimensions in the table, LANG is the language code, and text is the label. **NB:** The naming scheme for table dimensions differs from that used for default short names. Unlike a default short name, it *includes* the expression dimension of the table in the numbering.

In the Modgen naming scheme, a LABEL comment for a table expression has the form

//LABEL(TableName.ExprN,LANG) text

where N is {0,1,...,expressions}, expressions is the number of expressions in the table, LANG is the language code, and text is the label.

Here's the version of the French translation for the labels of the previous example using the Modgen naming scheme:

//LABEL(TotalPopulationByYear.Dim0,FR) Âge intègre //LABEL(TotalPopulationByYear.Expr0,FR) Nombre total de cas simulés //LABEL(TotalPopulationByYear.Expr1,FR) Durée totale

//LABEL(TotalPopulationByYear.Expr2,FR) Espérance de vie

[back to symbol labels] [back to topic contents]

#### Symbol labels: LABEL text file

A symbol label can be supplied as a .txt file in the doc sub-directory of the model. For example, the file RiskPaths/doc/LABEL.ProbMort.FR.txt provides a French language version of the label of the ProbMort parameter. The file contents is a single line, which in this example is

To be recognized as a LABEL text file, the filename must be named as in the example: LABEL, followed by the symbol name, followed by the code of a model language, followed by txt, with these parts separated by the . character.

If both //LABEL and a LABEL text file are present, the LABEL text file takes precedence.

A label supplied inline with the symbol declaration in model code takes precedence over a label supplied through a LABEL text file.

[back to symbol labels] [back to topic contents]

## Symbol notes

A model symbol can have an associated descriptive *note*. The note for a published symbol such as a parameter, table, or classification can be viewed in the UI in context by clicking the information icon. A symbol note may also be incorporated into Generated Model Documentation in the model's Symbol Reference.

The content of a note can be provided in one of two ways: through a *MOTE* comment in model code, or through a *md* markdown file in the doc sub-directory of the model.

Model notes are authored using markdown, with some augmentations and limitations, as described in writing content.

This subtopic is organized into the following sections:

- Symbol notes: /\*NOTE in model code
- Symbol notes: NOTE markdown file
- Symbol notes: The special model symbol
- Symbol notes: Modgen formatting indicators

[back to topic contents]

#### Symbol notes: **I\*NOTE** in model code

The text for a note can be given in model code using a NOTE comment, For example, in RiskPaths,

```
/*NOTE(Person.FirstPregEvent, EN)
The first pregnancy event. This is the main event of analysis and
censors all future union events.
*/
```

in the Fertility.mpp model code module provides a note in the human language EN for the event FirstPregEvent in the Person entity.

The rules for two-part symbol names in NOTE comments are the same as those for *IILABEL* given in symbol labels.

To be recognized as a human-language note, there must be no white space between *i* and **NOTE**. Subsequent white space is optional.

# [back to symbol notes] [back to topic contents]

## Symbol notes: NOTE markdown file

A symbol note can be supplied as a .md markdown file in the doc sub-directory of the model. For example, the file RiskPaths/doc/NOTE.ProbMort.EN.md provides the English language version of the descriptive note for the ProbMort parameter.

The file content uses the markdown syntax, which for NOTE.ProbMort.EN.md is:

\* The values in `ProbMort` have no effect if [`CanDie`](#CanDie) is `false`. \* The [GetLabel(Person::DeathEvent)](#DeathEvent) function in `RiskPaths` treats the values in `ProbMort` as though they are hazards. Arguably, the annual probabilities of death in `ProbMort` should be converted to hazards using the formula  $(h_{x}=-\ln(1-q_{x}))$ . where  $(h_{x})$  is the hazard of death and  $(q_{x})$  is the annual mortality rate.

and, depending on browser capabilities and environment, might render like this in the RiskPaths Symbol Reference, towards the top of the topic, after the hierarchy and before the dimensions table:

	Ô	M	localhost:62972	/doc/f	RiskPaths.do	oc.EN.htr	ml#ProbMe	ort	-	O	×
÷	C A	i) loca	<b>lhost</b> :62972/do	c/Risk	⟨P A <sup>ℕ</sup>	C.	☆		(3   C	þ <b></b>	
٦	ProbMort	ProbMort Death probabilities								Q	
	Kind: Parar	neter <b>Ty</b>	/pe: double \$	bize:	[ 101 ] =	101 <b>N</b>	/lodule:	Morta	lity.mpp		<i>_</i>
	Hierarchy:										
Q	Mortality										
intel	ProbMort	:									0
۹	Note:										
2	<ul> <li>The val</li> </ul>	ues in F	probMort hav	e no	effect if	CanDi	e is fai	lse.			+
٩	The Imp	plement	- Death Ever	nt fun	iction in	RiskP	aths tre	eats the	e values ir	n	
٩			ough they ar								
(सम्ब			bMort should $(q_x)$ , where $d$					<u> </u>			
	$m_x = -$ mortalit		$(q_x)$ . where $(q_x)$	<i>u<sub>x</sub></i> 15	ule naza		ueatri ai	$u q_x$ is	s une annu	lai	
۹ ۹	Dimension	-									
Q											
	External	Name	Enumerati	on	Size	Lab	el				
C,	Dim0		LIFE		101	Simulated age range					
ß	Entity func	tions us	sing ProbMor	t:							
•											
ß	Entity	Funct	ion	Мо	dule		Label				
M	Person	Person         timeDeathEvent         Mortality.mpp         Time - Death Event									
MI	[Symbol Re	ference]									
=	[Home]		-								
+				_						•	\$ <u>\$</u>


See writing content for more information about note content and rendering.

# [back to symbol notes] [back to topic contents]

#### Symbol notes: The special model symbol

A note provided for the special symbol model will be displayed as introductory text in the model UI and in the model's generated Symbol Reference.

For example, the Info.mpp module in the OzProj model provides the following note for the model symbol:



Clicking the information icon for the OzProj model in the UI displays a pop-up like

	6							Mt O	penM	++						_	Ο	×
$\leftarrow$	C	ŝ	i	localh	<b>ost</b> :5109	2			l»	☆	(P)	¢	C D	ל≡	Ē	8		-
	=	:		)zPro	₀iX• ∩	22 0	0. De	mor	nstr	atio	n Dei	moa	ranhi	ic Pr		lc	:	Q
	6	OzProj	X: 0	.22.0	).0: De	emon	strati	ion D	em	ogra	aphic	Proj	ectio	n Mo	del	×	٦	🥥 .
																		0
0	C	Name	OzPr	rojX														0]
		Version	0.22	2.0.0													el	<u> </u>
	0	Created	2024	4-02-2	5 11:2	4:30											al	+
		Digest	88f3	37127c	81d6ca	6dfab6	b6157a	a9f6e	f								ei	
0				Mode	el Docur	mentati	on											
		A series	of O	zProi	model	versio	ns aco	comp	anv	the o	n-line	cours	e "Pra	ctical				
	1	Microsir		-				-	-									
Ċ,		microsir				•		tailed	l der	nogra	aphic (	orojeo	ctions	from	a large			
PDF	8	heterog	enou	s micr	odata	popula	ition.											
		The cou		onten	t also t	teache	s how	to us	e M	odge	n thro	ugh c	oncre	te self	-contai	ined		
M		example	es.															
Mt		The mo	del is	base	d on da	ata froi	m the	web s	site	of the	e Austi	ralian	Burea	au of S	Statistic	CS.		
111																ок		
+			_															÷

If provided, the note for the model symbol is incorporated into the model's Symbol Reference, but this can be disabled using the symref\_model\_symbol option, as described in customizing the symbol reference. If the model has autonomous authored documentation with a home page, a note for the model symbol might be redundant in model documentation.

# [back to symbol notes] [back to topic contents]

#### Symbol notes: Modgen formatting indicators

Modgen formatting indicators in notes are described in the Modgen Developer's Guide in section "Formatting of symbol notes" on page 217. By default, the OpenM++ compiler identifies and converts Modgen formatting indicators to equivalent markdown when it encounters a note in model code in *[\*NOTE*].

If a model uses markdown exclusively in notes in model code, this conversion can be disabled using the following statement:

options convert\_modgen\_note\_syntax = off;

In practice, markdown and Modgen formatting indicators can co-exist in a PNOTE comment without interfering.

Modgen formatting indicators are ignored and not converted in NOTE markdown files.

[back to symbol notes] [back to topic contents]

# Identifying missing symbol documentation

A common issue for model developers is to identify undocumented symbols, and, once identified, insert the missing documentation in the model source code.

The OpenM++ compiler supports a family of options to aid that process. Each member of the family targets a specific kind of missing

documentation. When an option is set to on, the compiler will generate a warning for each occurrence of missing documentation of that kind. The warning includes the model code file and line where the symbol was declared, except for missing translation warnings which instead give the location of the untranslated text. In an IDE like Visual Studio, double-clicking on the warning in the log window navigates immediately to that model source code location in the IDE editor.

By default these options are off. Multiple options can be turned on at the same time.

Here's an example to identify all published parameters in **RiskPaths** which have no descriptive note in the model's default language. Inserting the following line in **ompp\_framework.ompp** 

options missing\_note\_warning\_published\_parameter = on;

causes the compiler to emit warnings like:

1>../code/Unions.mpp(39): warning : missing note for published parameter 'AgeBaselineForm1'

1>../code/Fertility.mpp(21): warning : missing note for published parameter 'AgeBaselinePreg1'

1>../code/Mortality.mpp(25): warning : missing note for published parameter 'CanDie' 1>../code/Mortality.mpp(26): warning : missing note for published parameter 'ProbMort'

1>../code/Unions.mpp(45): warning : missing note for published parameter 'SeparationDurationBaseline'

1>../code/Unions.mpp(42): warning : missing note for published parameter 'UnionDurationBaseline'

1>../code/Fertility.mpp(24): warning : missing note for published parameter 'UnionStatusPreg1'

Here's an example which identifies all published symbols in **IDMM** which have a descriptive label or note in the default language, but whose translation is missing in one of the model's other languages. The source of **IDMM** was changed for this example to deliberately create missing translations.

Inserting the following lines in <a href="https://ompp\_framework.ompp">ompp\_framework.ompp</a>

options missing\_translated\_label\_warning\_published\_any = on; options missing\_translated\_note\_warning\_published\_any = on;

causes the compiler to emit warnings like:

1>../code/HostCore.mpp(89): warning : missing 'FR' translated label for published symbol 'event\_count' 1>../code/HostCore.mpp(82): warning : missing 'FR' translated note for published symbol 'NumberOfHosts'

For missing translation warnings, the warning code location is the location of the label or note in the default language, not the location of the symbol declaration. That's so the warning can be used to navigate to the text to be translated.

The missing translated note warning above gave the code location HostCore.mpp(82). Here's an extract of the code starting at that location (line 82):

/\*NOTE(NumberOfHosts,EN) This number does not change during the simulation because there are no births, immigration, or deaths. \*/

Double-clicking the warning in an IDE navigates directly to that **NOTE** in the IDE editor. The associated parameter **NumberOfHosts** is declared elsewhere.

The following table lists the available options to emit warnings for missing symbol documentation, grouped by category. The Scope column shows what produces a warning for the given option. For example, the missing\_label\_parameter option produces a warning for a missing label for a parameter or for a parameter group. It does not produce a missing label warning for a parameter dimension. That's because the default label for a parameter dimension is copied from the label of the enumeration for the dimension, and is usually sufficient. The scope of each option is deliberately restricted to produce useful actionable warnings.

Option	Scope
Labels	
missing_label_warning_enumeration	classification, classification level, range, partition
missing_label_warning_parameter	parameter, parameter group
missing_label_warning_table	table, table expression, table group

Option	Scope
missing_label_warning_attribute	attribute
Labels - Published	
missing_label_warning_published_enumeration	as above, but only if published
missing_label_warning_published_parameter	as above, but only if published
missing_label_warning_published_table	as above, but only if published
missing_label_warning_published_attribute	as above, but only if published
Notes - Published	
missing_note_warning_published_parameter	published parameter
missing_note_warning_published_table	published table
missing_note_warning_published_attribute	published attribute
Translated Labels and Notes	
missing_translated_label_warning_any	any symbol with an explicit label provided in the model's default language
missing_translated_note_warning_any	any symbol with a note provided in the model's default language
Translated Labels and Notes - Published	
missing_translated_label_warning_published_any	as above, but only for published symbols
missing_translated_note_warning_published_any	as above, but only for published symbols

[back to topic contents]

# Tables

Home > Model Development Topics > Tables

## This topic is under construction and/or revision.

Topic summary, two sentences max.

# **Related topics**

- Entity Tables: Entity tables
- Derived Tables: Derived tables
- Model Output Expressions: Model Output Expressions

# **Topic contents**

- Introduction and outline
- Run-level results
- Overriding run-level results

# Introduction and outline

Under construction: more content to follow ...

## [back to topic contents]

# **Run-level results**

OpenM++ computes the run-level value of a table cell by aggregating the values of the table cell over the subs/replicates/members of the run. The aggregation method depends on the kind of model (case-based or time-based), the <u>measures\_method</u> option, the kind of table (entity or derived), and for entity tables the measure statistic (count, sum, etc.).

Under construction: more content to follow ...

Model code computes the values of a derived table, so for derived tables, OpenM++ sets the run-level aggregated result to the average of the sub values.

## [back to topic contents]

# **Overriding run-level results**

The formula to compute run-level results can be specified explicitly for a table measure by providing an expression in model code, as illustrated by the following example:

//EXPR T00\_Test.E0 OM\_SUM(acc1) / OM\_DIV\_BY(acc2)

The syntax has three parts:

- 1. The introductory **//EXPR** single-line comment
- 2. The two-part name of a table measure
- 3. The expression used to compute the run-level value for that measure, in model output expression syntax using the table's accumulators.

Here's a worked example, using a derived table named TO0\_Test :

```
derived_table T00_Test
{
    {
        E0, //EN quotient
        E1, //EN numerator
        E2 //EN denominator
    }
};
```

This table has no enumeration dimensions, so consists of a single cell (not counting the measure dimension). The measure dimension has 3 measures/expressions: E0, E1, and E2. As with all derived tables, each measure has an implicit associated 'fake' accumulator which for this table are named acc0, acc1, and acc2.

In this example, model code populates the cells mechanically for each sub as follows:

- The cell E1 is always set to 1.0.
- The cell E2 is set to the number of the sub {0,1,2, ...}.
- The cell E0 is set to the quotient E1/E2.

Here are the values of TO0\_Test for each sub for a 2-sub run:

Sub	E0	E1	E2
0	1.0	1.0	1.0
1	0.5	1.0	2.0

▶ Here's the model code which populates **TOO\_Test** for each sub:

Because TO0\_Test is a derived table, the run-level value is normally calculated using the OM\_AVG() aggregation function, as follows:

Sub	E0	E1	E2	
0	1.0	1.0	1.0	
1	0.5	1.0	2.0	
Run-level formula	OM_AVG(acc0)	OM_AVG(acc1)	OM_AVG(acc2)	
Run-level value	0.75	1.0	1.5	

In words, the default formula computes **EO** by averaging the ratios in **EO** over the subs. The run result for **EO** is

```
E0 = ((1/1) + (1/2))/2
= (1.0 + 0.5) / 2
= 1.5 / 2
= 0.75
```

If the formula to compute **EO** at the run-level is overridden by

//EXPR T00\_Test.E0 OM\_SUM(acc1) / OM\_DIV\_BY(acc2)

the calculation instead becomes

Sub	E0	E1	E2
0	1.0	1.0	1.0
1	0.5	1.0	2.0
Run-level formula	OM_SUM(acc1) / OM_DIV_BY(acc2)	OM_AVG(acc1)	OM_AVG(acc2)
Run-level value	0.66666	1.0	1.5

In words, the override formula computes E0 by summing the numerators over the subs, summing the denominators over the subs, and then computing the quotient.

The run result for E0 is

E0 = (1+1)/(1+2) = 2.0 / 3.0 = 0.66666

# **Test Models**

## Home > Model Development Topics > Test Models

This topic contains detailed information about the OpenM++ test\_models utility. test\_models builds, runs, and compares results for different versions of the same model, or for the same model built in different ways or on different platforms.

## **Topic contents**

- Introduction and overview
- Windows Quick start
- Linux or MacOS Quick start
- Concepts
- Arguments and Options
- Control Files
- Output Report
- Output Files
- Example 1: Preparing the default run
- Example 2: A new OpenM++ release
- Example 3: A model code change (under construction)
- Example 4: When results differ (under construction)
- Example 5: Exercising a model in Debug (under construction)
- Example 6: A performance comparison
- Example 7: Using event trace output (under construction, some content present)

# Introduction and overview

The test\_models utility builds, runs, and compares results for different versions of the same model, or for the same model built on different platforms. It can process multiple models in a single invocation and can compare OpenM++ and Modgen versions of cross-compatible models. It can play a useful role during incremental model development, and for quality assurance.

test\_models is efficient enough that it can be used routinely in model development workflow cycles, even for large models (using a small sized Default simulation). even multiple times per hour or more during active model development.

When used routinely to assess the effects of incremental model changes, test\_models can help identify bugs in model logic. It highlights when model changes have unexpected effects in model outputs, by comparing all cells of all output tables between a Current run and a Reference run.

test\_models can be used to compare outputs of ompp model versions across platforms. Such differences are rare, and are typically caused by errors in model logic (often due to bad C++ code in models, eg use of uninitialized variables, or accessing memory beyond array limits using index variables with bad values).

test\_models works with the standard model folder structure illustrated in the sample models in the OpenM++ distribution. It organizes results herarchically in a subfolder test\_models of the model folder. test\_models organizes comparisons in two dimensions. The first dimension is {Reference, Current}. A user can tell test\_models to move Current results to Reference results to create a new point of reference for subsequent output comparisons. The second dimension of comparison is the platform 'flavour' {modgen, ompp-win, ompp-linux, ompp-macos}. Arguments to test\_models determine where model results will be stored and which comparisons will be performed after test\_models does the requested runs. For speed and ease of use, each model output table is converted to three forms: full precision, rounded precision, and a summary 'digest' of the file contents. The use of rounded precision eliminates most (but not all) spurious differences, eg differences at 6-7th decimal place. The table digest makes it possible for test\_models to determine whether two versions of a table differ at very high speed, without comparing the two tables cell-by-cell.

test\_models can compare results of Modgen and ompp versions of models, despite large underlying differences in output storage schema and technology. It reads the database of each and converts output tables into a common comparable csv format.

test\_models can be very useful for cross-compatible model conversion. One can break cross-compatible model conversion into atomic steps and use test\_models after each atomic step to verify that Modgen results have not changed, even before an OpenM++ version of the model is buildable. The comparisons relevant during cross-compatible model conversion are

- 1. Current(modgen) vs. Reference(modgen) Modgen results should remain identical at each atomic change to model source, when build in Modgen.
- Current(ompp) vs. Current(modgen) After the model code is cross-compatible, ie when the ompp version can be built with no compiler errors, the model can be run in both versions and model results should be identical, because the model specifications are identical (same model source code and same Default scenario). Sometimes they are not, in which case the tables which differ can sometimes provide a clue.

When tracking down the cause of an unexpected difference in two runs, it can cometimes be useful to simplify the Default scenario and run test\_models again, to see which area of the model might responsible for the difference. For example, if all tables differ, but when one turns off immigration in the Default scenario all differences disappear, one knows that the immigration code is somehow responsible. It can also be useful to turn on event tracking in the model with a small simulated population. If test\_models indicates that the two event tracking files are identical, but table results are different, then the cause could be a Modgen tabulation bug.

test\_models is also useful for model development. One can break model development into small atomic steps to help identify unexpected changes in model outputs. If possible, one can structure model changes so that Default parameters and code changes should have no effect on outputs, eg by turning a new model option off in Default parameters. That can identify whether the new model code, when disabled using the new parameters, has unexpected effects on other parts of the model (it should not). The test\_models comparisons typically used for model development are

1. Current(ompp) vs. Reference(ompp) - Model results from incremental changes should affect only new tables or expected interactions among model components. Once verified, one can tell test\_models to copy Current results to Reference results (using the -newref option) to create a new Reference for the next atomic set of changes to model code.

If one prefers to work in the Modgen environment for model development, one can instead use

- 1. Current(modgen) vs. Reference(modgen) See notes above.
- Current(modgen) vs. Current(ompp) From time to time, build the ompp version to identify if non cross-compatible code has crept into the model source, and rectify if so.

test\_models also standardizes the detailed event trace outputs (if activated) in ompp and Modgen models so that they are comparable and readable. This can identify precisely when a simulation diverges in the Modgen and ompp versions of a model, or in (for example) two ompp versions of a model. This is useful for unexpected and hard-to-understand differences in simulations. If the time and event of earliest divergence in the two runs is insufficient to understand the cause in and of itself, that information provides what's required to set conditional breakpoints for a parallel debugging session of the two runs, stepping through the simulation in each of the two debugging sessions, to identify the precise code location responsible for the divergence in the simulation in the two versions.

test\_models also notes some tombstone information about each set of outputs, eg the modgen version. It also keeps a copy of the build log output and Default run log output. test\_models can also report the elpased time of various steps, including model build and model run. A count of compiler warnings is also reported.

test\_models can run and process a single model, or multiple models in subfolders of a parent folder. That can be useful for testing multiple scenarios of a single model, using multiple git clones inside a parent folder. It can also be useful to bulk test multiple models routinely, for example after a change in the OpenM++ version.

#### [back to topic contents]

# Windows Quick Start

#### 1. Verify installation of test\_models (Windows)

A 64-bit Windows executable version of test\_models is distributed with OpenM++ at OM\_ROOT/bin/test\_models.exe, where OM\_ROOT stands for the OpenM++ installation directory. A 32-bit version is at OM\_ROOT/bin/test\_models32.exe. The 32-bit version may be required for the Modgen flavour to work successfully using the executable version of test\_models. To test installation and operation of test\_models, open a command prompt, change the current directory to OM\_ROOT/bin, and type the command

#### test\_models -v

Output should be similar to the following:

#### test\_models version 2.1

test\_models is written in the Perl language, and distributed with OpenM++ at OM\_ROOT/Perl/test\_models.pl . Most examples in this topic invoke test\_models using the Perl interpreter from the OM\_ROOT/Perl directory, eg

perl test\_models.pl -v

On Windows, unless you have Perl and the required Perl components installed, invoke the executable version of test\_models from the OM\_ROOT/bin directory with a command like

test\_models -v

or

test\_models32 -v

#### 2. Display test\_models options (Windows)

From the OM\_ROOT/bin directory, type the command

#### test\_models -h

Output should be similar to the following:

test_m	nodels [-hmv] [la	g options] model	
-r	m STRmodels	root STR directory containing models (default is .)	
	newref replace Reference results with Current		
	results		
	-noompp	skip OpenM++ build and run	
	-nomodgen	skip Modgen build and run	
	-nocomp	skip flavour comparison	
	allfiles	report all different and orphaned files	
	-timing	report elapsed time of steps	
	-nosteps	skip reporting which step is being	
		performed	
	-config STR	build configuration: debug or	
		elease(default)	
	-mpi_processes	NT build MPI version and run with n	
		processes (default 0, means no MPI)	
	-gencode	keep a copy of the generated C++ code	
	-ini STR	OpenM++ model ini file to pass to model	
		in model root, default is	
		est_models.ini if present)	
	-clean	remove all build files after run	
	• = •	INT significant digits (default 6)	
	-nocells	disable fallback cell-by-cell	
		verification of differing tables and copy	
	of original data		
	hhelp	report usage message and exit	
	vversion	report test_models version and exit	
		m STR Windows platform: x64(default) or Win32	
	-modgen_platfo		
		of tables	

# 3. Run test\_models on the RiskPaths model (Windows)

From the OM\_ROOT/bin directory, type the command

test\_models -m ../models RiskPaths

If Modgen is installed, use test\_models32 instead of test\_models. test\_models will build and run both the OpenM++ and the Modgen versions of RiskPaths, and compare their results. Output should be similar to the following:

test\_models 2.0

	Testing: RiskPaths					
	modgen settings: version=12,1,3,0 (2019-12-19 20:31 GMT) platform=Win32 configuration=release					
	ompp-win settings: compiler=omc.exe (2021-05-28 02:28 GMT) platform=x64 configuration=release					
	RiskPaths: modgen: Build model and prepare Default scenario					
	RiskPaths: modgen: Run model using RiskPaths.ini					
	RiskPaths: modgen: Convert outputs (7 digits of precision)					
	RiskPaths: modgen: Create digests of current outputs					
	RiskPaths: modgen: No Reference outputs - create using Current outputs					
	RiskPaths: modgen: Current vs. Reference: 9 the same (of 9)					
	RiskPaths:					
	RiskPaths: ompp-win: Build and publish model and Default scenario					
/arniı	ng => RiskPaths: ompp-win: 10 build warning(s) - see RiskPaths/test_models/current/ompp-win/logs/build.log					
	RiskPaths: ompp-win: Run model using RiskPaths.ini					
	RiskPaths: ompp-win: Convert outputs (7 digits of precision)					
	RiskPaths: ompp-win: Create digests of current outputs					
	RiskPaths: ompp-win: No Reference outputs - create using Current outputs					
	RiskPaths: ompp-win: Current vs. Reference: 9 the same (of 9)					
	RiskPaths:					
	RiskPaths: Flavour comparisons:					
	RiskPaths:					
	RiskPaths: ompp-win vs. modgen: Reference: 9 the same (of 9)					
	RiskPaths:					
	RiskPaths: ompp-win vs. modgen: Current: 9 the same (of 9)					

If Modgen is not installed, output will not include the Modgen portion nor the flavour comparison portions of the report.

test\_models uses the Microsoft application msbuild.exe to build models. msbuild.exe is normally installed as part of Visual Studio installation, but the install location can vary. test\_models attempts to determine the location of msbuild.exe but may not always succeed. If you encounter issues running test\_models which seem related to msbuild.exe you can provide test\_models the location explicitly using the environment variable MSBUILD\_EXE, for example:

set MSBUILD\_EXE=C:\Program Files (x86)\Microsoft Visual Studio\2019\Enterprise\MSBuild\Current\Bin\msbuild.exe

in the command window before invoking test\_models .

## [back to topic contents]

W

# Linux or MacOS Quick Start

# 1. Verify installation of test\_models (Linux, MacOS)

test\_models is a Perl script distributed with OpenM++ at OM\_ROOT/Perl/test\_models.pl , where OM\_ROOT stands for the OpenM++ installation directory. To test installation and operation of test\_models , open a command prompt, change the current directory to OM\_ROOT\Perl, and type the command

#### perl test\_models.pl -v

Output should be similar to the following:

#### test\_models version 2.1

Depending on your operating system version and installation history, Perl may ask you to install missing Perl modules required by test\_models.pl . If so, it will name them explicitly when you invoke test\_models.pl . We do recommend to use cpanm for Perl modules installation. Typical scenario is:

cpan App::cpanminus # initialize cpanm, if not done before cpanm Getopt::Long::Descriptive cpanm Capture::Tiny cpanm Config::Tiny cpanm File::Copy::Recursive cpanm File::Which

Above list of modules can be different and depends on your current Perl configuration, and on the version of test\_models.

#### 2. Display test\_models options (Linux, MacOS)

#### Output should be similar to the following:

test	models [-hmv] [lo	na ontions	1 model	
	-m STRmodels root STR directory containing models (default is .)			
	newref replace Reference results with Current			
	results			
	noompp skip OpenM++ build and run			
	nomodgen		Modgen build and run	
	nocomp skip flavour comparison			
	allfiles		different and orphaned files	
	timing report all different and orphaned mes			
	nosteps skip reporting which step is being			
	performed			
	config STR build configuration: debug or			
	release(default)			
	mpi processes		uild MPI version and run with n	
	processes (default 0, means no MPI)			
	gencode keep a copy of the generated C++ code			
	ini STR OpenM++ model ini file to pass to model			
	(in model root, default is			
	test models.ini if present)			
	clean	_	all build files after run	
	significant digit	ts INT sia	nificant digits (default 6)	
	nocells disable fallback cell-by-cell			
			of differing tables and copy	
	of original data -hhelp report usage message and exit -vversion report test_models version and exit windows platform STR Windows platform: x64(default) or Win32			
	modgen platform STR Modgen platform: Win32(default) or x64			
			5 (	

# 3. Run test\_models on the RiskPaths model (Linux, MacOS)

From the OM\_ROOT/Perl directory, type the command

#### perl test\_models.pl -m ../models RiskPaths

Output should be similar to the following:

# [back to topic contents]

# Concepts

This subtopic describes key underlying concepts used in test\_models.

- Run version: Current or Reference
- Run flavour: Windows, Linux, MacOS, Modgen
- Output comparison:
- Build options:
- Run options:

[back to topic contents]

## **Run version**

• Current or Reference

[back to concepts] [back to topic contents]

# **Run flavour**

=== under construction ===

• Windows, Linux, MacOS, Modgen

[back to concepts] [back to topic contents]

# **Output comparison**

=== under construction ===

[back to concepts] [back to topic contents]

# **Build options**

=== under construction ===

[back to concepts] [back to topic contents]

# **Run options**

=== under construction ===

[back to concepts] [back to topic contents]

# **Arguments and Options**

This subtopic describes the command line options and arguments of test\_models, organized into sections. It also describes default test\_models behaviour for each section.

- Syntax: The syntax of test\_models arguments
- Models: The models to process
- Actions: The actions to perform on a model
- Verbosity: The level of report detail
- Build: How a model is built
- Run: How a model is run
- Comparison: How result are compared
- Informational: Informational options
- EventTrace: EventTrace options

A complete list of options is displayed by issuing the command

perl test\_models.pl -h

test	test models [-hmv] [long options] model					
-	-m STRmodels root STR directory containing models (default is .)					
	-newref replace Reference results with Current					
	results					
	noompp skip OpenM++ build and run					
	nomodgen skip Modgen build and run nocomp skip flavour comparison					
	allfiles report all different and orphaned files timing report elapsed time of steps					
	nosteps	skip	reporting which step is being			
	performed					
	config STR	bui	ld configuration: debug or			
		release(	default)			
	mpi_processes	INT	build MPI version and run with n			
		process	es (default 0, means no MPI)			
	gencode	kee	p a copy of the generated C++ code			
	ini STR	Oper	nM++ model ini file to pass to model			
	(in model root, default is test_models.ini if present)					
	clean	remov	/e all build files after run			
	significant_digit	is INT is	ignificant digits (default 6)			
	zero_fuzz NUN	1 2	zero fuzz value (default 1e-15)			
	nocells		le fallback cell-by-cell			
			on of differing tables and copy			
		of origin				
	-hhelp		t usage message and exit			
	-vversion		rt test_models version and exit			
	time_format ST		time format for event trace (default			
		13.6f)				
	modgen_id_off		offset adjustment to Modgen IDs (default			
		0)				
	windows_platfo		Windows platform: x64(default) or Win32			
	modgen_platfo	rm STR	Modgen platform: Win32(default) or x64			

# [back to arguments and options] [back to topic contents]

### **Syntax**

Arguments to test\_models consist of a series of options followed by a list of models to process. Either or both may be empty, in which case default values are used. An option starts with -- followed immediately by the option name. Some options may be followed by an option value. Some options have a synonymous short form consisting of a single - followed immediately by a single letter.

[back to arguments and options] [back to topic contents]

## Models

The <u>--models\_root</u> option (short form <u>-</u>m) specifies the parent folder of one or more folders each of which contains a model. If not specified, the models root is the current working directory. Consider the following command, issued after setting the current working directory to <u>OM\_ROOT/Perl</u>:

## perl test\_models.pl -m ../models NewCaseBased RiskPaths

On Windows without Perl installed, a similar command would be issued after setting the current working directory to OM\_ROOT/bin :

### test\_models -m ../models NewCaseBased RiskPaths

The command instructs test\_models to set the models root to the sister directory models in the OpenM++ distribution. That folder is OM\_ROOT/models and contains several sample models distributed with OpenM++, each in its own subfolder, eg OM\_ROOT/models/RiskPaths. The final two arguments instruct test\_models to process the two models in the subfolders OM\_ROOT/models/NewCaseBased and OM\_ROOT/models/RiskPaths.

On Linux, output is similar to:

test\_models 2.0

Testing: NewCaseBased, RiskPaths ompp-linux settings: compiler=omc (2021-05-29 16:47 GMT) configuration=release

NewCaseBased: ompp-linux: Build and publish model and Default scenario NewCaseBased: ompp-linux: Run model using test\_models.ini NewCaseBased: ompp-linux: Convert outputs (7 digits of precision) NewCaseBased: ompp-linux: Create digests of current outputs NewCaseBased: ompp-linux: No Reference outputs - create using Current outputs NewCaseBased: ompp-linux: Current vs. Reference: 3 the same (of 3)

RiskPaths: ompp-linux: Build and publish model and Default scenario RiskPaths: ompp-linux: Run model using RiskPaths.ini RiskPaths: ompp-linux: Convert outputs (7 digits of precision) RiskPaths: ompp-linux: Create digests of current outputs RiskPaths: ompp-linux: No Reference outputs - create using Current outputs RiskPaths: ompp-linux: Current vs. Reference: 9 the same (of 9)

#### On Windows with Modgen installed, output is similar to:

\_\_\_\_\_

test models 2.0 \_\_\_\_\_ Testing: NewCaseBased, RiskPaths modgen settings: version=12,1,3,0 (2019-12-19 20:31 GMT) platform=Win32 configuration=release ompp-win settings: compiler=omc.exe (2021-05-28 02:28 GMT) platform=x64 configuration=release NewCaseBased: modgen: Build model and prepare Default scenario NewCaseBased: modgen: Run model using test\_models.ini NewCaseBased: modgen: Convert outputs (7 digits of precision) NewCaseBased: modgen: Create digests of current outputs NewCaseBased: modgen: No Reference outputs - create using Current outputs NewCaseBased: modgen: Current vs. Reference: 3 the same (of 3) NewCaseBased: NewCaseBased: ompp-win: Build and publish model and Default scenario warning => NewCaseBased: ompp-win: 3 build warning(s) - see NewCaseBased/test models/current/ompp-win/logs/build.log NewCaseBased: ompp-win: Run model using test\_models.ini NewCaseBased: ompp-win: Convert outputs (7 digits of precision) NewCaseBased: ompp-win: Create digests of current outputs NewCaseBased: ompp-win: No Reference outputs - create using Current outputs NewCaseBased: ompp-win: Current vs. Reference: 3 the same (of 3) NewCaseBased: NewCaseBased: Flavour comparisons: NewCaseBased: NewCaseBased: ompp-win vs. modgen: Reference: 3 the same (of 3) NewCaseBased: NewCaseBased: ompp-win vs. modgen: Current: 3 the same (of 3) RiskPaths: modgen: Build model and prepare Default scenario RiskPaths: modgen: Run model using RiskPaths.ini RiskPaths: modgen: Convert outputs (7 digits of precision) RiskPaths: modgen: Create digests of current outputs RiskPaths: modgen: No Reference outputs - create using Current outputs RiskPaths: modgen: Current vs. Reference: 9 the same (of 9) RiskPaths: RiskPaths: ompp-win: Build and publish model and Default scenario warning => RiskPaths: ompp-win: 10 build warning(s) - see RiskPaths/test\_models/current/ompp-win/logs/build.log RiskPaths: ompp-win: Run model using RiskPaths.ini RiskPaths: ompp-win: Convert outputs (7 digits of precision) RiskPaths: ompp-win: Create digests of current outputs RiskPaths: ompp-win: No Reference outputs - create using Current outputs RiskPaths: ompp-win: Current vs. Reference: 9 the same (of 9) RiskPaths: RiskPaths: Flavour comparisons: RiskPaths: RiskPaths: ompp-win vs. modgen: Reference: 9 the same (of 9) **RiskPaths:** RiskPaths: ompp-win vs. modgen: Current: 9 the same (of 9)

If no models are specified on the command line, test\_models will process All subfolders of the models root.

[back to arguments and options] [back to topic contents]

### Actions

Unless instructed otherwise, test\_models builds and runs all available 'flavours' of a model on the current operating system. On Windows, two

flavours are available: OpenM++ and Modgen (if installed). On Linux and MacOS, the only available flavour is OpenM++. After building and running each flavour, test\_models compares Current results to existing Reference results. If there are no Reference results, test\_models creates them by copying Current results. After completing all flavours for a model, test\_models compares results for other flavours (if present) to results for the OpenM++ flavour on the current operating system.

This default behaviour can be modified by the following command options:

- -newref For each flavour in this invocation, discard all Reference results and replace them with Current results
- --noompp Suppress processing the OpenM++ flavour
- --nomodgen Suppress processing the Modgen flavour (only applies if invoked on Windows)
- --nocomp Suppress reporting on differences between flavours

For example, on Windows, the command

### test\_models -m ../models --noompp --nomodgen RiskPaths

would process the RiskPaths model, but skip build and run of both Windows flavours (OpenM++ and Modgen). test\_models would still compare results for any previously run flavours to OpenM++ Windows results (if present). Output might be similar to the following (or could be empty, if no other flavours were run previously):

```
      =========

      test_models 2.0

      =======

      Testing: RiskPaths

      RiskPaths:

      RiskPaths:
```

In this invocation, the RiskPaths model was neither built nor run. test\_models detected the presence of Current and Reference results for two other flavours (Modgen and OpenM++ on Linux), and compared them to results from OpenM++ on Windows which were present from a previous invocation of test\_models. Incidentally, because test\_models uses digests to compare results, comparing all results between two flavours is almost instantaneous, even for models with many tables or with very large tables.

[back to arguments and options] [back to topic contents]

### Verbosity

Unless instructed otherwise, test\_models reports which step it is processing, It does not report the elapsed time of each step. When comparing results, test\_models reports file counts and reports by name the first five differing or orphaned files.

This default behaviour can be modified by the following command options:

- --allfiles Report each differing and orphaned file by name, not just the first five
- --timing Also report the elapsed time for each step
- --nosteps Don't report which step is being processed

For example, on Windows, the command

#### perl test\_models.pl -m ../models --nomodgen --nocomp --timing --allfiles --significant\_digits 8 OzProj

instructs test\_models to build and run just the OpenM++ version of OzProj, suppress the flavour comparison output, report elapsed time of each step, and report every differing file by name, not just the first five. For illustrative purposes, this invocation also changes the number of significant digits used to construct digests from 7 to 8 to deliberately produce differences between Current and Reference OzProj results. Output is similar to the following:

test models 2.0	
=======================================	
Testing: OzProj	
ompp-win settings: compiler=omc.exe (2021-05-28 02:28 GMT) p	latform=x64 configuration=release
OzProj: ompp-win: Build and publish model and Default scenario	
OzProj: ompp-win: Build time 0m 7s	
warning => OzProj: ompp-win: 63 build warning(s) - see OzProj/test_mod	dels/current/ompp-win/logs/build.log
OzProj: ompp-win: Run model using OzProj.ini	
OzProj: ompp-win: Run time 0m 2s	
OzProj: ompp-win: Convert outputs (8 digits of precision)	
OzProj: ompp-win: Convert time 0m 0s	
OzProj: ompp-win: Create digests of current outputs	
OzProj: ompp-win: Digest time 0m 0s	
OzProj: ompp-win: Current vs. Reference: 13 the same (of 21)	
DIFFERS ===> OzProj: ompp-win: Current vs. Reference: 8 differ	
DIFFERS ===> OzProj: ompp-win: Current vs. Reference: DIFFERS:	0_SIGNIFICANT_DIGITS.txt
DIFFERS ===> OzProj: ompp-win: Current vs. Reference: DIFFERS:	Experiment1.csv
DIFFERS ===> OzProj: ompp-win: Current vs. Reference: DIFFERS:	Experiment2.csv
DIFFERS ===> OzProj: ompp-win: Current vs. Reference: DIFFERS:	Experiment3.csv
DIFFERS ===> OzProj: ompp-win: Current vs. Reference: DIFFERS:	Experiment4.csv
DIFFERS ===> OzProj: ompp-win: Current vs. Reference: DIFFERS:	Experiment5.csv
DIFFERS ===> OzProj: ompp-win: Current vs. Reference: DIFFERS:	Experiment6.csv
DIFFERS ===> OzProj: ompp-win: Current vs. Reference: DIFFERS:	PersonYearsLived.csv

The specially-named 'result' file **O\_SIGNIFICANT\_DIGITS.txt** is described elswhere in this topic.

# [back to arguments and options] [back to topic contents]

## Build

Unless instructed otherwise, test\_models builds a Release version of a model, without MPI multi-processing capability, and does not save copy of generated C++ code.

This default behaviour can be modified by the following command options:

- --config Build configuration: debug or release(default)
- --mpi\_processes Build MPI version (default 0, means no MPI)
- --gencode Save a copy of the generated C++ code in subfolder generated\_code

The Debug version of a model is typically considerably slower than the Release version. The Debug version can, however, perform run-time checks which are absent in the Release version. This is particularly true if C++ model code uses assert > to verify that expected logical conditions are satisfied at run time (in Debug mode only).

Supply a non-zero value to <u>--mpi\_processes</u> to build an MPI-enabled model (OpenM++ only). The value will be used to launch that number of MPI instances when the model is subsequently run as described in Run. The suffix <u>\_mpi</u> will be appended to the name of the model executable to distinguish it from the normal non-MPI version.

The specialized --gencode option creates a copy of the C++ code generated by the omc compiler (or by the Modgen compiler for the modgen flavour). If this option is activated, the src temporary build folder is copied to the output folder generated\_code. The --gencode option can be used to compare the C++ code generated by different versions of the OpenM++ compiler.

Incidentally, models are capable of multi-threading independent of MPI.

[back to arguments and options] [back to topic contents]

### Run

Unless instructed otherwise, test\_models builds and runs a non-MPI enabled model using the Default scenario. It retains all files from the build, including the model executable and database after the model is run. Also by default, test\_models looks in the model root for a model ini file to use to run the model. The search for the ini file proceeds as follows: If the file test\_models.ini is present, it is used. If test\_models.ini is not present, the file MODEL.ini is used if present, where MODEL stands for the name of the model. For more on how test\_models uses a model ini file, see Control - Files.

This default behaviour can be modified by the following command options:

- --ini The name of the OpenM++ model ini used when the model is run
- --mpi\_processes The number of mpi processes to launch
- --clean Remove all build files after the run

For example, if the file OM\_ROOT/RiskPaths/Test.ini exists with content

**[OpenM]** SubValues = 16 Threads = 4


[Parameter] SimulationCases = 16000000

and the following command is issued

perl test\_models.pl -m ../models --newref --nomodgen --nocomp --timing --mpi\_processes 4 --ini Test.ini RiskPaths

an MPI-enabled version of RiskPaths is built and 4 instances are launched on the workstation under MPI control. The run consists of 16 replicates with 1,000,000 cases in each replicate, for a total of 16,000,000 cases. Each MPI instance will run with 4 threads.

Output is similar to the following:



The truncated log file of the run is similar to the following:

```
2021-05-31 16:18:57.819 RiskPaths
2021-05-31 16:18:57.819 RiskPaths
2021-05-31 16:18:57.993 Parallel run of 4 modeling processes, 4 thread(s) each
2021-05-31 16:18:57.994 Model build : Windows 64 bit Release
2021-05-31 16:18:57.995 Prepare fixed and missing parameters
2021-05-31 16:18:58.012 Run: 102 Default
2021-05-31 16:18:58.012 Get scenario parameters for process
2021-05-31 16:18:58.013 Model build : Windows 64 bit Release
2021-05-31 16:18:58.013 Prepare fixed and missing parameters
2021-05-31 16:18:58.013 Run: 102 Default
2021-05-31 16:18:58.014 Get scenario parameters for process
2021-05-31 16:18:58.014 member=0 Bind scenario parameters
2021-05-31 16:18:58.014 member=0 Compute derived parameters
2021-05-31 16:18:58.014 member=0 Prepare for simulation
2021-05-31 16:18:58.015 member=1 Bind scenario parameters
2021-05-31 16:18:58.015 member=1 Compute derived parameters
2021-05-31 16:18:58.015 member=1 Prepare for simulation
2021-05-31 16:18:58.015 member=0 Simulation progress=0% cases=0
```

[back to arguments and options] [back to topic contents]

## Comparison

After running a model, test\_models extracts each output table from the model database and saves a copy of the original data as well as a version rounded to 6 significant digits. test\_models then computes and stores a digest of each rounded csv file which it uses for subsequent comparisons. When a rounded table differs, test\_models verifies that at least one cell differs by more than one part per million using the original table data, before reporting the table as different.

This default behaviour can be modified by the following command options:

- --significant\_digits The number of significant digits for table result comparison
- --zero\_fuzz Set table cell values to zero if within this value of zero
- --nocells Disable fallback cell-by-cell verification of differing tables and copy of original data

The number of significant digits used for rounding can be modified using the <u>--significant\_digits</u> option. The default value is 6 (one part in one million). This level of precision can help reduce the number of differing tables reported by test\_models while still identifying differences of substantive or logical significance.

Rounding reduces the number of spurious differences which would otherwise be reported by test\_models. It is not unusual for different model versions to produce slightly different results, often at the level of numerical precision (15-16 digits of precision). This can occur due to different C++ compiler optimizations, or by logically equivalent but slightly different algorithms in models. Rounding to less precision reduces the number of spurious differences reported by test\_models.

Most spurious differences are eliminated by rounding, but not all. For example, two numbers can differ only at the 7th digit of precision but round to different values at 6 digits of precision if the two numbers happen to fall on different sides of a 'rounding boundary' (last digit 5). test\_models eliminates these false positives by verifying differing rounded tables using the original unrounded data. In practice, this verification is rapid. This verification can be disabled using the --nocells command line option. The --nocells option also disables the creation of original (unrounded) copies of model output tables.

The value of a table cell can be undefined, eg the mean value of an attribute for a cell with no observations. This is not the same as a table cell value of zero, eg a mean value of 0.0 calculated from one or more observations. test\_models considers an undefined value to be different from the value 0.

Table measures using subtraction can sometimes produce values very close to zero as an artifact of floating-point computations. The presence of such values can produce false positives: tables which test\_models considers different but which are not different substantively. test\_models uses a zero-fuzz value to handle this situation. If the absolute value of a table cell is within zero\_fuzz of 0.0, the table cell will be set to 0.0. The default zero\_fuzz value is 1e-15. The zero\_fuzz value can be set to 0 to disable zero\_fuzz altogether.

test\_models computes digests using the MD5 cryptographic algorithm. For example, the MD5 digest of the RiskPaths table T04\_FertilityRatesByAgeGroup in the Default run, rounded to 6 digits and normalized to csv is the hexadecimal value 993ead71da6eed5dde398342278f629a. The MD5 digest is always 32 hexadecimal digits in length, independent of the size of the input file. Files with different digests are guaranteed to be different, and it is extremely unlikely (read almost impossible) for different files to have the same digest.

## [back to arguments and options] [back to topic contents]

### Informational

The following options are informational.

- --help report usage message and exit
- --version report test\_models version and exit

They have short form versions -h and -v.

If either option is on the command line, test\_models will display the requested information and immediately exit.

[back to arguments and options] [back to topic contents]

# EventTrace

The following options affect the normalization of event trace output, if present..

- --time\_format STR time format for event trace (default 13.6f)
- --modgen\_id\_offset INT offset adjustment to Modgen IDs (default 0)

The <u>--time\_format</u> option changes the precision of time in the normalized event trace report. For example, specifying <u>--time\_format 19.12f</u> increases the precision from 6 to 12 digits after the decimal point, producing output like

The <u>--modgen\_id\_offset</u> option corrects the entity ID in the Modgen normalized event trace report. This is helpful if the run reproduces a single case from a larger run using a case seed. For such runs, Modgen assigns entity IDs incorrectly, causing spurious differences with ompp event trace output. To fix the issue, the entity IDs in the Modgen event trace report need to be offset by the number of the sub they came from. That sub # may already be known, but if not it can be calculated from the case seed by dividing the case seed by 2^31 and taking the integer part of the result. For example, to determine the sub # of the case seed <u>11636581014</u>, divide it by <u>2147483648</u> giving <u>5.4187052948...</u>. The sub # of the case is <u>5</u>. Specifying <u>--modgen\_id\_offset 5</u> will offset all entity IDs in the Modgen event trace report by 5, correcting the error and bringing the Modgen event trace report into alignment.

# [back to arguments and options] [back to topic contents]

# Deprecated

- --windows\_platform Windows platform: x64(default) or Win32
- --modgen\_platform Modgen platform: Win32(default) or x64

If desired, a 32-bit OpenM++ version of a model can be built instead of a 64-bit version, on Windows only, using the --windows\_platform option.

Possibly, a 64-bit version of a Modgen model can be built instead of a 32-bit version using the --modgen\_platform option. The build or run may fail, and run functionality may be limited or compromised.

[back to arguments and options] [back to topic contents]

# **Control - Files**

=== under construction ===

test\_model operation is controlled mainly by command-line options, but also by the presence and contents of optional specially-named files in the model folder.

OpenM++ model ini files are described here. test\_models always enables Model development options by automatically specifying the \_ OpenM.IniAnyKey to the model when a model ini file is used.

[back to topic contents]

# **Output - Report**

=== under construction ===

test\_models writes a report line by line to the command window where it was invoked as it carries out operations.

[back to topic contents]

# **Output - Files**

test\_models produces two kinds of output: A report it writes to the command window where it was invoked, and files which record and persist information about the model runs it performs. The files created by test\_folders can be useful to probe details behind the summary information in a test\_models report. For example, test\_models reports a count of warnings during model build and also creates the file build.log containing more information about those warnings.

This subtopic contains the following sections.


- test\_models folder: The test\_models folder hierarchy and contents
- table outputs: The tables from a model run
- event trace: The normalized event trace from a model run

## test\_models folder

The output files generated by test\_models are in the subfolder test\_models of the model folder. The test\_models subfolder and hierarchy are created automatically by test\_models as needed. The test\_models subfolder can be deleted at any time, and will be recreated on a subsequent invocation of

#### test\_models .

The following diagram shows the hierarchical structure of the test\_models folder for the RiskPaths model, with some other subfolders of RiskPaths shown for context. In this example, test\_models was previously invoked for the three flavours ompp-win, ompp-linux, and modgen.



test\_models organizes information using two folder hierarchy levels, as illustrated. For example, RiskPaths results for the Reference run with the ompp-win flavour are in the folder RiskPaths/test models/reference/ompp-win.

Below is a list of all files produced by test\_models within each flavour folder, eg within RiskPaths/current/ompp-win:

- tombstone.txt Contains basic information about the compiler, members, ini file, etc. used to build and run the model. test\_models reports if this file differs between Current and Reference.
- logs/build.log A copy of captured console output from all stages of the build process.
- logs/run.log A copy of the log file produced by the model when run.
- outputs/trace.txt A normalized version of the event trace file, if produced by the model.
- outputs/0\_MODEL\_INI.txt The contents of the model ini file used to run the model, if any.
- outputs/0\_SIGNIFICANT\_DIGITS.txt Contains the number of significant digits used to round model output tables before computing digests.
- outputs/digests.txt Contains the name and digest value of each file in the outputs folder (excluding subfolders).
- outputs/\*.csv Model output tables, rounded.
- outputs/original/\*.csv Model output tables, original (unrounded).

# [back to output files] [back to topic contents]

### table outputs

Each table is saved in a flat csv format with a header line. Zero-based indexes identify the table cell. Each row consists of all classificatory

dimension indices, followed by the single measure dimension index, followed by the cell value. The order of classificatory dimensions is the same as the order in the table statement which declared the table in model code. Classificatory dimensions will include an additional trailing level for the margin, if a margin is specified for the dimension in the table declaration. The measure index is always present even if there is only one measure in the measure dimension. The cell value can be empty. Here's an example extract:

Dim0,Dim1,Dim2,Dim3,Value 0,0,0,258.453 0,0,0,1,1119.96 0,0,0,2,933.714 0,0,0,3,86.1511 0,0,1,0,172.302 ...

# [back to output files] [back to topic contents]

### event trace

=== under construction ===

Note that times >= 32767 will be shown as 99999, as will +inf, to improve comparability between ompp and Modgen event trace files.

Note options which control normalized event trace operation.

Ompp models must set EventTrace.Style to modgen for event trace files to be normalized and comparable.

[back to output files] [back to topic contents]

# Example 1 Preparing the default run

This example illustrates how to arrange that the default test\_models run is fast, and is easier to debug or investigate if run-time anomalies or unexpected outputs occur during model development. The underlying idea is to develop a model in small incremental steps, and use test\_models to "fail fast, fail early", after each incremental change to the model. This approach is efficient only if the testing phase is fast. This example uses the OncoSimX model on the Windows platform.

Step 1 investigates how the model performs with a normal Default run. First, a fresh version of the model is created using git to clone from the git server to the temporary folder C:/Temp/OncoSimX. Next, test\_models is run with the --timing option to evaluate the performance of the Default run.

```
C:\temp\OncoSimX>%OM_ROOT%\bin\test_models -m .. --nomodgen --nocomp --timing OncoSimX
       _____
        test models 2.1
       Testina: OncoSimX
       ompp-win settings: compiler=omc.exe (2021-06-29 06:31 GMT) platform=x64 configuration=release
       OncoSimX: ompp-win: Build and publish model and Default scenario
       OncoSimX: ompp-win: Build time 1m 47s
warning => OncoSimX: ompp-win: 1794 build warnings - see OncoSimX/test models/current/ompp-win/logs/build.log
       OncoSimX: ompp-win: Run model using OncoSimX.ini
       OncoSimX: ompp-win: Run time 25m 3s
       OncoSimX: ompp-win: Convert outputs (6 digits of precision)
       OncoSimX: ompp-win: Convert time 1m 33s
       OncoSimX: ompp-win: Create digests of current outputs
       OncoSimX: ompp-win: Digest time 0m 0s
       OncoSimX: ompp-win: No Reference outputs - create using Current outputs
       OncoSimX: ompp-win: Current vs. Reference: 215 the same (of 215)
       OncoSimX: ompp-win: Compare time 0m 0s
```

The test\_models report shows that the run itself took 25m, and that the run used the model ini file OncoSimX.ini . An ini file with the same name as the model is used by default if it exists. Here's the contents of that file:

[OpenM] SubValues = 12 Threads = 6

[Parameter]

SimulationCases = 1000000 SimulationSeed = 16807

; Complete example of ini-file located at: props/model/ompp/Model-example.ini

The run had 1,000,000 cases divided among 12 members (aka replicates or sub-samples), and was accelerated by running 6 threads in parallel (the workstation for the run had 8 processor cores). As a test, 1,000,000 cases does explore many conditions in the model and can produce statistically meaningful results, but a run of that size with OncoSimX is not suitable for quick iteration during model development. Moreover, a multi-threaded run is much more difficult to debug than a single-threaded run, making it a poor choice for testing during development. Ignoring run time, test\_models took about 3m 15s. If the run were modified to take 1m 45s of run time instead, with one thread of execution, the total time would be about 5m, which would be acceptable for rapid testing.

Step 2 creates a new model ini file named test\_models.ini based on the original model ini file OncoSimX.ini with several modifications. The number of members is changed to 1, the number of threads to 1, and the the number of cases changed somewhat arbitrarily to 5,000 to see how fast that will turn out:

**[OpenM]** SubValues = 1 Threads = 1

[Parameter] SimulationSeed = 1 SimulationCases = 5000

The choice of file name for the modified model ini file was not arbitrary. test\_models will use by default a model ini file named test\_models.ini if it exists.

Step 3 runs test\_models with the new model ini test\_models.ini which it will use by default. The --newref option is used to replace the previous results to avoid reporting meaningless differences.

C:\temp\OncoSimX>%OM_ROOT%\bin\test_models -mnomodgennocomptimingnewref OncoSimX
test_models 2.1
Testing: OncoSimX
ompp-win settings: compiler=omc.exe (2021-06-29 06:31 GMT) platform=x64 configuration=release
OncoSimX: ompp-win: Deleting previous Reference information
OncoSimX: ompp-win: Build and publish model and Default scenario
OncoSimX: ompp-win: Build time 1m 46s
warning => OncoSimX: ompp-win: 1794 build warnings - see OncoSimX/test_models/current/ompp-win/logs/build.log
OncoSimX: ompp-win: Run model using test_models.ini
OncoSimX: ompp-win: Run time 1m 41s
OncoSimX: ompp-win: Convert outputs (6 digits of precision)
OncoSimX: ompp-win: Convert time 1m 19s
OncoSimX: ompp-win: Create digests of current outputs
OncoSimX: ompp-win: Digest time 0m 1s
OncoSimX: ompp-win: No Reference outputs - create using Current outputs
OncoSimX: ompp-win: Current vs. Reference: 215 the same (of 215)
OncoSimX: ompp-win: Compare time 0m 0s

The report shows that test\_models.ini was used as intended. The total time for test\_models to build, run, and compare results was 4m 47s, which is about what was targeted as a quick test for incremental model development.

Step 4 uses git to add test\_models.ini to the local repository in C:/Temp/OncoSimX, and then push the change to the server repository to persist it and make it available to others on the modelling team.

Step 5 runs test\_models a final time using test\_models.ini to see how long the Modgen version takes.

C:\Development\X\ompp\Perl>perl test\_models.pl -m ../../models --noompp --timing OncoSimX \_\_\_\_\_ test\_models 2.1 \_\_\_\_\_ Testing: OncoSimX modgen settings: version=12,1,3,0 (2019-12-19 20:31 GMT) platform=Win32 configuration=release OncoSimX: modgen: Build model and prepare Default scenario OncoSimX: modgen: Build time 0m 15s warning => OncoSimX: modgen: 1 build warnings - see OncoSimX/test models/current/modgen/logs/build.log OncoSimX: modgen: Run model using test models.ini OncoSimX: modgen: Run time 38m 54s warning => OncoSimX: modgen: 1 run warnings - see OncoSimX/test\_models/current/modgen/logs/run.log OncoSimX: modgen: Convert outputs (6 digits of precision) OncoSimX: modgen: Convert time 12m 3s OncoSimX: modgen: Create digests of current outputs OncoSimX: modgen: Digest time 0m 1s OncoSimX: modgen: Current vs. Reference: 205 the same (of 205) OncoSimX: modgen: Compare time 0m 0s

Even with the small run in test\_models.ini, the Modgen version takes 50m 13s, making it not suitable for quick development tests for the OncoSimmX model with all tables. The Modgen version simulates quickly, but writing all table outputs and converting those outputs takes a long time. The reason is that Modgen uses a Microsoft Access database for storing tables, and MS Access is slow.

The folder C:/Temp/OncoSimX is now deleted, having served its purpose.

### [back to topic contents]

# Example 2 A new OpenM++ release

In this example, a new OpenM++ release has been announced, and a model developer is asked to verify that the team's model successfully builds and runs with the new version and produces identical results. The model developer uses a Windows workstation.

Step 1 downloads and extracts the new version of OpenM++, released on 2021-06-29, to a new folder on the workstation. To simplify changing between OpenM++ versions, the model developer previously created a folder named C:/ompp\_versions on the workstation. A new command prompt is opened and used to verify the contents of that folder after the download and extraction:

C:\ompp\_versions>dir Volume in drive C is OS Volume Serial Number is 14E2-D15F Directory of C:\ompp\_versions 2021-06-29 07:27 AM . 2021-06-29 07:27 AM . 2021-06-12 09:49 PM openmpp\_win\_20210505 2021-06-12 09:50 PM openmpp\_win\_20210602 2021-06-12 09:50 PM openmpp\_win\_20210612 2021-06-29 07:27 AM openmpp\_win\_20210612 2021-06-29 07:27 AM

openmpp\_win\_20210629 0 File(s) 0 bytes 6 Dir(s) 1,717,655,265,280 bytes free

A command is issued to verify the version of OpenM++ currently in use on the workstation:

C:\ompp\_versions>echo %OM\_ROOT% C:\ompp\_versions\openmpp\_win\_20210602

The version currently in use is 2021-06-02 which is two versions old because the development team decided to skip the mid-month OpenM++ bug-fix release because that bug was known not to affect the team's model.

Step 2 prepares the test. The OncoSimX model is used in this example and it's assumed that the model developer is working actively on the model and has unchecked code changes. To not interfere with that current work-in-progress, git is used to create a new temporary clone of the

stable trunk version of OncoSimX in the temporary folder C:/Temp/OncoSimX .

Step 3 invokes test\_models to create a Reference run using the team's working version (2021-06-02) of OpenM++:

C:\ompp_versions>cd C:\Temp\OncoSimX C:\temp\OncoSimX>perl %OM_ROOT%/pe	rl/tast models nl mnomedaan	
	n/test_models.pl -mnomodgen	
test_models 2.0		
Testing: OncoSimX ompp-win settings: compiler=omc.e	xe (2021-06-02 03:23 GMT) platfo	orm=x64 configuration=release
OncoSimX: ompp-win: Build and pu warning => OncoSimX: ompp-win: 1794 b OncoSimX: ompp-win: Run model OncoSimX: ompp-win: Convert out OncoSimX: ompp-win: Create dige OncoSimX: ompp-win: No Referen OncoSimX: ompp-win: Current vs.	uild warning(s) - see OncoSimX/tes using test_models.ini outs (7 digits of precision) sts of current outputs se outputs - create using Current ou	est_models/current/ompp-win/logs/build.log
The -m option specifies that the fo	lder containing models is th	he parent folder of the current folder.
Step 4 switches to the new OpenM+	+ release dated 2021-06-29	9 by changing the <b>OM_ROOT</b> environment variable:
C:\temp\OncoSimX>set OM_ROOT=C:\om	p_versions\openmpp_win_20210	0629
and invokes test_models again using	the same arguments:	
C:\temp\OncoSimX>perl %OM_ROOT%/pe	rl/test_models.pl -mnomodgen	nnocomp OncoSimX
test_models 2.1		
Testing: OncoSimX ompp-win settings: compiler=omc.e	xe (2021-06-29 06:31 GMT) platfo	orm=x64 configuration=release
OncoSimX: ompp-win: Current: o OncoSimX: ompp-win: Current vs.	uild warnings - see OncoSimX/test_ using test_models.ini buts (6 digits of precision) sts of current outputs Reference: tombstone info differs: compiler=omc.exe (2021-06-02 06: compiler=omc.exe (2021-06-29 06: Reference: 214 the same (of 215)	t_models/current/ompp-win/logs/build.log 13:23 GMT) platform=x64 configuration=release members=1 :31 GMT) platform=x64 configuration=release members=1
DIFFERS ===> OncoSimX: ompp-win: Cur DIFFERS ===> OncoSimX: ompp-win: Cur		0_SIGNIFICANT_DIGITS.txt

test\_models reports that the OpenM++ compiler versions for the Reference and Current runs differ, as expected. Unexpectedly, it reported a single differing file. The name of that file and the two test\_models reports pinpoint the cause: The default number of digits used by test\_models was changed from 7 digits to 6 digits between the two OpenM++ releases. The change in the number of significant digits turned out not to affect the rounded versions of the model output tables in the two runs.

The test, at this point, has established that the model builds and runs successfully with the new version of OpenM++ and produces identical outputs for the small fast run used normally by test\_models during OncoSimX development.

In step 5, the model developer decides to perform a more demanding verification by comparing results between the two OpenM++ releases using a larger run of 1,000,000 cases and 12 replicates. These are the settings in the model ini file OncoSimX/OncoSimX.ini :

**[OpenM]** SubValues = 12 Threads = 6

[Parameter] SimulationCases = 1000000 SimulationSeed = 16807

; Complete example of ini-file located at: props/model/ompp/Model-example.ini

The OpenM++ version is switched back to the older 2021-06-02 version

C:\temp\OncoSimX>set OM\_ROOT=C:\ompp\_versions\openmpp\_win\_20210602

and test\_models is invoked, this time explicitly specifying the number of significant digits as well as the model ini file to use. The --newref option is used to create a new Reference run using the larger run specified in the ini file.

ncoSimX>perl %OM_ROOT%/perl/test_models.pl -mnomodgennocompsignificant_digits 6ini OncoSimX.ininewref OncoSimX 
est_models 2.0
esting: OncoSimX npp-win settings: compiler=omc.exe (2021-06-02 03:23 GMT) platform=x64 configuration=release
ncoSimX: ompp-win: Deleting previous Reference information ncoSimX: ompp-win: Build and publish model and Default scenario => OncoSimX: ompp-win: 1794 build warning(s) - see OncoSimX/test_models/current/ompp-win/logs/build.log ncoSimX: ompp-win: Run model using OncoSimX.ini ncoSimX: ompp-win: Convert outputs (6 digits of precision) ncoSimX: ompp-win: Create digests of current outputs ncoSimX: ompp-win: No Reference outputs - create using Current outputs ncoSimX: ompp-win: Current vs. Reference: 215 the same (of 215)
M++ version is switched once again to the new release 2021-06-29
ncoSimX>set OM_ROOT=C:\ompp_versions\openmpp_win_20210629
odels is run again to produce a comparable Current run and compare it to the Reference run:
ncoSimX>perl %OM_ROOT%/perl/test_models.pl -mnomodgennocompsignificant_digits 6ini OncoSimX.ini OncoSimX
est_models 2.1
esting: OncoSimX npp-win settings: compiler=omc.exe (2021-06-29 06:31 GMT) platform=x64 configuration=release
ncoSimX: ompp-win: Build and publish model and Default scenario => OncoSimX: ompp-win: 1794 build warnings - see OncoSimX/test_models/current/ompp-win/logs/build.log ncoSimX: ompp-win: Run model using OncoSimX.ini ncoSimX: ompp-win: Convert outputs (6 digits of precision) ncoSimX: ompp-win: Create digests of current outputs ncoSimX: ompp-win: Current vs. Reference: tombstone info differs: ncoSimX: ompp-win: Reference: compiler=omc.exe (2021-06-02 03:23 GMT) platform=x64 configuration=release members=12 ncoSimX: ompp-win: Current: compiler=omc.exe (2021-06-29 06:31 GMT) platform=x64 configuration=release members=12

The larger run executed successfully with the new OpenM++ release, and all output results were the same to 6 significant digits.

In this example, the OM\_ROOT environment variable was changed using the set command (not the setx command) to select an OpenM++ version. The changed value of OM\_ROOT applied only to commands issued in the command prompt window used for the test. The value of OM\_ROOT in other command prompt windows or Visual Studio sessions was unaffected by the test.

[back to topic contents]

# Example 3 A model code change

=== under construction ===

[back to topic contents]

# **Example 4 When results differ**

=== under construction ===

[back to topic contents]

# Example 5 Exercising a model in Debug

In this example, test\_models is used to build and run Debug versions of a model, using both OpenM++ and Modgen versions. Debug versions run more slowly but contain more run-time checks which can identify errors, so it is a good idea to test the Debug versions from time to time. test\_models1 makes that easy. This example uses the OncoSimX` model running on a Windows system. The Modgen run took considerably longer than the OpenM++ run.

### [back to topic contents]

## Example 6 A performance comparison

In this example, test\_models is used to evaluate the performance difference between two versions of the same model, holding other effects constant. Specifically, this example seeks to measure the performance cost of the run-time checks which OpenM++ performs to ensure that attributes are not modified directly or indirectly in event time functions. Although those runtime checks are core OpenM++ functionality, the OpenM++ option verify attribute\_modification can be used to remove them.

Step 1 sets up the experiment. The OncoSimX model is chosen because it is a large-scale production model with many events. The experiment is done on a secondary (older) Windows workstation which will run no other tasks during the experiment. The experiment is temporary, so a single git command is issued to create a new clone of OncoSimX in a convenient temporary location, which in this example is C:/Temp/OncoSimX. The OncoSimX clone contains no test\_models results, which is appropriate for a model git repository. It does contain the model ini file test\_models.ini in the model root.

Step 2 sets up the <u>test\_models</u> model run to serve as a performance test. Normally, a model run for <u>test\_models</u> is small and fast. This experiment requires a run which is large enough to produce reliable performance information. The <u>OncoSimX</u> model ini file <u>test\_models.ini</u> produces small fast runs for rapid development. The contents are:

[OpenM] SubValues = 1 Threads = 1 [Parameter] SimulationSeed = 1 SimulationCases = 5000 [Tables]

;Retain = \ ; TG01\_Breast\_Cancer\_Tables


A single line is modified to increase the number of cases from 5,000 to 1,000,000 for the experiment.

SimulationCases = 1000000

Step 3 uses test\_models to create a Reference run to serve as a basis for comparison. A command window is opened and test\_models is invoked:

```
perl test_models.pl -m C:/Temp --timing --nomodgen OncoSimX
```

The output is



Note that test\_models created Reference results from Current results because no Reference run was present. The reported run time was 98m 8s.

Step 4 modifies the model to remove the normal run-time checks for the experiment. Because this is a temporary clone of OncoSimX which will be discarded after the experiment, the source code can be modified freely with no consequences. The small source file TraceOptions.mpp was selected arbitrarily to implement the experiment, and the following line added:

#### options verify\_attribute\_modification = off;

Step 5 uses test\_models to create a Current run which will be compared to the Reference run. The invocation of test\_models is identical to the previous invocation.

perl test\_models.pl -m C:/Temp --timing --nomodgen OncoSimX

### The output is

	test_models 2.1
	Testing: OncoSimX
	ompp-win settings: compiler=omc.exe (2021-07-01 12:27 GMT) platform=x64 configuration=release
	OncoSimX: ompp-win: Build and publish model and Default scenario
	OncoSimX: ompp-win: Build time 3m 58s
warnin	g => OncoSimX: ompp-win: 1794 build warnings - see OncoSimX/test_models/current/ompp-win/logs/build.log
	OncoSimX: ompp-win: Run model using test_models.ini
	OncoSimX: ompp-win: Run time 95m 16s
warnin	g => OncoSimX: ompp-win: 1 run warnings - see OncoSimX/test_models/current/ompp-win/logs/run.log
	OncoSimX: ompp-win: Convert outputs (6 digits of precision)
	OncoSimX: ompp-win: Convert time 2m 12s
	OncoSimX: ompp-win: Create digests of current outputs
	OncoSimX: ompp-win: Digest time 0m 0s
	OncoSimX: ompp-win: Current vs. Reference: 215 the same (of 215)
	OncoSimX: ompp-win: Compare time 0m 0s
	OncoSimX: Flavour compare time 0m 0s

All model outputs are identical as expected. test\_models reports one run-time warning which was absent in the first run. That's because OpenM++, by design, emits a warning on every run of a model which disables run-time checking of event times. test\_models noted the warning and reported it when it analyzed the run log. The reported run time was 95m 16s.

Step 6 compares performance between the Reference and Current runs. The model run time in the Current run was 172s less than the Reference run, and shows that about 2.9% of the elapsed time of the Reference run was overhead associated with the run-time checks. That is a realistic assessment of the overhead of the run-time checks for OncoSimX when used in production.

The elapsed time reported by test\_models includes the time required to read parameters and to assemble and write tables, which can be significant. It might also be interesting to assess the performance effect on the simulation time alone, removing the fixed cost of parameter reading and table assembly and writing. The model log files saved by test\_models can be used to perform that calculation.

### Here's a line extracted from the Reference log file, located at

C:/Temp/OncoSimX/test\_models/reference/ompp-win/logs/run.log:

2021-07-01 10:16:52.928 member=0 Simulation summary: cases=1000000, events/case=1128.9, entities/case=5.4, elapsed=5693.747633s

### and here's the corresponding line extracted from the Current log file, located at

C:/Temp/OncoSimX/test\_models/current/ompp-win/logs/run.log .

2021-07-01 12:31:45.777 member=0 Simulation summary: cases=1000000, events/case=1128.9, entities/case=5.4, elapsed=5525.430919s

Conveniently, this line in the OpenM++ model log reports the elapsed time of the computational phase, in seconds. The simulation time was 5694s for the Reference run and 5525s for the Current run, for a difference of 168s. So about 3.0% of the computation time was overhead associated with the run-time checks. That's only slightly higher than the proportion computed using elapsed time because the time required to read parameters and to assemble and write tables (about 190s) is a relatively small portion of the elapsed time of an OncoSimX run of 1,000,000 (5525s).

# Example 7 Using event trace output

=== under construction ===

The following applies to a case-based model.

If test\_models detects unexpected output differences which are not immediately explained by recent model code changes or by perusing differences in specific tables, it can be useful to determine whether the differences are due to a handful of different cases in the run, or to some other cause.

To find out, turn on the case checksum option by adding the statement

options case\_checksum = on;

to model code. In the RiskPaths example model, this is done in a dedicated model source file named TraceOptions.mpp which is normally:

```
//LABEL(TraceOptions, EN) Control options for trace output
/* NOTE(TraceOptions, EN)
   The options must be set to off for normal use.
   If the options are on, very large trace output files may be produced by the model.
*/
options event_trace = off;
options case_checksum = off;
```

Turning case\_checksum on will cause a trace file to be generated when test\_models runs the model which contains one line for each case. For RiskPaths, the first lines of the trace file look like this:

Seed: 1 Sample: 0 Checksum: 4.4094661700e+02 470583131 Sample: 0 Checksum: 4.1293225500e+02 Seed: 1715377866 Sample: 0 Checksum: 3.4860055300e+02 Seed: Seed: 430166727 Sample: 0 Checksum: 1.3482143400e+02 Seed: 743781969 Sample: 0 Checksum: 1.4831547800e+02 Seed: 594673803 Sample: 0 Checksum: 4.1803896100e+02 2048386738 Sample: 0 Checksum: 3.5386231900e+02 Seed: 1681919254 Sample: 0 Checksum: 4.0119902000e+02 Seed: Seed: 78320563 Sample: 0 Checksum: 3.9439706500e+02 Seed: 1637697257 Sample: 0 Checksum: 4.9065368400e+02 Seed: 127732046 Sample: 0 Checksum: 9.8715092900e+02 2114816392 Sample: 0 Checksum: 3.9576701300e+02 Seed: 1616242686 Sample: 0 Checksum: 1.2478963010e+03 Seed: Seed: 1222943222 Sample: 0 Checksum: 4.5861339400e+02 Seed: 170881636 Sample: 0 Checksum: 1.4320257000e+02

This file is noticed by test\_models and will participate in test\_models comparisons. Test\_models saves the trace file under the name trace.txt in the same folder where it places csv versions of tables.

If test\_models reports that the file trace.txt differs between the ompp and modgen versions, then one or more cases differ in the two flavours. Use a tool or text editor to compare the two versions of trace.txt to determine the seed of the first case which has a differing checksum in the two variants.

More to follow ...

[back to topic contents]

# **Time-like and Event-like Attributes**

Home > Model Development Topics > Time-like and Event-like Attributes

This topic describes the distinction between event-like and time-like attributes, and forbidden uses of time-like attributes in model code.

# **Related topics**

Model Code

# **Topic contents**

- Time-like and event-like attributes: Definitions and examples
- · Potential issues: How time-like attributes could violate the model specification
- Protection against potential issues: How OpenM++ protects against these issues
- Disabling protection: How to disable OpenM++ run-time protection

# Time-like and event-like attributes

An OpenM++ simulation consists of a sequence of events which change values of attributes when the events occur. Attributes are observed only at events, not between events. Some attributes, however, can undergo unobserved changes between events. An example is the built-in attribute time, which changes continuously between events, even though it is observed only when events occur. Attributes like time or age which undergo unobserved changes between events are called *time-like*.

Another example of a time-like attribute is the identity attribute

**bool** first6months = (age <= 0.5);

Logically, the attribute first6months changes value when age is exactly equal to 0.5. However, unless there is an event which occurs precisely at that moment, the transition of first6months from true to false will not be observed when it logically occurs. For example, if the first event in the entity occurs at age 1.0, the value of first6months will become false at that time, but the transition of first6months from true to false at age 0.5 will not have been noted at the time it logically occurred.

An attribute which changes only at events is called event-like. For example, the attribute

bool is\_alive = {true);

is event-like. It has initial value true and changes to false when the Mortality event occurs (code not shown).

All self-scheduling attributes are event-like because they schedule an internal event at appropriate times. For example, self\_scheduling\_int(age) is an event-like attribute with value equal to integer age of the entity. It is event-like because it schedules an internal event when age will attain its next integer value.


A derived attribute which observes a time-like attribute may be event-like. For example, the derived attribute

value\_at\_first\_entrance(is\_alive, false, age)

which records age at death is event-like because it observes the value of age when is\_alive transitions to false during the Mortality event.

The OpenM++ compiler deduces whether an attribute is event-like or time-like. The Symbol Reference of a model can be consulted to determine if an attribute is time-like.

For example, the Symbol Reference topic for the age attribute in RiskPaths looks like



and indicates, after Kind:, that it is time-like. Attributes not indicated as time-like in the Symbol Reference are event-like.

## [back to topic contents]

## **Potential issues**

There are three situations where use of a time-like attribute could violate the model specification and produce unexpected or incorrect model results.

- 1. A time-like filter of an entity table or entity set;
- 2. A time-like dimension of an entity table or entity set;
- 3. The use of a time-like attribute in an event time function.

For situation 1, consider the following table declaration using the time-like attribute first6months introduced above.



Logically, this table should sum the value 0.5 for each entity which survives to age 0.5 or beyond. But if the first event occurs later, for example when age is 1.0, the value 1.0 would be summed instead, producing a logically erroneous result given the table specification.

For situation 2, consider a modified version of this table which uses the time-like attribute first6months as a dimension instead of as a filter. The total duration in the table would be correct, but it would be misclassified between the two cells in the table.

For situation 3, consider if the time-like attribute first6months is used in an event time function. Assume that the model implements a first tranche of vaccination when an infant is 6 months old. Model code in the time function of the ChildVaccination event might include a statement like

if (!vaccinated && !first6months) return WAIT(0);

to trigger the ChildVaccination event when the child is 6 months old. However, the attribute first6months is time-like and changes value at 6 months of age only if some other event happens to occur at that precise value of age. If there is no such event, the ChildVaccination event would be triggered at some later time when the value of first6months is next updated, perhaps at the first birthday when age is 1.0.

[back to topic contents]

# Protection against potential issues

OpenM++ identifies situations 1 and 2 at build time and issues an error message like

```
error : the filter of table 'TimeLikeTest' must not be time-like
error : dimension 'first6months' of table 'TimeLikeTest' must not be time-like
```

OpenM++ identifies situation 3 at run time and halts the simulation with an error message such as the following:

Simulation error: Attempt to access the time-like attribute age by the event time function of event OneTime in entity\_id 2 when current time is -inf before enter\_simulation in simulation member 0 with combined seed 1

*Modgen-specific*: In Modgen parlance a time-like attribute is called a continuously-updated state (CUS). Modgen issues an error message at build time for situations 1 and 2. Modgen attempts to detect situation 3 at build time, by prohibiting some types of C++ code (including links/pointers) in event time functions, and by scanning event time functions for any symbol which has the same name as an attribute. The OpenM++ design takes a different approach, instead imposing no restrictions on model C++ code and detecting situation 3 directly at run-time.

[back to topic contents]

# **Disabling protection**

There is some overhead associated with run-time detection of situation 3 which is typically minor. It can be eliminated by disabling run-time detection using the statement

options verify\_timelike\_attribute\_access = off;

If this run-time detection is disabled, the model will write the following warning to the log on every model run:

Warning : prohibited time-like attribute access is not detected with verify\_timelike\_attribute\_access = off

[back to topic contents]

# **Use Modules**

# Home > Topic placeholder

Topic summary, two sentences max.

# **Related topics**

Model Code

# **Topic contents**

Subtopic #1 Short description of Subtopic 1

# Subtopic 1

Subtopic 1 content.

[back to topic contents]

# Weighted Tabulation

## Home > Model Development Topics > Weighted Tabulation

For case-based models, the weighted\_tabulation option creates, for each entity, the built-in attribute entity\_weight which scales the entity's contribution to tables.

# **Related topics**

- Model Code
- Population Size and Scaling

# **Topic contents**

- Introduction and Background
- Syntax and Use How to activate and use
- Limitations Limitations of the current implementation
- Modgen-specific Modgen issues Weighted tabulation in a x-compatible model

# Introduction and Background

Some case-based microsimulation models use micro-data directly from a survey, census, or administrative source. Micro-data from such sources often has a weight associated with each observation which reflects the sampling design and maybe post-stratification or under-count adjustment. Case weights can also be useful in microsimulation models which are not based on micro-data. Such models instead generate cases synthetically from multivariate distributions. They may deliberately over-sample portions of the synthetic population of particular interest, and then adjust for that oversampling by assigning a case weight equal to the reciprocal of the oversampling factor.

OpenM++ contains optional functionality to associate a weight with each entity. That weight scales the contribution of the entity to table counts and sums. The functionality facilitates assigning the same case weight to all of the entities in a case for table coherence. This is important for models which have multiple entities in each case, e.g. ancillary family members of a core entity which may be created later in the simulation of the case. The design integrates with population scaling by computing and using the sum of case weights.

A time-based microsimulation model simulates interacting entities. It is unclear how one might validly represent an interaction of entities which have non-equal weights. Instead, for time-based models based on weighted micro-data, a micro-data record is typically cloned or sampled based on its weight to produce a starting population of entities whose weights are all equal. Such an equal-weighted population can represent a real-world population of a different size by using population scaling, rather than by assigning a weight to each entity with all weights being equal. The end result is the same, but population scaling is more efficient for memory and computation compared to identical entity weights. Also, it is not clear how to implement population scaling in a time-based model with entity weights if the model contains entities of different types, e.g. a single special Ticker entity, or multiple Dwelling, Person, and Family entities, or a fixed number of Region entities. For these reasons, entity weights are forbidden in time-based models in OpenM++. Use population scaling to make a time-based model represent a real population of a different size. See Population Size and Scaling for more information.

[back to topic contents]

# Syntax and Use

By default, entities are unweighted. To activate entity weights, include the statement

options weighted\_tabulation = on;

in the source code of a case-based model. A natural place to insert this statement is the module ompp\_framework.ompp. If weighting is turned on in a time-based model, an error message like the following is emitted:

error : weighted tabulation is not allowed with a time-based model, use population scaling instead.

When weighting is turned on, each entity has a new built-in attribute named entity\_weight, of type double. Usually model code does not assign a value directly to entity\_weight. Instead, before entities are created for a case, model code sets the initial value of entity\_weight for all entities in the case by calling the function set\_initial\_weight, as in the following contrived example:

```
void CaseSimulation(case_info &ci)
{
    extern void SimulateEvents(); // defined in a simulation framework module
    // Provide the weight used to initialize the entity_weight attribute for new entities
    set_initial_weight(2.0);
    // For Modgen-compatible models, use the following instead
    //SetCaseWeight(2.0);
    // Initialize the person entity
    auto prPerson = new Person();
    prPerson->Start();
    // Simulate events until there are no more.
    SimulateEvents();
}
```

Calling set\_initial\_weight before creating any entities in the case ensures that the built-in attribute entity\_weight will have that same value for all entities in the case. The call to set\_initial\_weight also enables the calculation of the sum of case weights. That sum of weights is used to correctly scale the population to a specified size if the model uses both weights and population scaling. For that to work correctly, set\_initial\_weight must be called once and only once in the logic of the case, before any entities in the case are created.

If weighted tabulation is not enabled, entities have no attribute named entity\_weight, and calls to set\_initial\_weight have no effect (but are benign).

If weighted tabulation is enabled, but set\_initial\_weight is not called before creating entities in the case, the entity\_weight attribute will be 1.0. However, the total sum of weights used for population scaling will be incorrect because the calculation depends internally on the call to set\_initial\_weight. Ensure that model code calls set\_initial\_weight once and only once before creating entities in the case.

### [back to topic contents]

# Limitations

Weighted tabulation works for table statistics based on counts and sums. It does not work yet for ordinal statistics such as the median or the gini coefficient. Such statistics will be computed ignoring weights, i.e. as though all weights are 1.0. If a table uses an ordinal statistic and weighted\_tabulation is on, the OpenM++ compiler will issue a warning. For example, the table

```
table Person DurationOfLife //EN Duration of Life
{
    {
        {
            value_in(alive), //EN Population size
            min_value_out(duration()), //EN Minimum duration of life decimals=4
            max_value_out(duration()), //EN Maximum duration of life decimals=4
            duration() / value_in(alive), //EN Life expectancy decimals=4
            P50(value_out(duration())) //EN Median duration of life decimals=4
            } //EN Demographic characteristics
        };
```

### would emit a warning like

warning : weighting is not supported for ordinal statistic 'P50' in table 'DurationOfLife' ...

### [back to topic contents]

## Modgen issues

## case-based models (Modgen)

Modgen implements similar case weighting functionality and weight-based population scaling to OpenM++ using a function named SetCaseWeight. X-compatible models can call SetCaseWeight instead of set\_initial\_weight as in the commented statement in the previous example. The OpenM++ framework supplies versions of SetCaseWeight which call set\_initial\_weight internally.

OpenM++ functions intrinsically at the sub-sample/replicate/member level, so the notion of a distinct total weight and sub-sample weight does not apply in OpenM++.

### time-based models (Modgen)

Modgen does not implement population scaling for time-based models. To work around this limitation, model developers have called the Modgen function <u>Set\_actor\_weight</u> in actor <u>Start</u> functions to scale results to represent a larger population. Consider a time-based model which includes two exogenous parameters, <u>StartingPopulationRealSize</u> for the size of the true real-world population which is represented by the model, and

StartingPopulationSize for the size (number of entities) of the synthetic starting population in the model. The Modgen approach might look like this:



The OpenM++ framework includes do-nothing versions of the Modgen functions Set\_actor\_weight and Set\_actor\_subsample\_weight so this same code will build without error in OpenM++.

To perform the identical population scaling directly in the OpenM++ version of the model (without weights), include the following statement in <a href="mailto:ompp\_framework.ompp">ompp\_framework.ompp</a>:

use "time\_based/time\_based\_scaling\_exogenous.ompp";

That use module integrates with the OpenM++ framework to scale table counts and sums by the factor

(double) StartingPopulationRealSize / (double) StartingPopulationSize

using the exogenous parameters StartingPopulationRealSize and StartingPopulationSize .

These two parameters are already declared in the use module time\_based\_scaling\_exogenous.ompp in OpenM++. Declare them in the Modgen version using a Modgen-only source code file name, for example modgen\_PopulationSize.mpp , with content



and then make the values of these two parameters available to both Modgen and OpenM++ by placing them in a file processed by both, for example PopulationSize.dat with contents like



For more about the visibility of model source code and parameter value files in OpenM++ and Modgen, see Model Code. For more about population scaling in OpenM++, see Population Size and Scaling.

[back to topic contents]

# **File-based Parameter Values**

## Home > Common Topics > File-based Parameter Values

This topic describes how parameter values can be be represented in files in OpenM++. File-based parameter values are used by several OpenM++ components including build, run, UI, scripting, import, export.

# **Related topics**

· Modgen-specific: CsvToDat utility: Command-line utility to convert CSV parameters to DAT format

# **Topic contents**

- Introduction
- How to use CSV or TSV files for input parameters values
  - CSV or TSV file with dimension(s) and parameter value(s)
  - CSV or TSV file with dimension(s) and multiple parameter sub-values
  - CSV or TSV files with IDs as dimension(s) items
  - CSV or TSV file with parameter values only

# Introduction

In several contexts, the value(s) of a parameter can be in a file whose name is the name of the parameter followed by a suffix which indicates content and format.

For example, if a file named AgeBaselinePreg1.csv is present in the folder `RiskPaths/parameters/Default', it will be used by the OpenM++ compiler to provide values for that parameter when publishing the Default scenario when the model is built.

The suffix of the file indicates how the contents of the file are interpreted, as follows:

File suffix	Meaning
.CSV	Comma-separated values (CSV) with header and dimension values, one value per line
.tsv	Tab-separated values (TSV) with header and dimension values, one value per line
.id.csv	CSV with header and dimension values as 0-based ID's
.id.tsv	TSV with header and dimension values as 0-based ID's
.value.csv	CSV with values only (no header or dimension values)
.value.tsv	TSV with values with (no header or dimension values)

The header line contains the column names of indices as specified in the parameter declaration in model code. The header line can optionally start with an initial column named sub\_id. If so, the first value in each line is the 0-based index of the replicate (aka sub, subsample, member).

### [back to topic contents]

# How to use CSV or TSV files for input parameters values

You can use CSV or TSV files to supply input parameter values for your model. For example, if the RiskPaths model has the SeparationDurationBaseline parameter:

partition DISSOLUTION\_DURATION //EN Duration since union dissolution {
 2, 6, 10, 15
};
........
// Separation Duration Baseline of 2nd Formation
double SeparationDurationBaseline[DISSOLUTION\_DURATION] = {
 0.1995702, 0.1353028, 0.1099149, 0.0261186, 0.0456905
};

If parameter values are coming from CSV or TSV file then you can use Markdown file(s) to provide parameter value notes. For example, RiskPaths/parameters/SeparationDurationBaseline.EN.md :

This is a parameter values for Separation Duration Baseline of 2nd Formation.

It is a test sample model and data may not be accurate.

and RiskPaths/parameters/SeparationDurationBaseline.FR.md :

\*\*Translation below created by Google, please provide a proper French translation before publishing the model\*\*

Il s'agit d'une valeur de paramètre pour la ligne de base de la durée de séparation de la 2e formation.

Il s'agit d'un modèle d'échantillon de test et les données peuvent ne pas être exactes.

The following rules are applied to parameter CSV or TSV files:

- file name must be the same as parameter name, which is SeparationDurationBaseline in example above
- it can be parameter.csv with comma-separated values or parameter.tsv with tab-separated values
- if dimension item name or parameter value contains comma then it must be "quoted"
- header line of the file must contain dimension names and "param\_value", for example: dim0,otherDim,dim3,param\_value
- (optional) if parameter has multiple sub-values then header line must start with "sub\_id" (see example below)
- if the scenario directory contains a .dat file with values for ParameterName and also a file named ParameterName.csv the CSV values will
  override the .dat values.

The following formats of CSV or TSV files are supported:

- CSV or TSV file with dimension(s) and parameter value(s)
- CSV or TSV file with dimension(s) and multiple parameter sub-values
- · CSV or TSV files with IDs as dimension(s) items
- CSV or TSV file with parameter values only, without dimensions (omc only)

Subsequent sub-topics describe each in turn, with examples.

### [back to topic contents]

### CSV (or TSV) file with dimension(s) and parameter value(s)

Dimension items must be supplied as item "names", similar to partition DISSOLUTION\_DURATION above. Or take a look into another example of twodimensional parameter:

GenderByYearRatio.csv file:

dim0, dim1, param\_value FEMALE, 2019, 0.1 FEMALE, 2020, 0.2 FEMALE, 2021, 0.2 MALE, 2019, 0.5 MALE, 2020, 0.6 MALE, 2021, 0.7

- Line order in the file is not important and openM++ will sort it automatically.
- If there some line(s) are missing then parameter value will be a default for that parameter type, for example: 0.0.

### [back to topic contents]

## CSV (or TSV) file with dimension(s) and multiple parameter sub-values

It can be used for uncertainty probabilistic analysis, file example:

sub\_id, dim0, dim1, param\_value
0, FEMALE, 2019, 0.1
0, FEMALE, 2020, 0.2
0, FEMALE, 2019, 0.5
0, MALE, 2019, 0.5
0, MALE, 2020, 0.6
0, MALE, 2021, 0.7
1, FEMALE, 2019, 1.1
1, FEMALE, 2020, 1.2
1, FEMALE, 2019, 1.5
1, MALE, 2021, 1.6
1, MALE, 2021, 1.7

- Header line must start with "sub\_id" in order to indicate presnse of sub values in parameter.csv file.
- Sub value id's can be any integer values, for example: -1, 0, 4, 8, 12, 42. It must be integer but does not need to be positive or sequential.
- The first sub value id in a CSV file is considered to be the "default" sub value for that parameter.

## [back to topic contents]

## CSV or TSV files with IDs as dimension(s) items

You can use dimension item ID instead of item names, for example SeparationDurationBaseline.id.csv:

dim0, param\_value

- 0, 0.1995702
- 1, 0.1353028
- 2, 0.1099149
   3, 0.0261186
- 4, 0.0456905

GenderByYearRatio.id.csv:

Please notice file naming convention: ParameterName.id.csv Or ParameterName.id.tsv

[back to topic contents]

# CSV or TSV file with parameter values only

This format is only supported for parameters read at build time by the OpenM++ compiler (omc).

In this format the file contains only parameter value(s) without dimensions, for example SeparationDurationBaseline.value.csv :

0.1995702, 0.1353028, 0.1099149, 0.0261186, 0.0456905

GenderByYearRatio.value.csv :

0.1, 0.2, 0.2, 0.5, 0.6, 0.7

- Please note the file naming convention: ParameterName.value.csv Or ParameterName.value.tsv
- Values in the file must be ordered according to the dimension order in the parameter declaration, ie the same order as in a .dat file.
- Any number of values may be given on each line.
- Each pair of values must be separated by a comma, including the last value on a line and the first value on the subsequent line.

[back to topic contents]

# Oms: openM++ web-service

# What is openM++ web-service

OpenM++ web-service (oms) is a JSON web-service written in Go and used from openM++ UI JavaScript. Today most of popular development platforms (.NET, Java, Python, Perl, R, JavaScript, etc.) with only few lines of code allow to create HTTP client and send-receive JSON data. That makes integration with openM++ very easy.

### How to start openM++ web-service

OpenM++ web-service does not required any installation. It can be run with default settings from command-line prompt.

To start openM++ web-service on Windows:

- download and unzip openM++ https://github.com/openmpp/main/releases/latest binaries into C:\SomeDir\
- run oms from command-line:

```
C:

cd \SomeDir\openmpp_win_20190508\

bin\oms.exe
2022-09-14 15:51:30.477 Models directory: models\bin

2022-09-14 15:51:30.565 HTML UI directory: html

2022-09-14 15:51:30.567 Et directory: etc

2022-09-14 15:51:30.567 Cms instance name: localhost_4040

2022-09-14 15:51:30.574 To start open in your browser: http://localhost:4040

2022-09-14 15:51:30.574 To finish press Ctrl+C
```

OpenM++ UI is a client of oms web-service, after above command you can open UI in browser at http://localhost:4040

To start openM++ web-service on Linux:

download and unpack openM++, i.e.:

wget https://github.com/openmpp/main/releases/download/v1.2.0/openmpp\_debian\_20190508.tar.gz tar xzf openmpp\_debian\_20190508.tar.gz

• run oms executable:

cd openmpp\_debian\_20190508/ bin/oms

```
2022-09-14 15:51:30.477 Models directory: models/bin
2022-09-14 15:51:30.565 HTML UI directory: html
2022-09-14 15:51:30.567 Etc directory: etc
2022-09-14 15:51:30.567 Oms instance name: localhost_4040
2022-09-14 15:51:30.574 Listen at localhost:4040
2022-09-14 15:51:30.574 To start open in your browser: http://localhost:4040
2022-09-14 15:51:30.574 To finish press Ctrl+C
```

Note: We recommend to use normal Windows command line cmd.exe. If you are using Windows PowerShell then it may be necessary to put "quotes" around command line options, e.g.

oms.exe "-oms.ApiOnly"

### Oms as "pure" web-service vs "full" web-UI

By default oms.exe started in "full" web-UI mode. That means it handles web-service requests and web-UI content from ./html sub-directory. If you want only "pure" web-service mode without UI then use:

oms -oms.ApiOnly

# How to use oms: arguments of web-service methods

Following arguments most often used in web-service methods:

## :model - model digest or model name

Example of method:

GET /api/model/:model

Call example:

http://localhost: 4040/api/model/f5024ac32c4e8abfc696a0f925141c95 http://localhost: 4040/api/model/modelOne

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

### :run - model run or model task run

Example of method:

GET /api/model/:model/run/:run/status GET /api/model/:model/task/:task/run-status/run/:run

Call example:

http://localhost:4040/api/model/modelOne/run/modelOne\_first\_run/status http://localhost:4040/api/model/modelOne/run/d06f4a0a45a9514c22593025e489f933/status http://localhost:4040/api/model/modelOne/task/taskOne/run-status/run/First Task Run

This argument is used to identify model run or modeling task run.

Modeling task run can be identified by task run stamp or task run name.

Model run can be identified by run digest, run stamp or run name. It is recommended to use run digest because it is uniquely identifies model run. Run stamp can be explicitly specified as command line option when you run the model. If run stamp not specified then it is automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use run name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

### :lang - language code

Example of method:

GET /api/model/:model/text/lang/:lang

Call example:

```
http://localhost:4040/api/model/modelOne/text/lang/EN http://localhost:4040/api/model/modelOne/text/lang/en_US
```

Language code can be a model language (ex.: EN, FR) or any MIME language (see BCP47 or RFC3282). If no language explicitly specified then Accept-Language header is used (supplied by browser).

Result returned in best matched language supported by model. For example for en\_US result is model language EN, if model supported EN language. If no such language then result is in default model language or can be empty.

## :set - set of input data (a.k.a. workset)

Method examples:

```
GET /api/model/:model/workset/:set/status
POST /api/model/:model/workset/:set/readonly/:val
```

Call examples:

http://localhost:4040/api/model/modelOne/workset/modelOne\_set/status curl -v -X POST http://localhost:4040/api/model/modelOne/workset/modelOne\_set/readonly/1

Workset is a set of model input parameters (a.k.a. "scenario" input) and it used to run the model Each model workset uniquely identified by name.

## :task - modelling task

Method examples:

GET /api/model/:model/task/:task/text/lang=FR

Call examples:

http://localhost:4040/api/model/modelOne/task/taskOne/text curl -v http://localhost:4040/api/model/modelOne/task/taskOne/text/lang=fr\_CA

Modelling task consists of multiple input data sets (a.k.a. worksets or scenarios in Modgen). Task can be used to run the model in batch mode.

### :profile - set of key-value options

### Method examples:

```
GET /api/model/:model/profile/:profile
POST /api/model/:model/profile/:profile/key/:key/value/:value
```

### Call examples:

```
http://localhost:4040/api/model/modelOne/profile/modelOne
curl -v -X POST http://localhost:4040/api/model/modelOne/profile/m1/key/Parameter.StartingSeed/value/4095
```

Profile is a set of key-value options and it used to run the model. Each profile uniquely identified by profile name. Each profile can include multiple key-value options.

## **Results of web-service methods**

## **Run status**

Model run status and task run status may contain one of the following values:

```
i = initial state, not running yet
```

```
p = run in progress
```

- w = task wait for additional input
- s = completed successfully
- x = completed by exit (reserved fro internal use)
- e = completed with error

Important: if model run failed with exception (e.g. database write exception) then status may not be updated and still p=in progress.

## **Oms web-service configuration**

Oms default configuration options can be overwritten by command-line arguments or ini-file. For example:

• listen from any host on port 7070:

oms -I :7070

• serve only API calls and not html for openM++ UI:

oms -oms.ApiOnly

• listen from localhost port 4044 only and read more oms run options from oms.ini file:

oms -l localhost:4044 -ini oms.ini

### • models directory relative path is: ../some/dir

oms -oms.ModelDir ../some/dir

- typical log settings for remote server:
  - log user request
  - · log into the file instead of cosole by default
  - · log files rotation: create new log file every day

oms -I localhost:4044 -oms.LogRequest -OpenM.LogToConsole false -OpenM.LogToFile -OpenM.LogUseDailyStamp

- typical settings for model user in cloud:
  - allow user home directory with downloads and uploads
  - use model run jobs to manage back-end computational servers resources

oms -l localhost:4044 -oms.HomeDir models/home -oms.AllowDownload -oms.AllowUpload -oms.JobDir job

It is recommended to use oms.ini file to avoid long command lines, especially for cloud environment where you may want to combine log options and user options from two examples above.

### Get and use oms web-service configuration

Clients of oms web-service can retrieve configuration by calling GET web-service configuration or simply by open http://localhost:4040/api/service/config in the browser. Response to that call may also contain client environment variables which names started from OM\_CFG\_ prefix ( oms web-service does not use any of OM\_CFG\_ environment variables, it only passes it to clients).

For example openM++ UI uses following server variables:

```
OM_CFG_LOGIN_URL=/public/login_required.html
OM_CFG_LOGOUT_URL=/login?logout=true
OM_CFG_DEFAULT_RUN_TMPL=run.Win32.Debug.template.txt
OM_CFG_INI_ALLOW=true
OM_CFG_INI_ANY_KEY=true
```

OpenM++ UI is using above variables as follow:

- OM\_CFG\_LOGIN\_URL : display user login button linked to the URL
- OM\_CFG\_LOGOUT\_URL : display user logout button linked to the URL
- OM\_CFG\_DEFAULT\_RUN\_TMPL : use this template to run the model, e.g.: to debug from IDE
- OM\_CFG\_INI\_ALLOW : allow user to run the model with ini-file, e.g.: RiskPaths.ini
- OM\_CFG\_INI\_ANY\_KEY : allow to use model development options from ini-file

Note: Model ini-files and model development options described at: Model Run Options and ini file.

### **Oms run options**

Following options supported by oms:

-oms.Listen:       address to listen, default: localhost:4040         -l:       address to listen (short form of -oms.Listen)         -OpenM.IniFile:       path to ini-file         -ini ini-file:       path to ini-file         -oms.ApiOnly:       if true then API only web-service, no web UI
-oms.RootDir:       oms root directory, default: current directory         -oms.ModelDir:       models directory, if relative then must be relative to oms root directory, default: models/bin         -oms.ModelLogDir:       models log directory, if relative then must be relative to oms root directory: default: "models/log         -oms.ModelDocDir:       models documentation directory, if relative then must be relative to oms root directory: default: "models/log
-oms.HomeDir: user personal home directory, if relative then must be relative to oms root directory -oms.AllowDownload: if true then allow download from user home/io/download directory -oms.AllowUpload: if true then allow upload to user home/io/upload directory -oms.AllowMicrodata: if true then allow model run microdata
-ons.HtmlDi:       front-end UI directory, if relative then must be relative to oms root directory, default: html         -oms.EtcDir:       configuration files directory, if relative then must be relative to oms root directory, default: etc         -oms.JobDir:       model run jobs directory, if relative then must be relative to oms root directory
-oms.Name:oms instance name, used model run by jobs, automatically generated if empty-oms.UrlSaveTo:file path to save oms URL in form of: http://localhost:4040, if relative then must be relative to oms root directory-oms.Languages:comma-separated list of supported languages, default: en-oms.CodePage:code page to convert source file into utf-8, e.g.: windows-1252
-oms.DoubleFormat: format to convert float or double value to string, default: %.15g -oms.AdminAll if true then allow global administrative routes: /admin-all/ -oms.NoAdmin if true then disable loca administrative routes: /admin/ -oms.NoShutdown if true then disable shutdown route: /shutdown/
-OpenM.LogToConsole:       if true then log to standard output (default true)         -v:       if true then log to standard output (short of OpenM.LogToConsole)         -OpenM.LogToFile:       if true then log to file         -OpenM.LogFilePath:       path to log file, default = current/dir/oms.log         -OpenM.LogUseDailyStamp:       if true then use daily-stamp in log file name         -OpenM.LogUseFileStamp:       if true then use time-stamp in log file name
-OpenM.LogSql:       if true then log sql statements into log file         -oms.LogRequest:       if true then log HTTP requests

There are many common options, e.g.: -OpenM.LogToFile which can be used with any openM++ executable: models, compiler, dbcopy and oms.

It is highly recomended to put model documentation in doc/ subdirectory, e.g.: C:\any-dir\doc or /home/me/any/path/doc . UI expect model documentation URL similar to: https://your-domain-name.here/doc/ModelName.doc.FR.html .

Example of oms.ini

#### : This is a comment # This is also a comment ; Ini file can be supplied to oms.exe as command line option "-ini" or "-OpenM.IniFile" ; "-ini" is a short form of "-OpenM.IniFile", command lines below are equal: # oms.exe -ini path/to/oms.ini # oms.exe -OpenM.IniFile path/to/oms.ini ; "-I" is a short form of "-oms.Listen", command lines below are equal: localhost:4040 # oms.exe -l # oms.exe -oms.Listen localhost:4040 ; boolean options can be "true" or "false" or empty value ; boolean empty value is the same as "true' : for example both command lines below are equal: # oms -oms.ApiOnly # oms -oms.ApiOnly true [oms] : Listen = localhost:4040 # address to listen, default: localhost:4040 ; RootDir = # oms "root" directory, expected to have log subfolder ; ModelDir = models/bin # models executable and model.sqlite directory, if relative then must be relative to oms root directory ; ModelLogDir = models/log # models log directory, if relative then must be relative to oms root directory : ModelDocDir = models/doc # models documentation directory. default: models/doc. if relative then must be relative to oms root directory ; HomeDir = models/home # user personal home directory, if relative then must be relative to oms root directory ; AllowDownload = false # if true then allow download from user home sub-directory: home/io/download : AllowUpload = false # if true then allow upload to user home sub-directory: home/io/upload : AllowMicrodata = false # if true then allow model run microdata : UrlSaveTo = # file path to save oms URL, if relative then must be relative to oms root directory ; LogRequest = false # if true then log HTTP requests ; ApiOnly = false # if true then API only web-service, no web UI ; HtmlDir = html # front-end web UI directory, if relative then mu # front-end web UI directory, if relative then must be relative to oms root directory ; EtcDir = etc # configuration files directory, if relative then must be relative to oms root directory = # jobs control directory, if empty then jobs control disabled : JobDir ; Name = # instance name, used for job control ; Languages = en # comma-separated list of supported languages ; CodePage = # code page to convert source file into utf-8, e.g.: windows-1252 ; DoubleFormat = %.15g # format to convert float or double value to string, e.g. %.15g = false # if true then allow global administrative routes: /admin-all/ ; Admin [OpenM] ; LogToConsole = true # if true then log to standard output # if true then log to file : LogToFile = false ; LogFilePath = oms.log # log file path, default = current/dir/exeName.log ; LogUseTimeStamp = false # if true then use time-stamp in log file name ; LogUsePidStamp = false # if true then use pid-stamp in log file name ; LogUseDailyStamp = false # if true then use daily-stamp in log file name # if true then log sql statements into log file ; LogSql = false ; "-v" is a short form of "-OpenM.LogToConsole" ; log settings: ; log can be enabled/disabled for 3 independent streams: ; console - standard output ; "current" log file - log file with specified name, overwritten on every model run ; "stamped" log file - log file with unique name, created for every model run ; "stamped" name produced from "current" name by adding time-stamp and/or pid-stamp, i.e.: ; oms.log => oms.2012\_08\_17\_16\_04\_59\_148.123456.log # ; LogUseDailyStamp creates new log file every day ; by default LogUseDailyStamp: ; = false if log file disabled (default) ; = false if "stamped" log file enabled ; = true if log file enabled and "stamped" log file disabled

# Oms directory structure: user home and jobs directories

Following directory structure expected by default:

 ./ -> oms "root" directory, by default it is current directory html/ -> web-UI directory with HTML, js, css, images... etc/ -> config files directory, contain template(s) to run models log/ -> recommended log files directory models/ bin/ -> default model.exe and model.sqlite directory

log/ -> default directory for models run log files

doc/ -> models documentation directory

If you don't don't want web-UI or don't have html directory then start oms as:

oms -oms.ApiOnly

You can explicitly specify oms log files location, models and models log directory, e.g.:

oms -oms.ModelDir /my-models -oms.ModelLogDir /my-models-log -oms.ModelDocDir /my-models/doc

If you want to use log file and no console messages:

```
oms -OpenM.LogToConsole=false -OpenM.LogToFile
oms -OpenM.LogToConsole=false -OpenM.LogFilePath log/oms.log
```

If you want to use "daily" log files:

oms -OpenM.LogUseDailyStamp -OpenM.LogToFile oms -OpenM.LogUseDailyStamp -OpenM.LogFilePath log/oms.log

### User home directory

You can enable user home directory to store home directory for user personal settings, downloads of model model run results or upload input scenarios:

oms -oms.HomeDir models/home -oms.AllowDownload -oms.AllowUpload

Above command assume directory structure with home , download and upload sub-folders of models :

 ./ -> oms "root" directory, by default it is current directory html/ -> web-UI directory with HTML, js, css, images... etc/ -> config files directory, contain template(s) to run models log/ -> recommended log files directory models/
 bin/ -> default model.exe and model.sqlite directory log/ -> default directory for models run log files doc/ -> models documentation directory home/ -> user personal home directory io/download -> user directory for download files io/upload -> user directory to upload files

Note: openM++ dbcopy utility is required for download and upload, it must be located in the same directory where oms executable is.

### Model run jobs directory structure

If you want to have model runs queue, or using openM++ in cloud and want automatically scale up and down cloud resources, e.g. start and stop virtual machines for model runs then start oms with job control option:

oms -oms.JobDir job

Following directory structure expected:

<ul> <li>./ -&gt; oms "root" directory, by default it is current directory</li> <li>html/ -&gt; web-UI directory with HTML, js, css, images</li> <li>etc/ -&gt; config files directory, contain template(s) to run models</li> <li>log/ -&gt; recommended log files directory</li> <li>models/</li> <li>bin/ -&gt; default model.exe and model.sqlite directory</li> <li>log/ -&gt; default directory for models run log files</li> <li>doc/ -&gt; models documentation directory</li> <li>home/ -&gt; user personal home directory</li> <li>io/download -&gt; user directory for download files</li> <li>io/upload -&gt; user directory to upload files</li> <li>job/ -&gt; model run jobs control directory</li> <li>job/ -&gt; model run jobs control settings to restrict storage size</li> <li>disk.ini -&gt; (optional) job control settings to set storage quotas</li> <li>active/ -&gt; active model run state files</li> <li>history/ -&gt; model run bistory files</li> </ul>
history/ -> model run history files
past/ -> (optional) shadow copy of history folder, invisible to the end user queue/ -> model run queue files
state/ -> jobs state and computational servers state files jobs.queue.paused -> if such file exists then jobs queue is paused jobs.queue.all.paused -> if such file exists then all jobs in all queues are paused

Please visit following page to find out how to use oms in cloud and manage model runs queue.

# Oms: openM++ web-service API

# Web-service methods arguments

 :model
 - model digest or model name

 :lang
 - language code

 :run
 - model run digest, run stamp or run name, modeling task run stamp or task run name

 :set
 - name of workset (input set of model parameters)

 :profile
 - profile name

 :task
 - modeling task

See more details at: Arguments of web-service methods.

# **GET Model Metadata**

# **GET model list**

GET /api/model-list

# GET model list including text (description and notes)

GET /api/model-list/text GET /api/model-list/text/lang/:lang

## **GET model definition metadata**

GET /api/model/:model GET /api/model/:model/pack

# GET model metadata including text (description and notes)

GET /api/model/:model/text GET /api/model/:model/text/lang/:lang GET /api/model/:model/pack/text GET /api/model/:model/pack/text/lang/:lang

# GET model metadata including text in all languages

GET /api/model/:model/text-all

# **GET Model Extras**

## **GET model languages**

GET /api/model/:model/lang-list

## **GET model language-specific strings**

GET /api/model/:model/word-list GET /api/model/:model/word-list/lang/:lang

## **GET model profile**

GET /api/model/:model/profile/:profile

#### **GET list of profiles**

GET /api/model/:model/profile-list

## **GET Model Run results metadata**

**GET list of model runs** 

# GET list of model runs including text (description and notes)

GET /api/model/:model/run-list/text GET /api/model/:model/run-list/text/lang/:lang

## GET status of model run

GET /api/model/:model/run/:run/status

## **GET status of model run list**

GET /api/model/:model/run/:run/status/list

## GET status of first model run

GET /api/model/:model/run/status/first

#### GET status of last model run

GET /api/model/:model/run/status/last

## GET status of last completed model run

GET /api/model/:model/run/status/last-completed

#### GET model run metadata and status

GET /api/model/:model/run/:run

## GET model run including text (description and notes)

GET /api/model/:model/run/:run/text GET /api/model/:model/run/:run/text/lang/:lang

# GET model run including text in all languages

GET /api/model/:model/run/:run/text-all

# GET Model Workset metadata: set of input parameters

#### **GET list of model worksets**

GET /api/model/:model/workset-list

## GET list of model worksets including text (description and notes)

GET /api/model/:model/workset-list/text GET /api/model/:model/workset-list/text/lang/:lang

#### **GET workset status**

GET /api/model/:model/workset/:set/status GET /api/model/:model/workset/:set

#### GET model default workset status

# GET workset including text (description and notes)

GET /api/model/:model/workset/:set/text GET /api/model/:model/workset/:set/text/lang/:lang

### GET workset including text in all languages

GET /api/model/:model/workset/:set/text-all

# **Read Parameters, Output Tables or Microdata values**

#### Read parameter values from workset

POST /api/model/:model/workset/:set/parameter/value

#### Read parameter values from workset (enum id's)

POST /api/model/:model/workset/:set/parameter/value-id

#### Read parameter values from model run

POST /api/model/:model/run/:run/parameter/value

#### Read parameter values from model run (enum id's)

POST /api/model/:model/run/:run/parameter/value-id

### Read output table values from model run

POST /api/model/:model/run/:run/table/value

#### Read output table values from model run (enum id's)

POST /api/model/:model/run/:run/table/value-id

## Read output table calculated values from model run

POST /api/model/:model/run/:run/table/calc

## Read output table calculated values from model run (enum id's)

POST /api/model/:model/run/:run/table/calc-id

#### Read output table values and compare model runs

POST /api/model/:model/run/:run/table/compare

## Read output table values and compare model runs (enun id's)

POST /api/model/:model/run/:run/table/compare-id

# Read microdata values from model run

POST /api/model/:model/run/:run/microdata/value

### Read microdata values from model run (enum id's)

#### Read aggregated microdata from model run

POST /api/model/:model/run/:run/microdata/calc

### Read aggregated microdata from model run (enum id's)

POST /api/model/:model/run/:run/microdata/calc-id

#### Read microdata run comparison

POST /api/model/:model/run/:run/microdata/compare

#### Read microdata run comparison (enum id's)

POST /api/model/:model/run/:run/microdata/compare-id

# **GET Parameters, Output Tables or Microdata values**

#### **GET** parameter values from workset

GET /api/model/:model/workset/:set/parameter/:name/value

GET /api/model/:model/workset/:set/parameter/:name/value/start/:start

GET /api/model/:model/workset/:set/parameter/:name/value/start/:start/count/:count

#### GET parameter values from model run

GET /api/model/:model/run/:run/parameter/:name/value

GET /api/model/:model/run/:run/parameter/:name/value/start/:start

GET /api/model/:model/run/:run/parameter/:name/value/start/:start/count/:count

#### GET output table expression(s) from model run

GET /api/model/:model/run/:run/table/:name/expr

GET /api/model/:model/run/:run/table/:name/expr/start/:start GET /api/model/:model/run/:run/table/:name/expr/start/:start/count/:count

## GET output table calculated expression(s) from model run

- GET /api/model/:model/run/:run/table/:name/calc/:calc
- GET /api/model/:model/run/:run/table/:name/calc/:calc/start/:start
- GET /api/model/:model/run/:run/table/:name/calc/:calc/start/:start/count/:count

#### GET output table values and compare model runs

GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant

GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/start/:start

GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/start/:start/count/:count

### GET output table accumulator(s) from model run

GET /api/model/:model/run/:run/table/:name/acc

- GET /api/model/:model/run/:run/table/:name/acc/start/:start
- ${\tt GET /api/model/:model/run/:run/table/:name/acc/start/:start/count/:count}$

### GET output table all accumulators from model run

GET /api/model/:model/run/:run/table/:name/all-acc

GET /api/model/:model/run/:run/table/:name/all-acc/start/:start

GET /api/model/:model/run/:run/table/:name/all-acc/start/:start/count/:count

#### GET microdata values from model run

- GET /api/model/:model/run/:run/microdata/:name/value
- GET /api/model/:model/run/:run/microdata/:name/value/start/:start
- GET /api/model/:model/run/:run/microdata/:name/value/start/:start/count/:count

## GET aggregated microdata from model run

- GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc
- GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/start/:start
- GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/start/:start/count/:count

#### **GET** microdata run comparison

- GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant
- ${\tt GET /api/model/:model/:non/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/:start$
- GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/:start/count/:count

### GET Parameters, Output Tables or Microdata values as CSV

#### **GET csv parameter values from workset**

GET /api/model/:model/workset/:set/parameter/:name/csv GET /api/model/:model/workset/:set/parameter/:name/csv-bom

#### GET csv parameter values from workset (enum id's)

GET /api/model/:model/workset/:set/parameter/:name/csv-id

GET /api/model/:model/workset/:set/parameter/:name/csv-id-bom

### GET csv parameter values from model run

GET /api/model/:model/run/:run/parameter/:name/csv GET /api/model/:model/run/:run/parameter/:name/csv-bom

### GET csv parameter values from model run (enum id's)

GET /api/model/:model/run/:run/parameter/:name/csv-id

GET /api/model/:model/run/:run/parameter/:name/csv-id-bom

#### GET csv output table expressions from model run

GET /api/model/:model/run/:run/table/:name/expr/csv GET /api/model/:model/run/:run/table/:name/expr/csv-bom

#### GET csv output table expressions from model run (enum id's)

GET /api/model/:model/run/:run/table/:name/expr/csv-id GET /api/model/:model/run/:run/table/:name/expr/csv-id-bom

#### GET csv calculated table expressions from model run

GET /api/model/:model/run/:run/table/:name/calc/:calc/csv GET /api/model/:model/run/:run/table/:name/calc/:calc/csv-bom

#### GET csv calculated table expressions from model run (enum id's)

GET /api/model/:model/run/:run/table/:name/calc/:calc/csv-id

GET /api/model/:model/run/:run/table/:name/calc/:calc/csv-id-bom

### GET csv model runs comparison table expressions

GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/csv GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/csv-bom

## GET csv model runs comparison table expressions (enum id's)

GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/csv-id GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/csv-id-bom

#### GET csv output table accumulators from model run

GET /api/model/:model/run/:run/table/:name/acc/csv

GET /api/model/:model/run/:run/table/:name/acc/csv-bom

#### GET csv output table accumulators from model run (enum id's)

GET /api/model/:model/run/:run/table/:name/acc/csv-id GET /api/model/:model/run/:run/table/:name/acc/csv-id-bom

GET csv output table all accumulators from model run

GET /api/model/:model/run/:run/table/:name/all-acc/csv

GET /api/model/:model/run/:run/table/:name/all-acc/csv-bom

#### GET csv output table all accumulators from model run (enum id's)

GET /api/model/:model/run/:run/table/:name/all-acc/csv-id

GET /api/model/:model/run/:run/table/:name/all-acc/csv-id-bom

## GET csv microdata values from model run

GET /api/model/:model/run/:run/microdata/:name/csv

GET /api/model/:model/run/:run/microdata/:name/csv-bom

#### GET csv microdata values from model run (enum id's)

GET /api/model/:model/run/:run/microdata/:name/csv-id

GET /api/model/:model/run/:run/microdata/:name/csv-id-bom

#### GET csv aggregated microdata from model run

GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/csv GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/csv-bom

### GET csv aggregated microdata from model run (enum id's)

GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/csv-id GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/csv-id-bom

#### GET csv microdata run comparison

GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/:csv GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/:sv-bom

#### GET csv microdata run comparison (enum id's)

GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/csv-id GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/csv-id-bom

## GET Modeling Task metadata and task run history

#### **GET list of modeling tasks**

## GET list of modeling tasks including text (description and notes)

GET /api/model/:model/task-list/text GET /api/model/:model/task-list/text/lang/:lang

# GET modeling task input worksets

GET /api/model/:model/task/:task/sets

# **GET modeling task run history**

GET /api/model/:model/task/:task/runs

#### GET status of modeling task run

GET /api/model/:model/task/:task/run-status/run/:run

### GET status of modeling task run list

GET /api/model/:model/task/:task/run-status/list/:run

# GET status of modeling task first run

GET /api/model/:model/task/:task/run-status/first

#### GET status of modeling task last run

GET /api/model/:model/task/:task/run-status/last

# GET status of modeling task last completed run

GET /api/model/:model/task/:task/run-status/last-completed

## GET modeling task including text (description and notes)

GET /api/model/:model/task/:task/text GET /api/model/:model/task/:task/text/lang/:lang

## GET modeling task text in all languages

GET /api/model/:model/task/:task/text-all

# Update Model Profile: set of key-value options

#### **PATCH create or replace profile**

PATCH /api/model/:model/profile

## **DELETE** profile

DELETE /api/model/:model/profile/:profile

#### POST create or replace profile option

POST /api/model/:model/profile/:profile/key/:key/value/:value

### **DELETE** profile option

DELETE /api/model/:model/profile/:profile/key/:key

## Update Model Workset: set of input parameters

### POST update workset read-only status

POST /api/model/:model/workset/:set/readonly/:readonly

## **PUT create new workset**

PUT /api/workset-create

## PUT create or replace workset

PUT /api/workset-replace

#### **PATCH create or merge workset**

PATCH /api/workset-merge

## **DELETE workset**

DELETE /api/model/:model/workset/:set

# **POST delete multiple worksets**

POST /api/model/:model/delete-worksets

## **DELETE** parameter from workset

DELETE /api/model/:model/workset/:set/parameter/:name

### **PATCH update workset parameter values**

PATCH /api/model/:model/workset/:set/parameter/:name/new/value

#### PATCH update workset parameter values (enum id's)

PATCH /api/model/:model/workset/:set/parameter/:name/new/value-id

## PATCH update workset parameter(s) value notes

PATCH /api/model/:model/workset/:set/parameter-text

## PUT copy parameter from model run into workset

PUT /api/model/:model/workset/:set/copy/parameter/:name/from-run/:run

#### PATCH merge parameter from model run into workset

PATCH /api/model/:model/workset/:set/merge/parameter/:name/from-run/:run

### PUT copy parameter from workset to another

PUT /api/model/:model/workset/:set/copy/parameter/:name/from-workset/:from-set

### PATCH merge parameter from workset to another

PATCH /api/model/:model/workset/:set/merge/parameter/:name/from-workset/:from-set

### **Update Model Runs**

### PATCH update model run text (description and notes)

PATCH /api/run/text

## **DELETE model run**

DELETE /api/model/:model/run/:run

## **POST delete model runs**

POST /api/model/:model/delete-runs

#### PATCH update run parameter(s) value notes

PATCH /api/model/:model/run/:run/parameter-text

# **Update Modeling Tasks**

### PUT create or replace modeling task

PUT /api/task-new

#### PATCH create or update modeling task

PATCH /api/task

## **DELETE modeling task**

DELETE /api/model/:model/task/:task

## Run Models: run models and monitor progress

### POST a request to run the model

POST /api/run

## GET state of current model run

```
GET /api/run/log/model/:model/stamp/:stamp
GET /api/run/log/model/:model/stamp/:stamp/start/:start/count/:count
```

## PUT stop model run

PUT /api/run/stop/model/:model/stamp/:stamp

## Download model, model run results or input parameters

### **GET download log file**

GET /api/download/log/file/:name

## GET all download log files

GET /api/download/log-all

#### **GET download files tree**

GET /api/download/file-tree/:folder

## POST initiate model download

POST /api/download/model/:model

#### POST initiate model run download

POST /api/download/model/:model/run/:run

#### POST initiate model workset download

POST /api/download/model/:model/workset/:set

## **DELETE download files**

DELETE /api/download/delete/:folder DELETE /api/download/start/delete/:folder

#### **DELETE all download files**

DELETE /api/download/delete-all DELETE /api/download/start/delete-all

# Upload model runs or worksets

## **GET upload log file**

GET /api/upload/log/file/:name

## GET all upload log files for the model

GET /api/upload/log/model/:model

### **GET all upload log files**

GET /api/upload/log-all

#### **GET upload files tree**

GET /api/upload/file-tree/:folder

## POST initiate model run upload

POST /api/upload/model/:model/run POST /api/upload/model/:model/run/:run

# **POST** initiate workset upload

POST /api/upload/model/:model/workset POST /api/upload/model/:model/workset/:set

# **DELETE upload files**

DELETE /api/upload/delete/:folder DELETE /api/upload/start/delete/:folder

## **DELETE all upload files**

DELETE /api/upload/delete-all DELETE /api/upload/start/delete-all

## User: manage user settings and data

## GET user views for the model

GET /api/user/view/model/:model

## PUT user views for the model

PUT /api/user/view/model/:model

#### **DELETE** user views for the model

DELETE /api/user/view/model/:model

# Model run jobs and service state

## **GET service configuration**

GET /api/service/config

## **GET job service state**

GET /api/service/state

### GET disk usage state

GET /api/service/disk-use

### POST refresh disk space usage info

POST /api/service/disk-use/refersh

## GET state of active model run job

GET /api/service/job/active/:job

## GET state of model run job from queue

GET /api/service/job/queue/:job

## GET state of model run job from history

GET /api/service/job/history/:job

## PUT model run job into other queue position

## DELETE state of model run job from history

DELETE /api/service/job/delete/history/:job

## Administrative: manage web-service state

## POST a request to refresh models catalog

POST /api/admin/all-models/refresh

### POST a request to close models catalog

POST /api/admin/all-models/close

### POST a request to close model database

POST /api/admin/model/:model/close

### POST a request to open database file

POST /api/admin/db-file-open/:path

#### POST a request to cleanup database file

POST /api/admin/db-cleanup/:path

- POST /api/admin/db-cleanup/:path/name/:name
- POST /api/admin/db-cleanup/:path/name/:name/digest/:digest

## GET the list of database cleanup logs

GET /api/admin/db-cleanup/log-all

## GET database cleanup log file

GET /api/admin/db-cleanup/log/:name

## POST a request to pause model run queue

POST /api/admin/jobs-pause/:pause

### POST a request to pause all queues of model runs

POST /api/admin-all/jobs-pause/:pause

## PUT a request to shutdown web-service

PUT /shutdown

# **Oms: How to prepare model input parameters**

# **Overview**

OpenM++ provides multiple different ways to supply input parameters and run the models as described at:

- Model Run Cycle: How model finds input parameters
- Model Run: How to Run the Model

You don't have to do any programming or database operations in order to provide model input parameters, you can:

- provide parameter value as command line argument
- run model with default workset (default "scenario")
- use workset name ("scenario" name) to run the model
- use ini-file to provide model parameters
- supply parameter values as csv-file(s)

Also following API available for advanced parameter manipulation and output results processing:

- JSON web-service to use with any modern framework (.NET, JavaScript, Python, etc.)
- · Go library and tools
- OpenMpp R package and R usage examples

Current page describe an usage of openM++ JSON web-service (oms) in order to prepare, examine and modify model input parameters. There are two terms are used in text below: "workset" and "base run". Please see Model Run Cycle: How model finds input parameters page for details.

## Workset: set of model input parameters (a.k.a. "scenario")

Workset is a set of model input parameters in database which we can use to run the model. Each workset has unique name. Each model must have "default workset", which is a first set of model input parameters. Model user can create, modify and delete worksets.

## Base run

Each model run started from creating full copy of model input parameters in database, which are used for that particular model run. Because usually only small portion of model parameters are changing between model runs it is convenient to create new workset (new "scenario") based on input parameters of previous model run, which is called "base run". In that case we only need to supply few modified parameter values and the rest is coming from "base run" parameters.

# Start Oms: OpenM++ JSON web-service

Below we are using oms web-service to prepare model input. Most examples are created with browser output and curl to avoid any unnecessary programing languages details.

You can start oms web-service on Windows:

```
C:
cd \SomeDir\openmpp_win_20190508\
bin\oms.exe -oms.ApiOnly
```

Or Linux:

cd openmpp\_debian\_20190508/ bin/oms -oms.ApiOnly

If your models are not in models/bin sub-folder then use:

bin/oms -oms.ApiOnly -oms.ModelDir ../my\_model\_dir

# Get list of published models

We need to know model name at least, or better model digest to find or modify model input parameters. Open your favorite browser and type:

```
http://localhost:4040/api/model-list
```

Result can look like:



# Get list of model worksets (set of input parameters, a.k.a. "scenarios")

Go to:

```
http://localhost:4040/api/model/modelOne/workset-list
[
{
    "ModelName": "modelOne",
    "ModelDigest": "_201208171604590148_",
    "Name": "Default",
    "BaseRunDigest": "",
    "IsReadonly": true,
    "UpdateDateTime": "2013-05-29 23:55:07.1234",
    "Txt": [],
    "Param": []
    },
........
]
```

# Model default set of input parameters

First workset is a default set of model input parameters. You can explore more it at

http://localhost:4040/api/model/modelOne/workset/Default/text

and look at each parameter values, for example:

```
http://localhost:4040/api/model/modelOne/workset/Default/parameter/StartingSeed/value
```

[ { "Dims": [], "IsNull": false, "Value": 8191, "SubId": 0 } ]

Or

```
[
{"Dims":["10-20","M"],"IsNull":false,"Value":0.1,"Subld":0}
,{"Dims":["10-20","F"],"IsNull":false,"Value":0.2,"Subld":0}
,{"Dims":["20-30","M"],"IsNull":false,"Value":0.3,"Subld":0}
,{"Dims":["30-40","M"],"IsNull":false,"Value":0.5,"Subld":0}
,{"Dims":["30-40","F"],"IsNull":false,"Value":0.6,"Subld":0}
,{"Dims":["40+","M"],"IsNull":false,"Value":0.7,"Subld":0}
,{"Dims":["40+","F"],"IsNull":false,"Value":0.8,"Subld":0}
]
```

# Model run results and run input parameters

To see the history of model runs:

```
http://localhost:4040/api/model/modelOne/run-list
[
 {
  "ModelName": "modelOne",
  "ModelDigest": "_201208171604590148_",
  "Name": "Default",
  "SubCount": 1,
  "SubStarted": 1,
  "SubCompleted": 1,
  "CreateDateTime": "2019-01-10 18:36:13.0655",
  "Status": "s",
  "UpdateDateTime": "2019-01-10 18:36:13.0669",
  "Digest": "6fbad822cb9ae42deea1ede626890711",
  "Txt": [],
  "Opts": {},
  "Param": [],
  "Progress": []
 },
 {
  "ModelName": "modelOne",
  "ModelDigest": "_201208171604590148_",
  "Name": "Parameter sub-values 2 from csv",
  "SubCount": 2,
  "SubStarted": 2,
  "SubCompleted": 2,
  "CreateDateTime": "2019-01-10 18:36:13.0745",
  "Status": "s",
  "UpdateDateTime": "2019-01-10 18:36:13.0762",
  "Digest": "ac72e96b549638d31acaf6ee965b23c2",
  "Txt": [],
  "Opts": {},
  "Param": [],
  "Progress": []
 },
]
```

Model run can be uniquely identified by run digest, for example above:

- digest: "ac72e96b549638d31acaf6ee965b23c2", run name: "Parameter sub-values 2 from csv"
- digest: "6fbad822cb9ae42deea1ede626890711", run name: "Default"

Run name may not be unique, but in examples below we going to use name just to improve readability.

To see the parameter value from particular model run:

http://localhost:4040/api/model/modelOne/run/Default/parameter/StartingSeed/value

[		
	{	
		"Dims": [],
		"IsNull": false,
		"Value": 1023,
		"SubId": 0
	}	
]		

[ { "Dims": [], "IsNull": false, "Value": "Full", "SubId": 0 } ]

# Use model profile to supply parameter values

Profile is a set of key-value options, similar to ini-file, which can be used to run the model. Each profile can be identified by profile name. It may be more convenient to use profiles instead of ini-files because profiles are stored in database and you don't need to deal with multiple files in order to publish and run the model in cloud.

To create profile named seed-1-base-full with values of StartingSeed and baseSalary parameters :

```
curl -v -X PATCH -H "Content-Type: application/json" \
    "http://localhost:4040/api/model/modelOne/profile" \
    -d \
    '{ "Name": "seed-1-base-full",
    "Opts": {
        "OpenM.StartingSeed": "1023",
        "OpenM.baseSalary": "Full"
     }
}'
```

Above curl command line is Linux specific, on Windows you must use ^ instead of \ for multi-line input and also double "quotes" and \" instead of single 'quotes'.

To view model profile:

```
http://localhost:4040/api/model/modelOne/profile/seed-1-base-full
{
    "Name": "seed-1-base-full",
    "OpenM.StartingSeed": "1023",
    "OpenM.baseSalary": "Full"
}
```

To modify profile value:

}

curl -v -X POST http://localhost:4040/api/model/modelOne/profile/seed-1-base-full/key/Parameter.StartingSeed/value/4095

You can create multiple profiles similar to above in order to run the model with different StartingSeed and baseSalary parameter values:

```
modelOne -OpenM.Profile seed-1-base-full
modelOne -OpenM.Profile seed-1-base-part
modelOne -OpenM.Profile seed-2-base-full
modelOne -OpenM.Profile seed-2-base-part
```

It is the same as supply parameter values on command line:

modelOne -Parameter.StartingSeed 1023 -Parameter.baseSalary Full modelOne -Parameter.StartingSeed 1023 -Parameter.baseSalary Part modelOne -Parameter.StartingSeed 2047 -Parameter.baseSalary Full modelOne -Parameter.StartingSeed 2047 -Parameter.baseSalary Part

Above model runs are using profile or command line values of StartingSeed and baseSalary and all other parameters are coming from "default" workset (default set of input parameters, a.k.a. default "scenario").

## Simple way to create new workset (input set of parameters)

If you already run the model then database contains run results in output tables and copy of input parameters of that model run. We can use previous run parameters as "base" for our new workset, modify only some of it and run our model again.

1. To create New-Set of model parameters based on model run named "Default" with digest "6fbad822cb9ae42deea1ede626890711":

```
curl -v -X PUT \
 -F 'workset={
    "ModelName": "modelOne",
    "Name": "New-Set"
    "BaseRunDigest": "6fbad822cb9ae42deea1ede626890711",
    "Txt": [
     { "LangCode": "EN", "Descr": "My new set of input parameters" }
    "Param": [
       "Name": "StartingSeed",
       "SubCount": 1,
       "Txt": [
       { "LangCode": "EN", "Note": "Starting seed new value" }
       1,
       "Value": [
        {"Dims": [], "IsNull": false, "Value": 8191, "SubId": 0}
      1
     },
     {
       "Name": "ageSex",
       "SubCount": 1,
       "Txt": [].
       "Value": [
        {"Dims": ["10-20","M"], "IsNull": false, "Value": 0.1, "SubId": 0},
        {"Dims": ["10-20", "F"], "IsNull": false, "Value": 0.2, "SubId": 0},
        {"Dims": ["20-30","M"], "IsNull": false, "Value": 0.3, "SubId": 0},
        {"Dims": ["20-30", "F"], "IsNull": false, "Value": 0.4, "SubId": 0},
        {"Dims": ["30-40","M"], "IsNull": false, "Value": 0.5, "SubId": 0},
        {"Dims": ["30-40", "F"], "IsNull": false, "Value": 0.6, "SubId": 0},
        {"Dims": ["40+","M"], "IsNull": false, "Value": 0.7, "SubId": 0},
        {"Dims": ["40+","F"], "IsNull": false, "Value": 0.8, "SubId": 0}
      1
     }
    1
  }' \
 http://localhost:4040/api/workset-create
```

That New-Set conatins new values for StartingSeed and ageSex parameters. All other input values are identical to previous "Default" model run input.

Each input set of model parameters (each workset) must have unique name. Different models can have worksets with same name, i.e. each model can have workset with name "Default". If workset with the same name New-Set already exist then this method return an error.

You don't have to create workset based on previous model run, you can omit **BaseRunDigest** and include all parameter values in the new workset. However it may be difficult for complex model with hundreds input parameters.

## Advanced way to create new workset (input set of parameters) based on previous model run

If you already run the model then database contains run results in output tables and copy of input parameters of that model run. We can use previous run parameters as "base" for our new workset, modify only some of it and run our model again.

1. To create new MyFirstSet of model parameters based on model run named "Default" with digest "6fbad822cb9ae42deea1ede626890711":

```
curl -v -X PUT \
-F 'workset={
    "ModelName": "modelOne",
    "Name": "MyFirstSet",
    "BaseRunDigest": "6fbad822cb9ae42deea1ede626890711",
    "Txt": [
    { "LangCode": "EN", "Descr": "My first set of input parameters" }
  ]
  }' \
http://localhost:4040/api/workset-replace
```

That workset does not yet include any new parameter values, all input is identical to previous "Default" model run input. In order to modify parameter values we first need to copy into our new workset from any model run, any other workset or upload as csv-file.

2. Copy parameter StartingSeed value into MyFirstSet workset from Default-4 model run:

curl -v -X PUT http://localhost:4040/api/model/modelOne/workset/MyFirstSet/copy/parameter/StartingSeed/from-run/Default-4

#### 3. Copy parameter baseSalary value into MyFirstSet workset from modelOne\_other workset:

curl -v -X PUT http://localhost:4040/api/model/modelOne/workset/MyFirstSet/copy/parameter/baseSalary/from-workset/modelOne\_other

4. Upload parameter ageSex values into MyFirstSet workset from my\_age\_sex.csv csv file:

```
curl -v -X PATCH \
-F 'workset={
    "ModelName": "modelOne",
    "Name": "MyFirstSet",
    "Param": [
    { "Name": "ageSex", "SubCount": 1 }
    ]
    }' \
-F 'parameter-csv=@my_age_sex.csv;filename=ageSex.csv' \
http://localhost:4040/api/workset-merge
```

where content of my\_age\_sex.csv is:

sub\_id,dim0,dim1,param\_value 0,10-20,M,11 0,10-20,F,12 0,20-30,M,13 0,20-30,F,14 0,30-40,M,15 0,30-40,F,16 0,40+,M,17 0,40+,F,18

It is also possible to modify some part of parameter values. For example, ageSex parameter above is 4\*3 matrix and if want to modify values:

[30-40, M] = 0.15 [30-40, F] = 0.16

then:

```
curl -v -X PATCH -H "Content-Type: application/json" \
http://localhost:4040/api/model/modelOne/workset/MyFirstSet/parameter/ageSex/new/value \
-d '[
{"Dims": ["30-40", "M"], "IsNull": false, "SubId":0, "Value": 0.15},
{"Dims": ["30-40", "F"], "IsNull": false, "SubId":0, "Value": 0.16}
]'
```

Finally our "MyFirstSet" input set contains new values for 3 parameters: StartingSeed, baseSalary, ageSex, which different from previous "base run" parameters. And now we can run our model with that new workset:

modelOne -OpenM.SetName MyFirstSet

It is also possible to delete parameter from workset, delete entire workset in order to cleanup database and perform some other operations. Please see Oms: openM++ web-service API for details.

# Create or modify modeling task

Modeling task consists of multiple sets of input data and can be run in batch mode. There is an example of modeling task at Run RiskPaths model from R page where we creating 800 sets of input data to study Childlessness by varying

- Age baseline for first union formation
- Relative risks of union status on first pregnancy After preparing such modeling task we can submit RiskPath model to high performance cluster (HPC) grid or in cloud where model will read 800 input sets and produce 800 model run outputs.

It is also possible to create or modify or delete modeling task without R, using Oms JSON web-service from programming language of your choice.

In order to do this we need first to prepare our input worksets as described above and after that we can create modeling task. For example, if we

```
curl -v -X PUT -H "Content-Type: application/json" \
http://localhost:4040/api/task-new \
 -d '{
  "ModelName": "modelOne",
  "Name": "MyTask",
  "Txt": [{
    "LangCode": "EN",
    "Descr": "Task to vary 3 parameters",
    "Note": "Study effect of 3 parameters on output results"
   }
  ],
  "Set": [
   "MyFirstSet",
   "MySecondSet"
  1
}'
```

You can see the list of modeling tasks:

http://localhost:4040/api/model/modelOne/task-list

examine task metadata, input sets or task run history:

http://localhost:4040/api/model/modelOne/task/MyTask/text http://localhost:4040/api/model/modelOne/task/MyTask/sets http://localhost:4040/api/model/modelOne/task/MyTask/runs

It is also possible to delete or modify task. For example, if you want to add MyThirdSet set of parameters to the task above:

```
curl -v -X PATCH -H "Content-Type: application/json" \
http://localhost:4040/api/task \
-d '{
    "ModelName": "modelOne",
    "Name": "MyTask",
    "Set": [
    "MyThirdSet"
  ]
}'
```

After that task will contain 3 input worksets:

http://localhost:4040/api/model/modelOne/task/MyTask/sets

```
{
    "ModelName": "modelOne",
    "ModelDigest": "_201208171604590148_",
    "Name": "MyTask",
    "Txt": [],
    "Set": [
    "MyFirstSet",
    "MySecondSet",
    "MyThirdSet"
],
    "TaskRun": []
}
```

Now you can run the model with that task:

modelOne -OpenM.SubValues 16 -OpenM.TaskName MyTask -OpenM.TaskRunName MyTask-sub16

and examine history of modeling task run:

http://localhost:4040/api/model/modelOne/task/MyTask/runs

```
{
    "ModelName": "modelOne",
    "ModelDigest": "_201208171604590148_",
    _____"Mv/Task",
 "Txt": [],
 "Set": [],
 "TaskRun": [
  {
   "Name": "MyTask-sub16",
   "SubCount": 16,
   "CreateDateTime": "2019-01-16 04:38:53.0298",
   "Status": "s",
   "UpdateDateTime": "2019-01-16 04:38:53.0461",
   "TaskRunSet": [
    {
      "Run": {
       "Name": "MyTask_sub16_MyFirstSet_2019_01_16_04_38_53_0304_111",
       "SubCompleted": 16,
       "CreateDateTime": "2019-01-16 04:38:53.0304",
       "Status": "s",
       "Digest": "1cece5a11d522b6225d7f9cb5afda39a"
      },
      "SetName": "MyFirstSet"
    },
    {
      "Run": {
       "Name": "MyTask_sub16_MySecondSet_2019_01_16_04_38_53_0357_112",
       "SubCompleted": 16,
       "CreateDateTime": "2019-01-16 04:38:53.0357",
       "Status": "s",
       "Digest": "4a55cd6614f8f7be439c0776b2a473ab"
     },
"SetName": "MySecondSet"
    },
     {
      "Run": {
       "Name": "MyTask_sub16_MyThirdSet_2019_01_16_04_38_53_0410_113",
       "SubCompleted": 16,
       "CreateDateTime": "2019-01-16 04:38:53.0410",
       "Status": "s",
       "Digest": "d112237f501317422943880eca54d07b"
     },
      "SetName": "MyThirdSet"
    }
   ]
  }
]
```

# **Oms: Cloud and model runs queue**


OpenM++ web-service (oms) can provide basic computational resources management for your local computer or cluster of servers on local network or in cloud. It can manage model runs queue if your computational resources (CPU and memory) are limited and also can automatically start and stop cloud servers.

Examples below assuming you are familiar with basics of Oms: openM++ web-service.

If you want to have model runs queue, or using openM++ in cloud and want automatically scale up and down cloud resources, e.g. start and stop virtual machines for model runs then start oms with job control option:

oms -oms.JobDir job

Following directory structure expected:



# Model runs queue and computational resources (servers, nodes, clusters)

By default oms assumes:

- all models are running on localhost
- · there are no limits on CPU cores or memory usage

## Model run queue on local computer

You can create model run queue on your local computer by setting a limit on number of CPU cores available. To do it modify job.ini file in a job directory, for example:

```
[Common]
LocalCpu = 8 ; localhost CPU cores limit, localhost limits are applied only to non-MPI jobs
LocalMemory = 0 ; gigabytes, localhost memory limit, zero means no limits
```

You don't have to set memory limits until model run memory requirements are known.

CPU cores which are you limiting in job.ini does not need to be an actual cores. You can have 8 cores on your PC and set LocalCpu = 16 which allow 200% overload and may significantly slow down your local machine. Or if you set LocalCpu = 4 then your models would be able to use only half of actual cores.

#### LAN: front-end server and back-end cluster of servers

Example of local network (LAN) cluster:

- small front-end server with 4 cores
- 4 back-end servers: cpc-1, cpc-2, cpc-3, cpc-4 with 16 cores each

[Common] LocalCpu = 4 ; localhost CPU cores limit, localhost limits are applied only to non-MPI jobs LocalMemory = 0 ; gigabytes, localhost memory limit, zero means no limits MpiCpu = 40 ; max MPI cpu cores available for each oms instance, zero means oms instances can use all cpu's available MpiMemory = 0; gigabytes, max MPI memory available for each oms instance, zero means oms instances can use all memory available MpiMaxThreads = 8 ; max number of modelling threads per MPI process MaxErrors = 10 ; errors threshold for compute server or cluster Servers = cpc-1, cpc-2, cpc-3, cpc-4 ; computational servers or clusters [cpc-1] Cpu = 16 ; default: 1 CPU core Memory = 0 ; zero means no limits [cpc-2] Cpu = 16 ; default: 1 CPU core Memory = 0 ; zero means no limits [cpc-3] Cpu = 16 ; default: 1 CPU core Memory = 0 ; zero means no limits [cpc-4] Cpu = 16 ; default: 1 CPU core Memory = 0 ; zero means no limits ; OpenMPI hostfile (on Linux) ; cpm slots=1 max\_slots=1 ; cpc-1 slots=2 ; cpc-3 slots=4 [hostfile] HostFileDir = models/log HostName = @-HOST-@ CpuCores = @-CORES-@ RootLine = cpm slots=1 max\_slots=1 HostLine = @-HOST-@ slots=@-CORES-@ ; MS-MPI machinefile (on Windows with Microsoft MPI) ; cpm:1 ; cpc-1:2 ; cpc-3:4 ; [hostfile] ; HostFileDir = models\log ; HostName = @-HOST-@ ; CpuCores = @-CORES-@ ; RootLine = cpm:1 ; HostLine = @-HOST-@:@-CORES-@

Based on job.ini above oms will create MPI hostfile with back-end servers assignment for each particular model run.

In order to use that hostfile you should modify model run template(s) in openM++ etc/ directory. For example on Linux with openMPI:

## {{/\*

oms web-service:

Template to run modelName\_mpi executable on Linux using OpenMPI

It is not recommended to use root process for modelling

Oms web-service using template for exec.Command(exeName, Args...):

- skip empty lines
- substitute template argumentsfirst non-empty line is a name of executable to run
- each other line is a command line argument for executable

Arguments of template:

•		
ModelN	lame string	// model name
ExeSte	m string	// base part of model exe name, usually modelName
Dir	string	// work directory to run the model
BinDir	string	// bin directory where model exe is located
MpiNp	int	// number of MPI processes
HostFil	e string	// if not empty then path to hostfile
Args	[]string	// model command line arguments
Env	map[string]	string // environment variables to run the model

Example of result:

mpirun --hostfile host.ini --bind-to none --oversubscribe -wdir models/bin -x key=value ./modelName\_mpi -OpenM.LogToFile false

\*/}}

```
mpirun
--bind-to
none
--oversubscribe
{{with .HostFile}}
--hostfile
{{.}}}
{{end}}
{{with .Dir}}
-wdir
{{.}}}
{{end}}
{{range $key, $val := .Env}}
-X
{{$key}}={{$val}}
\{\{end\}\}
{{.BinDir}}/{{.ExeStem}}_mpi
{{range .Args}}
{{.}}}
{{end}}
```

Note: If you are using OpenMPI then it is a good idea to have --oversubscribe --bind-to none as above in order to avoid MPI models run failure or performance degradation.

If you are using Microsoft MPI on Windows servers then modify etc) model template file(s) to have it similar to:

{{/*
oms web-service:
Template to run modelName_mpi.exe on Windows Microsoft MPI using machinefile
To use this template rename it into: mpi.ModelRun.template.txt
inplanouentun template.txt
Oms web-service using template for exec.Command(exeName, Args):
- skip empty lines
- substitute template arguments
- first non-empty line is a name of executable to run
- each other line is a command line argument for executable
Arguments of template:
ModelName string // model name
ExeStem string // base part of model exe name, usually modelName
Dir string // work directory to run the model
BinDir       string       // bin directory where model exe is located         DbPath       string       // absolute path to sqlite database file: models/bin/model.sqlite
MpiNp int // number of MPI processes
HostFile string // if not empty then path to hostfile
Args     []string     // model command line arguments
Env map[string]string // environment variables to run the model
Example of result:
mpiexec -machinefile hosts.ini -wdir models\bin -env key value\bin\modelName_mpi -OpenM.LogToFile false
*/}}
mpiexec
{{with .HostFile}}
-machinefile
{{.}}}
{{end}}
{{with .Dir}}
-wuiii {{.}}
{{end}}
{{range \$key, \$val := .Env}}
-env
{{\$key}}
{{\$va}} {{end}}
{{BinDir}}\{{ExeStem}}_mpi
{france_Args}
{{}} {{}}

# Cloud auto scaling: automatically start and stop servers

Use oms jobs control abilities to organize model runs queue and, if required, automatically scale up down cloud resources, e.g.: start and stop virtual machines or nodes.

For example, if you want to have two users: Alice and Bob who are running models then start oms as:

```
bin/oms -l localhost:4050 -oms.RootDir alice -oms.Name alice -ini oms.ini bin/oms -l localhost:4060 -oms.RootDir bob -oms.Name bob -ini oms.ini
```

where content of oms.ini is:

```
[oms]
JobDir = ../job
EtcDir = ../etc
HomeDir = models/home
AllowDownload = true
AllowUpload = true
LogRequest = true
[OpenM]
LogFilePath = log/oms.log
LogToFile = true
```

LogUseDailyStamp = true LogToConsole = false

Above assume following directory structure:

./ -> current directory bin/
oms -> oms web service executable, on Windows: `oms.exe`
dbcopy -> dbcopy utility executable, on Windows: `dbcopy.exe`
html/ -> web-UI directory with HTML, js, css, images
etc/ -> config files directory, contain template(s) to run models
alice/ -> user Alice "root" directory
log/ -> recommended Alice's log files directory
models/
bin/ -> Alice's model.exe and model.sqlite directory
log/ -> Alice's directory for models run log files
doc/ -> models documentation directory
home/ -> Alice's personal home directory
io/download -> Alice's directory for download files
io/upload -> Alice's directory to upload files
bob/ -> user Bob "root" directory
log/ -> recommended Bob's log files directory
models/
bin/ -> Bob's model.exe and model.sqlite directory
log/ -> Bob's directory for models run log files
doc/ -> models documentation directory
home/ -> Bob's personal home directory
io/download -> Bob's directory for download files
io/upload -> Bob's directory to upload files
job/ -> model run jobs control directory, it must be shared between all users
job.ini -> (optional) job control settings
disk.ini -> (optional) disk usage control settings to set storage quotas for Bob and Alice
active/ -> active model run state files
history/ -> model run history files past/ -> (optional) shadow copy of history folder, invisible to the end user
queue/ -> model run queue files
state/ -> jobs state and computational servers state files
jobs.queue.paused -> if such file exists then jobs queue is paused
jobs.queue.all.paused -> if such file exists then all jobs in all queues are paused

You don't have to follow that directory structure, it is flexible and can be customized through oms run options.

# IMPORTANT: Job directory must be in a SHARED location and accessible to all users who are using the same queue and the same computational resources (servers, nodes, clusters).

You don't need to create OS users, e.g. Alice and Bob does not need a login accounts on your server (cloud, Active Directory, etc.). All you need is to setup some authentication mechanism and reverse proxy which would allow Alice to access localhost:4050 and Bob localhost:4060 on your front-end. Actual OS user can have any name, e.g. oms :

sudo -u oms OM\_ROOT=/shared/alice bash -c 'source ~/.bashrc; bin/oms -l localhost:4050 -oms.RootDir alice -oms.Name alice -ini oms.ini &' sudo -u oms OM\_ROOT=/shared/bob bash -c 'source ~/.bashrc; bin/oms -l localhost:4060 -oms.RootDir bob -oms.Name bob -ini oms.ini &'

# Cloud disks usage: limit storage space usage

You may want to set the limits on disk space usage and enforce storage cleanup by users. It can be done through job/disk.ini file. If job/disk.ini exists then oms web-service will monitor and report disk usage by user(s) and may set a limit on storage space. You can set a limit for individual user, group of users and grand total space limit on storage space used by all users. If user exceeding disk space quotas then she/he cannot run the model or upload files to cloud, only download is available. User can Cleanup Disk Space through UI.

Example of disk.ini :

; Example of storage usage control settings ; "user" term below means oms instance ; "user name" is oms instance name, for example: "localhost\_4040" ; if job/disk.ini file exists then storage usage control is active [Common] ; seconds, storage scan interval, if too small then default value used ScanInterval = 0 ; GBytes, user storage quota, default: 0 (unlimited) UserLimit = 0 ; GBytes, total storage quota for all users, default: 0 (unlimited) ; if non-zero then it restricts the total storage size of all users AllUsersLimit = 128 ; Database cleanup script: ; creates new model.sqlite database and copy model data DbCleanup = etc/db-cleanup\_linux.sh ; user groups can be created to simplify settings Groups = Low, High, Others [Low] Users = localhost 4040, bob, alice UserLimit = 2[High] Users = king, boss, cheif UserLimit = 20 [king] UserLimit = 100 ; override storage settings for oms instance "king" ; "me" is not a member of any group [me] UserLimit = 0 ; unlimited

## Google cloud: front-end server and and auto scale of multiple back-end servers

There is a small front-end server with 4 cores and 4 back-end servers: cpc-1, cpc-2, cpc-3, cpc-4 with 16 cores each. You are using public cloud and want to pay only for actual usage of back end servers:

- server(s) must be started automatically when user (Alice or Bob) want to run the model;
- server(s) must stop after model run completed to reduce cloud cost

Scripts below are also available at our GitHub↗

```
[Common]
LocalCpu = 4 ; localhost CPU cores limit, localhost limits are applied only to non-MPI jobs
LocalMemory = 0 ; gigabytes, localhost memory limit, zero means no limits
MpiMaxThreads = 8 ; max number of modelling threads per MPI process

      MaxErrors
      = 10
      ; errors threshold for compute server or cluster

      IdleTimeout
      = 900
      ; seconds, idle time before stopping server or cluster

      StartTimeout
      = 180
      ; seconds, max time to start server or cluster

StopTimeout = 180 ; seconds, max time to stop server or cluster
Servers = cpc-1, cpc-2, cpc-3, cpc-4 ; computational servers or clusters
                                 ; default executable to start server
StartExe = /bin/bash
StopExe = /bin/bash
                                  ; default executable to stop server
ArgsBreak = -@-
                                  ; arguments delimiter in StartArgs or StopArgs line
                         ; delimiter can NOT contain ; or # chars, which are reserved for # comments
                         ; it can be any other delimiter of your choice, e.g.: +++
; StartArgs = ../etc/compute-start.sh ; default command line arguments to start server, server name will be appended
; StopArgs = ../etc/compute-stop.sh ; default command line arguments to start server, server name will be appended
[cpc-1]
                  ; default: 1 CPU core
Cpu = 16
Memory = 0
                    ; zero means no limits
StartArgs = ../etc/compute-start-4.sh-@-us-zone-b-@-cpc-1
StopArgs = ../etc/compute-stop-4.sh-@-us-zone-b-@-cpc-1
[cpc-2]
Cpu = 16 ; default: 1 CPU core
Memory = 0 ; zero means no limits
Memory = 0
StartArgs = ../etc/compute-start-4.sh-@-us-zone-c-@-cpc-2
StopArgs = ../etc/compute-stop-4.sh-@-us-zone-c-@-cpc-2
[cpc-3]
                  ; default: 1 CPU core
Cpu = 16
Memory = 0
                     ; zero means no limits
StartArgs = ../etc/compute-start-4.sh-@-us-zone-d-@-cpc-3
StopArgs = ../etc/compute-stop-4.sh-@-us-zone-d-@-cpc-3
[cpc-4]
Cpu = 16
                  ; default: 1 CPU core
; zero means no limits
Memory = 0
StartArgs = ../etc/compute-start-4.sh-@-us-zone-a-@-cpc-4
StopArgs = ../etc/compute-stop-4.sh-@-us-zone-a-@-cpc-4
; OpenMPI hostfile
; cpm slots=1 max_slots=1
; cpc-1 slots=2
; cpc-3 slots=4
[hostfile]
HostFileDir = models/log
HostName = @-HOST-@
CpuCores = @-CORES-@
RootLine = cpm slots=1 max slots=1
HostLine = @-HOST-@ slots=@-CORES-@
; MS-MPI machinefile (on Windows with Microsoft MPI)
; cpm:1
; cpc-1:2
; cpc-3:4
; [hostfile]
; HostFileDir = models\log
; HostName = @-HOST-@
; CpuCores = @-CORES-@
; RootLine = cpm:1
; HostLine = @-HOST-@:@-CORES-@
```

Oms is using StartExe and StartArgs in order to start each server. On Linux result of above job.ini is:

/bin/bash etc/compute-start.sh cpc-1

On Windows you can use cmd or PowerShell in order to control servers. Related part of job.ini can look like:

 StartExe = cmd
 ; default executable to start server

 StartArgs = /C-@-etc\compute-start.bat
 ; default command line arguments to start server, server name will be appended

 StopExe = cmd
 ; default executable to stop server

 StopArgs = /C-@-etc\compute-stop.bat
 ; default command line arguments to start server, server name will be appended

Start and stop scripts can look like (Google cloud version):

#!/bin/bash # # start computational server, run as: # # sudo -u \$USER-NAME compute-start.sh host-name srv\_zone="us-zone-b" srv\_name="\$1" if [ -z "\$srv\_name" ] || [ -z "\$srv\_zone" ] ; then echo "ERROR: invalid (empty) server name or zone: \$srv\_name \$srv\_zone" exit 1 fi gcloud compute instances start \$srv\_name --zone \$srv\_zone status=\$? if [ \$status -ne 0 ]; then echo "ERROR \$status at start of: \$srv\_name" exit \$status fi # wait until MPI is ready for i in 1 2 3 4; do sleep 10 echo "[\$i] mpirun -n 1 -H \$srv\_name hostname" mpirun -n 1 -H \$srv\_name hostname status=\$? if [ \$status -eq 0 ] ; then break; fi done if [ \$status -ne 0 ]; then

echo "ERROR \$status from MPI at start of: \$srv\_name" exit \$status fi

echo "Start OK: \$srv\_name"

```
#
# stop computational server, run as:
#
# sudo -u $USER-NAME compute-stop.sh host-name
# set -e
srv_zone="us-zone-b"
srv_name="$1"
if [ -z "$srv_name" ] || [ -z "$srv_zone" ] ;
then
 echo "ERROR: invalid (empty) server name or zone: $srv_name $srv_zone"
 exit 1
fi
for i in 1 2 3 4 5 6 7; do
 gcloud compute instances stop $srv_name --zone $srv_zone
 status=$?
 if [ $status -eq 0 ] ; then break; fi
 sleep 10
done
if [ $status -ne 0 ];
then
echo "ERROR $status at stop of: $srv_name"
 exit $status
fi
echo "Stop OK: $srv_name"
```

#!/bin/bash

## Azure cloud: front-end server and and auto scale of multiple back-end servers

There is a small front-end server with 4 cores and 2 back-end servers: dc1, dc2 with 4 cores each. You are using public cloud and want to pay only for actual usage of back end servers:

- server(s) must be started automatically when user (Alice or Bob) want to run the model;
- server(s) must stop after model run completed to reduce cloud cost

Scripts below are also available at our GitHub↗

```
[Common]
LocalCpu = 4 ; localhost CPU cores limit, localhost limits are applied only to non-MPI jobs
LocalMemory = 0 ; gigabytes, localhost memory limit, zero means unlimited
MpiMaxThreads = 8 ; max number of modelling threads per MPI process
MaxErrors = 10 ; errors threshold for compute server or cluster
IdleTimeout = 900 ; seconds, idle time before stopping server or cluster
StartTimeout = 90 ; seconds, max time to start server or cluster
StopTimeout = 90 ; seconds, max time to stop server or cluster
Servers = dc1, dc2 ; computational servers or clusters for MPI jobs
StartExe = /bin/bash
                                ; default executable to start server
StopExe = /bin/bash
                                 ; default executable to stopt server
StartArgs = ../etc/az-start.sh-@-dm_group ; default command line arguments to start server, server name will be appended
StopArgs = ../etc/az-stop.sh-@-dm_group ; default command line arguments to start server, server name will be appended
ArgsBreak = -@-
                           ; arguments delimiter in StartArgs or StopArgs line
                     ; delimiter can NOT contain ; or # chars, which are reserved for # comments
                    ; it can be any other delimiter of your choice, e.g.: +++
[dc1]
Cpu = 4 ; default: 1 CPU core
Memory = 0
[dc2]
Cpu = 4 ; default: 1 CPU core
Memory = 0
; OpenMPI hostfile
; dcm slots=1 max_slots=1
; dc1 slots=2
; dc2 slots=4
[hostfile]
HostFileDir = models/log
HostName = @-HOST-@
CpuCores = @-CORES-@
RootLine = dm slots=1 max_slots=1
HostLine = @-HOST-@ slots=@-CORES-@
```

Oms is using StartExe and StartArgs in order to start each server. On Linux result of above job.ini is similar to:

/bin/bash etc/az-start.sh dm\_group dc1

Start and stop scripts can look like (Azure cloud version):

```
#!/bin/bash
```

#

#

# start Azure server, run as:

# sudo -u \$USER-NAME az-start.sh resource-group host-name

# set -e

res\_group="\$1" srv\_name="\$2"

if [ -z "\$srv\_name" ] || [ -z "\$res\_group" ] ;

then echo "ERROR: invalid (empty) server name or resource group: \$srv\_name \$res\_group" exit 1

fi

# login

az login --identity status=\$?

if [ \$status -ne 0 ];

then echo "ERROR \$status from az login at start of: \$res\_group \$srv\_name" exit \$status fi

# Azure VM start

az vm start -g "\$res\_group" -n "\$srv\_name" status=\$?

if [ \$status -ne 0 ];

then echo "ERROR \$status at: az vm start -g \$res\_group -n \$srv\_name" exit \$status fi

# wait until MPI is ready

for i in 1 2 3 4 5; do

sleep 10

echo "[\$i] mpirun -n 1 -H \$srv\_name hostname"

mpirun -n 1 -H \$srv\_name hostname
status=\$?

if [ \$status -eq 0 ] ; then break; fi
done

if [ \$status -ne 0 ];
then
 echo "ERROR \$status from MPI at start of: \$srv\_name"
 exit \$status
fi

echo "Start OK: \$srv\_name"

#!/bin/bash # stop Azure server, run as # sudo -u \$USER-NAME az-stop.sh resource-group host-name # set -e res\_group="\$1" srv\_name="\$2" if [ -z "\$srv\_name" ] || [ -z "\$res\_group" ] ; then echo "ERROR: invalid (empty) server name or resource group: \$srv\_name \$res\_group" exit 1 fi # login az login --identity status=\$? if [\$status -ne 0]: then echo "ERROR \$status from az login at start of: \$res\_group \$srv\_name' exit \$status fi # Azure VM stop for i in 1 2 3 4; do az vm deallocate -g "\$res\_group" -n "\$srv\_name" if [ \$status -eq 0 ] ; then break; fi sleep 10 done if [ \$status -ne 0 ]; then echo "ERROR \$status at stop of: \$srv\_name" exit \$status fi echo "Stop OK: \$srv\_name"

# Linux cluster in cloud

#### Security consideration:

In wiki I am describing the most simple but least secure configuration, for your production environment you may want to:

- use a separate web front-end server, separate oms control server with firewall in between
- never use front-end web-server OS user as oms control server OS user
- do not use the same OS user, like oms, but create a different for each of your model users, like Alice and Bob in example above.

Of course web front-end UI of your production environment must be protected by https:// with proper authentication and authorization. All that is out of scope of our wiki, please consult your organization security guidelines for it.

Also I am not describing here how to configure web-servers, how to create reverse proxy, install SSL certificates, etc. There are a lot of great materials on those topics around, just please think about security in a first place.

Cloud examples here assume Debian or Ubuntu Linux servers setup, you can use it for RedHat Linux with minimal adjustment. OpenM++ do support Microsoft Windows clusters, but configuring it is a more complex task and out of scope for that wiki.

Our simple cluster consist of from-end web-UI server with host name dm and multiple back-end computational servers: dc1, dc2,....

#### Front-end server OS setup

Front-end dm server must have some web-server installed, Apache or nginx for example, static IP and DNS records for your domain.

Choose Debian-11, Ubuntu 22.04 or RedHat 9 (Rocky, AlmaLinux) as your base system and create dm cloud virtual machine, at least 4 cores recommended. We will create two disks on dm : boot disk and fast SSD data disk where all users data and models are stored.

sudo timedatectl set-timezone America/Toronto

sudo apt-get install openmpi-bin sudo apt-get install sqlite3

# check result: mpirun hostname -A

Create and mount on *Imirror* SSD data disk to store all users data and models:

# init new SSD, use Isblk to find which /dev it is Isblk

sudo mkfs.ext4 -m 0 -E lazy\_itable\_init=0,lazy\_journal\_init=0,discard /dev/sda

sudo mkdir /mirror sudo mount -o discard,defaults /dev/sda /mirror

# check results: Is -la /mirror

# add new disk to fstab, mount by UUID: sudo blkid /dev/sda sudo nano /etc/fstab

# add your UUID mount: UUID=98765432-d09a-4936-b85f-a61da123456789 /mirror ext4 discard,defaults 0 2

#### Create NFS shares:

sudo mkdir -p /mirror/home sudo mkdir -p /mirror/data

sudo apt install nfs-kernel-server

# add shares into exports: sudo nano /etc/exports

# export user homes and data, data can be exported read-only, rw is not required /mirror/home \*(rw,sync,no\_root\_squash,no\_subtree\_check) /mirror/data \*(rw,sync,no\_root\_squash,no\_subtree\_check)

sudo systemctl restart nfs-kernel-server

# check results: /sbin/showmount -e dm

systemctl status nfs-kernel-server

Create 'oms' service account, login disabled. I am using 1108 as user id and group id, but it is an example only and 1108 have no special meaning:

export OMS\_UID=1108 export OMS\_GID=1108

sudo addgroup --gid \$OMS\_GID oms sudo adduser --home /mirror/home/oms --disabled-password --gecos "" --gid \$OMS\_GID -u \$OMS\_UID oms

sudo chown -R oms:oms /mirror/data

# increase stack size for models to 65 MB = 65536

#### sudo -u oms nano /mirror/home/oms/.bashrc

# ~/.bashrc: executed by bash(1) for non-login shells. # openM++ # some models require stack size:

#### ulimit -S -s 65536

#

Ħ

# end of openM++

Password-less ssh for oms service account:

sudo su -l oms cd ~

mkdir .ssh

ssh-keygen -f .ssh/id\_rsa -t rsa -N " -C oms

# create .ssh/config with content below: nano .ssh/config

Host \* StrictHostKeyChecking no UserKnownHostsFile /dev/null LogLevel ERROR

cp -p .ssh/id\_rsa.pub .ssh/authorized\_keys

chmod 700 .ssh chmod 600 .ssh/id\_rsa chmod 644 .ssh/id\_rsa.pub chmod 644 .ssh/config chmod 644 .ssh/authorized keys

exit # logout from 'oms' user

# check ssh for oms user, it should work without any prompts, without any Yes/No questions:

sudo -u oms ssh dm

Check openMPI under 'oms' service account:

sudo -u oms mpirun hostname sudo -u oms mpirun -H dm hostname

Done with dm server OS setup, reboot it and start dc1, dc2,... creating back-end servers.

#### Back-end computational servers setup

I am describing it for dc1, assuming you will create base image from it and use for all other back-end servers. On Azure it is make sense to create virtual machine scale set instead of individual servers.

Choose Debian-11, Ubuntu 22.04 or RedHat 9 (Rocky, AlmaLinux) as your base system and create dc1 cloud virtual machine, at least 16 cores recommended. It does not require a fast SSD, use regular small HDD because there are no model data stored in back-end, it is only OS boot disk, nothing else. Back-end servers should not be visible from the internet, it should be visible only from front-end dm server.

Set timezone and install openMPI::

sudo timedatectl set-timezone America/Toronto sudo apt-get install openmpi-bin # check result: mpirun hostname -A

Mount NFS shares from dm server:

sudo mkdir -p /mirror/home sudo mkdir -p /mirror/data

sudo apt install nfs-common

/sbin/showmount -e dm

sudo mount -t nfs dm:/mirror/home /mirror/home sudo mount -t nfs dm:/mirror/data /mirror/data

systemctl status mirror-home.mount systemctl status mirror-data.mount

# if above OK then add nfs share mounts into fstab:

sudo nano /etc/fstab

# fstab records: dm:/mirror/home /mirror/home nfs defaults 0 0 dm:/mirror/data /mirror/data nfs defaults 0 0

# (optional) reboot node and make sure shares are mounted:

systemctl status mirror-home.mount systemctl status mirror-data.mount

Create 'oms' service account, login disabled. It must have exactly the same user id and group id as oms user on dm, I am using 1108 as an example:

export OMS\_UID=1108 export OMS\_GID=1108 sudo /sbin/addgroup --gid \$OMS\_GID oms sudo adduser --no-create-home --home /mirror/home/oms --disabled-password --gecos "" --gid \$OMS\_GID -u \$OMS\_UID oms # check 'oms' sevice account access to shared files: sudo -u oms -- Is -la /mirror/home/oms/.ssh/

Optional: if you are using Azure virtual machine scale set then cloud.init config can be:

#cloud-config # runcmd: - addgroup --gid 1108 oms - adduser --no-create-home --home /mirror/home/oms --disabled-password --gecos "" --gid 1108 -u 1108 oms

Check openMPI under 'oms' service account:

sudo -u oms mpirun hostname sudo -u oms mpirun -H dc1 hostname sudo -u oms mpirun -H dm hostname

Done with dc1 OS setup, clone it for all other back-end servers. After you created all back-end servers check openMPI from entire cluster, for example:

sudo -u oms mpirun -H dm,dc1,dc2,dc3,dc4,dc5,dc6,dc7,dc8,dc9,dc10 hostname

Now login back to your dm front-end and create standard openM++ directory structure at [mirror/data], copy models, create user directories as it is described for "users" Alice and Bob above. Bob and Alice are your model users, they should not have OS login, user oms with disabled login is used to run the models on behalf of Alice and Bob. I would also recommend to have at least one "user" for your own tests, to verify system status and test and run the models when you publish it. For that I am usually creating "user" test.

/mirror/data/
bin/
oms -> oms web service executable
dbcopy -> dbcopy utility executable
html/ -> web-UI directory with HTML, js, css, images
etc/ -> config files directory, contain template(s) to run models
log/ -> recommended log files directory
alice/ -> user Alice "root" directory
log/ -> recommended Alice's log files directory
models/
bin/ -> Alice's model.exe and model.sqlite directory
log/ -> Alice's directory for models run log files
doc/ -> models documentation directory
home/ -> Alice's personal home directory
io/download -> Alice's directory for download files
io/upload -> Alice's directory to upload files
bob/ -> user Bob "root" directory
log/ -> recommended Bob's log files directory
models/
bin/ -> Bob's model.exe and model.sqlite directory
log/ -> Bob's directory for models run log files
doc/ -> models documentation directory
home/ -> Bob's personal home directory
io/download -> Bob's directory for download files
io/upload -> Bob's directory to upload files
job/ -> model run jobs control directory, it must be shared between all users
job.ini -> (optional) job control settings
disk.ini -> (optional) disk usage control settings to set storage quotas Bob and Alice
active/ -> active model run state files
history/ -> model run history files
past/ -> (optional) shadow copy of history folder, invisible to the end user
queue/ -> model run queue files
state/ -> jobs state and computational servers state files
oms/ -> oms init.d files, see examples on our GitHub
oms.ini -> oms config, see content above
test/ -> user test "root" directory, for admin internal use -> user test subdirectories here
-> user rest suburrectories here

Above there is also oms/ directory with init.d files to restart oms when front-end dm server is rebooted. You can find examples of it at our GitHub **?**.

# Use R to save output table into CSV file

## Use R to save output table into CSV file

It is a convenient to use GNU R to prepare model parameters and analyze output values. There are two different R APIs which we can use for openM++ models:

- openMpp package: simple and convenient specially for desktop users, upstream and downstream analysis;
- oms JSON web-service API: preferable choice to run models on computational clusters and in cloud.

There is also an excelent R package created by Matthew T. Warkentin available at: oncology-outcomes/openmpp.

Below is an example how to use oms JSON web-service to read output table values from multiple model runs and save it into CSV file. In that example we are reading RiskPaths model output table T04\_FertilityRatesByAgeGroup values from 3 model runs: "New 123,000 cases", "New 456,000 cases", "New 456,000 cases", "New 789,000 cases" and saving it into T04\_FertilityRatesByAgeGroup.csv .

```
R script
  #
  # Read table values from multiple model runs and save it as TableName.csv
  #
  # If any of library below is not installed then do:
  # install.packages("jsonlite")
  # install.packages("httr")
  library("jsonlite")
  library("httr")
  # Include openM++ helper functions from your $HOME directory
  source("~/omsCommon.R")
  #
  # Model digest of RiskPaths version 3.0.0.0: "d90e1e9a49a06d972ecf1d50e684c62b"
  # We MUST use model digest if there are multiple versions of the model published.
  # We can use model name if only single version of the model is published.
  md <- "d90e1e9a49a06d972ecf1d50e684c62b'
  # oms web-service URL from file: ~/oms_url.txt
  apiUrl <- getOmsApiUrl()
  # model runs can be identified by digest, by run stamp or by run name
  # run digest is unique and it preferable way to identify model run
  # run names are user friendly may not be unique
  runNames <- c(
   "New 123,000 cases",
   "New 456,000 cases"
   "New 789,000 cases
   )
  # combine all run results and write it into T04_FertilityRatesByAgeGroup.csv
  tableName <- "T04 FertilityRatesByAgeGroup"
  allCct <- NULL
  nRuns <- length(runNames)
  for (k in 1:nRuns)
   cct <- read.csv(paste0(
    apiUrl, "model/", md, "/run/", URLencode(runNames[k], reserved = TRUE), "/table/", tableName, "/expr/csv"
    ))
   cct$RunName <- runNames[k]
   allCct <- rbind(allCct, cct)
  write.csv(allCct, paste0(tableName, ".csv"), row.names = FALSE)
```

# Use R to save output table into Excel

### Use R to save output table into Excel

It is a convenient to use GNU R to prepare model parameters and analyze output values. There are two different R APIs which we can use for openM++ models:


- · openMpp package: simple and convenient specially for desktop users, upstream and downstream analysis;
- oms JSON web-service API: preferable choice to run models on computational clusters and in cloud.

There is also an excelent R package created by Matthew T. Warkentin available at: oncology-outcomes/openmpp.

Below is an example how to use oms JSON web-service to read multiple output table values from multiple model runs and save it into XLSX file:


- using RiskPaths demo model
- · reading model run names and output table names from input Excel file as on screenshots below
- for each table retriving output values for all model runs
- retrieving model runs metadata: run name, description, notes, date and time
- retrieving output tables metadata: name, description and notes
- saving each table output values as separate Excel workbook sheet
- · saving all model runs metadata and tables metadata as separate sheets

Input Excel workbook:



Output Excel workbook:

x∎	🕅 🗜 🍤 🛛 🗢 🗧 output-tables-data.xlsx - Excel 🔗 🖪								<u> </u>				
FILE HOME INSERT PAGE LAYOUT FORMULAS DATA REVIEW VIEW										Si			
Pas Clip		ibri • 1 I <u>U</u> • I · · · · · · · · · · · · · · · · · ·		E E & · ·		General \$ → % ୬ Number	▼ €.0 .00 .00 →.0		at as Cell Ile ▼ Styles ▼	Format × Cells	Sort & Find & Filter - Select		
	Α	В	С	D		E		F G					
1	ModelName	ModelVersion	RunName	SubCount	Ru	nStarted	RunCompleted		RunDescription			RunNot	tes
2	RiskPaths	3.0.0.0	New 123,000 cases	8	2023-02-0	7 14:28:42.474	2023-02-07 14:28:43.904 New scenario with 123,000 simulation case		00 simulation cases				
3	RiskPaths	3.0.0.0	New 456,000 cases	8	2023-02-0	7 14:31:07.492	2023-0	2-07 14:31:11.482	New scena	rio with 456,00	00 simulation cases		
4	RiskPaths	3.0.0.0	New 789,000 cases	8	2023-02-0	7 14:32:47.607	2023-0	2-07 14:32:55.174	New scena	rio with 789,00	00 simulation cases		
5													
6													



#

# Read multiple tables from multiple model runs and save it as XLSX file

# Also save model runs metadata and tables metadata (name, description, notes) into .csv files

# Model run names and table names are coming from another input XLSX file

#

# If any of library below is not installed then do:

# install.packages("jsonlite")

# install.packages("httr")

# install.packages("readxl")

# install.packages("writexl")

library("jsonlite") library("httr") library("readxl") library("writexl")

{

# Include openM++ helper functions from your \$HOME directory # source("~/omsCommon.R") # Model digest of RiskPaths version 3.0.0.0: "d90e1e9a49a06d972ecf1d50e684c62b" # We MUST use model digest if there are multiple versions of the model published. # We can use model name if only single version of the model is published. md <- "d90e1e9a49a06d972ecf1d50e684c62b" # oms web-service URL from file: ~/oms url.txt apiUrl <- getOmsApiUrl() # model runs can be identified by digest, by run stamp or by run name # run digest is unique and it preferable way to identify model run # run names are user friendly may not be unique # read model run names from some XLSX file, # it must have sheet name = "RunNames" with A column "RunNames" Ħ rn <- read\_xlsx( "model-runs-to-read-and-tables-to-read.xlsx", sheet = "RunNames", col\_types = "text" ) # read table names from some XLSX file, # it must have sheet name = "TableNames" with A column "TableNames" tn <- read xlsx( "model-runs-to-read-and-tables-to-read.xlsx", sheet = "TableNames", col\_types = "text" ) # get table information Ħ rsp <- GET(paste0( apiUrl, "model/", md, "/text" )) if (http\_type(rsp) != 'application/json') { stop("Failed to get first model info") } jr <- content(rsp) tTxt <- jr\$TableTxt tableInfo <- data.frame() for (t in tTxt) { for (tbl in tn\$TableNames) { if (t\$Table\$Name == tbl) { ti <- data.frame( TableName = tbl, TableDescription = t\$TableDescr, TableNotes = t\$TableNote ) tableInfo <- rbind(tableInfo, ti) break } } } # get run information runInfo <- data.frame() for (run in rn\$RunNames)

```
rsp <- GET(paste0(
   apiUrl, "model/", md, "/run/", URLencode(run, reserved = TRUE), "/text"
  ))
 if (http_type(rsp) != 'application/json') {
  stop("Failed to get first run info of: ", run)
 }
 jr <- content(rsp)
 ri <- data.frame(
    ModelName = jr$ModelName,
    ModelVersion = jr$ModelVersion,
   RunName = jr$Name,
   SubCount = jr$SubCount,
    RunStarted = jr$CreateDateTime,
    RunCompleted = jr$UpdateDateTime,
    RunDescription = "",
   RunNotes = "
 if (length(jr$Txt) > 0) {
  ri$RunDescription <- jr$Txt[[1]]$Descr
  ri$RunNotes <- jr$Txt[[1]]$Note
 }
 runInfo <- rbind(runInfo, ri)
}
# for each table do:
# combine all run results and write it into some .xlsx file
#
shts <- list(
  RunInfo = runInfo,
  TableInfo = tableInfo
 )
for (tbl in tn$TableNames)
{
 allCct <- NULL
 isFirst <- TRUE
 for (run in rn$RunNames)
 {
  cct <- read.csv(paste0(
   apiUrl, "model/", md, "/run/", URLencode(run, reserved = TRUE), "/table/", tbl, "/expr/csv"
   ))
  # build a pivot table data frame:
  # use first run results to assign all dimensions and measure(s)
  # from all subsequent model run bind only expr_value column
  if (isFirst) {
   allCct <- rbind(allCct, cct)
   isFirst <- FALSE
  } else {
   cval <- data.frame(expr_value = cct$expr_value)</pre>
   allCct <- cbind(allCct, cval)
  }
  # use run name for expression values column name
  names(allCct)[names(allCct) == 'expr_value'] <- run</pre>
 }
 shts[[ tbl ]] <- allCct
}
write_xlsx(shts, paste0("output-tables-data.xlsx"))
```

## Run model from R: simple loop in cloud

## OpenM++ integration with R: run model and save results in CSV file

It is a convenient to use GNU R to prepare model parameters and analyze output values. There are two different R APIs which we can use for openM++ models:

- openMpp package: simple and convenient specially for desktop users, upstream and downstream analysis;
- oms JSON web-service API: preferable choice to run models on computational clusters and in cloud.

There is also an excelent R package created by Matthew T. Warkentin available at: oncology-outcomes/openmpp.

Below is an example how to run model in cloud and save results in CSV file using oms JSON web-service. There is a similar example how to run model on desktop and do simple loop over parameter using openMpp R package.

Following R example is running very complex OncoSimX-lung model to change only LcScreenSmokingDurationCriteria parameter:

smokingDuration <- seq(from = 1, by = 2, length.out = 4)

To reduce model run time we are calculating only 2 output tables: Lung\_Cancer\_Rates\_AgeStandard\_Table and Lung\_Cancer\_Cases\_Table and also using only 6000 simulation cases. Also we do merge Lung\_Cancer\_Cases\_Table rows from all model runs and saving it into Lung\_Cancer\_Cases\_Table.csv

R RStu	dio Server × +			~ -					
$\leftrightarrow$ $\rightarrow$	C 🔒 cpac-r.openmpp.org			€ ☆	□ 🔺 :				
R	File Edit Code View Plots Session Build Debug Profile Tools Help				test 🕞 🕘				
	💽 🔹 🧐 🚰 🔹 🔚 🚍 📄 🍌 Go to file/function 🛛 🗄 💀 Addins 🔹			R	Project: (None) 💌				
oncos	imx_lung_to_csv.R* ×	Environment Histo	ry Connections	Tutorial					
	🗊 🔚 🖸 Source on Save   🔍 🎢 🗸 📋	😅 📊 📑 Import [	Dataset 🔹 🕐 177 N	ів 🕶 🎻	🗏 List 🖌 🖂 🗸				
	for (k in 1:nRuns)	R 🝷 🛑 Global Envir	onment 💌	Q,					
58 <del>-</del> 59	<pre>print(c("Smoking Duration:", smokingDuration[k]))</pre>	Data							
60		allCct	6 variables						
61	<pre>rn &lt;- paste0("Smoking_Duration_", toString(smokingDuration[k]))</pre>	0 cct	5772 obs. of	6 variables					
62 63	runNames[k] <- rn	0 jr	List of 9		Q				
64	# prepare model run options	0 pd	List of 5		Q				
65	pd <- list(	0 rsp	List of 10		Q				
66 67	ModelDigest = md, Mpi = list(Np = 5),  # MPI cluster: run 5 processes	Values							
68	Template = "mpi.OncoSimX.template.txt", # MPI cluster: model run tempate	apiUrl	"http://local	alhost:4042/api/"					
69	Opts = list(	firstRunDige	"3123e2ea927d0a3c01b6405d7772bfd3"						
70 71	<pre>Parameter.LcScreenSmokingDurationCriteria = toString(smokingDuration[k]), Parameter.SimulationCases = "60000",</pre>	jv	'json' chr "{\n \"ModelDigest\":…						
72	OpenM.BaseRunDigest = firstRunDigest, # base run to get the rest of inpu	k	4L						
73	OpenM.SubValues = "12", # use 12 sub-values (sub-samples)	md	"b4aac07eb78f31f3fcb7bbb3057c27b8"						
74 75	OpenM.Threads = "3", # use 3 modeling threads OpenM.NotOnRoot = "true", # MPI cluster: do not use root pro	nRuns	4						
75	<pre>OpenM.NotOnRoot = "true",  # MPI cluster: do not use root pro # run name and description in English</pre>	rn	"Smoking_Duration_7"						
77	OpenM.RunName = rn,	rStamp	"2022_06_17_23_24_07_697"						
78	EN.RunDescription = paste("Smoking Duration", toString(smokingDuration[k]	runDigests	chr [1:4] "7bafc5e2370cbc60bd4f3f						
79 80	), Tables = list("Lung Cancer Rates AgeStandard Table", "Lung Cancer Cases Tab	nunNamos			nn 1" "C				
81	)	Files Plots Packa	ages Help View	er					
82	4 · · · · · · · · · · · · · · · · · · ·	<u>0</u> 0 - 0 0	] 📑   🎆 🖌						
71:45	(Top Level) \$ R Script \$	🗌 🏠 Home							
Console	Terminal × Jobs ×	▼ Name		Size	Modified				
🕞 R 4	2.0 · ~/ 🕫	🗆 🧰 R							
> source	<pre>te("~/oms-R/examples/oncosimx_lung_to_csv.R")</pre>	🗌 🔍 omsCommo	n.R	4.3 KB	Jun 17, 2022,				
	oking Duration:" "1"	🗌 🗐 oms-R							
	oking Duration:" "3" oking Duration:" "5"	oms_url.txt		22 B	Jun 17, 2022,				
	oking Duration: "7"	_	r_Cases_Table.csv	1.4 MB	Jun 17, 2022,				
[1] "A	l model runs completed, retrive output values"	C m Lung_Cance	1.4 IVID	Jun 17, 2022,					
>									

### R script

#

- # Use R to run OncoSimX-lung version 3.6.1.5
- # loop over LcScreenSmokingDurationCriteria parameter
- # to output tables: Lung\_Cancer\_Rates\_AgeStandard\_Table and Lung\_Cancer\_Cases\_Table
- # If isonlite or httr is not installed then do:
- # install.packages("jsonlite")
- # install.packages("httr")
- library("jsonlite")

#### library("httr")

# Include openM++ helper functions from your \$HOME directory

# on Windows HOME directory is: "C:\Users\User Name Here\Documents"

#

# if you don't have omsCommon.R then download it from https://github.com/openmpp/R/oms-R

# if you have omsCommon.R in some other location then update path below

### source("~/omsCommon.R")

#

# Model digest of OncoSimX-lung version 3.6.1.5: "eeb246bd7d3bdb64d3e7aaefeaa828ea"

#### md <- "eeb246bd7d3bdb64d3e7aaefeaa828ea"

# oms web-service URL from file: ~/oms\_url.txt

#### apiUrl <- getOmsApiUrl()

# Find first model run to use it as our base run

rsp <- GET(paste0( apiUrl, "model/", md, "/run/status/first" ))

## if (http\_type(rsp) != 'application/json') { stop("Failed to get first run status")

} jr <- content(rsp)

### firstRunDigest <- jr\$RunDigest

# Use openM++ oms web-service to run the model 4 times with 6000 simulation cases

 $\label{eq:constraint} \textit{\# and different values of LcScreenSmokingDurationCriteria parameter:}$ 

# OncoSimX-lung\_mpi -Parameter.SimulationCases 6000 -Parameter.LcScreenSmokingDurationCriteria 1

# OncoSimX-lung\_mpi -Parameter.SimulationCases 6000 -Parameter.LcScreenSmokingDurationCriteria 3

# .... and 2 more Smoking Duration values ....

# # It is a sequential run, not parallel

#

# Running 4 OncoSimX-lung\_mpi instances: "root" leader process and 3 computational processes

# each computational process using modelling 4 threads

# root process does only database operations and coordinate child workoload.

### nRuns <- 4

### smokingDuration <- seq(from = 1, by = 2, length.out = nRuns)

runDigests <- rep(", nRuns) # model run digests, unique runNames <- rep(", nRuns) # model run names, may be not unique</pre>

for (k in 1:nRuns)

print(c("Smoking Duration:", smokingDuration[k]))

rn <- paste0("Smoking\_Duration\_", toString(smokingDuration[k])) runNames[k] <- rn # use explicit model run stamp to avoid compatibility issues between cloud model run queue and desktop MPI stamp <- sub('.', '\_', fixed = TRUE, format(Sys.time(),"%Y\_%m\_%d\_%H\_%M\_%OS3"))</pre> # prepare model run options pd <- list( ModelDigest = md, Mpi = list( # MPI cluster: run 4 processes: 3 for model and rott process Np = 4. IsNotOnRoot = TRUE # MPI cluster: do not use root process for modelling ), Template = "mpi.OncoSimX.template.txt", # MPI cluster: model run template Opts = list(Parameter.LcScreenSmokingDurationCriteria = toString(smokingDuration[k]), Parameter.SimulationCases = "6000", # use only 6000 simulation cases for quick test OpenM.BaseRunDigest = firstRunDigest, # base run to get the rest of input parameters # use 12 sub-values (sub-samples) OpenM.SubValues = "12", OpenM.Threads = "4", # use 4 modeling threads OpenM.RunStamp = stamp, # use explicit run stamp *# run name and description in English* OpenM.RunName = rn, EN.RunDescription = paste("Smoking Duration", toString(smokingDuration[k]), "years") ), Tables = list("Lung\_Cancer\_Rates\_AgeStandard\_Table", "Lung\_Cancer\_Cases\_Table") jv <- toJSON(pd, pretty = TRUE, auto\_unbox = TRUE) # submit request to web-service to run the model rsp <- POST(paste0( apiUrl, "run" body = jv, content type json()

if (http\_type(rsp) != 'application/json') {
 stop("Failed to run the model")
 }
 jr <- content(rsp)
 submitStamp <- jr\$SubmitStamp # model run submission stamp: not empty if model run submitted to run on cluster
 runStamp <- jr\$RunStamp # model run stamp: not empty if model run started

# wait until model run completed
runDigests[k] <- waitForRunCompleted(stamp, apiUrl, md)
}
# combine all run results into Lung\_Cancer\_Cases\_Table.csv
#
print("All model runs completed, retrive output values...")
allCct <- NULL
for (k in 1:nRuns)</pre>

{
 cct <- read.csv(paste0(
 apiUrl, "model/", md, "/run/", runDigests[k], "/table/Lung\_Cancer\_Cases\_Table/expr/csv"
 ))
 cct\$RunName <- runNames[k]

allCct <- rbind(allCct, cct)

}

write.csv(allCct, "Lung\_Cancer\_Cases\_Table.csv", row.names = FALSE)

# Run RiskPaths model from R: advanced run in cloud

## OpenM++ integration with R: run RiskPaths model on cloud grid

It is a convenient to use GNU R to prepare model parameters and analyze output values. There are two different R APIs which we can use for openM++ models:

- openMpp package: simple and convenient specially for desktop users, upstream and downstream analysis;
- oms JSON web-service API: preferable choice to run models on computational clusters and in cloud.

There is also an excelent R package created by Matthew T. Warkentin available at: oncology-outcomes/openmpp.

Below is an example of oms JSON web-service usage to run RiskPaths model on cloud grid from RStudio in cloud. There is an identical example to:


- run RiskPaths model in cloud from local PC Rstudio
- run RiskPaths model on desktop using openMpp package.

Following R example is running "RiskPaths" model to analyze childlessness by varying two parameters:

- Age baseline for first union formation
- Relative risks of union status on first pregnancy by following scale factor:

```
scaleValues <- seq(from = 0.44, to = 1.00, by = 0.08)
```

Please keep in mind, scaling above result in 64 runs of RiskPaths model, to reduce waiting time we are using only 1024 simulation cases in script below.



## **R** script

- # # R integration example using RiskPaths model
- # to analyze contribution of delayed union formations
- # to analyze contribution of delayed union formations

# versus decreased reruinty on childlessness

#### # # Prerequisite:

#

# download openM++ release from https://github.com/openmpp/main/releases/latest

- # unpack it into any directory
- # start oms web-service:
- # Windows:
- # cd C:\my-openmpp-release
- # bin\ompp\_ui.bat
- # Linux:
- # cd ~/my-openmpp-release

# bin/oms

- # # Script below is using openM++ web-service "oms"
- # to run the model, modify parameters and read output values.

#

- # If jsonlite or httr is not installed then do:
- # install.packages("jsonlite")
- # install.packages("httr")
- # library("jsonlite")

### library("httr")

# Include openM++ helper functions from your \$HOME directory

- # on Windows HOME directory is: "C:\Users\User Name Here\Documents"
- #
- # if you don't have omsCommon.R then download it from https://github.com/openmpp/R/oms-R
- # if you have omsCommon.R in some other location then update path below

### source("~/omsCommon.R")

#

#

- # Using RiskPaths model
- # to analyze contribution of delayed union formations
- *# versus decreased fertility on childlessness*
- #

# Input parameters:

- # AgeBaselineForm1: age baseline for first union formation
- *#* UnionStatusPreg1: relative risks of union status on first pregnancy
- # Output value:
- # T05\_CohortFertility: Cohort fertility, expression 1

# Model name: RiskPaths

#

#

- # If you have multiple versions of the model with the same name
- # then instead of:
- # ModelName = "RiskPaths"
- # use model digest to identify specific model version, for example:
- # ModelDigest = "d90e1e9a49a06d972ecf1d50e684c62b"

#### md <- "RiskPaths"

# oms web-service URL, it can be hard-coded, for example: "http://localhost:4040/api/"

#### apiUrl <- getOmsApiUrl()

# Find first model run to use it as our base run

# Parameters AgeBaselineForm1 and UnionStatusPreg1 are varied by this script # and the rest of parameters we are getting from base model run

### # rsp <- GET(paste0(

apiUrl, "model/", md, "/run/status/first"

- if (http\_type(rsp) != 'application/json') {
   stop("Failed to get first run status")
- } jr <- content(rsp) firstRunDigest <- jr\$RunDigest
- # get initial values for AgeBaselineForm1 and UnionStatusPreg1 parameters
- # by reading it from first model run results

#### rsp <- GET(paste0(

apiUrl, "model/", md, "/run/", firstRunDigest, "/parameter/AgeBaselineForm1/value/start/0/count/0" ))

## if (http\_type(rsp) != 'application/json') {

stop("Failed to get parameter AgeBaselineForm1")
}

ageFirstUnion <- content(rsp)

rsp <- GET(paste0(

apiUrl, "model/", md, "/run/", firstRunDigest, "/parameter/UnionStatusPreg1/value/start/0/count/0"
))

if (http\_type(rsp) != 'application/json') {

```
}
unionStatusPreg <- content(rsp)
# Create multiple input scenarios and save all of it as our modelling task:
# apply scale in range from 0.44 to 1.0
# to AgeBaselineForm1 and UnionStatusPreg1 parameters
# scaleStep <- 0.08 # do 64 model runs
# scaleStep <- 0.5 # use this for quick test
#
scaleStep <- 0.08
scaleValues <- seq(from = 0.44, to = 1.00, by = scaleStep)
nameLst <- c() # input scenario names, automatically generated
for (scaleAgeBy in scaleValues)
{
 print(c("Scale age: ", scaleAgeBy))
 ag <- ageFirstUnion
 for (k in 1:length(ag))
 {
  ag[[k]]$Value <- ageFirstUnion[[k]]$Value * scaleAgeBy
 }
 for (scaleUnionBy in scaleValues)
 {
  un <- unionStatusPreg
  un[[1]]$Value <- un[[1]]$Value * scaleUnionBy # change only first two values
  un[[2]]$Value <- un[[2]]$Value * scaleUnionBy # of UnionStatusPreg1 parameter
  # create new input scenario
  # automatically generate unique names for each input scenario
  pd <- list(
    ModelName = md,
     Name = "
     BaseRunDigest = firstRunDigest,
    IsReadonly = TRUE,
     Txt = list(
     list(LangCode = "EN", Descr = paste("Scale age:", scaleAgeBy, ", union status", scaleUnionBy)),
      list(LangCode = "FR", Descr = paste("Échelle d'âge:", scaleAgeBy, ", statut syndical", scaleUnionBy))
     ),
     Param = list(
     list(
       Name = "AgeBaselineForm1",
       SubCount = 1,
       Value = ag,
       Txt = list(
        list(LangCode = "FR", Note = paste("Mettre à l'échelle l'âge par:", scaleAgeBy))
       )
      ),
      list(
       Name = "UnionStatusPreg1",
       SubCount = 1.
       Value = un
       Txt = list(
        list(LangCode = "EN", Note = paste("Scale union status by:", scaleAgeBy))
       )
     )
    )
  jv <- toJSON(pd, pretty = TRUE, auto_unbox = TRUE)
  # create input scenario by submitting request to oms web-service
  rsp <- PUT(paste0(
      apiUrl, "workset-create"
     ).
    body = jv,
    content_type_json()
   )
  if (http_type(rsp) != 'application/json') {
   stop("Failed to create input set")
  }
  ir <- content(rsp)
  sn <- jr$Name # name of new input scenario generated by oms web-service
  if (is.na(sn) || sn == "") stop("Fail to create input set, scales:", scaleAgeBy, scaleUnionBy)
  nameLst <- c(nameLst, sn)
 }
}
# Create modeling task from all input sets
# automatically generate unique name for the task
```

innl en <- length(namel st)

stop("Failed to get parameter UnionStatusPreg1")

inpecti - iongun(namoeor) print(paste("Create task from", inpLen, "input scenarios")) pd <-list(ModelName = md, Name = ' Set = nameLst, Txt = list( list( LangCode = "EN", Descr = paste("Task to run RiskPaths", inpLen, "times"), Note = paste("Task scales AgeBaselineForm1 and UnionStatusPreg1 parameters from 0.44 to 1.00 with step", scaleStep) ) ) ١ jv <- toJSON(pd, pretty = TRUE, auto\_unbox = TRUE) # create task by submitting request to oms web-service rsp <- PUT(paste0( apiUrl, "task-new" ), body = iv, content\_type\_json() if (http\_type(rsp) != 'application/json') { stop("Failed to create modeling task") jr <- content(rsp) taskName <- jr\$Name # name of new task generated by oms web-service if (is.na(taskName) || taskName == "") stop("Fail to create modeling task") # # Run RiskPaths with modeling task and wait until task is completed # It is a sequential run, not parallel. # Running 4 RiskPaths\_mpi instances: "root" leader process and 3 computational processes # each computational process using modelling 4 threads # root process does only database operations and coordinate child workoload.

print(paste("Starting modeling task:", taskName))

# use explicit model run stamp to avoid compatibility issues between cloud model run queue and desktop MPI stamp <- sub(.', '\_', fixed = TRUE, format(Sys.time(),"%Y\_%m\_%d\_%H\_%M\_%OS3"))

```
# prepare model run options
pd <- list(
  ModelDigest = md,
  Mpi = list(
                   # MPI cluster: run 5 processes: 4 for model and rott process
   Np = 5,
   IsNotOnRoot = TRUE # MPI cluster: do not use root process for modelling
  ),
  Template = "mpi.RiskPaths.template.txt", # MPI cluster: model run tempate
  Opts = list(
   OpenM.TaskName = taskName,
   OpenM.RunStamp = stamp,
                                       # use explicit run stamp
   Parameter.SimulationCases = "1024", # use 1024 simulation cases to get quick results
   OpenM.BaseRunDigest = firstRunDigest, # base run to get the rest of input parameters
   OpenM.SubValues = "16",
                                 # use 16 sub-values (sub-samples)
   OpenM.Threads = "4",
                                   # use 4 modeling threads
   OpenM.ProgressPercent = "100" # reduce amount of progress messages in the log file
  )
)
jv <- toJSON(pd, pretty = TRUE, auto_unbox = TRUE)
# run modeling task
rsp <- POST(paste0(
   apiUrl, "run'
  ).
  body = jv,
  content_type_json()
if (http_type(rsp) != 'application/json') {
stop("Failed to run the model")
3
jr <- content(rsp)
submitStamp <- jr$SubmitStamp # model run submission stamp: not empty if model run submitted to run queue
runStamp <- jr$RunStamp # model run stamp: by default empty until model run not started
# wait until task completed
runDigests <- waitForTaskCompleted(taskName, stamp, apiUrl, md)
```

# # get results of task run, cohort fertility: T05\_CohortFertility.Expr1 #

```
pd <- list(
  Name = "T05_CohortFertility",
  ValueName = "Expr1",
              # read all rows of T05_CohortFertility.Expr1
  Size = 0
 )
jv <- toJSON(pd, pretty = TRUE, auto_unbox = TRUE)
scaleLen <- length(scaleValues)</pre>
childlessnessMat <- matrix(data = NA, nrow = scaleLen, ncol = scaleLen, byrow = TRUE)
runIdx <- 1
for (k in 1:scaleLen)
{
 for (j in 1:scaleLen)
 {
  # for each run digest get T05_CohortFertility.Expr1 value
  #
  rsp <- POST(paste0(
       apiUrl, "model/", md, "/run/", runDigests[runIdx], "/table/value"
     ),
     body = jv,
     content_type_json()
   )
  if (http_type(rsp) != 'application/json') {
   stop("Failed to get T05_CohortFertility.Expr1")
  }
  jt <- content(rsp, type = "text", encoding = "UTF-8")
  cf <- fromJSON(jt, flatten = TRUE)
  # value is not NULL then use it else keep default NA
  if (!cf$Page$IsNull)
  {
   childlessnessMat[k, j] = cf$Page$Value
  }
  runldx <- runldx + 1
 }
}
#
# display the results
#
persp(
 x = scaleValues,
 y = scaleValues,
 z = childlessnessMat,
 zlim = range(childlessnessMat, na.rm = TRUE),
 xlab = "Decreased union formation",
 ylab = "Decreased fertility",
 zlab = "Childlessness",
 theta = 30, phi = 30, expand = 0.5, ticktype = "detailed",
 col = "lightgreen",
 cex.axis = 0.7
)
```

# Run RiskPaths model in cloud from local PC

## OpenM++ integration with R: use local PC RStudio to run RiskPaths model on cloud grid

It is a convenient to use GNU R to prepare model parameters and analyze output values. There are two different R APIs which we can use for openM++ models:

- openMpp package: simple and convenient specially for desktop users, upstream and downstream analysis;
- oms JSON web-service API: preferable choice to run models on computational clusters and in cloud.

There is also an excelent R package created by Matthew T. Warkentin available at: oncology-outcomes/openmpp.

Below is an example of oms JSON web-service usage to run RiskPaths model on cloud grid from your local PC RStudio. There is an identical example to:

- run RiskPaths model in cloud
- run RiskPaths model on desktop using openMpp package.

Following R example is running "RiskPaths" model to analyze childlessness by varying two parameters:

- Age baseline for first union formation
- Relative risks of union status on first pregnancy by following scale factor:


```
scaleValues <- seq(from = 0.44, to = 1.00, by = 0.08)
```

Please keep in mind, scaling above result in 64 runs of RiskPaths model, to reduce waiting time we are using only 1024 simulation cases in script below.

Prerequisite Following environmemnt variables are required:

OM\_CLOUD\_URL=https://your-user.cloud.org OM\_CLOUD\_USER=your-login-name OM\_CLOUD\_PWD=your-secret-password

If there are no any other options available then you can store above values in <u>Renviron</u> file in your <u>HOME</u> directory. On Windows HOME directory is: "C:\Users\User Name Here\Documents". **Important Security Warning:** <u>Renviron</u> file is NOT a safe place to strore login information. Contact your IT security team for better solution.





Important: Clear console and clear history after checking your login name and password.

## R script

# # R integration example using RiskPaths model # to analyze contribution of delayed union formations # versus decreased fertility on childlessness # # Cloud model run from local user PC # # Prerequisite: # # 1 # Cloud user account: # Following environmemnt variables are required: # OM\_CLOUD\_URL - cloud URL, e.g.: https://model.openmpp.org # OM\_CLOUD\_USER - user login name, e.g.: demo # OM\_CLOUD\_PWD - login password, e.g.: my-secret-password # # You can use .Renviron file to define it if there are no any other options available. # !!! Security warning: # .Renviron file is not the safe place to store passwords # # Script below is using openM++ web-service "oms" in cloud # to run the model, modify parameters and read output values. # 2. # omsCommon.R file which contains helper functions Ħ # Place it in your \$HOME directory # on Windows HOME directory is: "C:\Users\User Name Here\Documents" # if you don't have omsCommon.R then download it from https://github.com/openmpp/R/oms-R # if you have omsCommon.R in some other location then update path below # If jsonlite or httr is not installed then do: # install.packages("jsonlite") # install.packages("httr") library("jsonlite") library("httr") # Include openM++ helper functions from your \$HOME directory source("~/omsCommon.R") # login to cloud workspace lg <- loginToOpenmCloud() apiUrl <- lg\$apiUrl loginToken <- lg\$loginToken # # Using RiskPaths model # to analyze contribution of delayed union formations # versus decreased fertility on childlessness # Input parameters: # AgeBaselineForm1: age baseline for first union formation # UnionStatusPreg1: relative risks of union status on first pregnancy # Output value # T05\_CohortFertility: Cohort fertility, expression 1 # # Model name: RiskPaths # If you have multiple versions of the model with the same name # then instead of:

# ModelName = "RiskPaths"

# use model digest to identify specific model version, for example

# Mo et = "d00e1e0e10e0e06d072erf1d50e681r62h

```
#
md <- "RiskPaths'
# Find first model run to use it as our base run
#
# Parameters AgeBaselineForm1 and UnionStatusPreg1 are varied by this script
# and the rest of parameters we are getting from base model run
Ħ
rsp <- GET(
  paste0(
   apiUrl, "model/", md, "/run/status/first"
  ),
  set_cookies(jwt_token = loginToken)
if (http_type(rsp) != 'application/json') {
stop("Failed to get first run status")
}
jr <- content(rsp)
firstRunDigest <- jr$RunDigest
# get initial values for AgeBaselineForm1 and UnionStatusPreg1 parameters
# by reading it from first model run results
#
rsp <- GET(
  paste0(
   apiUrl, "model/", md, "/run/", firstRunDigest, "/parameter/AgeBaselineForm1/value/start/0/count/0"
  ),
  set_cookies(jwt_token = loginToken)
if (http_type(rsp) != 'application/json') {
stop("Failed to get parameter AgeBaselineForm1")
}
ageFirstUnion <- content(rsp)
rsp <- GET(
  paste0(
   apiUrl, "model/", md, "/run/", firstRunDigest, "/parameter/UnionStatusPreg1/value/start/0/count/0"
  ),
  set_cookies(jwt_token = loginToken)
if (http_type(rsp) != 'application/json') {
stop("Failed to get parameter UnionStatusPreg1")
}
unionStatusPreg <- content(rsp)
# Create multiple input scenarios and save all of it as our modelling task:
# apply scale in range from 0.44 to 1.0
# to AgeBaselineForm1 and UnionStatusPreg1 parameters
# scaleStep <- 0.08 # do 64 model runs
# scaleStep <- 0.5 # use this for quick test
scaleStep <- 0.08
scaleValues <- seq(from = 0.44, to = 1.00, by = scaleStep)
nameLst <- c() # input scenario names, automatically generated
for (scaleAgeBy in scaleValues)
{
 print(c("Scale age: ", scaleAgeBy))
 ag <- ageFirstUnion
 for (k in 1:length(ag))
 {
  ag[[k]]$Value <- ageFirstUnion[[k]]$Value * scaleAgeBy
 }
 for (scaleUnionBy in scaleValues)
  un <- unionStatusPreg
  un[[1]]$Value <- un[[1]]$Value * scaleUnionBy # change only first two values
  un[[2]]$Value <- un[[2]]$Value * scaleUnionBy # of UnionStatusPreg1 parameter
  # create new input scenario
  # automatically generate unique names for each input scenario
  pd <- list(
    ModelName = md,
    Name =
    BaseRunDigest = firstRunDigest,
    IsReadonly = TRUE,
    Txt = list(
     list(LangCode = "EN", Descr = paste("Scale age:", scaleAgeBy, ", union status", scaleUnionBy)),
     list(LangCode = "FR", Descr = paste("Échelle d'âge:", scaleAgeBy, ", statut syndical", scaleUnionBy))
    ),
    Param = list(
```

```
list(
       Name = "AgeBaselineForm1",
       SubCount = 1.
       Value = ag,
       Txt = list(
        list(LangCode = "FR", Note = paste("Mettre à l'échelle l'âge par:", scaleAgeBy))
       )
      ),
      list(
       Name = "UnionStatusPreg1",
       SubCount = 1,
       Value = un.
       Txt = list(
        list(LangCode = "EN", Note = paste("Scale union status by:", scaleAgeBy))
       )
      )
    )
    )
  jv <- toJSON(pd, pretty = TRUE, auto_unbox = TRUE)
  # create input scenario by submitting request to oms web-service
  rsp <- PUT(
     paste0(
      apiUrl, "workset-create"
     ),
     body = jv,
     content type json(),
     set_cookies(jwt_token = loginToken)
  if (http_type(rsp) != 'application/json') {
   stop("Failed to create input set")
  }
  ir <- content(rsp)
  sn <- jr$Name # name of new input scenario generated by oms web-service
  if (is.na(sn) || sn == "") stop("Fail to create input set, scales:", scaleAgeBy, scaleUnionBy)
  nameLst <- c(nameLst, sn)
 }
}
# Create modeling task from all input sets
# automatically generate unique name for the task
inpLen <- length(nameLst)
print(paste("Create task from", inpLen, "input scenarios"))
pd <- list(
  ModelName = md,
  Name = "
  Set = nameLst,
  Txt = list(
   list(
     LangCode = "EN",
     Descr = paste("Task to run RiskPaths", inpLen, "times"),
     Note = paste("Task scales AgeBaselineForm1 and UnionStatusPreg1 parameters from 0.44 to 1.00 with step", scaleStep)
   )
  )
 )
jv <- toJSON(pd, pretty = TRUE, auto_unbox = TRUE)
# create task by submitting request to oms web-service
rsp <- PUT(
  paste0(
   apiUrl, "task-new"
  ).
  body = jv,
  content_type_json(),
  set_cookies(jwt_token = loginToken)
if (http_type(rsp) != 'application/json') {
 stop("Failed to create modeling task")
}
jr <- content(rsp)
taskName <- jr$Name # name of new task generated by oms web-service
if (is.na(taskName) || taskName == "") stop("Fail to create modeling task")
#
# Run RiskPaths with modeling task and wait until task is completed
# It is a sequential run, not parallel.
Ħ
# Running 4 RiskPaths_mpi instances: "root" leader process and 3 computational processes
# each computational process using modelling 4 threads
# root process does only database operations and coordinate child workoload.
#
```

# use explicit model run stamp to avoid compatibility issues between cloud model run queue and desktop MPI stamp <- sub('.', '\_', fixed = TRUE, format(Sys.time(),"%Y\_%m\_%d\_%H\_%M\_%OS3"))

```
# prepare model run options
pd <- list(
  ModelDigest = md,
  Mpi = list(
   Np = 5,
                    # MPI cluster: run 5 processes: 4 for model and rott process
   IsNotOnRoot = TRUE # MPI cluster: do not use root process for modelling
  ),
  Template = "mpi.RiskPaths.template.txt", # MPI cluster: model run tempate
  Opts = list(
   OpenM.TaskName = taskName,
   OpenM.RunStamp = stamp,
                                        # use explicit run stamp
   Parameter.SimulationCases = "1024", # use 1024 simulation cases to get quick results
   OpenM.BaseRunDigest = firstRunDigest, # base run to get the rest of input parameters
   OpenM.SubValues = "16",
                                      # use 16 sub-values (sub-samples)
   .
OpenM.Threads = "4",
                                    # use 4 modeling threads
   OpenM.ProgressPercent = "100" # reduce amount of progress messages in the log file
  )
 )
jv <- toJSON(pd, pretty = TRUE, auto_unbox = TRUE)
# run modeling task
rsp <- POST(
  paste0(
   apiUrl, "run"
  ),
  body = jv,
  content_type_json(),
  set_cookies(jwt_token = loginToken)
if (http_type(rsp) != 'application/json') {
 stop("Failed to run the model")
3
jr <- content(rsp)
submitStamp <- jr$SubmitStamp # model run submission stamp: not empty if model run submitted to run queue
                             # model run stamp: by default empty until model run not started
runStamp <- jr$RunStamp
# wait until task completed
runDigests <- waitForTaskCompleted(taskName, stamp, apiUrl, md, loginToken)
#
# get results of task run, cohort fertility: T05_CohortFertility.Expr1
#
pd <- list(
  Name = "T05_CohortFertility",
  ValueName = "Expr1",
                 # read all rows of T05_CohortFertility.Expr1
  Size = 0
 )
jv <- toJSON(pd, pretty = TRUE, auto_unbox = TRUE)
scaleLen <- length(scaleValues)</pre>
childlessnessMat <- matrix(data = NA, nrow = scaleLen, ncol = scaleLen, byrow = TRUE)
runldx <- 1
for (k in 1:scaleLen)
{
 for (j in 1:scaleLen)
 {
  # for each run digest get T05_CohortFertility.Expr1 value
  rsp <- POST(
    paste0(
       apiUrl, "model/", md, "/run/", runDigests[runIdx], "/table/value"
     body = jv,
     content_type_json(),
    set_cookies(jwt_token = loginToken)
  if (http_type(rsp) != 'application/json') {
   stop("Failed to get T05_CohortFertility.Expr1")
  }
  jt <- content(rsp, type = "text", encoding = "UTF-8")
  cf <- fromJSON(jt, flatten = TRUE)
  # value is not NULL then use it else keep default NA
  if (!cf$Page$IsNull)
  {
   childlessnessMat[k, j] = cf$Page$Value
  3
  runldx <- runldx + 1
 }
}
```

```
#
# display the results
#
persp(
x = scaleValues,
 y = scaleValues,
 z = childlessnessMat,
 zlim = range(childlessnessMat, na.rm = TRUE),
 xlab = "Decreased union formation",
 ylab = "Decreased fertility",
 zlab = "Childlessness",
 theta = 30, phi = 30, expand = 0.5, ticktype = "detailed",
 col = "lightgreen",
 cex.axis = 0.7
)
# Cleanup:
# delete modelling task
# delete all input scenarios
print(paste("Delete", taskName))
rsp <- DELETE(
  paste0(
   apiUrl, "model/", md, "/task/", taskName
  ),
  set_cookies(jwt_token = loginToken)
 )
stop_for_status(rsp, "delete modelling task")
for (sn in nameLst)
{
 print(paste("Delete", sn))
 rsp <- POST(
   paste0(
     apiUrl, "model/", md, "/workset/", sn, "/readonly/false"
   ),
   set_cookies(jwt_token = loginToken)
  )
 stop_for_status(rsp, paste("update read-only status of input set", sn))
 rsp <- DELETE(
   paste0(
     apiUrl, "model/", md, "/workset/", sn
   ),
   set_cookies(jwt_token = loginToken)
  )
 stop_for_status(rsp, paste("delete input set", sn))
}
```

## Run model from R and save results in CSV file

## OpenM++ integration with R: run RiskPaths model on cloud grid

It is a convenient to use GNU R to prepare model parameters and analyze output values. There are two different R APIs which we can use for openM++ models:

- openMpp package: simple and convenient specially for desktop users, upstream and downstream analysis;
- oms JSON web-service API: preferable choice to run models on computational clusters and in cloud.

There is also an excelent R package created by Matthew T. Warkentin available at: oncology-outcomes/openmpp.

Below is an example of oms JSON web-service usage to run RiskPaths model on cloud grid from RStudio in cloud. There is an identical example to:


- run RiskPaths model in cloud from local PC Rstudio
- run RiskPaths model on desktop using openMpp package.

Following R example is running "RiskPaths" model to analyze childlessness by varying two parameters:

- Age baseline for first union formation
- Relative risks of union status on first pregnancy by following scale factor:

```
scaleValues <- seq(from = 0.44, to = 1.00, by = 0.08)
```

Please keep in mind, scaling above result in 64 runs of RiskPaths model, to reduce waiting time we are using only 1024 simulation cases in script below.



## **R** script

- # # R integration example using RiskPaths model
- # to analyze contribution of delayed union formations
- # to analyze contribution of delayed union formations

# versus decreased reruinty on childlessness

#### # # Prerequisite:

#

# download openM++ release from https://github.com/openmpp/main/releases/latest

# unpack it into any directory

- # start oms web-service:
- # Windows:
- # cd C:\my-openmpp-release
- # bin\ompp\_ui.bat
- # Linux:
- # cd ~/my-openmpp-release

# bin/oms

- # # Script below is using openM++ web-service "oms"
- # to run the model, modify parameters and read output values.

#

- # If jsonlite or httr is not installed then do:
- # install.packages("jsonlite")
- # install.packages("httr")

# library("jsonlite")

### library("httr")

# Include openM++ helper functions from your \$HOME directory

- # on Windows HOME directory is: "C:\Users\User Name Here\Documents"
- #
- # if you don't have omsCommon.R then download it from https://github.com/openmpp/R/oms-R
- # if you have omsCommon.R in some other location then update path below

### source("~/omsCommon.R")

#

#

- #
- # Using RiskPaths model# to analyze contribution of delayed union formations
- # versus decreased fertility on childlessness
  #

# Input parameters:

- # AgeBaselineForm1: age baseline for first union formation
- # UnionStatusPreg1: relative risks of union status on first pregnancy
- # Output value:
- # T05\_CohortFertility: Cohort fertility, expression 1
- #

### # Model name: RiskPaths

#

- # If you have multiple versions of the model with the same name
- # then instead of:
- # ModelName = "RiskPaths"
- # use model digest to identify specific model version, for example:
- # ModelDigest = "d90e1e9a49a06d972ecf1d50e684c62b"

### md <- "RiskPaths"

# oms web-service URL, it can be hard-coded, for example: "http://localhost:4040/api/"

### apiUrl <- getOmsApiUrl()

# Find first model run to use it as our base run

# Parameters AgeBaselineForm1 and UnionStatusPreg1 are varied by this script # and the rest of parameters we are getting from base model run

### # rsp <- GET(paste0(

apiUrl, "model/", md, "/run/status/first"

- if (http\_type(rsp) != 'application/json') {
   stop("Failed to get first run status")
- } jr <- content(rsp)
- firstRunDigest <- jr\$RunDigest

# get initial values for AgeBaselineForm1 and UnionStatusPreg1 parameters # by reading it from first model run results

### rsp <- GET(paste0(

apiUrl, "model/", md, "/run/", firstRunDigest, "/parameter/AgeBaselineForm1/value/start/0/count/0"))

## if (http\_type(rsp) != 'application/json') { term (IE allocation)

stop("Failed to get parameter AgeBaselineForm1")
}

ageFirstUnion <- content(rsp)

rsp <- GET(paste0(

apiUrl, "model/", md, "/run/", firstRunDigest, "/parameter/UnionStatusPreg1/value/start/0/count/0"
))

if (http\_type(rsp) != 'application/json') {

```
}
unionStatusPreg <- content(rsp)
# Create multiple input scenarios and save all of it as our modelling task:
# apply scale in range from 0.44 to 1.0
# to AgeBaselineForm1 and UnionStatusPreg1 parameters
# scaleStep <- 0.08 # do 64 model runs
# scaleStep <- 0.5 # use this for quick test
#
scaleStep <- 0.08
scaleValues <- seq(from = 0.44, to = 1.00, by = scaleStep)
nameLst <- c() # input scenario names, automatically generated
for (scaleAgeBy in scaleValues)
{
 print(c("Scale age: ", scaleAgeBy))
 ag <- ageFirstUnion
 for (k in 1:length(ag))
 {
  ag[[k]]$Value <- ageFirstUnion[[k]]$Value * scaleAgeBy
 }
 for (scaleUnionBy in scaleValues)
 {
  un <- unionStatusPreg
  un[[1]]$Value <- un[[1]]$Value * scaleUnionBy # change only first two values
  un[[2]]$Value <- un[[2]]$Value * scaleUnionBy # of UnionStatusPreg1 parameter
  # create new input scenario
  # automatically generate unique names for each input scenario
  pd <- list(
    ModelName = md,
     Name = "
     BaseRunDigest = firstRunDigest,
    IsReadonly = TRUE,
     Txt = list(
     list(LangCode = "EN", Descr = paste("Scale age:", scaleAgeBy, ", union status", scaleUnionBy)),
      list(LangCode = "FR", Descr = paste("Échelle d'âge:", scaleAgeBy, ", statut syndical", scaleUnionBy))
     ),
     Param = list(
     list(
       Name = "AgeBaselineForm1",
       SubCount = 1,
       Value = ag,
       Txt = list(
        list(LangCode = "FR", Note = paste("Mettre à l'échelle l'âge par:", scaleAgeBy))
       )
      ),
      list(
       Name = "UnionStatusPreg1",
       SubCount = 1.
       Value = un
       Txt = list(
        list(LangCode = "EN", Note = paste("Scale union status by:", scaleAgeBy))
       )
     )
    )
  jv <- toJSON(pd, pretty = TRUE, auto_unbox = TRUE)
  # create input scenario by submitting request to oms web-service
  rsp <- PUT(paste0(
      apiUrl, "workset-create"
     ).
    body = jv,
    content_type_json()
   )
  if (http_type(rsp) != 'application/json') {
   stop("Failed to create input set")
  }
  jr <- content(rsp)
  sn <- jr$Name # name of new input scenario generated by oms web-service
  if (is.na(sn) || sn == "") stop("Fail to create input set, scales:", scaleAgeBy, scaleUnionBy)
  nameLst <- c(nameLst, sn)
 }
}
# Create modeling task from all input sets
# automatically generate unique name for the task
```

innl en <- length(namel st)

stop("Failed to get parameter UnionStatusPreg1")

inpecti - iongun(namoeor) print(paste("Create task from", inpLen, "input scenarios")) pd <-list(ModelName = md, Name = " Set = nameLst, Txt = list( list( LangCode = "EN", Descr = paste("Task to run RiskPaths", inpLen, "times"), Note = paste("Task scales AgeBaselineForm1 and UnionStatusPreg1 parameters from 0.44 to 1.00 with step", scaleStep) ) ) ١ jv <- toJSON(pd, pretty = TRUE, auto\_unbox = TRUE) # create task by submitting request to oms web-service rsp <- PUT(paste0( apiUrl, "task-new" ), body = iv,

content\_type\_json()
)
if (http\_type(rsp) != 'application/json') {

## stop("Failed to create modeling task")

} jr <- content(rsp)

taskName <- jr\$Name # name of new task generated by oms web-service

if (is.na(taskName) || taskName == "") stop("Fail to create modeling task")

#

# Run RiskPaths with modeling task and wait until task is completed

# It is a sequential run, not parallel.

#

# Running 4 RiskPaths\_mpi instances: "root" leader process and 3 computational processes

# each computational process using modelling 4 threads

# root process does only database operations and coordinate child workoload.

print(paste("Starting modeling task:", taskName))

# use explicit model run stamp to avoid compatibility issues between cloud model run queue and desktop MPI stamp <- sub(.', '\_', fixed = TRUE, format(Sys.time(),"%Y\_%m\_%d\_%H\_%M\_%OS3"))

```
# prepare model run options
pd <- list(
  ModelDigest = md,
  Mpi = list(
                   # MPI cluster: run 5 processes: 4 for model and rott process
   Np = 5,
   IsNotOnRoot = TRUE # MPI cluster: do not use root process for modelling
  ),
  Template = "mpi.RiskPaths.template.txt", # MPI cluster: model run tempate
  Opts = list(
   OpenM.TaskName = taskName,
   OpenM.RunStamp = stamp,
                                       # use explicit run stamp
   Parameter.SimulationCases = "1024", # use 1024 simulation cases to get quick results
   OpenM.BaseRunDigest = firstRunDigest, # base run to get the rest of input parameters
   OpenM.SubValues = "16",
                                 # use 16 sub-values (sub-samples)
   OpenM.Threads = "4",
                                   # use 4 modeling threads
   OpenM.ProgressPercent = "100" # reduce amount of progress messages in the log file
  )
)
jv <- toJSON(pd, pretty = TRUE, auto_unbox = TRUE)
# run modeling task
rsp <- POST(paste0(
   apiUrl, "run'
  ).
  body = jv,
  content_type_json()
if (http_type(rsp) != 'application/json') {
stop("Failed to run the model")
3
jr <- content(rsp)
submitStamp <- jr$SubmitStamp # model run submission stamp: not empty if model run submitted to run queue
                           # model run stamp: by default empty until model run not started
runStamp <- jr$RunStamp
# wait until task completed
```

runDigests <- waitForTaskCompleted(taskName, stamp, apiUrl, md)

# # get results of task run, cohort fertility: T05\_CohortFertility.Expr1 #

```
pd <- list(
  Name = "T05_CohortFertility",
  ValueName = "Expr1",
              # read all rows of T05_CohortFertility.Expr1
  Size = 0
 )
jv <- toJSON(pd, pretty = TRUE, auto_unbox = TRUE)
scaleLen <- length(scaleValues)</pre>
childlessnessMat <- matrix(data = NA, nrow = scaleLen, ncol = scaleLen, byrow = TRUE)
runIdx <- 1
for (k in 1:scaleLen)
{
 for (j in 1:scaleLen)
 {
  # for each run digest get T05_CohortFertility.Expr1 value
  #
  rsp <- POST(paste0(
       apiUrl, "model/", md, "/run/", runDigests[runIdx], "/table/value"
     ),
     body = jv,
     content_type_json()
   )
  if (http_type(rsp) != 'application/json') {
   stop("Failed to get T05_CohortFertility.Expr1")
  }
  jt <- content(rsp, type = "text", encoding = "UTF-8")
  cf <- fromJSON(jt, flatten = TRUE)
  # value is not NULL then use it else keep default NA
  if (!cf$Page$IsNull)
  {
   childlessnessMat[k, j] = cf$Page$Value
  }
  runldx <- runldx + 1
 }
}
#
# display the results
#
persp(
x = scaleValues,
 y = scaleValues,
 z = childlessnessMat,
 zlim = range(childlessnessMat, na.rm = TRUE),
 xlab = "Decreased union formation",
 ylab = "Decreased fertility",
 zlab = "Childlessness",
 theta = 30, phi = 30, expand = 0.5, ticktype = "detailed",
 col = "lightgreen",
 cex.axis = 0.7
)
```

## Run model from R: simple loop over model parameter

## **OpenM++ integration with R**

It is a convenient to use GNU R to prepare model parameters and analyze output values. There are two different R APIs which we can use for openM++ models:

- openMpp package: simple and convenient specially for desktop users, upstream and downstream analysis;
- oms JSON web-service API: preferable choice to run models on computational clusters and in cloud.

Below is a simple loop example to run NewCaseBased model on desktop using openMpp R package. There is similar example how to run model in cloud and save results in CSV file using oms JSON web-service.

OpenM++ provides R package openMpp to simplify access to openM++ database for R developers. To find out more about openMpp R package please check:

- openMpp package documentation
- installation ReadMe and source code

There is also an excelent R package created by Matthew T. Warkentin available at: oncology-outcomes/openmpp.

Following R example is running openM++ "NewCaseBased" test model with 16 subsamples using mortality hazard data:

```
mortalityData <- data.frame(
    value = seq(from = 0.014, by = 0.005, length.out = 20)
)</pre>
```

As result Mortality Hazard increases about eight times in the range of [0.014, 0.109] and we can see eight time decrease of Duration of Life from initial 72 years down to 9 years.

× RStudio X +C Q Search Ξ oms.beyond2020.com:8787 🔶 🗋 🏚 . 俞 File Edit Code View Plots Session Build Debug Tools Help anatoly 🕞 🛛 🔘 💽 🗸 🥣 🚽 📄 🗐 🚔 🕪 Go to file/function Addins -🖄 Project: (None) 👻 life\_vs\_mortality\_test.R × Environment History  $-\Box$ 🗏 List 🗸 🛛 🕲 л 📄 🖸 Source on Save 🛛 💁 🖉 🗸 📳 🕣 📊 🖃 Import Dataset 🗸 🎻 📑 Run 📑 🕞 Source 👻 🚍 # NewCaseBased model parameters: # Mortality hazard: double number 45 💼 Global Environment 🕶 a 46 Data 47 Simulation cases: number of simulation cases 48 Simulation seed: random seed IifeDurationD... 20 obs. of 2 variables # 49 🕐 mortalityData 20 obs. of 1 variable 50 MortalityHazard <- list( DaramSetTxt 2 obs. of 4 variables 51 52 name = "MortalityHazard", # model parameter name runIdRs 20 obs. of 1 variable 53 value = 0.014, # value of parameter Values 54 O defRs List of 10 55 lang = c("EN", "FR"), note = c("An arbitrarily selected value, chosen to produce a 56 model\_args " -General.Subsamples 16 -General.Thre… "./NewCaseBased" 57 model\_exe 58 stringsAsFactors = FALSE "NewCaseBased.sqlite" model salite 59 ) 0.109 mortality ) 60 MortalityHaza... List of 3 61 SimulationCases <- list(name = "SimulationCases", value = 5000L
SimulationSeed <- list(name = "SimulationSeed", value = 16807)</pre> 62 245L runId 63 setId 2251 64 SimulationCas... List of 2 65 66 # name, description and notes for this set of model parameters Files Plots Packages Help Viewer  $-\Box$ 67 5 G 68 paramSetTxt <- data.frame( 🗼 🔎 Zoom 🛛 🔚 Export 🗸 🧕 🎻 aramisetist s- data.trame( name = "LifeVsMortality", lang = c("EN", "FR"), descr = c("NewCaseBased working set of narameters" 69 70 < desce "(FR) New( 71 72 (Top Level) \$ R Script \$ Console ~/openmpp\_centos\_20160214/models/bin/ 70 "Mortality hazard: " "0.019" "Mortality hazard: " "0.024" [1] 1 60 "Mortality hazard: " "0.029" [1] "Mortality hazard: "0.034 "Mortality hazard: "0.034" Duration of Life [1] 50 " "0.039" [1] "Mortality hazard: "0.039" "Mortality hazard: "0.044" "Mortality hazard: "0.049" [1] 40 1 "Mortality hazard: " "0.054" [1] "Mortality hazard: " 0.054 30 [1] "Mortality hazard: 0.059 "Mortality hazard: "0.064" "Mortality hazard: "0.069" [1] 20 [1] "Mortality hazard: "0.069" "Mortality hazard: "0.074" "Mortality hazard: "0.079" [1] -0-1 0 " "0.084" "Mortality hazard: "Mortality hazard: [1] " "0.089" "Mortality hazard: " "0.094" 0.02 0.04 0.06 0.08 0.10 [1] "Mortality hazard: "0.094 "Mortality hazard: "0.099" "Mortality hazard: "0.104" [1] [1] Mortality Hazard "Mortality hazard: " "0.109" [1]

### R script

# use openMpp library for openM++ database access library(DBI) library("openMpp") library("RSQLite") # R integration example using NewCaseBased model # loop over MortalityHazard parameter # to analvze DurationOfLife # # To run this example please uncomment and/or change values below # to match your hardware and file system environment: # # model\_exe <- path to the model executable, i.e.: "./NewCaseBased" or "NewCaseBased.exe" # model\_sqlite <- path to the model.sqlite database: "NewCaseBased.sqlite" # model\_args <- optional arguments to control model run, for example: # -OpenM.SubValues 16 <- number of simation members -OpenM.Threads 4 <- number of computatinal threads # Ħ #### For running on a local machine using the working directory in R # For the following values to work, you must first set the R Working directory # to the directory containing the NewCaseBased executable and the SQLite database. # In RStudio Session > Set Working Directory > Choose Directory, # then navigate to location, e.g.: /OM\_ROOT/models/NewCaseBased/ompp/bin # Alternatively, one may use setwd(), e.g.: setwd("/OM\_ROOT/models/NewCaseBased/ompp/bin") # 

```
model_exe = "./NewCaseBased"
model_sqlite = "NewCaseBased.sqlite"
model_args = " -OpenM.SubValues 16 -OpenM.Threads 4"
# model_args = " " # default: 1 simulation member and 1 thread
#
#### For running on a local machine using explicit paths
# model_exe = "/path/to/executable/model/NewCaseBased"
# model_sqlite = "/path/to/SQLite/database/NewCaseBased.sqlite"
#
#### For running on cluster (change to match your cluster)
# model_exe = "mpiexec"
# model_sqlite = "/mirror/NewCaseBased.sqlite"
# model_args = "-n 8 /mirror/NewCaseBased -OpenM.SubValues 16 -OpenM.Threads 2"
#
# NewCaseBased model parameters:
# Mortality hazard: double number
# Simulation cases: number of simulation cases
# Simulation seed: random seed
MortalityHazard <- list(
 name = "MortalityHazard", # model parameter name
 value = 0.014,
                     # value of parameter
 txt = data.frame(
  lang = c("EN", "FR"),
  note = c("An arbitrarily selected value, chosen to produce a life expectancy of about 70 years", NA),
  stringsAsFactors = FALSE
)
)
SimulationCases <- list(name = "SimulationCases", value = 5000L)
SimulationSeed <- list(name = "SimulationSeed", value = 16807)
#
# name, description and notes for this set of model parameters
inputSet <- data.frame(
 name = "LifeVsMortality",
 lang = c("EN", "FR"),
 descr = c("NewCaseBased working set of parameters", "(FR) NewCaseBased working set of parameters"),
 note = c(NA, NA),
 stringsAsFactors = FALSE
)
#
# connect to database and find NewCaseBased model
theDb <- dbConnect(RSQLite::SQLite(), model_sqlite, synchronous = "full")
invisible(dbGetQuery(theDb, "PRAGMA busy_timeout = 86400")) # recommended
defRs <- getModel(theDb, "NewCaseBased") # find NewCaseBased model in database
# create new working set of model parameters based on existing model run results
firstRunId <- getFirstRunId(theDb, defRs)
setId <- createWorksetBasedOnRun(
theDb, defRs, firstRunId, inputSet,
 MortalityHazard, SimulationCases, SimulationSeed
if (setId <= 0L) stop("workset creation failed")
setReadonlyWorkset(theDb, defRs, TRUE, setId) # workset must be read-only to run the model
#
# analyze NewCaseBased model varying mortality hazard values
mortalityData <- data.frame(
value = seq(from = 0.014, by = 0.005, length.out = 20)
)
for (mortality in mortalityData$value)
{
 print(c("Mortality hazard: ", mortality))
 system2(
  model_exe,
  paste(
   model_args,
   " -Parameter.MortalityHazard ", mortality,
   "-OpenM.SetId ", setId,
   " -OpenM.LogToConsole false",
   " -OpenM.LogToFile true",
```

```
" - OpenM. Progress Percent 100",
    sep = ""
  )
 )
}
#
# read final results from database
# average duration of life: DurationOfLife.Expr3
#
runIdRs <- getWorksetRunIds(theDb, setId) # get result id's
 lifeDurationData <- NULL
 for (runId in runIdRs$run_id)
 {
 lifeDurationData <- rbind(
   lifeDurationData,
   selectRunOutputValue(theDb, defRs, runId, "DurationOfLife", "Expr3")
)
}
 dbDisconnect(theDb) # close database connection
 #
 # display the results
 #
 plot(
 mortalityData$value,
 lifeDurationData$expr_value,
  type = "o",
  xlab = "Mortality Hazard",
  ylab = "Duration of Life",
  col = "red"
)
```

## Run RiskPaths model from R: advanced parameters scaling

## OpenM++ integration with R: using RiskPaths model

It is a convenient to use GNU R to prepare model parameters and analyze output values. There are two different R APIs which we can use for openM++ models:

- openMpp package: simple and convenient specially for desktop users, upstream and downstream analysis;
- oms JSON web-service API: preferable choice to run models on computational clusters and in cloud.

Below is an example how to do advanced parameters analysis and run RiskPaths model on desktop using openMpp R package. There is an identical example to:

- run RiskPaths model in cloud
- run RiskPaths model in cloud from local PC Rstudio

OpenM++ provides R package openMpp to simplify access to openM++ database for R developers. To find out more about openMpp R package please check:

- openMpp package documentation
- installation ReadMe and source code


There is also an excelent R package created by Matthew T. Warkentin available at: oncology-outcomes/openmpp.

Following R example is running "RiskPaths" model to analyze childlessness by varying two parameters:

- Age baseline for first union formation
- Relative risks of union status on first pregnancy by following scale factor:

scaleValues <- seq(from = 0.44, to = 1.00, by = 0.02)

Please keep in mind, scaling above result in 841 runs of RiskPaths model and task may take long time to be completed. If you want to get results faster scale values by 0.08 instead of 0.02.



### R script

•
# use openMpp library for openM++ database access library(DBI) library("openMpp") library("RSQLite")
<pre># # Using RiskPaths model # to analyze contribution of delayed union formations # versus decreased fertility on childlessness # # Input parameters: # AgeBaselineForm1: age baseline for first union formation # UnionStatusPreg1: relative risks of union status on first pregnancy # Output value: # T05_CohortFertility: Cohort fertility, expression 1 #</pre>
######################################
<ul> <li># model_sqlite &lt;- path to the model.sqlite database: "RiskPaths.sqlite"</li> <li># model_args &lt;- optional arguments to control model run, for example:</li> <li># -OpenM.SubValues 8 &lt;- number of simation members</li> <li># -OpenM.Threads 4 &lt;- number of computatinal threads</li> <li>#</li> </ul>
#### For running on a local machine using the working directory in R # # For the following values to work, you must first set the R Working directory
# to the directory containing the RiskPaths executable and the SQLite database. # In RStudio Session > Set Working Directory > Choose Directory, # then provide to location (MROOT/models/BickPaths(ampn/hin

# Inen navigate to location, e.g., /OW\_ROOT/Inodels/RiskFattis/Unipp/bin # Alternatively, one may use setwd(), e.g.: setwd("/OM\_ROOT/models/RiskPaths/ompp/bin") # model\_exe = "./RiskPaths" model\_sqlite = "RiskPaths.sqlite" model args = " " # default: 1 simulation member and 1 thread # model\_args = " -OpenM.SubValues 8 -OpenM.Threads 4" # #### For running on a local machine using explicit paths # # model\_exe = "/path/to/executable/model/RiskPaths" # model sqlite = "/path/to/SQLite/database/RiskPaths.sqlite" # #### For running on cluster (change to match your cluster) # # model\_exe = "mpiexec" # model sqlite = "/mirror/RiskPaths.sqlite" # model\_args = "-n 8 /mirror/RiskPaths -OpenM.SubValues 16 -OpenM.Threads 2" # # connect to database to model databes theDb <- dbConnect(RSQLite::SQLite(), model\_sqlite, synchronous = "full") invisible(dbGetQuery(theDb, "PRAGMA busy\_timeout = 86400")) # recommended # find RiskPaths model in database and get model dictionaries ("modelDic", "typeDic", etc...) defRs <- getModel(theDb, "RiskPaths") # # create a copy of default model parameters baseRunId <- getFirstRunId(theDb, defRs) if (baseRunId <= 0) stop("no run results found for the model ", defRs\$modelDic\$model\_name, " ", defRs\$modelDic\$model\_digest) # # get default values for AgeBaselineForm1 and UnionStatusPreg1 parameters # by reading it from first model run results # assuming first run of the model done with default set of parameters ageFirstUnionRs <- selectRunParameter(theDb, defRs, baseRunId, "AgeBaselineForm1") unionStatusPregRs <- selectRunParameter(theDb, defRs, baseRunId, "UnionStatusPreg1") # # create modeling task with # all input parameters same as model default except of # AgeBaselineForm1, UnionStatusPreg1 and SimulationCases parameters casesParam <- list(name = "SimulationCases", value = 1000L) # number of simulation cases taskTxt <- data.frame( # name (auto generated), description and notes for the task name = NA, lang = "EN" descr = "Analyzing childlessness", note = NA stringsAsFactors = FALSE ) taskId <- createTask(theDb, defRs, taskTxt) if (taskId <= 0L) stop("task creation failed: ", defRs\$modelDic\$model\_name, " ", defRs\$modelDic\$model\_digest) # parameters scale # scaleValues <- seq(from = 0.50, to = 1.00, by = 0.50) # tiny set of runs for quick test scaleValues <- seq(from = 0.44, to = 1.00, by = 0.02) UnionStatusMultipler = rep(1, length(unionStatusPregRs\$param\_value)) # vector of 1's for (scAgeBy in scaleValues) print(c("Scale age: ", scAgeBy)) for (scUnionBy in scaleValues) ageParam <- list(name = "AgeBaselineForm1", value = ageFirstUnionRs\$param\_value \* scAgeBy) UnionStatusMultipler[1:2] = scUnionBy # scale first two values of parameter vector unionParam <- list(name = "UnionStatusPreg1", value = unionStatusPregRs\$param\_value \* UnionStatusMultipler ) # Append new working set of parameters into the task. A corresponding setId is generated. setId <- createWorksetBasedOnRun(theDb, defRs, baseRunId, NA, ageParam, unionParam, casesParam) setReadonlyWorkset(theDb, defRs, TRUE, setId)

taskId <- updateTask(theDb, defRs, taskId, setIds = setId)

```
#
```

# run the model on cluster or local desktop
# consult your cluster admin on how to use computational grid
print(paste("Run the model.", model\_exe, "...please wait..."))

```
system2(
 model_exe,
 paste(
  model args,
  "-OpenM.TaskId ", taskId,
  "-OpenM.LogToConsole false",
  " -OpenM.LogToFile true",
  "-OpenM.ProgressPercent 100",
  sep = ""
)
)
#
# read results of task run from database
# cohort fertility: T05_CohortFertility.Expr1
#
taskRunId <- getTaskLastRunId(theDb, taskId) # most recent task run id
taskRunRs <- selectTaskRun(theDb, taskRunId) # get result id's
#
# taskRunId
# [1] 111
# taskRunRs$taskRunSet # Content for "tiny set of runs"
# task_run_id run_id set_id task_id
#1
       108 109 104 103
       108 110 105 103
#2
     108 111 106 103
108 112 107 103
#3
#4
# Main scenario task_id 103 comes with 4 sets of parameters set_id 104, 105, 106, 107 (e.g. PSA)
# The main scenario/task was run (task_run_id 108) which spins out 4 runs run_id 109, 110, 111, 112
scaleLen <- length(scaleValues)
childlessnessMat <- matrix(data = NA, nrow = scaleLen, ncol = scaleLen, byrow = TRUE)
runPos <- 1
for (k in 1:scaleLen)
{
 for (j in 1:scaleLen)
 {
  # cohort fertility: T05_CohortFertility.Expr1
  expr1Rs <- selectRunOutputValue(theDb, defRs, taskRunRs$taskRunSet$run id[runPos], "T05 CohortFertility", "Expr1")
  childlessnessMat[k, j] = expr1Rs$expr_value
  runPos <- runPos + 1
}
}
dbDisconnect(theDb) # close database connection
#
# display the results
#
persp(
x = scaleValues,
 y = scaleValues,
 z = childlessnessMat,
 xlab = "Decreased union formation",
 ylab = "Decreased fertility",
 zlab = "Childlessness",
 theta = 30, phi = 30, expand = 0.5, ticktype = "detailed",
 col = "lightgreen",
 cex.axis = 0.7
```

)

## Run model from Python: simple loop over model parameter

## **OpenM++ integration with Python**

This example shows how Python can be used to automate modeling, using very general openM++ interfaces. These same interfaces can be used by platforms and applications other than Python with equivalent functionality.

Following Python script is running openM++ "NewCaseBased" test model with 16 subsamples using mortality hazard data:

mortalityData = [0.014 + i \* 0.005 for i in range(20)]

As result Mortality Hazard increases about eight times in the range of [0.014, 0.109] and we can see eight time decrease of Duration of Life from initial 72 years down to 9 years.

### How to run the script

Python example script is using openM++ web-service in order to run the model, modify parameters and read output values. OpenM++ webservice does not require any installation, just download latest release of openM++, unpack it into any directory, start oms.exe and run the script:

Windows:

cd C:\my-openmpp-release bin\ompp\_ui.bat py ompp-python\life\_vs\_mortality.py

Linux / MacOS:

cd ~/my-openmpp-release bin/oms python3 ompp-python/life\_vs\_mortality.py

As result oms web-service will start to listen incoming requests on http://localhost:4040 and Python script will do all actions using oms web-service API.

You may also need to install mathplotlib to display the chart and requests to communicate with web-service:


pip install -U matplotlib pip install requests

### Important:

This is an example script and error handling intentionally omitted. It is highly recommended to use try ... except in production code.

### Important:

This is an example script and for simplicity it starts 20 instances of the model simultaneously. Obviously this can work only if model relatively simple. DO NOT USE this in production, please use modeling task instead.



### **Python script**

#

- # Python integration example using NewCaseBased model:
- # loop over MortalityHazard parameter
- # to analyze DurationOfLife output value

# Prerequisite.

- # download openM++ release from https://github.com/openmpp/main/releases/latest
- # unpack it into any directory
- # start oms web-service:
- # Windows:
- # cd C:\my-openmpp-release
- # bin\ompp\_ui.bat
- # Linux.
- # cd ~/my-openmpp-release
- # bin/oms

```
#
# Script below is using openM++ web-service "oms"
# to run the model, modify parameters and read output values.
# Important:
# Script below starts 20 instances of the model simultaneously.
# Obviously this can work only if model relatively simple.
# DO NOT USE this in production, please use modeling task instead.
Ħ
# Also script below does not handle errors, please use try/except in production.
import time
import requests
import matplotlib.pyplot as plt
# analyze NewCaseBased model varying mortality hazard values
mortalityData = [0.014 + i * 0.005 \text{ for } i \text{ in range}(20)]
# Use openM++ oms web-service to run NewCaseBased model 20 times
# with different values of MortalityHazard parameter:
# NewCaseBased.exe -OpenM.ProgressPercent 100 -OpenM.SubValues 16 OpenM.Threads 4 -Parameter.MortalityHazard 0.014
# NewCaseBased.exe -OpenM.ProgressPercent 100 -OpenM.SubValues 16 OpenM.Threads 4 -Parameter.MortalityHazard 0.019
# .... and 18 more mortality hazard values ...
±
# For each request to run the model web-service respond with JSON containing RunStamp
# We can use this RunStamp to find model run status and results.
#
runStampLst = []
for m in mortalityData:
  runModelRq = {
     'ModelName': 'NewCaseBased',
     'Opts': {
       'Parameter.MortalityHazard': str(m),
       'OpenM.ProgressPercent': '100', # reduce amount of progress messages in the log file
       'OpenM.SubValues': '16',
                                     # use 16 sub-values (sub-samples)
       'OpenM.Threads': '4'
                                    # use 4 modeling threads
    }
  }
  # submit request to web-service to run the model
  rsp = requests.post('http://127.0.0.1:4040/api/run', json=runModelRq)
  rsp.raise_for_status()
  js = rsp.json()
  runStamp = js['RunStamp']
  if runStamp is None or runStamp == ":
     raise Exception('Model fail to start, run stamp is empty')
  runStampLst.append(runStamp)
  print("MortalityHazard:", m, "model run stamp:", runStamp)
# wait until all model runs completed
#
n = len(runStampLst)
runDigestLst = [" for i in range(n)]
done = [False for i in range(n)]
while n > 0:
  print("Waiting for", n, "model runs to be completed ...")
  n = 0
  for i in range(len(runStampLst)):
     if done[i]:
       continue # run already completed
    rsp = requests.get('http://127.0.0.1:4040/api/model/NewCaseBased/run/' + runStampLst[i] + '/status')
     rsp.raise_for_status()
     js = rsp.json()
     runDigestLst[i], status = js['RunDigest'], js['Status']
     if runDigestLst[i] is None or runDigestLst[i] == " or \
       status is None or status == " or \
       status in 'i' 'p': # i = run not started yet, p = run in progress
       n += 1
       continue
     if status == 's':
                      # success
       done[i] = True
       continue
     #
     raise Exception("Model run failed run stamp:" runStampl st[i] "status:" status)
```

# # if n > 0: time.sleep(1)

....

# all model runs completed successfully print("All model runs completed, retrive output values...")

# for each run get output value # average duration of life: DurationOfLife.Expr3 #

lifeDurationData = []

for runDigest in runDigestLst: rsp = requests.get('http://127.0.0.1:4040/api/model/NewCaseBased/run/' + runDigest + '/table/DurationOfLife/expr') rsp.raise\_for\_status() js = rsp.json() lifeDurationData.append(js[3]['Value'])

tooption ( model fair tailed, fair stamp. , fairstamp.stall, status. , si

# display the results
#
plt.plot(mortalityData, lifeDurationData, 'ro', ls='-')
plt.xlabel('Mortality Hazard')
plt.ylabel('Duration of Life')
plt.show()

# Run RiskPaths model from Python: advanced parameters scaling

# **OpenM++ integration with Python: using RiskPaths model**

This example shows how Python can be used to automate modeling, using very general openM++ interfaces. These same interfaces can be used by platforms and applications other than Python with equivalent functionality.

Following Python script is running "RiskPaths" model to analyze childlessness by varying two parameters:

- · Age baseline for first union formation
- Relative risks of union status on first pregnancy by following scale factor:

```
scaleStep = 0.02
scaleValues = [0.44 + i * scaleStep for i in range(1 + round((1.00 - 0.44) / scaleStep))]
```

Please keep in mind, scaling above result in 841 runs of RiskPaths model and task may take long time to be completed. If you want to get results faster scale values by 0.08 instead of 0.02.

## How to run the script

Python example script is using openM++ web-service in order to run the model, modify parameters and read output values. OpenM++ web-service does not require any installation, just download latest release of openM++, unpack it into any directory, start oms.exe and run the script:

Windows:

cd C:\my-openmpp-release bin\oms py ompp-python\riskpaths\_childlessness.py

Linux / MacOS:

```
cd ~/my-openmpp-release
bin/oms
python3 ompp-python/riskpaths_childlessness.py
```


As result oms web-service will start to listen incoming requests on http://localhost:4040 and Python script will do all actions using oms web-service API.

You may also need to install mathplotlib to display the chart and requests to communicate with web-service:

pip install -U matplotlib pip install requests

### Important:

This is an example script and error handling intentionally omitted. It is highly recommended to use try ... except in production code.



# **Python script**

Ħ # Python integration example using RiskPaths model # to analyze contribution of delayed union formations # versus decreased fertility on childlessness # Input parameters: # AgeBaselineForm1: age baseline for first union formation # UnionStatusPreg1: relative risks of union status on first pregnancy # Output value. # T05\_CohortFertility: Cohort fertility, expression 1 Ħ # Prerequisite: # download openM++ release from https://github.com/openmpp/main/releases/latest # unpack it into any directory # start oms web-service: # Windows:

- # cd C:\my-openmpp-release
- # bin\ompp\_ui.bat

# Linux

# cd ~/my-openmpp-release # bin/oms # # Script below is using openM++ web-service "oms" # to run the model, modify parameters and read output values. # Important: # Script below does not handle errors, please use try/except in production. import time import requests import numpy as np import matplotlib.pyplot as plt # get default values for AgeBaselineForm1, UnionStatusPreg1 and SimulationCases parameters # by reading it from first model run results # assuming first run of the model done with default set of parameters rsp = requests.get('http://127.0.0.1:4040/api/model/RiskPaths/run/status/first') rsp.raise for status() firstRunStatus = rsp.json() firstRunDigest = rsp.json()['RunDigest'] rsp = requests.get('http://127.0.0.1:4040/api/model/RiskPaths/run/' + firstRunDigest + '/parameter/AgeBaselineForm1/value/start/0/count/0') rsp.raise for status() ageFirstUnion = rsp.json() rsp = requests.get('http://127.0.0.1:4040/api/model/RiskPaths/run/' + firstRunDigest + '/parameter/UnionStatusPreg1/value/start/0/count/0') rsp.raise for status() unionStatusPreg = rsp.json() rsp = requests.get('http://127.0.0.1:4040/api/model/RiskPaths/run/' + firstRunDigest + '/parameter/SimulationCases/value/start/0/count/0') rsp.raise\_for\_status() simulationCases = rsp.json() # create new input data for our modelling task # # set number of simulation cases simulationCases[0]['Value'] = 1000 # for AgeBaselineForm1 and UnionStatusPreg1 parameter values # apply scale in range from 0.44 to 1.0 scaleStep = 0.02scaleValues = [0.44 + i \* scaleStep for i in range(1 + round((1.00 - 0.44) / scaleStep))] ageValues = [x['Value'] for x in ageFirstUnion] unionValues = [x['Value'] for x in unionStatusPreg] inpSetLst = [] for scaleAgeBy in scaleValues: print("Scale age by:", scaleAgeBy) for i in range(len(ageFirstUnion)): ageFirstUnion[i]['Value'] = ageValues[i] \* scaleAgeBy for scaleUnionBy in scaleValues: # scale first two values of unionStatusPreg vector unionStatusPreg[0]['Value'] = unionValues[0] \* scaleUnionBy unionStatusPreg[1]['Value'] = unionValues[1] \* scaleUnionBy # create new set of input parameters # automatically generate unique names for each input set inpSetRq = { 'ModelName': 'RiskPaths', 'Name': ' 'BaseRunDigest': firstRunDigest, 'IsReadonly': True, 'Txt': [{ 'LangCode': 'EN', 'Descr': 'Scale age: ' + str(scaleAgeBy) + ' union status: ' + str(scaleUnionBy) }], 'Param': [ { 'Name': 'AgeBaselineForm1', 'SubCount': 1, 'Value': ageFirstUnion, 'Txt': [{'LangCode': 'EN', 'Note': 'Age values scale by: ' + str(scaleAgeBy)}] } 'Name': 'UnionStatusPreg1', 'SubCount': 1, 'Value': unionStatusPreg. 'Txt': [{'LangCode': 'EN', 'Note': 'Union Status values scale by: ' + str(scaleUnionBy)}]

```
],
    }
    #
    # create new input set of model parameters
    # automatically generate unique name for that input set
    rsp = requests.put('http://127.0.0.1:4040/api/workset-create', json=inpSetRq)
    rsp.raise_for_status()
    js = rsp.json()
    inpSetName = js['Name']
    if inpSetName is None or inpSetName == ":
       raise Exception("Fail to create input set, scales:", scaleAgeBy, scaleUnionBy)
     ±
    inpSetLst.append(inpSetName)
# create modeling task from all input sets
# automatically generate unique name for the task
inpLen = len(inpSetLst)
print("Create task from", inpLen, "input sets of parameters")
taskRq = {
  'ModelName': 'RiskPaths',
  'Name': "
  'Set': inpSetLst,
  'Txt': [{
    'LangCode': 'EN',
    'Descr': 'Task to run RiskPaths ' + str(inpLen) + ' times',
    'Note': 'Task scales AgeBaselineForm1 and UnionStatusPreg1 parameters from 0.44 to 1.00 with step ' + str(scaleStep)
  }]
3
rsp = requests.put('http://127.0.0.1:4040/api/task-new', json=taskRq)
rsp.raise_for_status()
js = rsp.json()
taskName = js['Name']
if taskName is None or taskName == ":
  raise Exception("Error at create modeling task")
#
# submit request to web-service to run RiskPaths with modeling task
#
runModelRq = {
  'ModelName': 'RiskPaths',
  'Opts': {
    'OpenM.TaskName': taskName,
     'OpenM.ProgressPercent': '100'
  }
3
rsp = requests.post('http://127.0.0.1:4040/api/run', json=runModelRq)
rsp.raise_for_status()
js = rsp.json()
taskRunStamp = js['RunStamp']
if taskRunStamp is None or taskRunStamp == ":
  raise Exception('Model failed to start, task run stamp is empty')
print("Starting modeling task:", taskName)
# wait until modeling task completed
# and report the progress
#
# task status returned by web-service can be one of:
# i=initial p=in progress w=waiting s=success x=exit e=error(failed)
taskStatus = "
while taskStatus in "'i' 'p' 'w':
  time.sleep(1)
  rsp = requests.get('http://127.0.0.1:4040/api/model/RiskPaths/task/' + taskName + '/run-status/run/' + taskRunStamp)
  rsp.raise_for_status()
  js = rsp.json()
  taskStatus = js['Status']
  # if model not started to run the task yet check again after short sleep
  if taskStatus in " 'i':
    print("Waiting for modeling task to start ... ")
    continue
  # if task completed successfully then get pairs of {model run, inpur set name}
  if taskStatus == 's':
```

rsp = requests.get('http://127.0.0.1:4040/api/model/RiskPaths/task/' + taskName + '/runs') rsp.raise\_for\_status() js = rsp.json() taskRuns = js['TaskRun'][0]['TaskRunSet'] # use index=0 because this is first run of our task break # # if task still in progress then count completed model runs if taskStatus in 'i' 'p' 'w': rsp = requests.get('http://127.0.0.1:4040/api/model/RiskPaths/run/' + taskRunStamp + '/status/list') rsp.raise\_for\_status() trs = rsp.json() # n = 0 for r in trs: if r['Status'] == 's': n += 1 # print("Completed", n, "model runs out of", inpLen) continue ± # any other task run status considered as failure # raise Exception("Model run failed, task run stamp:", taskRunStamp, "status:", taskStatus) print("Modeling task completed, retriving results...") # for each age and union status retrive output: # childlessness value: T05\_CohortFertility.Expr1

#

# organize results into 2-dimensional array to plot 3d chart #

childlessnessVals = np.zeros((len(scaleValues), len(scaleValues))) runldx = 0

### for ageIdx in range(len(scaleValues)):

for unionIdx in range(len(scaleValues)):

""
runDigest = taskRuns[runldx]['Run]['RunDigest']
#
rsp = requests.get('http://127.0.0.1:4040/api/model/RiskPaths/run/' + runDigest + '/table/T05\_CohortFertility/expr')
rsp.raise\_for\_status()
js = rsp.json()
#
childlessnessVals[ageIdx][unionIdx] = js[1]['Value']
runldx += 1
# display the results
#

ageVals, unionVals = np.meshgrid(scaleValues, scaleValues)

fig = plt.figure()
ax = plt.axes(projection='3d')
ax.plot\_wireframe(ageVals, unionVals, childlessnessVals, color='black')
ax.set\_xlabel('Decreased union formation')
ax.set\_xlabel('Decreased fertility')
ax.set\_zlabel('Childlessness')
ax.view\_init(elev=45)
plt.show()

# Windows: Use Docker to get latest version of OpenM++

# Why Docker?

There are multiple cases when you want to use Docker containers for openM++ development:

- build your models with latest version of openM++
- build cluster-ready (and cloud-ready) version of your model without installing MPI on your host computer
- · do test run of your model in cluster environment without installing and configuring MPI cluster on multiple machines
- build latest version of openM++ from source code without installing and configuring all necessary development tools

All above build and run tasks can be done without Docker and our wiki describes all steps necessary to achieve this. However in that case you will spend a few hours or even days with installing and configuring development and cluster environment. Use of Docker allow to skip unnecessary steps and focus on model development. Also because containers are isolated from host environment there is nothing (except of Docker itself) get installed on your host system and you keep it clean, no software versions conflicts.

In order to use containers Docker for Windows must be installed. It can be done on your host system or on virtual machine. There are short notes about Docker installation at the bottom of that page.

## Where to find openM++ Docker images

You can download openM++ images from Docker Hub:

- to run openM++ models pull: docker pull openmpp/openmpp-run:windows-20H2
  - Docker Hub description: openmpp/openmpp-run:windows-20H2
  - GitHub: source code and Dockerfile
- to build latest version of openM++ and re-build your models: docker pull openmpp/openmpp-build:windows-20H2
  - Docker Hub description: openmpp/openmpp-build:windows-20H2
  - GitHub: source code and Dockerfile

## How to use openmpp/openmpp-run:windows-20H2 to run your models

To run openM++ model do:

docker run .... openmpp/openmpp-run:windows-20H2 MyModel.exe

For example, if your models are in C:\my\models\bin directory then:

docker run -v C:\my\models\bin:C:\ompp openmpp/openmpp-run:windows-20H2 MyModel.exe docker run -v C:\my\models\bin:C:\ompp openmpp/openmpp-run:windows-20H2 mpiexec -n 2 MyModel\_mpi.exe -OpenM.SubValues 16 docker run -v C:\my\models\bin:C:\ompp -e OM\_ROOT=C:\ompp openmpp/openmpp-run:windows-20H2 MyModel.exe

also you can use -e OM\_ROOT=C:\ompp to set environment variable for your model, if necessary.

To start command prompt do:

docker run -v C:\my\models\bin:C:\ompp -it openmpp/openmpp-run:windows-20H2

## How to use openmpp/openmpp-build:windows-20H2 to build openM++ and models

To build latest version of openM++ from source code and rebuild your models do:

docker run .... openmpp/openmpp-build:windows-20H2 build-all

For example, if your build in C:\my\build directory then:

docker run -v C:\my\build:C:\build openmpp/openmpp-build:windows-20H2 build-all docker run -v C:\my\build:C:\build -e OM\_BUILD\_PLATFORMS=x64 openmpp/openmpp-build:windows-20H2 build-all docker run -v C:\my\build:C:\build -e MODEL\_DIRS=RiskPaths openmpp/openmpp-build:windows-20H2 build-all

Following environment variables used to control openM++ build:

set OM\_BUILD\_CONFIGS=Release,Debug (default: Release) set OM\_BUILD\_PLATFORMS=Win32,x64 (default: Win32) set OM\_MSG\_USE=MPI (default: EMPTY) set MODEL\_DIRS=modelOne,NewCaseBased,NewTimeBased,NewTimeBased\_bilingual,IDMM,OzProj,OzProjGen,RiskPaths

To build only openM++ libraries and omc compiler do:

docker run .... openmpp/openmpp-build:windows-20H2 build-openm

Environment variables to control build-openm: OM\_BUILD\_CONFIGS, OM\_BUILD\_PLATFORMS, OM\_MSG\_USE

To build models do:

docker run .... openmpp/openmpp-build:windows-20H2 build-models

Environment variables to control build-models: OM\_BUILD\_CONFIGS, OM\_BUILD\_PLATFORMS, OM\_MSG\_USE, MODEL\_DIRS

For example, if want to build your own model MyModel copy model code into C:mylbuild\models\MyModel directory and do:

docker run -v C:\my\build:C:\build -e MODEL\_DIRS=MyModel openmpp/openmpp-build:windows-20H2 build-models docker run -v C:\my\build:C:\build -e MODEL\_DIRS=MyModel -e OM\_BUILD\_PLATFORMS=x64 openmpp/openmpp-build:windows-20H2 build-models

To build openM++ tools do any of:

docker run .... openmpp/openmpp-build:windows-20H2 build-go # Go oms web-service and dbcopy utility docker run .... openmpp/openmpp-build:windows-20H2 build-r # openMpp R package docker run .... openmpp/openmpp-build:windows-20H2 build-perl # Perl utilities docker run .... openmpp/openmpp-build:windows-20H2 build-ui # openM++ UI

To create openmpp\_win\_YYYYMMDD.zip deployment archive:

docker run .... openmpp/openmpp-build:windows-20H2 build-zip

Environment variables to control build-zip: OM\_MSG\_USE, MODEL\_DIRS

To customize build you can change any of build scripts inside of \$HOME/build directory:

C:\my\build\build-all.bat # rebuild entire openM++ and create openmpp\_win\_YYYYMMDD.tar.gz archive C:\my\build\build-openm.bat # rebuild entire openM++ runtime libraries and compiler C:\my\build\build-models.bat # rebuild openM++ models specified by MODEL\_DIRS C:\my\build\build-go.bat # rebuild Go oms web-service and dbcopy utility C:\my\build\build-r.bat # rebuild openMpp R package C:\my\build\build-ui.bat # rebuild openM++ UI C:\my\build\build-zip.bat # create openmpp\_win\_YYYYMMDD.zip archive

To open cmd command prompt or Perl command prompt:

docker run -v C:\my\build:C:\build -it openmpp/openmpp-build:windows-20H2 cmd docker run -v C:\my\build:C:\build -it openmpp/openmpp-build:windows-20H2 C:\perl\portableshell


## **Docker for Windows installation**

Please follow official Microsoft documentation and Docker documentation to download and install Docker for Windows. There are few notes below, which you may find useful.

Final result should be "Docker is running":

📑 Settings	
General	General AN
Proxies	Adjust how Docker Desktop behaves according
Daemon	to your preferences.
Reset	Start Docker Desktop when you log in
	Automatically check for updates
	✓ Send usage statistics
	Help us improve Docker Desktop by sending anonymous app lifecycle information (e.g., starts, stops, resets), Windows version and language setting.
	Note: When running, Docker Desktop will <u>always</u> send its version.
	Expose daemon on tcp://localhost:2375 without TLS
	Exposing daemon on TCP without TLS helps legacy clients connect to the daemon. It also makes yourself vulnerable to remote code execution attacks. Use with caution.
<ul> <li>Docker is running</li> <li>Kubernetes is stopped</li> </ul>	You are running a stable version. You can switch to another version.

You should do "Switch to Windows containers":



This menu can be accessed by right-clicking the Docker icon in the system tray, which is normally in the lower right corner of the display.

Docker installation require Hyper-V Windows feature "On":

💽 Windo	Windows Features			$\times$		
Turn W	Turn Windows features on or off					
To turn a feature on, select its check box. To turn a feature off, clear its check box. A filled box means that only part of the feature is turned on.						
	.NET Framework 3.5 (includes .NET 2.0 and 3	.0)		~		
• •	.NET Framework 4.8 Advanced Services					
	Active Directory Lightweight Directory Service	ces				
	Containers					
	Data Center Bridging					
• •	Device Lockdown					
	Guarded Host					
± 🗹	Hyper-V					
	Internet Explorer 11					
• 🗆 📊	Internet Information Services					
	Internet Information Services Hostable Web	Core				
🕀 🗖 📊	Legacy Components					
H 🗹 📊	Media Features					
• 🗆 📊	Microsoft Message Queue (MSMQ) Server					
	Microsoft Print to PDF					
	Microsoft XPS Document Writer					
•	MultiPoint Connector					
🗉 🗖 📊	Print and Document Services					
	Remote Differential Compression API Suppo	ort				
• 🗆 📊	Services for NFS					
	Simple TCPIP services (i.e. echo, daytime etc	:)				
± 🗹 📊	SMB 1.0/CIFS File Sharing Support					
	SMB Direct					
	Telnet Client					
	TFTP Client					
	Virtual Machine Platform					
	Windows Defender Application Guard					
	Windows Hypervisor Platform					
	Windows Identity Foundation 3.5			¥		
	0	К	Canc	el		

If you installing Docker inside of VMware virtual machine then it may be necessary to turn on "Virtualize Intel VT-x/EPT or AMD-V/RVI" settings. You can turn it off after setup completed:

Virtual Machine Settings				
Hardware Options Device Memory Processors Hard Disk (SATA) OCD/DVD (SATA) Network Adapter CUSB Controller OUSB Controller OUSD Card Display	Summary 8 GB 4 250 GB Auto detect Bridged (Automatic) Present Auto detect Auto detect	Processors Number of processor cores: 4  Virtualization engine Virtualize Intel VT-x/EPT or AMD-V/RVI Virtualize CPU performance counters		

# Linux: Use Docker to get latest version of OpenM++

# Why Docker?

There are multiple cases when you want to use Docker containers for openM++ development:

- build your models with latest version of openM++
- · build cluster-ready (and cloud-ready) version of your model without installing MPI on your host computer
- · do test run of your model in cluster environment without installing and configuring MPI cluster on multiple machines
- build latest version of openM++ from source code without installing and configuring all necessary development tools

All above build and run tasks can be done without Docker and our wiki describes all steps necessary to achieve this. However in that case you will spend a few hours or even days with installing and configuring development and cluster environment. Use of Docker allow to skip unnecessary steps and focus on model development. Also because containers are isolated from host environment there is nothing (except of Docker itself) get installed on your host system and you keep it clean, no software versions conflicts.

To install Docker:

- on Ubuntu do: sudo apt-get install docker
- on Debian or MX Linux: su -c "apt-get install docker"
- for RedHat 8 please follow RedHat 8: How to use Docker instructions.

# Where to find openM++ Docker images

You can download openM++ images from Docker Hub:

- to run openM++ models pull: docker pull openmpp/openmpp-run:debian
  - Docker Hub description: openmpp/openmpp-run:debian
  - GitHub: source code and Dockerfile
- to build latest version of openM++ and re-build your models: docker pull openmpp/openmpp-build:debian
  - Docker Hub description: openmpp/openmpp-build:debian
  - GitHub: source code and Dockerfile

If you want to use Ubuntu LTS (Ubuntu 20.04):

- to run openM++ models pull: docker pull openmpp/openmpp-run:ubuntu
  - Docker Hub description: openmpp/openmpp-run:ubuntu
  - GitHub: source code and Dockerfile
- to build latest version of openM++ and re-build your models: docker pull openmpp/openmpp-build:ubuntu
  - Docker Hub description: openmpp/openmpp-build:ubuntu
  - GitHub: source code and Dockerfile

Documentation below contains Debian examples and it is also applicable to Ubuntu. Only difference is **ubuntu** Docker image name and **sudo** to run the **docker** command, for example:

sudo docker run openmpp/openmpp-run:ubuntu models/bin/MyModel

# User name, user ID, group ID, home directory

Both containers openmpp/openmpp-run:debian and openmpp/openmpp-build:debian created with for user and group ompp, UID=1999, GID=1999, HOME=/home/ompp . To avoid permissions issues you may need to do one of:

• create user ompp, UID=1999 , group ompp, UID=1999 and login as that user

or use OMPP\_\* environment variables as in examples below to map your current login to container

For example, let assume you logged into your system as user:group = Me:MyGroup UID:GID = 1234:1234 and want to run model in your home directory: \$HOME/models/bin/MyModel.

Simple attempt to run the model:

docker run openmpp/openmpp-run:debian models/bin/MyModel

will fail with error similar to: "models/bin/MyModel: No such file or directory" because container don't have an access to the files on your host system.

Let's bind your directory \$HOME/models/bin/MyModel to the container default /home/ompp

```
docker run \
-v $HOME/models/bin:/home/ompp \
openmpp/openmpp-run:debian \
./MyModel
```

That will fail with error "Permission denied" because container default login user:group = ompp:ompp UID:GID = 1999:1999 don't have an access to your files user:group = Me:MyGroup UID:GID = 1234:1234 .

You can create such login on your host system user:group = ompp:ompp UID:GID = 1999:1999 and use it to run the models

Or you can tell container to use your current user:group = Me:MyGroup UID:GID = 1234:1234 instead of default values:

```
docker run \
-v $HOME/models/bin:/home/models \
-e OMPP_USER=models -e OMPP_GROUP=models -e OMPP_UID=$UID -e OMPP_GID=`id -g` \
openmpp/openmpp-run:debian \
./MyModel
```

### How to use openmpp/openmpp-run:debian to run your models

To run openM++ model do:

docker run .... openmpp/openmpp-run:debian ./MyModel

For example, if your models are in \$HOME/models/bin directory then:

```
docker run \
-v $HOME/models/bin:/home/models \
-e OMPP_USER=models -e OMPP_GROUP=models -e OMPP_UID=$UID -e OMPP_GID=`id -g` \
openmpp/openmpp-run:debian \
./MyModel
docker run \
-v $HOME/models/bin:/home/models \
-e OMPP_USER=models -e OMPP_GROUP=models -e OMPP_UID=$UID -e OMPP_GID=`id -g` \
openmpp/openmpp-run:debian \
mpiexec -n 2 MyModel_mpi -OpenM.SubValues 16
```

also you can use -e OM\_ROOT=/home/ompp to set environment variable for your model, if necessary.

#### To start shell inside of conatiner do:

```
docker run \

-v $HOME:/home/${USER} \

-e OMPP_USER=${USER} -e OMPP_GROUP=`id -gn` -e OMPP_UID=$UID -e OMPP_GID=`id -g` \

-it openmpp/openmpp-run:debian

bash
```

Following environment variables are used to map container user to your login:

```
OMPP_USER=ompp # default: ompp, container user name and HOME
OMPP_GROUP=ompp # default: ompp, container group name
OMPP_UID=1999 # default: 1999, container user ID
OMPP_GID=1999 # default: 1999, container group ID
```

# How to use openmpp/openmpp-build:debian to build openM++ and models

To build latest version of openM++ from source code and rebuild your models do:

docker run ....options.... openmpp/openmpp-build:debian ./build-all

For example, if your build in **\$HOME/build** directory then:

docker run \ -v \$HOME/build:/home/build \ -e OMPP USER=build -e OMPP GROUP=build -e OMPP UID=\$UID -e OMPP GID=`id -g` \ openmpp/openmpp-build:debian \ ./build-all docker run \ -v \$HOME/build mpi:/home/build mpi \ -e OMPP\_USER=build\_mpi -e OMPP\_GROUP=build\_mpi -e OMPP\_UID=\$UID -e OMPP\_GID=`id -g` \ -e OM\_MSG\_USE=MPI \ openmpp/openmpp-build:debian \ ./build-all docker run ....user, group, home.... -e MODEL\_DIRS=RiskPaths,IDMM openmpp/openmpp-build:debian ./build-all docker run ....user, group, home.... -e OM\_BUILD\_CONFIGS=RELEASE,DEBUG openmpp/openmpp-build:debian ./build-all docker run ....user, group, home.... -e OM\_MSG\_USE=MPI openmpp/openmpp-build:debian ./build-all

#### Following environment variables used to control openM++ build:

 OM\_BUILD\_CONFIGS=RELEASE,DEBUG # default: RELEASE,DEBUG for libraries and RELEASE for models

 OM\_MSG\_USE=MPI
 # default: EMPTY

 MODEL\_DIRS=modelOne,NewCaseBased,NewTimeBased,NewCaseBased\_bilingual,NewTimeBased\_bilingual,IDMM,OzProj,OzProjGen,RiskPaths

#### Following environment variables are used to map container user to your login:

OMPP\_USER=ompp # default: ompp, container user name and HOME OMPP\_GROUP=ompp # default: ompp, container group name OMPP\_UID=1999 # default: 1999, container user ID OMPP\_GID=1999 # default: 1999, container group ID

To build only openM++ libraries and omc compiler do:

docker run ....options.... openmpp/openmpp-build:debian ./build-openm

Environment variables to control build-openm: OM\_BUILD\_CONFIGS, OM\_MSG\_USE

To build only models do:

docker run ....options.... openmpp/openmpp-build:debian ./build-models

Environment variables to control build-models: OM\_BUILD\_CONFIGS, OM\_MSG\_USE, MODEL\_DIRS

For example, if want to build your own model MyModel copy model code into \$HOME/build/models/MyModel directory and do:

docker run ....user, group, home.... -e MODEL\_DIRS=MyModel openmpp/openmpp-build:debian ./build-models docker run ....user, group, home.... -e MODEL\_DIRS=MyModel -e OM\_BUILD\_CONFIGS=RELEASE,DEBUG openmpp/openmpp-build:debian ./build-models

To build openM++ tools do any of:

docker run .... openmpp/openmpp-build:debian ./build-go #Go oms web-service and dbcopy utility docker run .... openmpp/openmpp-build:debian ./build-r # openMpp R package docker run .... openmpp/openmpp-build:debian ./build-ui # openM++ UI

To create openmpp\_redhat\_YYYYMMDD.tar.gz deployment archive:

docker run .... openmpp/openmpp-build:debian ./build-tar-gz



#### To start shell inside of container do:

docker run \ -v \$HOME:/home/\${USER} \ -e OMPP\_USER=\${USER} -e OMPP\_GROUP=`id -gn` -e OMPP\_UID=\$UID -e OMPP\_GID=`id -g` \ -it openmpp/openmpp-build:debian \ bash

# How to use openmpp/openmpp-build:debian to update openM++ documentation

To build latest version of openM++ documentation do:

docker run ....options.... openmpp/openmpp-build:debian ./make-doc

For example, if your want to make a documenation in **\$HOME/build\_doc** directory then:

```
docker run \
-v $HOME/build_doc:/home/build_doc \
-e OMPP_USER=build_doc -e OMPP_GROUP=build_doc -e OMPP_UID=$UID -e OMPP_GID=`id -g` \
openmpp/openmpp-build:debian \
./make-doc
```

# RedHat 8: Use Docker to get latest version of OpenM++

# Why Docker?

There are multiple cases when you want to use Docker containers for openM++ development:

- build your models with latest version of openM++
- · build cluster-ready (and cloud-ready) version of your model without installing MPI on your host computer
- · do test run of your model in cluster environment without installing and configuring MPI cluster on multiple machines
- build latest version of openM++ from source code without installing and configuring all necessary development tools

All above build and run tasks can be done without Docker and our wiki describes all steps necessary to achieve this. However in that case you will spend a few hours or even days with installing and configuring development and cluster environment. Use of Docker allow to skip unnecessary steps and focus on model development. Also because containers are isolated from host environment there is nothing (except of Docker itself) get installed on your host system and you keep it clean, no software versions conflicts.

To install Docker on RedHat do: dnf install podman

## Where to find openM++ Docker images

You can download openM++ images from Docker Hub:

- to run openM++ models pull: podman pull openmpp/openmpp-run:redhat-8
  - Docker Hub description: openmpp/openmpp-run:redhat-8
  - GitHub: source code and Dockerfile
- to build latest version of openM++ and re-build your models: podman pull openmpp/openmpp-build:redhat-8
  - Docker Hub description: openmpp/openmpp-build:redhat-8
  - GitHub: source code and Dockerfile

## User name and home directory

Both containers openmpp/openmpp-run:redhat-8 and openmpp/openmpp-build:redhat-8 created with for user ompp, HOME=/home/ompp. To avoid permissions issues you may need to map that user to your host user namespace and use :z option if you want to mount host local directory, for example:

podman run -userns=host -v \$HOME/build:/home/build:z -e OMPP\_USER=build openmpp/openmpp-build:redhat-8 ./build-all

Above we are mapping container user build to our current host user and container user home directory /home/build to sub-folder \$HOME/build.

Or if want to use container user models to run our models:

podman run -userns=host -v \$HOME/models:/home/models:z -e OMPP\_USER=models openmpp/openmpp-run:redhat-8 ./modelOne

## How to use openmpp/openmpp-run:redhat-8 to run your models

To run openM++ model do:

podman run .... openmpp/openmpp-run:redhat-8 ./modelOne

For example, if your models are in \$HOME/models/bin directory then:

podman run \ -userns=host \ -v \$HOME/models/bin:/home/models:z \ -e OMPP\_USER=models \ openmpp/openmpp-run:redhat-8 \ ./modelOne

podman run \ -userns=host \ -v \$HOME/models/bin:/home/models:z \ -e OMPP\_USER=models \ openmpp/openmpp-run:redhat-8 \ mpiexec --allow-run-as-root -n 2 MyModel\_mpi -OpenM.SubValues 16

Also you can use -e OM\_ROOT=/home/models/my-openMpp-dir to set environment variable for your model, if necessary.

#### To start shell inside of conatiner do:

podman run -it openmpp/openmpp-run:redhat-8 bash

Following environment variable is used to map container user and home directory to you host directory:

OMPP\_USER=ompp # default: ompp, container user name and HOME

### How to use openmpp/openmpp-build:redhat-8 to build openM++ and models

To build latest version of openM++ from source code and rebuild your models do:

podman run .... openmpp/openmpp-build:redhat-8 ./build-all

For example, if your build in **\$HOME/build** or in **\$HOME/build\_mpi** directory then:



#### Following environment variables used to control openM++ build:

OM\_BUILD\_CONFIGS=RELEASE,DEBUG # default: RELEASE,DEBUG for libraries and RELEASE for models
OM\_MSG\_USE=MPI # default: EMPTY
MODEL\_DIRS=modelOne,NewCaseBased,NewTimeBased,NewCaseBased\_bilingual,NewTimeBased\_bilingual,IDMM,OzProj,OzProjGen,RiskPaths

Following environment variable is used to map container user and home directory to you host directory:

OMPP\_USER=ompp # default: ompp, container user name and HOME

To build only openM++ libraries and omc compiler do:

podman run .... openmpp/openmpp-build:redhat-8 ./build-openm

Environment variables to control build-openm: OM\_BUILD\_CONFIGS, OM\_MSG\_USE

To build only models do:

Environment variables to control build-models: OM\_BUILD\_CONFIGS, OM\_MSG\_USE, MODEL\_DIRS

For example, if want to build your own model MyModel copy model code into \$HOME/build/models/MyModel directory and do:

podman run .... openmpp/openmpp-build:redhat-8 ./build-models podman run .... -e MODEL\_DIRS=MyModel openmpp/openmpp-build:redhat-8 ./build-models podman run .... -e MODEL\_DIRS=MyModel -e OM\_BUILD\_CONFIGS=RELEASE,DEBUG openmpp/openmpp-build:redhat-8 ./build-models

To build openM++ tools do any of:

podman run .... openmpp/openmpp-build:redhat-8 ./build-go # Go oms web-service and dbcopy utility podman run .... openmpp/openmpp-build:redhat-8 ./build-r # openMpp R package podman run .... openmpp/openmpp-build:redhat-8 ./build-ui # openM++ UI

To create openmpp\_redhat\_YYYMMDD.tar.gz deployment archive:

podman run .... openmpp/openmpp-build:redhat-8 ./build-tar-gz

Environment variables to control build-tar-gz: OM\_MSG\_USE, MODEL\_DIRS

To customize build you can change any of build scripts inside of **\$HOME/build** directory:

```
      $HOME/build/build-all
      # rebuild entire openM++ and create openmpp_redhat_YYYYMMDD.tar.gz archive

      $HOME/build/build-openm
      # rebuild entire openM++ runtime libraries and compiler

      $HOME/build/build-models
      # rebuild openM++ models specified by MODEL_DIRS

      $HOME/build/build-tild/build-tild
      # rebuild openMpp R package

      $HOME/build/build-tild
      # rebuild openM++ UI

      $HOME/build/build-tar-gz
      # create openmpp_redhat_YYYYMMDD.tar.gz archive
```

To start shell inside of container do:

podman run -it openmpp/openmpp-build:redhat-8 bash

# **Quick Start for OpenM++ Developers**

# Where is OpenM++

- Download: binary files and source code
- Latest source code: openM++ git
- (optional) Go source code: openM++ Go git
- (optional) UI source code: openM++ Go git
- Documentation: this wiki
- Pre-requisits described at: Setup Development Environment.

It is recommended to start from desktop version of openM++, not a cluster (MPI) version.

You need to use cluster version of openM++ to run the model on multiple computers in your network, in cloud or HPC cluster environment. OpenM++ is using MPI to run the models on multiple computers. Please check Model Run: How to Run the Model page for more details.

# **Build on Linux**

Tested platforms:

- Debian stable (12) 11 and 10, MX Linux 23, 21 and 19, Ubuntu 22.04, RedHat 9+
- g++ >= 8.3
- (optional) MPI, i.e.: OpenMPI >= 3.1 or MPICH (other MPI implementations expected to work but not tested)
- (optional) OpenMPI >= 4.0 on RedHat >= 8.3 (OpenMPI was broken on RedHat 8.1)

Note: It does work on most of latest Linux distributions, we just not testing regularly on every Linux version.

It is also occasionally tested on openSUSE, Mint, Manjaro, Solus and others.

It is not supported, but may also work on older versions, for example Ubuntu 20.04, Ubuntu 18.04 and RedHat 8.

Check your g++ --version :

```
        g++ (Debian 8.3.0-6) 8.3.0
        # Debian 10 and MX Linux 19

        g++ (Debian 10.2.1-6) 10.2.1 20210110
        # Debian 11 and MX Linux 21

        g++ (Ubuntu 9.3.0-17ubuntu1~20.04) 9.3.0
        # Ubuntu 20.04

        g++ (GCC) 8.3.1 20191121 (Red Hat 8.3.1-5) # RedHat 8, Rocky Linux, AlmaLinux
```

Note: Above output does not include all possible Linux versions and may be outdated, openM++ supports almost any of modern Linux distribution.

## To build debug version of openM++:

git clone https://github.com/openmpp/main.git master cd master/openm/ make cd ../models/ make

**RedHat 8**: If want to rebuild omc (OpenM++ compiler) then you will need **bison** version 3.3+ and **flex** 2.6+ installed, see details at: Setup Development Environment. It is optional and you can avoid it by rebuilding only openM++ run-time libararies:

git clone https://github.com/openmpp/main.git master
cd master/openm/
make libopenm
cd/models/
make

To build **release version** of openM++: make RELEASE=1

Note: openM++ binary downloads build as: make RELEASE=1 OM\_MSG\_USE=MPI

RedHat 8: to build and run MPI version of openM++:

module load mpi/openmpi-x86\_64

Of course, you can also use 32bit version of OpenMPI or MPICH.

## **Build on Windows**

Tested platforms:

- Windows 11, 10, it may also work on Windows 7 (64 and 32 bits), 2016 (64 bit)
- expected to work on any Windows 7 and above or 2008R2 and above, 32 and 64 bits, not regulary tested
- Visual Studio 2022 or 2019 (VS 2017 not supported, but may work), including Community Edition
- (optional) Microsoft MPI SDK Redistributable Package

### To build debug version of openM++:

• checkout from openM++ git using your favorite Git client into C:\SomeDir\ or use command line:

git clone https://github.com/openmpp/main.git SomeDir

- download and unzip Windows version of bison and flex into C:\SomeDir\bin\.
- download and unzip sqlite3.exe into C:\SomeDir\bin\.
- use Visual Studio or MSBuild to build C:\SomeDir\openm\openm.sln solution.
- to build test model(s), i.e.: NewCaseBased, use Visual Studio or MSBuild: C:\SomeDir\models\NewCaseBased\NewCaseBased-ompp.sln .

## To build MPI version of openM++:

- download and install Microsoft MPI SDK and MPI Redistributable.
- use Notepad to open C:\SomeDir\openm\openm.build.props, find and edit the line:

<OM\_MSG\_USE>MPI</OM\_MSG\_USE>

- build C:\SomeDir\openm\openm.sln solution.
- rebuild the model and run it:
  - go to menu: Project -> Properties -> Configuration Properties -> OpenM++
  - change: Build Options -> Grid computing (MPI) -> MPI-enabled Executable (MPI)
  - change: Run Options -> Number of processes to launch -> ....2 or more (depends on your cluster configuration)...
  - change: Run Options -> Run the scenario after build -> Yes
  - Rebuild Model project

At bottom Output window of Visual Studio you will see something like:

1>Model.vcxproj -> C:\SomeDir\models\RiskPaths\ompp\bin\RiskPaths\_mpi.exe 1>2021-06-01 20:57:28.146 RiskPaths 1>2021-06-01 20:57:28.146 RiskPaths 1>2021-06-01 20:57:28.146 RiskPaths 1>2021-06-01 20:57:28.163 RiskPaths 1>2021-06-01 20:57:28.366 OpenM++ build : Windows 64 bit Release MPI 1>2021-06-01 20:57:28.367 Parallel run of 4 modeling processes, 1 thread(s) each 1>2021-06-01 20:57:28.859 member=3 Simulation progress=100% cases=2000 1>2021-06-01 20:57:28.867 member=3 Simulation summary: cases=2000. events/case=112.9. entities/case=1.0. elapsed=0.453989s 1>2021-06-01 20:57:28.868 member=3 Write output tables - start 1>2021-06-01 20:57:28.873 member=3 Write output tables - finish 1>2021-06-01 20:57:29.233 member=0 Write output tables - finish 1>2021-06-01 20:57:29.919 Writing into aggregated output tables, run: 102 1>2021-06-01 20:57:32.607 Done. 1>2021-06-01 20:57:32.607 Done. 1>2021-06-01 20:57:32.607 Done. 1>2021-06-01 20:57:32.607 Done. 1>Done building project "Model.vcxproj". ====== Rebuild All: 1 succeeded, 0 failed, 0 skipped =========

🕅 File Edit View Git Project Build Debug Test Analyze Tools Extensions Window Help ρ Search (Ctrl+Q) RiskPaths-ompp 🛛 🗢 💿 🛛 🔁 🔛 🚰 🦃 🤊 🗸 🖓 🗣 Release 🔹 x64 🝷 🕨 Local Windows Debugger 👻 📷 🕼 🕼 🖉 🖉 🖉 📲 🐂 🐂 🦷 🖉 RiskPaths.ini 👍 🗙 PersonCore.mpp [OpenM SubValues = 4 Model Property Pages ? × Threads = 1 Configuration: All Configurations Platform: All Platforms Configuration Manager... 5 [Parameter] 6 SimulationCases = 8000 Configuration Properties 1. Names General Model Name 8 ; Complete example of in Advanced 9 Scenario Name(s) Debugging Fixed Name VC++ Directories 2. Build Options OpenM++ MPI-enabled Executable (MPI)  $\sim$ Grid computing (N ▷ C/C++ Enable pre-compiled headers Ves b Linker Disable #line directives No Manifest Tool 3. Run Options ▷ XML Document Generator Run the scenario after build Yes Browse Information Model ini file Build Events Number of processes to launch (requires MPI) 4 Custom Build Step Export model run results into csv files No Code Analysis Open model web UI No Grid computing (MPI) Incorporate or not MPI capability into the model executable < | -> OK Cancel Apply 100 % 🔹 💿 No issues found Ln: 7 Ch: 1 Output - | 🏪 | 🖆 🏝 | 🔛 📪 Show output from: Build 1>2021-06-01 20:57:28.365 OpenM++ version: Development version (build from source code) 1>2021-06-01 20:57:28.366 OpenM++ build : Windows 64 bit Release MPT 1>2021-06-01 20:57:28.367 Parallel run of 4 modeling processes, 1 thread(s) each 1>2021-06-01 20:57:28.367 1>2021-06-01 20:57:28.368 Prepare fixed and missing parameters 1>2021-06-01 20:57:28.378 Model version : 3.0.0.0 1>2021-06-01 20:57:28.379 Model created : 2021-06-01 20:57:17.936 1>2021-06-01 20:57:28.380 Model digest : 015aae64ddd0183ac88acd1a96da2e56 1>2021-06-01 20:57:28.380 OpenM++ version: Development version (build from source code) 1>2021-06-01 20:57:28.382 Run: 102 Default

### Note: binary downloads build with Microsoft MPI SDK and MPI Redistributable.

## Note: If you getting build error MSB8036:

C:\Program Files (x86)\Microsoft Visual Studio\2017\Community\Common7\IDE\VC\VCTargets\Platforms\Win32\PlatformToolsets\v141\Toolset.targets(34,5): error MSB8036: The Windows SDK version 10.0.14393.0 was not found.

Install the required version of Windows SDK or change the SDK version in the project property pages or by right-clicking the solution and selecting "Retarget solution".

then do one of the following:

- "Retarget solution"
- use Visual Studio 2019
- start Visual Studio 2017 Installer (VS 2017 not supported but may work)
  - Modify
  - right column
  - check box Windows 8.1 SDK and UCRT SDK

## **Build on MacOS**

• Tested on MacOS latest, may work starting from Catalina 10.15 and 11.1+ Big Sur

Check your clang, make, bison, SQLite version:

clangversion
 Apple clang version 11.0.0 (clang-1100.0.33.12)
makeversion
GNU Make 3.81
bisonversion
bison (GNU Bison) 3.8.2
sqlite3version
 3.28.0 2019-04-15 14:49:49

### To build debug version of openM++:

```
git clone https://github.com/openmpp/main.git ompp-main
cd ompp-main/openm/
make
cd ../models/
make
```

To build **release version** of openM++: make RELEASE=1

You can also use Xcode ~/ompp-main/openm/openm.xcworkspace .

In order to build omc complier you need to use menu and select Product -> Scheme -> omc

Known issue: Xcode UI does not update check mark on selected scheme To fix it go to Product -> Scheme -> Manage Schemes and use mouse to drag any scheme to move it up or down.

## Release version of omc is required in order to build any model other than modelOne.

In order to build and debug modelOne using Xcode please open //ompp-main/models/modelOne/modelOne.xcworkspace

# **Build R package**

• clone from GitHub:

git clone https://github.com/openmpp/R.git ompp-r

• Windows:

```
cd C:>C:\ompp-r
"C:\Program Files\R\R-3.4.0\bin\R.exe" CMD build openMpp
```

• Linux and MacOS:

cd ompp-r R CMD build openMpp

#### Expected output:

- \* checking for file 'openMpp/DESCRIPTION' ... OK
- \* preparing 'openMpp':
- \* checking DESCRIPTION meta-information ... OK
- \* checking for LF line-endings in source and make files and shell scripts
- \* checking for empty or unneeded directories

\* building 'openMpp\_0.8.3.tar.gz'

## **Build Go utilities**

- setup Go envirnment as described at: Setup Development Environment.
- initial checkout:

```
mkdir $HOME/go-ompp
cd $HOME/go-ompp
export GOPATH=$HOME/go-ompp
git clone https://github.com/openmpp/go ompp-go
```

· build Go utilities:

```
cd $HOME/go-ompp/ompp-go
go install -tags sqlite_math_functions,sqlite_omit_load_extension ./dbcopy
go install -tags sqlite_math_functions,sqlite_omit_load_extension ./oms
```

After initial checkout first go install command can take ~30 seconds because go needs to get all dependencies.

By default only SQLite model databases supported by dbcopy and oms. If you want to use other databases vendors please compile dbcopy with ODBC enabled:

go install -tags odbc,sqlite\_math\_functions,sqlite\_omit\_load\_extension ./dbcopy

Currently supported database vendors are: SQLite (default), Microsoft SQL Server, MySql, PostgreSQL, IBM DB2, Oracle. You can use dbcopy utility to copy model data between any of vendors above, for example copy from MySQL to MSSQL or from PostgeSQL to SQLite.

## **Build UI**

Instructions below assuming Windows environment and it is very much identical for Linux and MacOS, except of course, back slashes in directory paths.

- setup node.js environment as described at: Setup Development Environment.
- checkout and build UI:

```
cd my-openm-plus-plus-dir
git clone https://github.com/openmpp/UI.git ompp-ui
cd ompp-ui
npm install
```

- make sure you have models\bin populated with \*.sqlite db files and model executables.
- it is recommended to have my-openm-plus-plus-dirletc folder which can be found at openM++ release archive
- start oms web-service by invoking:
  - ompp\_ui.bat on Windows
  - ompp\_ui.sh on Linux
  - ompp\_ui.command on MacOS
  - or do it in command line:

cd my-openmn-plus-plus-dir bin\oms -oms.HomeDir models -oms.LogRequest • start UI in debug mode:

cd my-openm-plus-plus-dir\ompp-ui npm run dev

- open your favorite browser at <a href="http://localhost:8080">http://localhost:8080</a>
- to build UI for production:

cd my-openm-plus-plus-dir\ompp-ui npm run build

- copy HTML results folder my-openm-plus-plus-dir\dist\spa\\* into my-openm-plus-plus-dir\html\
- open your favorite browser at http://localhost:4040 and refresh (clear browser cache if required)

Note: UI is beta version and you need to stop oms web-service in order to update, add or remove model .sqlite db files.\*

# **Setup Development Environment**

# **OpenM++ Requirements**

Your development and runtime environment must meet following:

- OS: 64 or 32 bits version of:
  - Linux (tested): Debian stable (12) 11 and 10, MX Linux 23, 21 and 19, Ubuntu 22.04, RedHat 9+, (Ubuntu 20.04 and RedHat 8 may also work but not tested regualry)
  - Windows (tested): 11, 10, may work on 7
  - tested on MacOS latest, may work starting from Catalina 10.15 and Big Sur 11.1+, including new Apple Arm64 CPU (a.k.a. M1)

Note: It does work on most of latest Linux'es, any Windows 7+ or 2008R2+, 32 and 64 bits. We just not testing it regularly on every possible Windows / Linux version.

- Support of c++17:
  - ∘ g++ >= 8.3+
  - Visual Studio 2022, including Community Edition, Visual Studio 2019 also works, but not tested regularly
  - Xcode 11.2+
- (optional) if want to build omc (openM++ compiler) from sources:
   bison 3.3+ and flex 2.6+
- (optional) it is recommended to have MPI installed on your local machine or in your HPC cluster:
  - Linux (tested): OpenMPI 1.6+
  - Windows (tested): Microsoft MPI v8+, expected to work starting from HPC Pack 2012 R2 MS-MPI Redistributable Package
  - expected to work: MPICH (MS-MPI is in fact MPICH redistributed by Microsoft)

Optional development tools:

- R 3.5+
- Go 1.19+, on Windows required MinGw for g++ compiler
- node.js LTS version

## Check c++17 capabilities

Linux: To check g++ version type: g++ --version , expected output:

Note: Above output does not include all possible Linux versions and may be outdated, openM++ supports latest Linux distributions.

MacOS: To check c++ version type: clang --version or g++ --version , expected output:

Apple clang version 11.0.0 (clang-1100.0.33.12)

MacOS: install command line developer tools, if not installed already by Xcode: xcode-select --install

Windows: Make sure you have Visual Studio 2022 or 2019 installed with latest update (VS 2017 is not supported but may work).

If you are using different c++ vendor, i.e. Intel c++ then compile and run following test:

```
#include <iostream>
#include <map>
#include <string>
#include <iostream>
using namespace std;
int main(int argc, char** argv)
{
  const map<string, string> capitals {
     { "Poland", "Warsaw"},
     { "France", "Paris"},
     { "UK", "London"},
     { "Germany", "Berlin"}
  };
  // print Country: Capital
  for (const auto & [k,v] : capitals)
  {
     cout << k << ": " << v << "\n";
  3
  return 0:
}
```

Save above code as h17.cpp , compile and run it:

g++ -std=c++17 -o h17 h17.cpp ./h17

#### Expected output:

France: Paris Germany: Berlin Poland: Warsaw UK: London

# **Bison and Flex**

Optional: If you want to recompile omc (OpenM++ compiler) then you need bison version >= 3.3 and flex 2.6+ installed.

To check bison and flex version type following commands:

bison --version flex --version

Expected output:

```
bison (GNU Bison) 3.3.2 # Debian 10 and MX Linux 19
bison (GNU Bison) 3.5.1 # Ubuntu 20.04
bison (GNU Bison) 3.7.5 # Debian 11 and MX Linux 21
bison (GNU Bison) 3.0.4 # RedHat 8: this version is too OLD
flex 2.6.4
```

#### **RedHat 8**

You need a newer version of bison if you want to rebuild openM++ compiler (omc). One way of doing it is to rebuild bison from sources:

curl -o bison-src.tar.gz https://ftp.gnu.org/gnu/bison/bison-3.7.5.tar.gz tar -xzf bison-src.tar.gz cd bison-3.7.5 ./configure --prefix=\${HOME}/bison make make install

In order to use a newer version of bison export it to your environment:

```
export PATH=${HOME}/bison/bin:${PATH}
export LDFLAGS="-L${HOME}/bison/lib ${LDFLAGS}"
```

#### bison (GNU Bison) 3.7.5

Potential issue: If make fail with error about missing makeinfo then you may need to install it from official RedaHat PowerTools repository:

dnf install dnf-plugins-core dnf install https://dl.fedoraproject.org/pub/epel/epel-release-latest-8.noarch.rpm dnf config-manager --set-enabled powertools dnf install texinfo

#### Windows:

- · download Windows version of bison and flex
- if your OpenM++ checkout folder is: C:\SomeDir\ then unzip win\_flex\_bison-2.5.24.zip into C:\SomeDir\bin\

To check bison and flex version type following commands with current directory C:\SomeDir\bin\ :

win\_bison --version win\_flex --version

#### Expected output:

bison (GNU Bison) 3.7.4 flex 2.6.4

#### MacOS Bison:

Bison version included in MacOS bison (GNU Bison) 2.3 released in 2006 and too old for openM++. You can install bison 3.8 from HomeBrew or from (MacPorts)[https://www.macports.org/]

#### MacOS Bison from HomeBrew:

• install HomeBrew from GUI terminal:

/bin/bash -c "\$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/master/install.sh)"

• install bison 3.8 using HomeBrew:

brew install bison@3.8

• export bison, you may also want to add it into your .zprofile: if MacOS on Intel CPU:

```
export PATH="/usr/local/opt/bison/bin:$PATH"
export LDFLAGS="-L/usr/local/opt/bison/lib ${LDFLAGS}"
```

if MacOS on Apple Arm64 CPU (a.k.a. M1):

export PATH="/opt/homebrew/opt/bison/bin:\${PATH}" export LDFLAGS="-L/opt/homebrew/opt/bison/lib \${LDFLAGS}"

• verify bison version

bison --version

bison (GNU Bison) 3.8.2

## **Install MPI**

OpenM++ is using MPI to run the models on multiple computers in your network, in cloud or HPC cluster environment.

Linux: To check your MPI version:

[user@host ~]\$ mpirun --version mpirun (Open MPI) 1.10.7

You may need to load MPI module in your environment on RedHat:

module load mpi/openmpi-x86\_64 mpirun --version

Windows: To check your MPI version:

```
C:\> mpiexec /?
Microsoft MPI Startup Program [Version 10.0.12498.5]
```

Windows: download and install Microsoft MPI SDK and MPI Redistributable.

## **Test MPI**

You can test your MPI environment with following code:

```
#include <mpi.h>
#include <iostream>
using namespace std;
int main(int argc, char **argv)
{
  int mpiCommSize;
  int mpiRank;
  int procNameLen:
  char procName[MPI_MAX_PROCESSOR_NAME];
  MPI_Init(&argc, &argv);
  MPI Comm size(MPI COMM WORLD, &mpiCommSize);
  MPI_Comm_rank(MPI_COMM_WORLD, &mpiRank);
  MPI_Get_processor_name(procName, &procNameLen);
  cout << "Process: " << mpiRank << " of " << mpiCommSize << " name: " << procName << endl;
  MPI Finalize();
  return 0;
}
```

Save this code as mhp.cpp , compile and run it:

```
mpiCC -o mhp mhp.cpp
mpirun -n 4 mhp
```

Expected output is similar to:

Process: 0 of 4 name: omm.beyond2020.com Process: 2 of 4 name: omm.beyond2020.com Process: 1 of 4 name: omm.beyond2020.com Process: 3 of 4 name: omm.beyond2020.com

Windows: To build MPI tests in Visual Studio:

- create C++ command-line project
- · adjust following in project properties:
  - VC Directories -> Include Directories -> C:\Program Files\Microsoft MPI\Inc
  - VC Directories -> Library Directories -> C:\Program Files\Microsoft MPI\Lib\i386
  - Linker -> Input -> Additional Dependencies -> msmpi.lib
- build it and run under Visual Studio debugger

Please use amd64 version of MS MPI libraries if you want to build 64bit version.

To run MPI test on Windows type following in your command-line prompt:

mpiexec -n 4 mhp.exe

Process: 3 of 4 name: anatolyw7-om.beyond2020.local Process: 2 of 4 name: anatolyw7-om.beyond2020.local Process: 0 of 4 name: anatolyw7-om.beyond2020.local Process: 1 of 4 name: anatolyw7-om.beyond2020.local

## Install R

Download and install R version 3.5+ (v4+ not tested):

- Windows: https://cran.r-project.org/bin/macosx/R-3.6.3.nn.pkg
- on Linux use your package manager, e.g.: sudo yum install R
- MacOS on Intel CPU: https://cran.r-project.org/bin/macosx/R-3.6.3.nn.pkg

It is recommended to use RStudio or RStudio Server for development.

## Install Go

- Windows:
  - download Go from https://golang.org/ and install into any directory, e.g.: C:\Program Files\go
  - download MinGw from your preferable distribution, ex: https://nuwen.net/mingw.html and unpack into any directory: C:WinGW
  - create your Go working directory, e.g.: C:\go\_workspace\
  - set your environment variables:

set GOPATH=C:\go\_workspace set PATH=%GOPATH%\bin;%PATH% cd %GOPATH% C:\MinGW\set\_distro\_paths.bat

It is recommended to use Visual Studio Code for development.

- MacOS on Intel CPU: download and install fresh Go version, for example: https://golang.org/dl/go1.16.3.darwin-amd64.pkg
- MacOS on Arm64 CPU: download and install fresh Go version, for example: https://golang.org/dl/go1.16.3.darwin-arm64.pkg
- MacOS Go also can be installed from go1.16.3.linux-amd64.tar.gz or go1.16.3.linux-arm64.tar.gz archive, similar to Linux
- MacOS: include into your .zprofile PATH to Go, for example:

```
export GOROOT=$HOME/go
export PATH=$GOROOT/bin:${PATH}
```

Note: above version number 1.16.3 is only an example, please most recent stable version.

- Linux:
  - download Go, for example version 1.16.3 from: https://golang.org/dl/go1.16.3.linux-amd64.tar.gz
  - unpack into any directory, e.g.: ~/go
  - set your environment variables (in .profile or .bash\_profile or .bashrc, etc.):

export GOROOT=\$HOME/go export PATH=\$GOROOT/bin:\${PATH}

If you want to copy models database content from SQLite to other vendors then you may also need to install unixODBC development package:

su -c "yum install unixODBC unixODBC-devel"

Currently supported database vendors are: SQLite (default), Microsoft SQL Server, MySql, PostgreSQL, IBM DB2, Oracle. You can use dbcopy utility to copy model data between any of vendors above, for example copy from MySQL to MSSQL or from PostgeSQL to SQLite.

## Install node.js

You need node is in order to build and develop openM++ UI. Please download and install stable version from Node is.

#### Windows

- Use any of:
  - MSI installer: https://nodejs.org/dist/v14.16.1/node-v14.16.1-x64.msi
  - Zip archive: https://nodejs.org/dist/v14.16.1/node-v14.16.1-win-x64.zip
- if you are using archive then unpack it into C:\node directory and to start development open command prompt and type:

```
C:\node\nodevars.bat
cd C:\my-openm-plus-plus-dir\ompp-ui
npm install
```

#### Linux

- Use your favorite package manager
- Or directly download archive from Node.js and unpack into \$HOME/node :

```
curl https://nodejs.org/dist/v14.16.1/node-v14.16.1-linux-x64.tar.xz -o node.tar.xz mkdir $HOME/node tar -xJf node.tar.xz -C node --strip-components=1
```

- add PATH to Node into your .bash profile (or .profile or .bashrc, etc): export PATH=\$HOME/node/bin/:\${PATH}
- checkout and build UI:

```
cd my-openm-plus-plus-dir
git clone https://github.com/openmpp/UI.git ompp-ui
cd ompp-ui
npm install
npm run build
```

#### MacOS on Intel CPU

- Use any of:
  - Installer: https://nodejs.org/dist/v14.16.1/node-v14.16.1.pkg
  - Archive: https://nodejs.org/dist/v14.16.1/node-v14.16.1-darwin-x64.tar.gz
- if you are using archive then unpack it into \$HOME/node and try checkout and build UI:

```
mkdir $HOME/node
tar -xzf node-v14.16.1-darwin-x64.tar.gz -C node --strip-components=1
```

- add PATH to Node into your .zprofile: export PATH=\$HOME/node/bin/:\${PATH}
- · checkout and build UI as described in Linux section above

#### MacOS on Arm64 CPU

• install HomeBrew from GUI terminal:

/bin/bash -c "\$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/master/install.sh)"

• install Node.js LTS version using HomeBrew:

brew install node@14

- add PATH to Node into your .zprofile: export PATH=/opt/homebrew/opt/node@14/bin:\${PATH}
- checkout and build UI as described in Linux section above

Note: In examples above node-v14.16.1 is an example of current LTS (long term support) version. Please check Node.js site to download latest LTS version.

# 2018, June: OpenM++ HPC cluster: Test Lab

# Obsolete

HPC cluster Test Lab not available after October 2018. Instructions below outdated but may be useful as example of development test lab on Linux.

## Where is OpenM++ and HPC cluster Test Lab

- Download: binary files
- Source code: openM++ git
- Documentation: this wiki
- HPC cluster (test lab): ssh -p 4022 USER@omm.some-where.com

OpenM++ HPC cluster test lab consists of:

- master node and 2 quad cores computational nodes.
- all nodes running 64bit Centos 7 and Open MPI.
- computational node names are: om1.some-where.com, om2.some-where.com
- shared directory to put executatbles: /mirror
- special user to run the tests on cluster: mpi
- script to run on cluster: /mirror/omrun
- · cluster hosts description: /mirror/mpihosts

Please read Quick Start for OpenM++ Developers first. Additional information can be found in Linux section of Setup Development Environment.

## Login to OpenM++ HPC cluster

To login on OpenM++ test lab cluster:

ssh -p 4022 USER@omm.some-where.com

If you are on Windows and using putty, please put following setting here:

server name: omm.some-where.com port: 4022 Window -> Translation -> Remote Charter Set: UTF-8

# **Check your Environment**

To verify OpenMPI is working:

```
module load mpi/openmpi-x86_64
mpirun -H omm,om1,om2 uname -n
```

expected output:

omm.some-where.com om1.some-where.com om2.some-where.com

To verify c++ and OpenMPI development environment compile MPI Hello, World:

```
#include <iostream>
#include <mpi.h>
using namespace std;
int main(int argc, char ** argv)
{
  int mpiCommSize;
  int mpiRank;
  int procNameLen;
  char procName[MPI_MAX_PROCESSOR_NAME];
  MPI_Init(&argc, &argv);
  MPI_Comm_size(MPI_COMM_WORLD, &mpiCommSize);
  MPI_Comm_rank(MPI_COMM_WORLD, &mpiRank);
  MPI_Get_processor_name(procName, &procNameLen);
  cout << "Process: " << mpiRank << " of " << mpiCommSize << " name: " << procName << endl;
  MPI_Finalize();
  return 0:
}
mpiCC -o /mirror/mhw mhw.cpp
cd /mirror
mpirun -H omm,om1,om2 mhw
```

# **Setup Your Environment**

It is convenient to customize .bashrc to setup your environment:

```
# .bashrc
#
# ....something already here....
#
# enable MPI
#
source /usr/share/Modules/init/bash
module load mpi/openmpi-x86_64
```

**Tip:** If you want to have full Linux GUI on master node then freeNX client can be a good choice and Eclipse or Netbeans are excellent IDE for c++ development.

# Build and Run OpenM++

Check out and compile OpenM++:

```
git clone https://github.com/openmpp/main.git master
cd master/openm/
make OM_MSG_USE=MPI
cd ../models/
make OM_MSG_USE=MPI all publish run
```

Copy build results to /mirror shared directory:

cp bin/\* /mirror

Run the models on cluster with different number of subsamples:

cd /mirror mpirun -H omm,om1,om2 -n 4 modelOne -General.Subsamples 4

you will be prompted for mpi user password, expected output is similar to:

2013-10-24 12:38:41.0360 Model: modelOne 2013-10-24 12:38:41.0359 Model: modelOne 2013-10-24 12:38:41.0360 Model: modelOne 2013-10-24 12:38:41.0363 Model: modelOne 2013-10-24 12:38:42.0518 Subsample 1 2013-10-24 12:38:42.0518 Subsample 2 2013-10-24 12:38:42.0520 Subsample 3 2013-10-24 12:38:43.0035 Subsample 0 2013-10-24 12:38:43.0062 Reading Parameters 2013-10-24 12:38:43.0062 Reading Parameters 2013-10-24 12:38:43.0062 Reading Parameters 2013-10-24 12:38:43.0063 Reading Parameters 2013-10-24 12:38:43.0066 Running Simulation 2013-10-24 12:38:43.0066 Writing Output Tables 2013-10-24 12:38:43.0066 Running Simulation 2013-10-24 12:38:43.0066 Writing Output Tables 2013-10-24 12:38:43.0066 Running Simulation 2013-10-24 12:38:43.0066 Writing Output Tables 2013-10-24 12:38:43.0066 Running Simulation 2013-10-24 12:38:43.0066 Writing Output Tables 2013-10-24 12:38:44.0198 Done. 2013-10-24 12:38:44.0198 Done. 2013-10-24 12:38:44.0198 Done. 2013-10-24 12:38:44.0200 Done.

# Development Notes: Defines, UTF-8, Databases, etc.

# **OpenM++ development notes**

This page contains various notes **only for OpenM++ developers**. There is no useful information on that page for anyone else. It is a notes, they are not in any specific order and may not true. OK, you have been warned.

# Git layout of main repository

OpenM++ consists of 6 source code repositories published at GitHub / openmpp. Core portion of openM++ located at GitHub / openmpp / main and has following structure:

- bin used for OpenM++ compiled binaries and third party tools
- include includes for public interfaces of compiler and libraries
  - libopenm model runtime library public interface
  - omc model compiler public interface
- · licenses third party lincences
- models test models, for example:
  - NewCaseBased simple test model
  - NewTimeBased simple test model
  - modelOne test model for runtime library, does not use OpenM++ compiler
- openm OpenM++ core source code
  - libopenm model runtime library (libopenm) and compiler library (libopenm\_omc\_db)
    - common common helper routines, for example: log
    - db data access classes
    - include includes for libopenm and libopenm\_omc\_db
    - model model base classes
    - msg message passing library
  - main.cpp models main() entry point
  - libsqlite SQLite with extension functions such as SQRT()
  - omc OpenM++ compiler
- · Perl perl scripts
- props VC++ project includes to build the models
- R openMpp R library: integration between OpenM++ and R
- sql sql scripts to create openM++ database
  - db2 DB2 version of openM++ database scripts
  - mssql Microsoft SQL Server version of openM++ database scripts
  - mysql MySql version of openM++ database scripts
  - postgresql PostgreSql version of openM++ database scripts
  - sqlite SQLite version of openM++ database scripts

# **OpenM++ logs and trace**

As it is now model executable output log messages into three streams:

• standard output (console)

- "last" log file: /current/working/dir/modelExeName.log
- "stamped" log file: /current/working/dir/modelExeName.date\_time.pid.log

Model trace output is similar to log output but works much faster. Trace output is buffered and may be lost if something goes wrong and model crushed.

You can adjust output log and trace output inside of main() by changing: theLog->init(...); parameters. It is also be controlled by .ini options file.

## Defines for OpenM++

You may need to change defines to build OpenM++ from source code:

- OM\_DB\_SQLITE: use SQLite as database provider (only one supported at the moment)
- OM\_MSG\_MPI: use MPI as for message passing library (see below)
- OM\_MSG\_EMPTY: use empty version message passing library (default value)
- OM\_UCVT\_MSSTL: use c++11 STL to convert strings to UTF-8 (default on Windows)
- OM\_UCVT\_ICONV: use glibc iconv to convert strings and file content to UTF-8 (default on Linux)

### Please note:

- OM\_MSG\_MPI and OM\_MSG\_EMPTY mutually exclusive
- to set defines properly change openm.build.props (on Windows) or use make OM\_MSG\_USE=MPI (on Linux)
- OM\_UCVT\_MSSTL and OM\_UCVT\_ICONV mutually exclusive
- OM\_UCVT\_MSSTL tested on Windows with VC++2012 and account for Microsoft-specific implementation of STL codecvt classes.

## Defines and other changes for VC++

Defines to compile libsqlite library with extension functions: SQLITE\_ENABLE\_COLUMN\_METADATA; SQLITE\_OMIT\_LOAD\_EXTENSION; HAVE\_ACOSH; HAVE\_ASINH; HAVE\_ATANH;

To avoid innumerous compatibility errors and warnings following must be defined: \_CRT\_SECURE\_NO\_WARNINGS and \_CRT\_NONSTDC\_NO\_WARNINGS.

## **OpenM++** data library notes

IDbExec interface is db-connection wrapper and only the place where real SQL operations executed. All other classes are to wrap OpenM++ database tables and implement "business logic".

Data library is NOT thread-safe by design, do not pass it objects between model threads without proper guards.

Difference between OpenM++ database schema and Modgen schema:

- · support multiple models and multiple versions of the same model
- support multiple run results of each model
- tends to be more "relational", i.e.:
  - · language-specific rows moved to separate tables
  - sub-samples are in rows not in columns

Database schema "read-only" compatible with Modgen database. For each Modgen table corresponding view created which allow to read from OpenM++ database as from Modgen database. If OpenM++ database contains multiple models (or versions) then it not be exposed to Modgen compatibility views.

## OpenM++ database notes

If database connection string is not specified then model try to open SQLite database with name ModelName.sqlite (i.e.: modelOne.sqlite) in current working directory. Other word, default database connection string is:

Database can be created by following commands:

```
cd
```

```
sqlite3 ModelName.sqlite < ../sql/sqlite/create_db_sqlite.sql
sqlite3 ModelName.sqlite < ModelName_create_model.sql
sqlite3 ModelName.sqlite < ModelName_insert_parameters.sql
```

On Linux slite3 executable most likely in your PATH. On Windows you must download sqlite3.exe from SQLite web-site.

## OpenM++ data library notes: SQLite

Following parameters allowed for SQLite database connection:

- Database (required) database file name or URI, file name can be empty
- Timeout (optional) table lock "busy" timeout in seconds, default=0
- OpenMode (optional) database file open mode: ReadOnly, ReadWrite, Create, default=ReadOnly
- DeleteExisting (optional) if true then delete existing database file, default: false

If OpenMode=Create specified then database file created if not exist, which is default SQLite behavior.

**Note:** minimal connection string syntax for SQLite provider is: "Database=" and in that case SQLite will open temporary database. That kind of connection string does not really make sense for OpenM++ models because temporary database will be deleted after model exit.

#### OpenM++ message passing library notes

Message passing library (a.k.a. execute library) used for:

- broadcast metadata and input parameters from root process to slave modeling processes
- · gather output modeling results from all modeling processes into root process

That library has two versions:

- define OM\_MSG\_MPI: MPI-based version which does the job as described above (MPI component must be installed)
- define OM\_MSG\_EMPTY: empty version of library, which does nothing and don't required anything installed

When empty version of library can useful?

To develop and debug your model without having MPI installed and without complexity of multi-process debugging. Obviously, some technique must be used to debug modeling logic inside of single process.

IMsgExec interface is main class for message passing library. All processes involved in the modeling must can be identified by integer process rank. Root process rank is zero.

Messaging library is NOT thread-safe, at least for now, do not pass it objects between model threads without proper guards. It may change in the future versions.

### OpenM++ and UTF-8 strings

All strings inside of openM++ source code expected to be are UTF-8 encoded. If you need to pass string to openM++ API, please convert it to UTF-8 first. There is helper function which return file content converted as UTF-8 string:

string fileContent = fileToUtf8("someFile.txt");

Following rules applied to detect file encoding:

- if byte order mark (BOM) present in the file then it converted according to BOM
- if first 2048000 bytes of file are UTF-8 then file considered as UTF-8 and not converted
- if code page (encoding name) specified, i.e.: "English\_US.1252" then it used for conversion

• default user code page (encoding name) used to convert file content to UTF-8

You can use optional parameter to explicitly specify code page (encoding name):

string fileContent = fileToUtf8("someFile.txt", "English\_Canada.1252"); // Windows: CP-1252 string fileContent = fileToUtf8("someFile.txt", "WINDOWS-1252"); // Linux: CP-1252

Encoding name is OS-specific and conversion would fail if name is invalid.

Note: conversion from UTF-32 to UTF-8 not supported on Windows.

## Model digest, parameter digest, output table digest, etc.

OpenM++ is using MD5 digest to compare and find models, parameters, output tables and types in database. There are two digests calculated for model run:

- model run values digest which based on
  - values in model run output tables
  - · values of model run input parameters
- model run metadata digest which is unique key of model run Model run values digest calculated only after run is completed. It can be empty
  if run failed.

Model run results do include output table values and all input parameter values. Model runs are stored in database as single copy only. For example, if digest of (parameter A value of model run 101) == digest of (parameter A value of model run 123) then only value from run 101 actually stored in database and run 123 is a link to run 101 value.

Following rules are used to calculate digests:

```
Model digest:
model name, model type, model version
for all model types:
type digest
for all model parameters:
parameter digest
for all model output tables:
table digest
Parameter digest:
parameter name, rank, type digest
for all dimensions:
id, name, size, type digest
Output table digest:
table name, rank
for all dimensions:
id, name, size (including "total" item), type digest
for all accumulators:
acc id, name, source
examples:
 id: 1
  name: acc1
  source: accumulator 1: sum(delta(interval(duration(smoking status, NON SMOKER))))
 id: 9
  name: Expr4
   source: 1.0E2 * ( acc4 / acc0 )
for all expressions (a.k.a. measures)
id, name, source
examples:
 id: 0
  name: Expr0
   source: (OM_AVG(acc0)/(OM_AVG(acc1)-OM_AVG(acc2)))
 id: 8
  name: E8
   source: OM_AVG(acc8)
Type digest:
type name, dictionary id (e.g.: 3=range), "total" enum id
```

for all enums: id. enum name

Import digest for parameter or output tables

rank, type digest for all dimensions: id, name, size, type digest

#### Model run metadata digest:

model digest, run name, sub-values count, create date-time, run stamp

Model run value digest:

sub-values count, completed sub-values count, run status

for all parameters: parameter value digest

for all output tables: output table value digest

Value digest for parameters:

parameter\_name, parameter\_digest sub\_id, dimension names, param\_value as comma separated header example (2 dimensions): sub\_id,dim0,dim1,param\_value for all value rows: select sub\_id, dimensions id, param\_value convert sub\_id, dimensions id into strings convert param\_value to string if type is float then format as %.15g if type is boolean then "true" or "false" example (2 dimensions boolean): 2,11,22,true

Value digest for output table:

table\_name, table\_digest

for all accumulators: accumulators value digest

for all expressions: expressions value digest

#### Value digest for output table accumulators:

comma separated header: acc\_id, sub\_id, dimension names, acc\_value example (2 dimensions): acc\_id,sub\_id,dim0,dim1,acc\_value

for all value rows: select acc\_id, sub\_id, dimensions id, acc\_value convert acc\_id, sub\_id, dimensions id into strings format acc\_value as %.15g example (2 dimensions): 2,15,11,22,0.1234

Value digest for output table expressions:

comma separated header: expr\_id, dimension names, expr\_value example (4 dimensions): expr\_id,dim0,dim1,dim2,dim3,expr\_value

for all value rows: select expr\_id, sub\_id, dimensions id, expr\_value convert expr\_id, sub\_id, dimensions id into strings format expr\_value as %.15g example (4 dimensions): 1,11,22,33,44,0.789

# 2012, December: OpenM++ Design

# About this document

This roadmap and architecture document presented from "model developer" point of view, which imply C++ development process, user aspects of OpenM++ are deliberately excluded. Please refer to OpenM++ user guide pages for additional details.

# What is OpenM++

OpenM++ is an open source implementation of the Modgen microsimulation tool created at Statistics Canada. It is not a copy of the Modgen, but a new, functionally equal implementation of publically available Modgen specifications. OpenM++ also has its own important distinct features like portability, scalability and open source, which Modgen does not. Extensive information on Modgen is available on the Statistics Canada web site at http://www.statcan.gc.ca/microsimulation/modgen/modgen-eng.htm.

# **OpenM++ Design Basics**

# Common OpenM++ design principles:

- portability: it must work on Windows and Linux, 32 and 64 bit versions
- scalability: work on single PC, in cluster or in cloud environment
- open source: it is open source product

### OpenM++ is portable and scalable:

OpenM++ designed, developed and tested to work on Windows and Linux, in 32 and 64 bits. As result same model can be created and tested on model developer Windows PC and later run on Linux (or Windows) HPC cluster with thousands CPUs.


OpenM++ models are essentially highly parallelizable computational applications and fits very well in HPC cluster environment.

Specific version of cluster environment is to be established during first development phase. However, for the purpose of this design document, we can make a safe assumption cluster environment mean MPI cluster since many of existing HPC clusters, including CopmuteCanada cluster, are MPI-based.

# OpenM++ is web-ready and cloud-ready:

It is important to understand, OpenM++ is targeted to provide "software-as-a-service" cloud models for research community. To simplify this roadmap cloud and web details of OpenM++ omitted here. However, OpenM++ cloud capabilities are essential and all control layer, algorithms and data layer components must be designed, developed and tested as cloud-ready.

# **OpenM++** Architecture



OpenM++ consists of 3 software layers:

- layer 1: presentation
- layer 2: control
- layer 3: algorithms and data and must accommodate to 3 model life-cycle stages:
- model design and development stage
- · model run stage
- modeling results analysis stage

**Note:** Components described below in the order of OpenM++ layers and not in the order of development. For each component priority of the features specified as (pri1), (pri2) and (pri3); that value does NOT correspond to OpenM++ development phases.

# Layer 1: OpenM++ presentation layer

### Component 1.1: OpenM++ IDE

OpenM++ IDE is desktop GUI application to:

- (pri1) edit model parameters
- (pri1) view model output results

- (pri1) compare parameters of two models (see note below)
- (pri2) edit model source file(s) with (p3) syntax highlighting for OpenM++ language (.ompp)
- (pri2) compile from .ompp into c++ by invoking OpenM++ compiler, capture error s and warnings
- (pri2) compile and debug c++ model code by using GCC or Microsoft c++
- (pri2) debug c++ model executable
- (pri2) run model on single PC or (p3) submit it to HPC cluster
- (pri3) support source control system(s) integration (svn and/or git)
- (pri2) provide unit testing functionality

**Note1:** As an alternative OpenM++ GUI can be split into multiple independent applications with desktop or web UI. In any case it must provide and parameter editing capabilities.

**Note2:** Model comparison initially implemented as simple tool to compare parameters of two models. It can be later extended to support output results comparison with sophisticated analysis, however, most likely it going to be done as part of described below OpenM++ model analysis tools and OpenM++ web solutions.

#### Component 1.2: OpenM++ output result viewers and model analysis tools

OpenM++ presentation layer should be extendable and must support development of 3rd-party tools to view and analyze model output results. Following viewers to be implemented first:

- (pri1) Excel workbook and /or sample module(s)
- (pri2) import/export into R
- (pri2) basic web UI sample pages for ASP.NET
- (pri3) basic web UI sample pages for PHP
- (pri3) basic web UI sample pages for Java
- (pri3) Excel OpenM++ add-on

Basic web UI sample pages with necessary server-side components provided as reference point for web development and should allow view/edit parameters, view output results and run model executable.

#### Component 1.3: OpenM++ cloud and web capabilities

OpenM++ must be cloud-ready and support "software-as-a-service" usage of the model(s). These capabilities are out of current document scope. Mentioned above OpenM++ basic web UI sample pages provide starting point for web-developers. As next step web-solutions to use OpenM++ models on the web are going to be developed:

- (pri1) OpenM++ ASP.NET web solution (comparable to ModgenWeb)
- (pri2) OpenM++ PHP web solution
- (pri3) OpenM++ Java web solution

Those web-solutions (as every other portion of OpenM++) must be scalable and portable and ready to be deployed in private or public cloud platform, for example, Microsoft Azure for OpenM++ ASP.NET web solution (specific cloud platforms to be established). Based on that OpenM++ cloud software service capabilities can be created to provide ability for researches to work with their own models, including collaborative modeling, by using thin clients (i.e. web-browsers).

Note: Full C++ model development cycle is not supported by web solutions, however it may be considered as OpneM++ cloud the feature.

# Layer 2: OpenM++ controller layer

That layer should provide set of command-line utilities, scripts and components to:

- compile, debug and run OpenM++ models on single PC or in cluster environment
- · import, export and convert model data

## Component 2.1: OpenM++ compiler

(pri1) The OpenM++ compiler produces C++ code from .ompp source code for a specific model. The .ompp source code is written by a model developer and contains declarative and procedural elements. Declarative elements include types, parameters, agents, variables, inter-agent links, agent collections, events, and cross-tabulations. Procedural elements include code to implement events and (optionally) to prepare secondary inputs and outputs. The OpenM++ compiler also produces a database of meta information on the model which is used by other OpenM++ components.

### Component 2.2: OpenM++ controller for MPI cluster

OpenM++ models should run in not only on single PC but also in HPC cluster. OpenM++ cluster controller is a command-line utility, script or set of scripts to support most commonly used HPC cluster environments. For the purpose of this document MPI-compatible environment is assumed, however, other options can be considered as well. Following steps required in order to implement this:

- (pri1) organize test OpenMPI or MPICH2 cluster for CentOS 64bit
- (pri1) establish development environment for Windows 32bit and 64bit
- (pri1) create OpenM++ controller(s) for each cluster environment
- (pri2) establish automated test procedures for OpenM++ models in cluster
- (pri3) organize test OpenMPI or MPICH2 cluster for Debian or Ubuntu 64bit
- (pri3) organize test MS HPC cluster for Windows 64bit

## Component 2.3: Modgen compatibility convertors

These are a command-line utilities to convert existing Modgen models into OpenM++ format:

- (pri1) parameters .dat file(s)
- (pri2) source model code .mpp file(s)

### Component 2.4: OpenM++ SQL loaders

This is a command-line utility(s) to load data from OpenM++ model data storage into well-known SQL Server databases:

- (pri1) loader for MS SQL Server
- (pri1) loader for MySQL / MariaDB
- (pri2) generic SQL99 loader
- (pri3) loader for Oracle
- (pri3) loader for PostgreSQL
- (pri3) loader for IBM DB2
- (pri3) loader for Apache Derby, H2 or HSQL
- (pri3) loader for LucidDB, InfiniDB or MonetDB

**Note:** As an alternative solution all or some above functionality can be moved into OpenM++ data library. It also possible to supply few different versions of OpenM++ data library targeted to the different SQL Server database.

### Component 2.5: OpenM++ output convertors

This is a command-line utility(s) to convert from OpenM++ model data storage into well-known formats:

- (pri1) .csv convertor for parameters and output results
- (pri2) .xml convertor for model data or user-defined subset of model data
- (pri3) SDMX convertor for model data
- (pri3) convertor into Statistics Canada Biobrowser database

# Layer 3: OpenM++ algorithms and data layer

This layer consists of OpenM++ common libraries and model data storage (model database).

# Component 3.1: OpenM++ modeling library

The modeling library provides core functionality for the model life cycle, including agent creation / destruction, event queue management, on-thefly cross-tabulation, and pre- and post-simulation processing. It may use OpenM++ data and execute libraries to organize model execution and result aggregation (especially in cluster environment), read model parameters, save model tracks and aggregate cross-tabulation results.

## Component 3.2: OpenM++ model data storage (model database)

OpenM++ data storage design should provide an ability to store model parameters and output results inside of SQL database and support model tracking functionality, which may be done through a different database, text or XML file (subject for research during phase 1). OpenM++ data storage can be implemented in following ways:

- (pri1) inside of single embedded (file-based) SQL database
- (pri2) as above plus extra database for model tracking
- (pri3) model parameters and metadata inside of file-based SQL database and output results as .csv files
- (pri3) inside of SQL server database chosen by model developer (i.e. MSSQL, Oracle, etc.)

In any case model data storage should support basic OpenM++ design principles:

- portability between Linux, Windows, 64 and 32bit OS's
- scalability from single PC up to HPC cluster environment

# Component 3.3: OpenM++ data library

Data library(s) is a C++ library to support model data read/write operations and hide low-level implementation details to simplify model code and modeling library. As (priority 1) it should support single embedded (file-based) SQL database in portable way. However, in a future (priority 3) it can consist of different implementations of data libraries for different target model storage (for example, to directly write into Oracle).

(priority 2) Second part of OpenM++ data libraries should provide an access to model data from Java and .NET to allow develop model analyzing tools and OpenM++ web solutions.

# Component 3.4: OpenM++ execution library

(pri1) Execution is relatively thin C++ layer to simplify modeling library scalable coding, or other words, to avoid low-level details inside of modeling library for handling the difference between single PC and cluster execution. Depending on design decisions and target cluster environment it may not be used directly from modeling library but rather called from OpenM++ cluster controllers (see 2.2). In any case it should:

- (pri1) provide necessary information for model initialization (i.e. number of CPUs)
- (pri1) synchronize parallel model execution (i.e. wait for completion)
- (pri2) support data exchange between models or model and controller (i.e. progress report)
- (pri2) simplify tracking data exchange
- (pri1) organize transparent communication for output result aggregation

For the purpose of this document MPI cluster environment assumed, however other options can be considered as well.

(pri1) It is important to understand the modeling library may be designed in "single-threaded" way and then execution library must organize additional thread(s) for the purpose of model cluster communication, progress reporting, tracking, etc. Multithreading must be done in portable way and following solution should be considered for research during phase 1 of development:

- STL and C++11 standard features for threading and synchronization (i.e.: future)
- glib
- boost::thread and synchronization libraries
- APR (Apache portable runtime)

OpenMP

# Component 3.5: OpenM++ presentation library(s)

(pri1, pri2, pri3) Presentation libraries together with data library allow developing applications to view and analyze OpenM++ model output results. Priority and functionality of presentation libraries development completely defined by priority of OpenM++ viewers, and OpenM++ web solutions, described in 1.2 and 1.3 above. As (pri1) priority .NET presentation library(s) for Excel viewer and ASP.NET basic UI should be implemented.

# 2012, December: OpenM++ Model Architecture, December 2012

# About this document

This roadmap and architecture document presented from "model developer" point of view, which imply C++ development process, user aspects of OpenM++ are deliberately excluded. Please refer to OpenM++ user guide pages for additional details.

# **OpenM++ model use cases**

OpenM++ by design is portable and scalable environment which allow researchers to run same model on single Windows PC and on Linux (or Windows) HPC cluster by simply re-compiling model C++ code for target platform. For example, model developer can use Visual Studio on his own Windows PC to write, test and debug the model and later send model .cpp code to other researcher who can build and run that model on Linux HPC cluster with hundreds CPUs.

There are four main groups of openM++ model users:

- developer: using C++ IDE with openM++ installed to develop and run models mostly on their local PC
- researcher: uses openM++ models created by developer executable to run simulation on local workstation and/or on HPC cluster
- institutional user: member of research organization with advanced IT infrastructure who mostly running openM++ models in resource-shared environment (i.e. over the web)
- public user: member of the general public using simplified interface over the web.

Those user groups do have distinctive hardware / software environments and different requirements to model architecture:


- developer:
  - mostly local Windows or Linux PC with GUI
  - run the model hundred times to debug it
  - have full admin privileges on his local machine
  - eventually need to pack model executable and data files and send it to researcher
- researcher:
  - HPC cluster (large or small) or local Windows, Linux without GUI
  - run the model multiple times and collect the results
  - run the model 100's or 1000's of times for Probabilitistic Sensitivity Analysis or for model estimation.
  - · do not have admin privileges, especially on cluster
  - often need to pack model data files to publish it, move from local PC to HPC cluster or share with other researchers
- institutional user:
  - uses web UI to run the model in cloud, on HPC cluster or other powerful server environment
  - · have absolutely no access to actual server environment
  - at any time can use IT department to deploy openM++ models in cloud, create modeling web-sites, manage model database on SQL server, etc.
- public user:
  - runs a version of a model via the web written and compiled in openM++ with a limited set of parameters and limited set of output screens, possibly in parallel with hundreds of other general public users.
  - very limited if any capacity at all to save results between sessions.

It is typical for openM++ users to not have advanced IT management skill as they are highly regarded professionals in their own area of interest. It may also not always possible for openM++ user to install additional software in their environment (i.e. in public HPC cluster). From that point easiest way of model deployment and model data export-import can be done through simple file operations (file copy). It is obviously not suitable for institutional users, however they can: (a) rely on dedicated IT department resources if necessary and (b) do have installed and supported webservers, SQL databases servers and other resources where openM++ cloud components can be deployed. Based on those use cases openM++ model architecture assumes following preferences:

- model, input parameters and output results available as set of files
- user may not want to (or can't install) database client-server software to store model data

**Note:** To simplify description of model architecture below it is done from developer or researcher user point of view and web cloud aspects are deliberately excluded.

# **OpenM++ model run cycle**



Because openM++ models can scale from single PC to HPC cluster model execution (model run-cycle) depends on environment.

Simple (single PC) case (italic indicates optional):

- start of model executable (model.exe)
- read model settings from database (read execution scenario)
- read model input data from database
- run modeling loop:
  - execute user model code
  - report on model progress if required
- do model results aggregation if required
- · write results into database output tables
- · finally report execution statistics and exit

If model runs in cluster environment then openM++ can transparently create multiple copies of model executable process and distribute it on cluster nodes.

Model run-cycle on cluster (italic indicates optional):

- start of master model executable (model.exe)
- read model settings from database (read execution scenario)
- detect run-time environment
- · spawn model.exe processes on computational nodes
- · read model input data from database
- distribute input data between all computational nodes
- run modeling loop:
  - execute user model code
  - report on model progress if required
  - collect model tracking information to debug the model
- · wait until all modeling completed on all computational nodes
- · collect model results from each node
- do results aggregation if required
- · write results into database output tables
- · finally report execution statistics and exit

**Note:** It is important to understand the diagram on that page represent schematic picture and real openM++ code may be significantly more complex. For example, report modeling progress call exchangeProgress() may not actually do anything but place a data in the buffer and separate thread would do actual master-slave communication and progress report.

# **OpenM++ modeling library**

The modeling library provides core functionality for the model run-cycle as it is described above. It contains main() entry point, it does agent creation / destruction, event queue management, on-the-fly cross-tabulation, and pre- and post-simulation processing.

It uses OpenM++ data and execute libraries to organize model execution (especially in cluster environment), read model input parameters, save model tracks and aggregate cross-tabulation results:

• for each input parameter model library by known data type, shape and other necessary information (memory address if required) to

instantiate class object and populate it with values by calling data library

• for each output table result model library call data library to save results in model data storage (model database)

# **OpenM++ model data storage (model database)**

OpenM++ data storage should provide an ability to store model parameters and output results. It consist of model data storage (model database), data library and, optionally, can use execute library to organize communication between computational nodes.

It can be implemented in following ways:

- option 0. flat files: directly read-write into flat text (XML, CSV, etc.) files
- option a. flat files + buffering (or MPI-IO): use memory buffering (or MPI-IO) to organize large size chunks and reduce data exchange in cluster environment
- option b. client-server database: use MySQL or other open source SQL server database
- option c. file-based (embedded) SQL database: use file-based database (i.e. SQLite) inside of master process and write custom code to emulate client-server for computational nodes

Evaluating those options from point of view openM++ use cases described above:

Option 0: direct write to flat files may not be realistic approach in cluster environment because:

- computational nodes most likely don't have locale file system
- global shared file system may have very high or prohibitive cost for small write operations. For example, if 100 model executables from 100 computational nodes want write to 100 bytes it may be, in worst case, 100 times slower than if master node writes 100\*100 bytes. Of course, MPI-IO can solve that problem.

Option a: flat files + buffering (or MPI-IO)

- pros:
  - most human readable format
  - no additional tools required to create or modify model data, it can be done by any text editor
  - · minimal development efforts
- cons:
  - real model data input typically bigger than user can type-in and maintain without additional tools
  - to analyze the data in any other software (i.e. Excel, R, SAS) custom data converter(s) must be developed

#### Option b: client-server

- pros:
  - · relatively easy to implement
  - · good performance is almost guaranteed
  - · hundreds tools to read, compare and manipulate the data
- cons:
  - require to install and administer SQL server database which many openM++ users, such as model developers and independent researchers may have no right to do or may not want to do

#### Option c: file-based database (i.e. SQLite)

- pros:
  - hundreds tools to read and manipulate the data (i.e. Firefox SQLite manager add-on)
  - relatively easy to transfer to any database or exchange the data between researchers
- cons:
  - · development time to create client-server code for cluster environment much higher than any other options

• it is less convenient as flat text files

#### OpenM++ data storage roadmap:

OpenM++ data storage can be implemented in following order of priorities:

- (pri1) inside of single embedded (file-based) SQL database
- (pri2) as above plus extra database for model tracking
- (pri3) model parameters and metadata inside of file-based SQL database and output results as .csv files
- (pri3) inside of SQL server database chosen by model developer (i.e. MSSQL, Oracle, etc.)

# **OpenM++** data library

Data library(s) is a C++ library to support model data read/write operations and hide low-level implementation details to simplify model code and modeling library. It is important to understand there is no "one size fit all solution" and openM++ must provide multiple versions of data library for different target model storage. For example, for model developer SQLite data library may be most convenient, however when openM++ installed as part of web solution then MySQL data library suites more.

Following priority order of data libraries implementation planned:

- (pri1) SQLite as embedded (file-based) database
- (pri2) generic ODBC tested with MySQL (MariaDB), PostgreSQL, MS SQL, Oracle and IBM DB2
- (pri3) flat text files version of data library (using MPI-IO)
- (pri3) MySQL (MariaDB) native client (non-ODBC)
- (pri3) PostgreSQL native client (non-ODBC)

List above is not final and can be changed anytime. Many other options also considered for development of specialized data library version. For example, libmysqld, Firebird, MS Access reviewed as potential candidates for embedded (file-based) database. Also MPI-IO, HDF5, NetCDF considered as foundation for flat text files data library version. And in the future releases it is very much possible to have native client (not ODBC-based) version of data library for MS SQL, Oracle and IBM DB2.

Keep in mind data library is part of the model run-time and not be ideal choice for other purpose. Most easy way to integrate openM++ with existing products is to use SQL loaders or output convertors. It allows to import or export data from openM++ data storage into other well-known SQL servers, i.e. from SQLite into MS SQL or dump it into flat text files (i.e. CSV, XML).

# 2012, December: Roadmap, Phase 1

# **OpenM++ Roadmap (phase1)**

OpenM++ design details, components and priorities are defined on OpenM++ design page. Due to research nature of the project OpenM++ components, specific technologies and sequence of development must be periodically reviewed and can be changed.

Following results expected to be delivered at the end of the phase1 project (enumeration corresponds to OpenM++ design):

- OpenM++ compiler (2.1 priority1)
- OpenM++ controller for MPI cluster (2.2 priority1)
- OpenM++ modelling library (3.1 priority1)
- OpenM++ model data storage design (3.2 priority1)
- OpenM++data library (3.3. priority1)
- OpenM++ execute library (3.4 priority1)

Items above should allow to:

- create simple OpenM++ model
- · compile model
- run model on (3.4 priority1) platforms (Windows and Linux, 32 and 64 bit, single PC and cluster)
- read parameters from and write results into OpenM++ model data storage

If time and resources permits following items also going to be delivered as result of the project:

- OpenM++ result viewers for Excel (1.2 priority1)
- OpenM++ basic web UI sample pages for ASP.NET (1.2 priority2)
- OpenM++ presenation libraries for .NET (3.5 priority1)
- compatibility convertor for Modgen parameters .dat files (2.3 priority1)
- compatibility convertor for Modgen source model code .mpp files (2.3 priority2)

Results of OpenM++ phase1 project effectively would cover:

- most existing Modgen desktop functionality, except of GUI
- ModgenWeb functionality on a prototype level (optional result)

### Overall phase1 steps

- 1. Requirements and infrastructure stage (see step 1 below). Time: one calendar month
- 2. Compiler and runtime prototype stage (steps 2 and 3). Time: 2-3 months
- 3. Compiler and runtime alpha version stage (steps 4 and 5). Time: 4-6 months
- 4. Optional OpenM++ phase1 components (steps 8-11). Time: 6-16 weeks
- 5. OpenM++ public beta release stage (step 12). Time: 6-8 weeks

Total Time: one year, excluding optional steps

## Detailed phase1 roadmap

1. Requirements, risks and technologies evaluation, tools, platforms and infrastructure setup

Time: one calendar month

Result: publically available design documents and development infrastructure

- Establish OpenM++ roadmap, licensing terms, evaluate targeted platforms (i.e. versions of Linux, cluster environments, etc.)
- Create OpenM++ controller for MPI cluster (2.2 priority1)
- · Evaluate open source project hosting service and development tools required
- Create OpenM++ project by publishing roadmap and licence(s)
- 2. OpenM++ data storage design and libraries prototyping

Time: 2-3 months (must be done together with step 3 below)

Result: Prototype of OpenM++ compiler and runtime libraries

- Prototype of OpenM++ modelling library (3.1 priority1) to be used by step 3
- OpenM++ model data storage design (3.2 priority1)
- Initial version of OpenM++data library (3.3. priority1)
- Initial version of OpenM++execute library (3.4. priority1)
- 3. Initial version of OpenM++ modeling library

Time: 2-3 months (must be done together with step 2 above)

Result: Prototype of OpenM++ compiler and runtime libraries

- Initial version of OpenM++ modelling library (3.1 priority1)
- Initial version of OpenM++ compiler (2.1 priority1)
- 4. OpenM++ compiler and modeling library

Time: 4-6 months?? (must be done together with step 5 below)

Result: Alpha version of OpenM++ compiler and runtime libraries

- First release of OpenM++ compiler (2.1 priority1), sufficient to compile simplest model
- First release of OpenM++ modelling library (3.1 priority1)
- 5. OpenM++ execute and data libraries

Time: 4-6 months?? (must be done together with step 4 above)

Result: Alpha version of OpenM++ compiler and runtime libraries

- First release of OpenM++ execute library (3.4. priority1)
- First release of OpenM++data library (3.3. priority1)
- First release of OpenM++ model data storage design (3.2 priority1)
- First release of OpenM++ cluster controllers (2.2 priority1)
- 6. Results review, roadmap adjustment

Time: one calendar week

Result: Updated roadmap document and adjusted project plan

7. (optional) Initial version of OpenM++ presentation library(s) for .NET (3.5 priority1)

Time: 2-4 weeks

Result: Alpha version of OpenM++ presenation libarary for .NET

8. (optional, depends on step 7) OpenM++ for Excel (1.2 priority1)

Time: 2-4 weeks

Result: Beta version of OpenM++ for Excel

- First release of OpenM++ result viewers for Excel (1.2 priority1)
- First release of OpenM++ presentation library for .NET (3.5 priority1) (it may be Excel-specific library)
- OpenM++ compiler and runtime libraries bug fixes discovered during development
- 9. (optional, depends on step 7) OpenM++ basic web UI sample pages for ASP.NET (1.2 priority2)

Time: 2-4 weeks

Result: Beta version of OpenM++ web UI primer for ASP.NET

- First release of OpenM++ basic web UI sample pages for ASP.NET (1.2 priority2)
- First release of OpenM++ presentation library(s) for .NET (3.5 priority1) (this is may be ASP.NET specific)
- OpenM++ compiler and runtime libraries bug fixes discovered during development
- 10. (optional, depends on step 7) First release of compatibility convertor for Modgen parameters .dat files (2.3 priority1)

Time: 2-4 weeks

Result: Beta version of OpenM++ convertor for Modgen parameters .dat files

11. (optional) First release of compatibility convertor for Modgen source model code .mpp files (2.3 priority2)

Time: 2-4 weeks

Result: Beta version of OpenM++ convertor for Modgen source code .mpp files

12. First public release

Time: 6-8 weeks

Result: Public beta version of OpenM++

- Project documentation
- Final testing and bug fixes
- Project review and roadmap adjustment
- First public release

# 2013, May: Prototype version

# **OpenM++ Prototype Version: May 2013**

Initial openM++ prototype released on May 2013. It includes:

- openM++ compiler (initial prototype)
- runtime library (combined model, data and execute libs)
- two models, compiled, build and running on all target platforms

#### Important results are:

- openM++ is portable and highly scalable and can run single PC to supercomputing clusters
- openM++ model produce identical results for all platforms and matching existing Modgen results

Below screenshots captured from openM++ WizardCaseBased model running on:

- Windows 64bit, 8 subsamples
- Windows 32bit, 8 subsamples
- Linux 64bit MPI cluster, 8 subsamples
- Linux 32bit non-clustered and without MPI, 1 subsample
- Linux 64bit HPC cluster at ComuputeCanada, 512 subsamples

Command Prompt	
C:\om\prototype_lib\openm\Releas \x64> Windows 64bit C:\om\prototype_lib\openm\Releas \x64>	
C:\om\prototype_lib\openm\Release\x64>mpiexec -np 8 wizardCaseBased.exe	
2013-05-10 10:39:15.0963 Model: WizardCaseBased 2013-05-10 10:39:15.0964 Model: WizardCaseBased	
2013-05-10 10:39:15.0965 Model: WizardCaseBased	
2013-05-10 10:39:15.0971 Model: WizardCaseBased 2013-05-10 10:39:15.0979 Model: WizardCaseBased WizardCaseBased model, 8 sub-samples	
2013-05-10 10:39:15.0985 Model: WizardCaseBased	
2013-05-10 10:39:15.0989 Model: WizardCaseBased 2013-05-10 10:39:15.0994 Model: WizardCaseBased	
2013-05-10 10:39:15.0012 SubSample: 5 2013-05-10 10:39:15.0012 SubSample: 7	
2013-05-10 10:39:15.0012 SubSample: 1	
2013-05-10 10:39:15.0012 SubSample: 2 2013-05-10 10:39:15.0013 SubSample: 4	
2013-05-10 10:39:15.0013 SubSample: 6	
2013-05-10 10:39:15.0013 SubSample: 3 2013-05-10 10:39:16.0574 SubSample: 0	
2013-05-10 10:39:16.0598 Reading Parameters	
2013-05-10 10:39:16.0598 Reading Parameters 2013-05-10 10:39:16.0598 Reading Parameters	
2013-05-10 10:39:16.0598 Reading Parameters 2013-05-10 10:39:16.0598 Reading Parameters	
2013-05-10 10:39:16.0599 Reading Parameters	
2013-05-10 10:39:16.0599 Reading Parameters 2013-05-10 10:39:16.0600 Reading Parameters	
2013-05-10 10:39:16.0601 Running Simulation	
2013-05-10 10:39:16.0602 Running Simulation 2013-05-10 10:39:16.0602 Running Simulation	
2013-05-10 10:39:16.0602 Running Simulation 2013-05-10 10:39:16.0602 Running Simulation	
2013-05-10 10:39:16-0602 Bunning Simulation	
2013-05-10 10:39:16.0602 Running Simulation 2013-05-10 10:39:16.0603 Writing Output Tables	
2013-05-10 10:39:16.0603 Running Simulation	
2013-05-10 10:39:16.0605 Writing Output Tables 2013-05-10 10:39:16.0605 Writing Output Tables	
2013-05-10 10:39:16.0606 Writing Output Tables 2013-05-10 10:39:16.0606 Writing Output Tables	
2013-05-10 10:39:16.0607 Writing Output Tables	
2013-05-10 10:39:16.0607 Writing Output Tables 2013-05-10 10:39:16.0607 Writing Output Tables	
2013-05-10 10:39:16.0879 Done.	
2013-05-10 10:39:16.0879 Done. 2013-05-10 10:39:16.0880 Done.	
2013-05-10 10:39:16.0881 Done. 2013-05-10 10:39:16.0884 Done.	
2013-05-10 10:39:16.0884 Done.	
2013-05-10 10:39:16.0885 Done. 2013-05-10 10:39:16.0885 Done.	
	1-10-11-1
C:\om\prototype_lib\openm\Release\x64>sqlite3 -header -column WizardCaseBased.sqlite "SELECT Dim0, Value, V Value2, Value3, Value4, Value5, Value6, Value7 FROM DurationOfLife ORDER BY 1"	JalueØ, Value
Dim0 Value Value0 Value1 Value2 Value3 Value4 Value5 Value6	Value7
0 5000.0 5000.0 5000.0 5000.0 5000.0 5000.0 5000.0 5000.0	5000.0
1 0.0081 0.0081 0.0099 0.0013 0.0003 0.0061 0.0068 0.0192 2 540.7658 540.7658 760.8044 688.7917 630.3369 750.2663 722.9372 645.1384	0.0154 567.2142
3 71.9845 71.9845 73.2788 71.5934 71.5169 71.4986 69.9491 73.0923	70.8712

Command Prompt	
C:\om\prototype_lib\openm\Releas	
C:\om\prototype lib\openm\Release dlagood	
C:\om\prototype_lib\openm\Release\Win32>mpiexec -np 8 wizardCaseBased.exe 2013-05-10 10:36:26.0404 Model: WizardCaseBased	
2013-05-10 10:36:26.0404 Model: WizardCaseBased 2013-05-10 10:36:26.0406 Model: WizardCaseBased	
2013-05-10 10:36:26.0411 Model: WizardCaseBased 2013-05-10 10:36:26.0413 Model: WizardCaseBased WizardCaseBased model, 8 sub-samples	
2013-05-10 10:36:26.0419 Model: WizardCaseBased	
2013-05-10 10:36:26.0422 Model: WizardCaseBased	
2013-05-10 10:36:26.0423 Model: WizardCaseBased 2013-05-10 10:36:26.0437 Model: WizardCaseBased	
2013-05-10 10:36:26.0461 SubSample: 4 2013-05-10 10:36:26.0461 SubSample: 1	
2013-05-10 10:36:26.0461 SubSample: 3	
2013-05-10 10:36:26.0462 SubSample: 6	
2013-05-10 10:36:26.0462 SubSample: 2 2013-05-10 10:36:26.0463 SubSample: 5	
2013-05-10 10:36:26.0463 SubSample: 7	
2013-05-10 10:36:26.0475 SubSample: 0 2013-05-10 10:36:26.0481 Reading Parameters	
2013-05-10 10:36:26.0481 Reading Parameters	
2013-05-10 10:36:26.0481 Reading Parameters 2013-05-10 10:36:26.0481 Reading Parameters	
2013-05-10 10:36:26.0481 Reading Parameters	
2013-05-10 10:36:26.0482 Reading Parameters 2013-05-10 10:36:26.0483 Reading Parameters	
2013-05-10 10:36:26.0484 Reading Parameters	
2013-05-10 10:36:26.0485 Running Simulation 2013-05-10 10:36:26.0485 Running Simulation	
2013-05-10 10:36:26.0485 Running Simulation	
2013-05-10 10:36:26.0486 Running Simulation 2013-05-10 10:36:26.0486 Running Simulation	
2013-05-10 10:36:26.0486 Running Simulation	
2013-05-10 10:36:26.0486 Running Simulation 2013-05-10 10:36:26.0486 Running Simulation	
2013-05-10 10:36:26 0490 Whiting Output Tables	
2013-05-10 10:36:26.0490 Writing Output Tables 2013-05-10 10:36:26.0492 Writing Output Tables	
2013-05-10 10:36:26.0473 Writing Output Tables	
2013-05-10 10:36:26.0493 Writing Output Tables 2013-05-10 10:36:26.0494 Writing Output Tables	
2013-05-10 10:36:26.0496 Writing Output Tables	
2013-05-10 10:36:26.0497 Writing Output Tables 2013-05-10 10:36:27.0764 Done.	
2013-05-10 10:36:27.0765 Done.	
2013-05-10 10:36:27.0765 Done. 2013-05-10 10:36:27.0765 Done.	
2013-05-10 10:36:27.0765 Done.	
2013-05-10 10:36:27.0766 Done. 2013-05-10 10:36:27.0766 Done.	
2013-05-10 10:36:27.0766 Done.	
C:\om\prototype_lib\openm\Release\Win32>sqlite3 -header -column WizardCaseBased.sqlite "SELECT Dim0, Value, Value0	lla lu
e1, Value2, Value3, Value4, Value5, Value6, Value7 FROM DurationOfLife ORDER BY 1"	. vaiu
Dim0 Value Value0 Value1 Value2 Value3 Value4 Value5 Value6 Value7	
0 5000.0 5000.0 5000.0 5000.0 5000.0 5000.0 5000.0 5000.0 5000.0 5000.0 5000.0	
1 0.0081 0.0081 0.0099 0.0013 0.0003 0.0061 0.0068 0.0192 0.0154 2 540.7658 540.7658 760.8044 688.7917 630.3369 750.2663 722.9372 645.1384 567.21 3 71.9845 71.9845 73.2788 71.5934 71.5169 71.4986 69.9491 73.0923 70.871	42
3 71.9845 71.9845 73.2788 71.5934 71.5169 71.4986 69.9491 73.0923 70.871	

B mpi@omm:~	
login as: mpi	
mpi@omm.beyond2020.com's password:	
Last login: Fri May 10 11:13:35 2013 from wall.beyond2020.com	
[mpi@omm ~]\$ Beyond2020 HPC cluster	
[mpi@omm ~]\$ uname -a	
Linux omm.beyond2020.com 2.6.32-358.6.1.el6.x86_64 #1 SMP Tue Apr 23 1	9:29:00 UTC 2013 x86_64 x86_64 x86_64 GNU/Linux
[mpi@omn ~] \$	
[mpi@omm ~]\$ omrun -n 8 /mirror/wizardCaseBased	64bit
2013-05-10 11:18:39.0074 Model: WizardCaseBased	
2013-05-10 11:18:39.0074 Model: WizardCaseBased	ed model, 8 sub-samples
	ed moder, 8 sub-sampres
2013-05-10 11:18:39.0074 Model: WizardCaseBased	
2013-05-10 11:18:39.0072 Model: WizardCaseBased	
2013-05-10 11:18:39.0071 Model: WizardCaseBased	
2013-05-10 11:18:39.0072 Model: WizardCaseBased	
2013-05-10 11:18:39.0071 Model: WizardCaseBased	
2013-05-10 11:18:40.0673 SubSample: 6	
2013-05-10 11:18:40.0673 SubSample: 7 2013-05-10 11:18:40.0673 SubSample: 4	
2013-05-10 11:18:40.0673 SubSample: 4 2013-05-10 11:18:40.0673 SubSample: 5	
2013-05-10 11:18:40.0675 SubSample: 5	
2013-05-10 11:18:40.0671 SubSample: 2	
2013-05-10 11:18:40.0670 SubSample: 1	
2013-05-10 11:18:41.0121 SubSample: 0	
2013-05-10 11:18:41.0469 Reading Parameters	
skip some output here	
2013-05-10 11:18:41.0894 Writing Output Tables	
2013-05-10 11:18:45.0006 Done.	
2013-05-10 11:18:45.0006 Done.	
2013-05-10 11:18:45.0006 Done.	
2013-05-10 11:18:45.0009 Done.	
2013-05-10 11:18:45.0009 Done.	

2013-05-10 11:18:45.0009 Done. 2013-05-10 11:18:45.0009 Done. 2013-05-10 11:18:45.0008 Done. 2013-05-10 11:18:45.0011 Done. [mpi@omm ~]\$ [mpi@omm ~]\$ sqlite3 -header -column /mirror/WizardCaseBased.sqlite "SELECT Dim0, Value, Value0, Value1, Value2, Value alue6, Value7 FROM DurationOfLife ORDER BY 1" Dim0 Value Value0 Value1 Value2 Value4 Value5 Value6 Value7

Dim0	Value	Value0	Value1	Value2	Value4	Value5	Value6	Value7
0	5000.0	5000.0	5000.0	5000.0	5000.0	5000.0	5000.0	5000.0
1	0.0081	0.0081	0.0099	0.0013	0.0061	0.0068	0.0192	0.0154
2	540.7658	540.7658	760.8044	688.7917	750.2663	722.9372	645.1384	567.2142
3	71.9845	71.9845	73.2788	71.5934	71.4986	69.9491	73.0923	70.8712
[mpi@omm ~]	\$							

[mpi@omm ~]\$

Terminal - anatoly@anatoly-xu1204-1: ~/prototype_lib/openm/bin/release         File       Edit       View       Terminal Go       Help       Ubuntu       Linux, non-clustered         anatoly@anatoly-xu1204-1:~/prototype_lib/openm/bin/release\$       uname -a         Linux       anatoly@anatoly-xu1204-1       3.2.0-41-generic #66 Ubuntu       SMP       Thu Apr 25 03:28:09 UTC 2013 1686 1686 1386 GNU/Linux         anatoly@anatoly-xu1204-1:~/prototype_lib/openm/bin/release\$       anatoly@anatoly-xu1204-1:~/prototype_lib/openm/bin/release\$       32bit         2013-05-10       16:05:05.0187       Model:       WizardCasBased       32bit         2013-05-10       16:05:05.0874       SubSample: 0       WizardCasBased model, 1 sub-sample
anatoly@anatoly-xu1204-1:~/prototype_lib/openm/bin/release\$ uname -a Linux anatoly-xu1204-1 3.2.0-41-generic #66 Ubuntu SMP Thu Apr 25 03:28:09 UTC 2013 <u>i686 i686 i386 GNU/Linux</u> anatoly@anatoly-xu1204-1:~/prototype_lib/openm/bin/release\$ anatoly@anatoly-xu1204-1:~/prototype_lib/openm/bin/release\$ ./wizardCaseBased 2013-05-10 16:05:05.0187 Model: WizardCaseBased
Linux anatoly-xu1204-1 3.2.0-41-generic #66 Ubuntu SMP Thu Apr 25 03:28:09 UTC 2013 <u>i686 i686 i386</u> GNU/Linux anatoly@anatoly-xu1204-1:~/prototype_lib/openm/bin/release\$ anatoly@anatoly-xu1204-1:~/prototype_lib/openm/bin/release\$ ./wizardCaseBased 2013-05-10 16:05:05.0187 Model: WizardCaseBased
anatoly@anatoly-xu1204-1:~/prototype_lib/openm/bin/release\$ anatoly@anatoly-xu1204-1:~/prototype_lib/openm/bin/release\$ ./wizardCaseBased 32bit 2013-05-10 16:05:05.0187 Model: WizardCaseBased
anatoly@anatoly-xu1204-1:~/prototype_lib/openm/bin/release\$ ./wizardCaseBased 32bit 2013-05-10 16:05:05.0187 Model: WizardCaseBased
2013-05-10 16:05:05.0187 Model: WizardCaseBased
2013-05-10 16:05:05.0878 Reading Parameters
anatoly@anatoly-xu1204-1:~/prototype_lib/openm/bin/release\$ sqlite3 -column -header WizardCaseBased.sqlite "SELE( FROM DurationOfLife ORDER BY 1"
Dimo Value
0 5000.0
1 0.0081
2 540.7658
3 71.9845
anatoly@anatoly-xu1204-1:~/prototype_lib/openm/bin/release\$

gpc-f104n08	34-\$ showq -w u	ser=anatoly			
		-			
active jobs JOBID	USERNA	 MF STATF	PROCS	REMAINING	STARTTIME
JODID	ODLINA	ne oirie	11005		ada SciNet GPC cluster: 32,508 CPU's
				-	,
0 active jo				in use by local	jobs (0.00%)
	386	3 OI 3963 NOG	es active	e (97.48%)	
eligible jo	bs				
JOBID	USERNA	ME STATE	PROCS	WCLIMIT	QUEUETIME
17574990		J., Tala	510	00.15.00 5-	No. 10 15.52.25
17574880	anato	ly Idle	512	00:15:00 Fri	May 10 15:53:35
1 eligible	job				
skip	some outpu	t here			
	20:59:24.0657				
	20:59:24.0938				
Begin PBS 1 Job ID:	Epilogue Fri Ma 17574880.		EDT 201	3 1368233972	
Username:	anatoly	gpc-scheu			
Group:	mwolfson				
Job Name:	wcb_test			512 CP	U's used by WizardCaseBased model
Session: Limits:	22405	-64.000-8		n=8, valltime=00	.15.00
Resources:					walltime=00:04:19
Queue:	batch_ib				
Account:					
				f107n036-ib0 gp	
	some outpu				
End PBS Epi	logue Fri May	10 20:59:33 E	DT 2013 1	1368233973	
gpc-f104n08		- 1			
gpc-r104n08 Dim0	Value	olumn -neader	WizardCa	aseBased.sqlite	'SELECT Dim0, Value FROM DurationOfLife ORDER BY 1'
		•			
D	1073741824.0				
1	0.0	Wiz	ardCase	Based mode	l: 1,073,741,824 cases
2	1485.3154 71.4271				
gpc-f104n08					
					'SELECT DISTINCT M.sub_id AS "SubSample", (SELECT
tionOfLife	sub DO WHERE D	0.Dim0 = 0 AN	D DO.sub	id = M.sub_id)	AS "Expr0", (SELECT D1.sub value FROM wizardcaseba
					alue FROM wizardcasebased_1_DurationOfLife_sub D2 WH cationOfLife sub D3 WHERE_D3.Dim0 = 3 AND D3.sub id
	ionOfLife sub				
SubSample	Expr0 -		Expr2	Expr3	
					WizardCaseBased: 512 sub-samples
1	1073741824.0 1073741824.0		1485.3154 1485.3154		
2	1073741824.0		1534.8259		
3	1073741824.0		1534.8259	9 71.4279	
4	1073741824.0		1534.8259	9 71.4288	
	some outpu				
509	1073741824.0		1534.8259		
510 511	1073741824.0 1073741824.0		1485.3154 1485.3154		
gpc-f104n08					

# 2013, September: Alpha version

# OpenM++ Alpha version: September 2013

OpenM++ alpha version released on September 2013. It includes:

- openM++ compiler (alpha version)
- runtime library (combined model, data and execute libs)
- three models, compiled, build and running on all target platforms

# Important results are:

- openM++ models are highly portable, zero efforts required to run same model on different platforms
- openM++ model produce identical results for all platforms and matching existing Modgen results

Below screenshots captured from openM++ Alpha1 model running on:

- Windows 64bit, 8 subsamples
- Windows 32bit, 8 subsamples
- Linux 64bit MPI cluster, 8 subsamples
- Linux 32bit non-clustered and without MPI, 1 subsample
- Linux 64bit HPC cluster at ComuputeCanada, 512 subsamples

Command Prompt
Windows 64bit
C:\om\prototype_lib\openm\Release\x64> C:\om\prototype_lib\openm\Release\x64> 2013-09-26 11:08:31.0779 Model: Alpha1 2013-09-26 11:08:31.0779 Model: Alpha1
2013-09-26 11:08:31.0779 Model: Alpha1 •Alphal model
2013-09-26 11:08:31.0779 Model: Alpha1 8 subsamples
2013-09-26 11:08:31.0779 Model: Alpha1 10,000,000 cases 2013-09-26 11:08:31.0779 Model: Alpha1 10,000,000 cases
2013-09-26 11:08:31.0779 Model: Alpha1 2013-09-26 11:08:31.0857 Reading Parameters
2013-09-26 11:08:31.0857 Running Simulation 2013-09-26 11:08:31.0857 Reading Parameters
2013-09-26 11:08:31.0857 Reading Parameters 2013-09-26 11:08:31.0857 Running Simulation
2013-09-26 11:08:31.0857 Running Simulation
2013-09-26 11:08:31.0857 Reading Parameters 2013-09-26 11:08:31.0857 Reading Parameters
2013-09-26 11:08:31.0857 Running Simulation 2013-09-26 11:08:31.0857 Running Simulation
2013-09-26 11:08:31.0904 Reading Parameters 2013-09-26 11:08:31.0904 Running Simulation
2013-09-26 11:08:31.0997 Reading Parameters 2013-09-26 11:08:31.0997 Running Simulation
2013-09-26 11:08:31.0169 Reading Parameters
2013-09-26 11:08:31.0169 Running Simulation 2013-09-26 11:11:15.0158 Writing Output Tables
2013-09-26 11:11:16.0188 Writing Output Tables 2013-09-26 11:11:17.0874 Writing Output Tables
2013-09-26 11:11:38.0779 Writing Output Tables 2013-09-26 11:11:55.0485 Writing Output Tables
2013-09-26 11:12:06.0999 Writing Output Tables 2013-09-26 11:12:10.0274 Writing Output Tables
2013-09-26 11:12:12.0005 Writing Output Tables
2013-09-26 11:12:12.0130 Done. 2013-09-26 11:12:12.0130 Done.
C:\om\prototype_lib\openm\Release\x64>\sqlite\sqlite3 -header -column Alpha1.sqlite "SELEC T S.unit_id AS "Dim@", S.value AS "Value" FROM alpha1_201309261008330703_v0_DurationOfLife S WHERE S.run_id = { SELECT MAXCRL.run_id> FROM run_lst RL INNER JOIN model_dic MD ON <md .model_id = RL.model_id&gt; WHERE MD.model_name = 'Alpha1'&gt;" Dim0 Value</md 
0       80000000.0         1       1.56329148         2       1264.52664         3       71.4268421

🔤 Command Prompt	
C:\om\prototype_lib\openm\Kelease\Win32>	s 32bit
2013-09-26 10:56:55.0915 Model: Alpha1	
2012-09-26 10.56.55 0931 Model. 012bat	pha1 model subsamples
	,000,000 cases
2013-09-26 10:56:55.0947 Model: Alpha1 2013-09-26 10:56:55.0978 Reading Parameters	
2013-09-26 10:56:55.0978 Running Simulation 2013-09-26 10:56:55.0978 Reading Parameters 2013-09-26 10:56:55.0978 Reading Parameters	
2013-09-26 10:56:55.0978 Reading Parameters 2013-09-26 10:56:55.0978 Reading Parameters	
2013-09-26 10:56:55.0978 Running Simulation 2013-09-26 10:56:55.0978 Running Simulation 2013-09-26 10:56:55.0978 Running Simulation	
2013-09-26 10:56:55.0978 Running Simulation 2013-09-26 10:56:55.0056 Reading Parameters	
2013-09-26 10:56:55.0056 Running Simulation 2013-09-26 10:56:55.0103 Reading Parameters	
2013-09-26 10:56:55.0103 Running Simulation 2013-09-26 10:56:55.0212 Reading Parameters 2013-09-26 10:56:55.0212 Running Simulation	
2013-09-26 11:01:03.0882 Writing Output Tables 2013-09-26 11:01:03.0412 Writing Output Tables	
2013-09-26 11:01:04.0786 Writing Output Tables 2013-09-26 11:01:04.0958 Writing Output Tables 2013-09-26 11:01:05.0566 Writing Output Tables	
2013-09-26 11:01:06.0565 Writing Output Tables 2013-09-26 11:01:06.05643 Writing Output Tables	
2013-09-26 11:01:06.0204 Writing Output Tables 2013-09-26 11:01:06.0329 Done.	
2013-09-26 11:01:06.0329 Done. 2013-09-26 11:01:06.0329 Done. 2013-09-26 11:01:06.0329 Done.	
2013-09-26 11:01:06.0329 Done. 2013-09-26 11:01:06.0329 Done.	
2013-09-26 11:01:06.0329 Done. 2013-09-26 11:01:06.0345 Done.	
C:\om\prototype_lib\openm\Release\Win32>\sqlite\sqlite3 ECT S.unit_id AS "Dim@", S.value AS "Ualue" FROM alpha1 fe S WHERE S.run_id = { SELECT_MAX{RL.run_id} FROM_run_	-header -column Alpha1.sqlite "SEL _201309261008330703_v0_DurationOfLi
MD.model_id = RL.model_id> WHERE MD.model_name = 'Alpha	lst RL INNER JOIN model_dic MD ON ( 1')"
Dim0 Value 	
1 1.56329148	
2 1264.52664	
2 1264.52664 3 71.4268421	
2 1264.52664 3 71.4268421 Pmpi@omm:~ login as: mpi mpi@omm.beyond2020.com's password:	
2 1264.52664 3 71.4268421 P mpi@omm:~ login as: mpi mpi@omm.beyond2020.com's password: Last login: Thu Sep 26 13:40:37 2013 from wall.beyond2020 [mpi@omm ~]\$ Beyond2020 Linux HPC cl	com
2 1264.52664 3 71.4268421 Pri@omm:~ login as: mpi mpi@omm.beyond2020.com's password: Last login: Thu Sep 26 13:40:37 2013 from wall.beyond2020 [mpi@omm ~]\$ Beyond2020 Linux HPC cl	com
2 1264.52664 3 71.4268421 pmpi@omm:~ login as: mpi mpi@omm.beyond2020.com's password: Last login: Thu Sep 26 13:40:37 2013 from wall.beyond2020.com [mpi@omm ~]\$ Beyond2020 Linux HPC cl Impi@omm ~]\$ Beyond2020 Linux HPC cl Impi@omm ~]\$	com uster Thu May 16 20:59:36 UTC 2013 x86_64 x86_64 x86_64 GNU/Linux
2 1264.52664 3 71.4268421 pmpi@omm:~ login as: mpi mpi@omm.beyond2020.com's password: Last login: Thu Sep 26 13:40:37 2013 from wall.beyond2020.com [mpi@omm ~]\$ Beyond2020 Linux HPC cl [mpi@omm ~]\$ [mpi@omm ~]\$ [mpi@	com uster Thu May 16 20:59:36 UTC 2013 x86_64 x86_64 x86_64 GNU/Linux
<pre>2</pre>	com uster Thu May 16 20:59:36 UTC 2013 x86_64 x86_64 x86_64 GNU/Linux 0000 Alpha1 model 8 subsamples
2 1264.52664 3 71.4268421 Provide the set of the set	com uster Thu May 16 20:59:36 UTC 2013 x86_64 x86_64 x86_64 GNU/Linux 64bit Alphal model
<pre>2</pre>	com uster Thu May 16 20:59:36 UTC 2013 x86_64 x86_64 x86_64 GNU/Linux 0000 Alpha1 model 8 subsamples
2 1264.52664 3 71.4268421 Provide the system of the syst	com uster Thu May 16 20:59:36 UTC 2013 x86_64 x86_64 x86_64 GNU/Linux 0000 Alpha1 model 8 subsamples
<pre>2</pre>	com uster Thu May 16 20:59:36 UTC 2013 x86_64 x86_64 x86_64 GNU/Linux 0000 Alpha1 model 8 subsamples
<pre>2</pre>	com uster Thu May 16 20:59:36 UTC 2013 x86_64 x86_64 x86_64 GNU/Linux 0000 Alpha1 model 8 subsamples
<pre>2</pre>	com uster Thu May 16 20:59:36 UTC 2013 x86_64 x86_64 x86_64 GNU/Linux 0000 Alpha1 model 8 subsamples
2 1264.52664 3 71.4268421 Provide the state of the stat	com uster Thu May 16 20:59:36 UTC 2013 x86_64 x86_64 x86_64 GNU/Linux 0000 Alpha1 model 8 subsamples
<pre>2</pre>	com uster Thu May 16 20:59:36 UTC 2013 x86_64 x86_64 x86_64 GNU/Linux 0000 Alpha1 model 8 subsamples
<pre>2</pre>	com uster Thu May 16 20:59:36 UTC 2013 x86_64 x86_64 x86_64 GNU/Linux 64bit Alpha1 model 8 subsamples 10,000,000 cases
<pre>2</pre>	Tom uster Thu May 16 20:59:36 UTC 2013 x86_64 x86_64 x86_64 GNU/Linux 64bit Alphal model 8 subsamples 10,000,000 cases "SELECT S.unit_id AS "DimO", S.value AS "Value" FROM alphal SELECT MAX (RL.run_id) FROM run_1st RL INNER JOIN model_dic
<pre>2</pre>	Tom uster Thu May 16 20:59:36 UTC 2013 x86_64 x86_64 x86_64 GNU/Linux 64bit Alphal model 8 subsamples 10,000,000 cases "SELECT S.unit_id AS "DimO", S.value AS "Value" FROM alphal SELECT MAX (RL.run_id) FROM run_1st RL INNER JOIN model_dic
<pre> 2</pre>	Tom uster Thu May 16 20:59:36 UTC 2013 x86_64 x86_64 x86_64 GNU/Linux 64bit Alphal model 8 subsamples 10,000,000 cases "SELECT S.unit_id AS "DimO", S.value AS "Value" FROM alphal SELECT MAX (RL.run_id) FROM run_1st RL INNER JOIN model_dic
<pre>2</pre>	Tom uster Thu May 16 20:59:36 UTC 2013 x86_64 x86_64 x86_64 GNU/Linux 64bit Alphal model 8 subsamples 10,000,000 cases "SELECT S.unit_id AS "DimO", S.value AS "Value" FROM alphal SELECT MAX (RL.run_id) FROM run_1st RL INNER JOIN model_dic



# 2014, March: Project Status, Phase 1 completed

# **Current Project Status**

OpenM++ phase 1 completed in March 2014 with following results (enumeration corresponds to OpenM++ design document, which also describes tasks):

- OpenM++ compiler (2.1 priority1): alpha version, working beta version with 60% functionality coverage
  - types (classifications, ranges, partitions)
  - parameters (exogeneous)
  - agents
  - variables (25% complete)
  - inter-agent links
  - events
  - cross tabulation (except margins)
  - meta-information (except labels & groups)
- OpenM++ controller for MPI cluster (2.2 priority1): beta version
- OpenM++ modelling library (3.1 priority1): beta version
  - case-based and time-based models
  - agent & event lifecycle
  - event queue
  - on-the-fly cross-tabulation updating
  - Modgen-equivalent random number generators for exact output comparability
- OpenM++ model data storage design (3.2 priority1): beta version
- OpenM++ data library (3.3. priority1): beta version
- OpenM++ execute library (3.4 priority1): beta version

On top of essential phase 1 Roadmap tasks following items completed:

- compatibility layer for Modgen source model code .mpp files (2.3 priority2): alpha version
- OpenM++ output result viewers and model analysis tools, import/export into R (1.2 priority2): beta version

Deferred items mentioned in phase 1 Roadmap:

- all optional items (except two listed above) due to limited resources
- compatibility converter for Modgen parameters .dat files (2.3 priority1) postponed after extensive design discussions.
- components of OpenM++ compiler (2.1 priority1) due to limited resources
  - agent collections
  - parameters (endogenous)
  - variables (75% remaining)
  - cross-tabulation (margins)
  - meta-information (labels & groups)
  - derived tables
  - · other miscellaneous functionality

Overall results of OpenM++ phase 1 cover most of existing Modgen desktop functionality (excluding GUI).

# What Next

OpenM++ foundation created as result of phase 1 project and it is opens up following four streams for subsequent development:

- model stream: ongoing work to move existing Modgen models onto OpenM++ platform
- cloud stream: build openM++ cloud PaaS and/or SaaS stack, emphasizing on scalability. Time: 11 months
- tools stream: creating openM++ desktop GUI based on Visual Studio, Eclipse or similar for model developers and users. Time: 9 months
- core stream: enhance openM++ core functionality, for example, modelling results post-processing and analysis.

Tools and cloud stream partially described in OpenM++ Design and Model Architecture documents.

Core stream task list is very flexible because it is generally include OpenM++ small core enhancements required for other development streams.

For example, as it is today, beta version of OpenM++ supports only SQLite as model database storage and cloud version of OpenM++ most likely require at least one of MySQL, PostgreSQL, Oracle, MSSQL or DB2 support. Due to flexible nature of core stream development it can be done incrementally as long as resources available, however it is very important strictly follow OpenM++ Design documents to make sure we are proceeding to the right direction and avoid common "creeping featurism" mistake.

# **Current List of small tasks**

Following tasks are required to be completed before or during OpenM++ cloud or desktop GUI development (enumeration corresponds to OpenM++ design):

- OpenM++ output converters:
  - 2.5 priority 1: export into .csv for parameters and output results. Time: 10 days
  - 2.5 priority 2: export into .xml for model data or user-defined subset of model data. Time: 16 days
- OpenM++ SQL loaders. Time: 4 weeks + 10 days for each db-vendor
  - 2.4 priority 1: MS SQL, MySQL / MariaDB
  - 2.4 priority 2: generic SQL99
  - 2.4 priority 3: PostgreSQL, Oracle, DB2, Apache Derby, H2 or HSQL
- extend data library to support MySQL, PostgreSQL, Oracle, MSSQL or DB2 (3.3 priority3). Time: 3-4 weeks for each db-vendor
- completion of OpenM++ core support for i18n / L10n in runtime library. Time: 3 weeks
- Modgen .dat files compatibility converter (2.3 priority 1): required design decision. Time: from 10 days to 6 weeks.
- exploratory subsamples suite for OpenM++ models (see below). Time: between 5-9 weeks

Their is no fixed order in the list above, it can be implemented as required by other project or OpenM++ users.

### Task: Modgen .dat files compatibility converter

This is high priority component which defined in OpenM++ design document (2.3 priority 1) as command-line utility to convert existing Modgen models data into OpenM++ format. It was originally planned for phase 1 development, but deferred due to unresolved design dependency with other parts of OpenM++, i.e. cloud model publusher or SQL loaders mentioned above.

There are two important aspects of .dat-convertor design:

- language complexity of .dat file syntax, which is in fact c++ initializers syntax with Modgen extensions
- environmental complexity of .dat-convertor use cases

Environmental complexity actually means variety of .dat-convertor use case scenarios in not yet well defined runtime environment. Please look at explanation on OpenM++ model use cases in Model Architecture document for more details.

Some examples may include:

• developer:

- · uses local Windows or Linux PC with GUI
- often recreate SQLite database and load input data hundred times to debug the model
- · eventually need to pack model executable and data files and send it to researcher

#### researcher:

- HPC cluster (large or small) or local Windows, Linux workstation without GUI
- run the model thousand times loading wide variety of input data from prepared .dat files
- · do not have admin privileges, especially on cluster, as result, can not install or adjust runtime environmemnt
- · often need to pack model .dat files to publish it, move from local PC to HPC cluster or share with other researchers
- institutional user:
  - · uses web UI to run the model in cloud, on HPC cluster or other powerful server environment
  - have absolutely no access to actual server environment
  - · receives initial set of input .dat files from developer or researcher and want to upload it into cloud database
  - cloud database most likely one of: MySQL, Oracle, MSSQL, PostgreSQL, DB2

From examples above you can see following requirements to model input data tools:

- it must be portable and can not assume specific OS or database
- · user may have no access to actual model database (i.e. model developer have no access to cloud instance)

Possible solutions for .dat-files converter in context of above requirements:

- due to language complexity of .dat files it is nice to use OpenM++ compiler (omc) to parse it
- omc read .dat files and saves as:
  - c++ values compiled into model executable, which in turn, saves it into target database during first run
    - pro: everything in one file, ideal for consistency and transfer
    - · cons: model executable is huge, which increase compilation and execution time
    - pro/cons: it is not possible to change model input data without re-compilation
  - SQLite database
    - pro: compact storage
    - pro: ideal for model developer (or even researcher) as no any other steps required to run the model
    - · pro: there are many standard utilities to browse or edit the data
    - cons: extra tool required to import from SQLite into actual database in cloud environment
  - sql script files
    - pro: portable and human-readable format
    - pro: no any other tools required to transfer data from one environment into another
    - · cons: least compact storage, size of input data files are largest of all
  - some other text format, i.e.: .csv or .xml files
    - pro: portable and human-readable format
    - . cons: some custom tools required to load the data from such files into model database

We must keep in mind when choosing .dat-converter solution couple of other items from OpenM++ design document:

- OpenM++ must have SQL-loader utilities to facilitate data export into different model databases
- OpenM++ must have utilities to export input (and output) data into other formats, i.e.: text .csv and .xml files

That means we can relay on presence such OpenM++ utilities in foreseeable future.

# Task: Exploratory subsamples suite for OpenM++ models

Current OpenM++ model subsamples design is Modegn-compatible. It was done on purpose to provide Modgen model developers and users familiar concepts and even ability to reuse existing tools within OpenM++. However, there is fundamental limitation in that design, which became obvious when OpenM++ model runs in HPC cluster environment.

For example, if we have 16,000 CPUs cluster then it may be make sense to prepare 1000 different sets of input parameters, submit model job with those 1000 inputs \* 16 subsamples each to use all 16,000 CPUs and analyse results to find optimal set of model parameters. It is possible to do in OpenM++ now by specifying working set of input parameters for and run the model 1000 times by submitting 1000 jobs to the cluster. However it would be nice to have such capability incorporated in OpenM++ runtime to allow simply submit single job with 1000 different sets of parameters and 16 subsamples each.

To implement such feature following changes in OpenM++ required:

- · execution library: organize model MPI groups to effectively broadcast input parameters to slave modelling processes
- model database schema: allow multiple sets of input parameters for each model run (Modgen allow only single)
- · model database schema: store relationship between input set and output results inside of single modelling job
- data library: redesign output results aggregation to do it over related output values (now it is done across all subsamples)

That feature should significantly increase model users productivity and allow more effective HPC cluster resource usage. It is recommended to have it for OpenM++ cloud version.

# 2016, December: Task List

Their is no fixed order in the list below, it can be implemented as required by other project or OpenM++ users.

# Soft simulation failure

Currently any model exception is a hard failure and result in model shutdown. It may be right things to do in most situations but can be soften for some simulation errors. If special SimulationException thrown by model it should only abort current model run (or even current subsample only) and allow to proceed with next run from modeling task (or next subsample).

# Write fixed model parameters in database

Currently fixed (or model generated or derived) model parameters not saved in database and completely hidden from model user. It is a good feature of openM++ in terms of data security, but may not be always necessary. It would be nice to have special openM++ language clause which model developer can use to control when fixed (or model generated or derived) parameter completely hidden or written in database as "output read-only parameter".

# Write only selected output tables in database

Currently all output tables written in database as result of model run, which may be unnecessary if user doing parameter estimation and interested only in one or small subset of output tables. It would be nice to have an ability to specify which output tables needs to be written in database.

# 2017, January: Design Notes. Subsample As Parameter problem. Completed

# Status: completed

Task is completed, notes below we do keep just in case.

# **Problem Scope**

### This is design notes, it is sketchy and may be incorrect, feel free to change it.

Currently we have one special model parameter: subsample number (a.k.a. member or replica). It is created by runtime as integer [0,N] where N is number of subsamples specified as run option:

#### model.exe -General.Subsamples 16

Subsample number plays fundamental role in calculation of model Output Expressions. It is only parameter which used to calculate average (CV, SE, SD and all others) output values. For example if model runs with 16 subsamples then it will produce 16 values for each output accumulator and output expression value is an average of 16 accumulators across subsamples.

It may not be always necessary to have subsample number as special parameter; it can be any other model parameter or set of parameters which varies between model runs. And output expression(s) can be calculated as average (CV, SD, etc.) across any parameter values. However such "demote of subsample number" is quite significant change in model runtime.

Currently model run cycle looks like (extremely simplified):

- start model.exe and connect to database
- read all model parameters
- · create modeling threads for each model subsample
- run modeling threads: do simulation
- write output accumulators for each subsample in database
- wait until all subsamples done (wait for exit from all modeling threads)
- calculate output expression values as average (CV,SE,SD,etc.) of accumulators across subsamples
- · report on simulation success and exit from model main

If we decide to "demote subsample" or call it as "generalize parameters" then modeling cycle can look like:

- use some external utility to create modeling task and prepare set of input parameter (see Model Run: How to Run the Model)
- (optional) specify runtime expression to vary some model parameters, e.g. subsample number parameter
- run model until modeling task completed (until all input processed) and write all accumulators into database
- use some external utility to calculate output expressions as average (CV,SE,SD,etc.) across any parameter(s)

#### **Questions and problems:**

 How to specify model parameters generators (how to calculate model parameters at runtime). Now we have ompp code translated into c++ by omc compiler to do all derived (model-generated) parameters. It is not dynamic enough - we don't want and should not re-compile model to specify parameter(s) generator. We also have primitive subsample number parameter generator as [0,N]. Such primitive for-loop generators may be good in many situations but not enough.

Is it enough to have an ability in model runtime specify for-loop parameter(s) generator(s) and rely on external utilities (i.e. use our R package) to create more complex modeling tasks?

2. Output expressions calculations. Now we use SQL to calculate averages and, in fact, that SQL allow to have almost arbitrary calculation, but it does aggregation across subsample number.

How to generalize SQL to aggregate across any parameter values, not only subsample number? Do we need to replace SQL with c++ code in

model runtime? Do we need to create other "db\_aggregator" utility instead of using model?

3. How to specify parameter generators and output expressions to make it powerful enough and avoid re-inventing of R (Octave, Matlab, SPSS, SAS)?

### Example of the problem

Let's assume some hypothetical model with following input parameters:

- population by age and sex
- taxation level
- election outcome
- · workforce strike longevity
- random generator seed And model output value is household income.

Model input parameters can be divided in following categories:

- "constant": where parameter values are known and does not changed during modeling
  - population current and projected values assumed to be well known and fixed for our model
- "variable": parameter(s) which user want to change to study effect on modeling output results
  - taxation level varies from 1% to 80% with 0.1% step
- "uncertainty": parameters where values are random
  - election outcome parameter: Bernoulli distribution (binary) with mean = 0.6
  - workforce strike: Poisson distribution with rate = 4
  - random number generator seed

In order to study taxation level effect user run the model 800 times with different tax percent input value and calculate 800 average household income output values. Each output income value is an average of 32 "accumulator" values. Each "accumulator" value is a household income value produced by the model for specific combination of "uncertainty" parameters:

```
// create 32 input tuples of uncertainty parameters
int setId = database.CreateWorkset(); // input set of uncertainty parameters

      bool isBluePartyWin = false;
      // election results: win of "blue" or "red" party

      double strikeDays = 7.5;
      // number of strike days per year

int randomSeed = 12345;
                                       // random number generator seed
for (int k = 0; k < 32; k++) {
 isBluePartyWin = Bernoulli(0.6);
 strikeDays = SumOf_Poisson(4.0);
 seed++:
 // write "uncertainty" parameters into database input set: tuple number = k
 database.WriteParameters(setId, k, isBluePartyWin, strikeDays, randomSeed);
}
// run the model
for (double tax = 1; tax < 82; tax += 0.1) {
 model.exe -Parameter.Taxation tax -UncertaintyParameters setId
}
// plot output household income depending on taxation level
```

Pseudo code above can be implemented in Perl, R or using shell script. Also openM++ already support Modeling Task which allow to submit multiple inputs to the model and vary parameter(s) values similar to example above.

### Solution overview

OpenM++ already have most of components required for our solution, please take a look at:

- Modeling Task
- Input parameters sets (workset)

#### • Results aggregation: Model Output Expressions

Following can be done to solve a problem from example above:

- 1. Use existing: R API to create Modeling Task with 800 values of taxation level parameter.
- 2. Add new: Create tools to generate uncertainty parameters. It can be command-line utilities, GUI tool(s) or part of model runtime. Last option would allow us to reuse existing c++ code.
- 3. Add new: Change database schema in order to store tuples of uncertainty parameters as part of model run input. Currently model is using only single input set of parameters (workset) with single value of each parameter. We need to change database schema and model run initialization (input parameters search in database) in order to supply all 32 tuples of uncertainty parameters for every model run.
- 4. Add new: Change parameters memory management in order to provide unique value of each uncertainty parameter to each modeling thread. Now all parameters have only one copy of values and it is shared between all subsamples (threads and processes); only subsample number is unique and not shared between threads (see model run on single computer). And with new runtime we need to make sure only "constant" and "variable" parameters (like population and taxation level above) are shared and "uncertainty" parameters (election outcome, strike, random seed) are unique for each thread.
- 5. Add new: In case if model run on MPI cluster, when there are multiple modeling processes, we need to correctly supply unique values of all uncertainty parameters to each process. Now only subsample number is unique.
- 6. Add new: Change database schema similar to (3) above for model run parameters. Model run contains full copy of input parameters. Today it is only one value for each parameter and we need to change it in order to store all 32 tuples of uncertainty parameters in model run results.
- 7. Use existing: Model Output Expressions for output results aggregation. No changes required. We not yet have capabilities to compare model run results similar to what ModgenWeb does, but this is out of problem scope.

We can split implementation into two steps:

- First do all necessary run time changes (items 3, 4, 5 and 6 above). That would allow us to run the model with uncertainty parameters created by external tools, for example by R.
- Second is to implement "parameters generators" (item 2 above) to make it convenient to model user.

During that two steps process it is also necessary to implement some compatibility logic to supply parameter "Subsample" in order to keep existing models working.

**Note:** We should also solve ambiguity of "subsample" term, inherited from Modgen. It can be a model integer parameter with name "Subsample" and in that case it same as any other model parameter, no any kind of special meaning or treatment required. It is also can be used as "uncertainty tuple number" and may not be necessary exposed to modeling code, it can be internal to model runtime and visible in database schema as sub\_id to order accumulator values and make it comparable between model runs.

# Oms: openM++ web-service

### What is openM++ web-service

OpenM++ web-service (oms) is a JSON web-service written in Go and used from openM++ UI JavaScript. Today most of popular development platforms (.NET, Java, Python, Perl, R, JavaScript, etc.) with only few lines of code allow to create HTTP client and send-receive JSON data. That makes integration with openM++ very easy.

#### How to start openM++ web-service

OpenM++ web-service does not required any installation. It can be run with default settings from command-line prompt.

To start openM++ web-service on Windows:

- download and unzip openM++ https://github.com/openmpp/main/releases/latest binaries into C:\SomeDir\
- run oms from command-line:

```
C:

cd \SomeDir\openmpp_win_20190508\

bin\oms.exe
2022-09-14 15:51:30.477 Models directory: models\bin

2022-09-14 15:51:30.565 HTML UI directory: html

2022-09-14 15:51:30.567 Et directory: etc

2022-09-14 15:51:30.567 Cms instance name: localhost_4040

2022-09-14 15:51:30.574 To start open in your browser: http://localhost:4040

2022-09-14 15:51:30.574 To finish press Ctrl+C
```

OpenM++ UI is a client of oms web-service, after above command you can open UI in browser at http://localhost:4040

To start openM++ web-service on Linux:

download and unpack openM++, i.e.:

wget https://github.com/openmpp/main/releases/download/v1.2.0/openmpp\_debian\_20190508.tar.gz tar xzf openmpp\_debian\_20190508.tar.gz

• run oms executable:

cd openmpp\_debian\_20190508/ bin/oms

```
2022-09-14 15:51:30.477 Models directory: models/bin
2022-09-14 15:51:30.565 HTML UI directory: html
2022-09-14 15:51:30.567 Etc directory: etc
2022-09-14 15:51:30.567 Oms instance name: localhost_4040
2022-09-14 15:51:30.574 Listen at localhost:4040
2022-09-14 15:51:30.574 To start open in your browser: http://localhost:4040
2022-09-14 15:51:30.574 To finish press Ctrl+C
```

Note: We recommend to use normal Windows command line cmd.exe. If you are using Windows PowerShell then it may be necessary to put "quotes" around command line options, e.g.

oms.exe "-oms.ApiOnly"

#### Oms as "pure" web-service vs "full" web-UI

By default oms.exe started in "full" web-UI mode. That means it handles web-service requests and web-UI content from ./html sub-directory. If you want only "pure" web-service mode without UI then use:

oms -oms.ApiOnly

# How to use oms: arguments of web-service methods

Following arguments most often used in web-service methods:

#### :model - model digest or model name

Example of method:

GET /api/model/:model

Call example:

 $\label{eq:http://ocalhost:4040/api/model/f5024ac32c4e8abfc696a0f925141c95 http://ocalhost:4040/api/model/modelOne$ 

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

#### :run - model run or model task run

Example of method:

GET /api/model/:model/run/:run/status GET /api/model/:model/task/:task/run-status/run/:run

Call example:

http://localhost:4040/api/model/modelOne/run/modelOne\_first\_run/status http://localhost:4040/api/model/modelOne/run/d06f4a0a45a9514c22593025e489f933/status http://localhost:4040/api/model/modelOne/task/taskOne/run-status/run/First Task Run

This argument is used to identify model run or modeling task run.

Modeling task run can be identified by task run stamp or task run name.

Model run can be identified by run digest, run stamp or run name. It is recommended to use run digest because it is uniquely identifies model run. Run stamp can be explicitly specified as command line option when you run the model. If run stamp not specified then it is automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use run name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

#### :lang - language code

Example of method:

GET /api/model/:model/text/lang/:lang

Call example:

```
http://localhost:4040/api/model/modelOne/text/lang/EN http://localhost:4040/api/model/modelOne/text/lang/en_US
```

Language code can be a model language (ex.: EN, FR) or any MIME language (see BCP47 or RFC3282). If no language explicitly specified then Accept-Language header is used (supplied by browser).

Result returned in best matched language supported by model. For example for en\_US result is model language EN, if model supported EN language. If no such language then result is in default model language or can be empty.

### :set - set of input data (a.k.a. workset)

Method examples:

```
GET /api/model/:model/workset/:set/status
POST /api/model/:model/workset/:set/readonly/:val
```

Call examples:

http://localhost:4040/api/model/modelOne/workset/modelOne\_set/status curl -v -X POST http://localhost:4040/api/model/modelOne/workset/modelOne\_set/readonly/1

Workset is a set of model input parameters (a.k.a. "scenario" input) and it used to run the model Each model workset uniquely identified by name.

### :task - modelling task

Method examples:

GET /api/model/:model/task/:task/text/lang=FR

Call examples:

http://localhost:4040/api/model/modelOne/task/taskOne/text curl -v http://localhost:4040/api/model/modelOne/task/taskOne/text/lang=fr\_CA

Modelling task consists of multiple input data sets (a.k.a. worksets or scenarios in Modgen). Task can be used to run the model in batch mode.

#### :profile - set of key-value options

#### Method examples:

```
GET /api/model/:model/profile/:profile
POST /api/model/:model/profile/:profile/key/:key/value/:value
```

#### Call examples:

```
http://localhost:4040/api/model/modelOne/profile/modelOne
curl -v -X POST http://localhost:4040/api/model/modelOne/profile/m1/key/Parameter.StartingSeed/value/4095
```

Profile is a set of key-value options and it used to run the model. Each profile uniquely identified by profile name. Each profile can include multiple key-value options.

### **Results of web-service methods**

#### **Run status**

Model run status and task run status may contain one of the following values:

```
i = initial state, not running yet
```

- p = run in progress
- w = task wait for additional input
- s = completed successfully
- x = completed by exit (reserved fro internal use)
- e = completed with error

Important: if model run failed with exception (e.g. database write exception) then status may not be updated and still p=in progress.

### **Oms web-service configuration**

Oms default configuration options can be overwritten by command-line arguments or ini-file. For example:

• listen from any host on port 7070:

oms -I :7070

• serve only API calls and not html for openM++ UI:

oms -oms.ApiOnly

• listen from localhost port 4044 only and read more oms run options from oms.ini file:

oms -l localhost:4044 -ini oms.ini

#### • models directory relative path is: ../some/dir

oms -oms.ModelDir ../some/dir

- typical log settings for remote server:
  - log user request
  - · log into the file instead of cosole by default
  - · log files rotation: create new log file every day

oms -I localhost:4044 -oms.LogRequest -OpenM.LogToConsole false -OpenM.LogToFile -OpenM.LogUseDailyStamp

- typical settings for model user in cloud:
  - · allow user home directory with downloads and uploads
  - use model run jobs to manage back-end computational servers resources

oms -l localhost:4044 -oms.HomeDir models/home -oms.AllowDownload -oms.AllowUpload -oms.JobDir job

It is recommended to use oms.ini file to avoid long command lines, especially for cloud environment where you may want to combine log options and user options from two examples above.

#### Get and use oms web-service configuration

Clients of oms web-service can retrieve configuration by calling GET web-service configuration or simply by open http://localhost:4040/api/service/config in the browser. Response to that call may also contain client environment variables which names started from OM\_CFG\_ prefix ( oms web-service does not use any of OM\_CFG\_ environment variables, it only passes it to clients).

For example openM++ UI uses following server variables:

```
OM_CFG_LOGIN_URL=/public/login_required.html
OM_CFG_LOGOUT_URL=/login?logout=true
OM_CFG_DEFAULT_RUN_TMPL=run.Win32.Debug.template.txt
OM_CFG_INI_ALLOW=true
OM_CFG_INI_ANY_KEY=true
```

OpenM++ UI is using above variables as follow:

- OM\_CFG\_LOGIN\_URL : display user login button linked to the URL
- OM\_CFG\_LOGOUT\_URL : display user logout button linked to the URL
- OM\_CFG\_DEFAULT\_RUN\_TMPL : use this template to run the model, e.g.: to debug from IDE
- OM\_CFG\_INI\_ALLOW : allow user to run the model with ini-file, e.g.: RiskPaths.ini
- OM\_CFG\_INI\_ANY\_KEY : allow to use model development options from ini-file

Note: Model ini-files and model development options described at: Model Run Options and ini file.

#### Oms run options

Following options supported by oms:

-oms.Listen:       address to listen, default: localhost:4040         -l:       address to listen (short form of -oms.Listen)         -OpenM.IniFile:       path to ini-file         -ini ini-file:       path to ini-file         -oms.ApiOnly:       if true then API only web-service, no web UI
-oms.RootDir:       oms root directory, default: current directory         -oms.ModelDir:       models directory, if relative then must be relative to oms root directory, default: models/bin         -oms.ModelLogDir:       models log directory, if relative then must be relative to oms root directory: default: "models/log         -oms.ModelDocDir:       models documentation directory, if relative then must be relative to oms root directory: default: "models/log
-oms.HomeDir: user personal home directory, if relative then must be relative to oms root directory -oms.AllowDownload: if true then allow download from user home/io/download directory -oms.AllowUpload: if true then allow upload to user home/io/upload directory -oms.AllowMicrodata: if true then allow model run microdata
-ons.HtmlDi:       front-end UI directory, if relative then must be relative to oms root directory, default: html         -oms.EtcDir:       configuration files directory, if relative then must be relative to oms root directory, default: etc         -oms.JobDir:       model run jobs directory, if relative then must be relative to oms root directory
-oms.Name:oms instance name, used model run by jobs, automatically generated if empty-oms.UrlSaveTo:file path to save oms URL in form of: http://localhost:4040, if relative then must be relative to oms root directory-oms.Languages:comma-separated list of supported languages, default: en-oms.CodePage:code page to convert source file into utf-8, e.g.: windows-1252
-oms.DoubleFormat: format to convert float or double value to string, default: %.15g -oms.AdminAll if true then allow global administrative routes: /admin-all/ -oms.NoAdmin if true then disable loca administrative routes: /admin/ -oms.NoShutdown if true then disable shutdown route: /shutdown/
-OpenM.LogToConsole:       if true then log to standard output (default true)         -v:       if true then log to standard output (short of OpenM.LogToConsole)         -OpenM.LogToFile:       if true then log to file         -OpenM.LogFilePath:       path to log file, default = current/dir/oms.log         -OpenM.LogUseDailyStamp:       if true then use daily-stamp in log file name         -OpenM.LogUseFileStamp:       if true then use time-stamp in log file name
-OpenM.LogSql:       if true then log sql statements into log file         -oms.LogRequest:       if true then log HTTP requests

There are many common options, e.g.: -OpenM.LogToFile which can be used with any openM++ executable: models, compiler, dbcopy and oms.

It is highly recomended to put model documentation in doc/ subdirectory, e.g.: C:\any-dir\doc or /home/me/any/path/doc . UI expect model documentation URL similar to: https://your-domain-name.here/doc/ModelName.doc.FR.html .

Example of oms.ini

#### : This is a comment # This is also a comment ; Ini file can be supplied to oms.exe as command line option "-ini" or "-OpenM.IniFile" ; "-ini" is a short form of "-OpenM.IniFile", command lines below are equal: # oms.exe -ini path/to/oms.ini # oms.exe -OpenM.IniFile path/to/oms.ini ; "-I" is a short form of "-oms.Listen", command lines below are equal: localhost:4040 # oms.exe -l # oms.exe -oms.Listen localhost:4040 ; boolean options can be "true" or "false" or empty value ; boolean empty value is the same as "true' : for example both command lines below are equal: # oms -oms.ApiOnly # oms -oms.ApiOnly true [oms] : Listen = localhost:4040 # address to listen, default: localhost:4040 ; RootDir = # oms "root" directory, expected to have log subfolder ; ModelDir = models/bin # models executable and model.sqlite directory, if relative then must be relative to oms root directory ; ModelLogDir = models/log # models log directory, if relative then must be relative to oms root directory : ModelDocDir = models/doc # models documentation directory. default: models/doc. if relative then must be relative to oms root directory ; HomeDir = models/home # user personal home directory, if relative then must be relative to oms root directory ; AllowDownload = false # if true then allow download from user home sub-directory: home/io/download : AllowUpload = false # if true then allow upload to user home sub-directory: home/io/upload : AllowMicrodata = false # if true then allow model run microdata : UrlSaveTo = # file path to save oms URL, if relative then must be relative to oms root directory ; LogRequest = false # if true then log HTTP requests ; ApiOnly = false # if true then API only web-service, no web UI ; HtmlDir = html # front-end web UI directory, if relative then mu # front-end web UI directory, if relative then must be relative to oms root directory ; EtcDir = etc # configuration files directory, if relative then must be relative to oms root directory = # jobs control directory, if empty then jobs control disabled : JobDir ; Name = # instance name, used for job control ; Languages = en # comma-separated list of supported languages ; CodePage = # code page to convert source file into utf-8, e.g.: windows-1252 ; DoubleFormat = %.15g # format to convert float or double value to string, e.g. %.15g = false # if true then allow global administrative routes: /admin-all/ ; Admin [OpenM] ; LogToConsole = true # if true then log to standard output # if true then log to file : LogToFile = false ; LogFilePath = oms.log # log file path, default = current/dir/exeName.log ; LogUseTimeStamp = false # if true then use time-stamp in log file name ; LogUsePidStamp = false # if true then use pid-stamp in log file name ; LogUseDailyStamp = false # if true then use daily-stamp in log file name # if true then log sql statements into log file ; LogSql = false ; "-v" is a short form of "-OpenM.LogToConsole" ; log settings: ; log can be enabled/disabled for 3 independent streams: ; console - standard output ; "current" log file - log file with specified name, overwritten on every model run ; "stamped" log file - log file with unique name, created for every model run ; "stamped" name produced from "current" name by adding time-stamp and/or pid-stamp, i.e.: ; oms.log => oms.2012\_08\_17\_16\_04\_59\_148.123456.log # ; LogUseDailyStamp creates new log file every day ; by default LogUseDailyStamp: ; = false if log file disabled (default) ; = false if "stamped" log file enabled ; = true if log file enabled and "stamped" log file disabled

# Oms directory structure: user home and jobs directories

Following directory structure expected by default:

 ./ -> oms "root" directory, by default it is current directory html/ -> web-UI directory with HTML, js, css, images... etc/ -> config files directory, contain template(s) to run models log/ -> recommended log files directory models/ bin/ -> default model.exe and model.sqlite directory

log/ -> default directory for models run log files doc/ -> models documentation directory If you don't don't want web-UI or don't have html directory then start oms as:

oms -oms.ApiOnly

You can explicitly specify oms log files location, models and models log directory, e.g.:

oms -oms.ModelDir /my-models -oms.ModelLogDir /my-models-log -oms.ModelDocDir /my-models/doc

If you want to use log file and no console messages:

```
oms -OpenM.LogToConsole=false -OpenM.LogToFile
oms -OpenM.LogToConsole=false -OpenM.LogFilePath log/oms.log
```

If you want to use "daily" log files:

oms -OpenM.LogUseDailyStamp -OpenM.LogToFile oms -OpenM.LogUseDailyStamp -OpenM.LogFilePath log/oms.log

#### User home directory

You can enable user home directory to store home directory for user personal settings, downloads of model model run results or upload input scenarios:

oms -oms.HomeDir models/home -oms.AllowDownload -oms.AllowUpload

Above command assume directory structure with home , download and upload sub-folders of models :

 ./ -> oms "root" directory, by default it is current directory html/ -> web-UI directory with HTML, js, css, images...
 etc/ -> config files directory, contain template(s) to run models log/ -> recommended log files directory models/
 bin/ -> default model.exe and model.sqlite directory log/ -> default directory for models run log files doc/ -> models documentation directory home/ -> user personal home directory io/download -> user directory for download files io/upload -> user directory to upload files


Note: openM++ dbcopy utility is required for download and upload, it must be located in the same directory where oms executable is.

### Model run jobs directory structure

If you want to have model runs queue, or using openM++ in cloud and want automatically scale up and down cloud resources, e.g. start and stop virtual machines for model runs then start oms with job control option:

oms -oms.JobDir job

Following directory structure expected:



Please visit following page to find out how to use oms in cloud and manage model runs queue.

# Oms: openM++ web-service API

# Web-service methods arguments

 :model
 - model digest or model name

 :lang
 - language code

 :run
 - model run digest, run stamp or run name, modeling task run stamp or task run name

 :set
 - name of workset (input set of model parameters)

 :profile
 - profile name

 :task
 - modeling task

See more details at: Arguments of web-service methods.

# **GET Model Metadata**

# **GET model list**

GET /api/model-list

# GET model list including text (description and notes)

GET /api/model-list/text GET /api/model-list/text/lang/:lang

# **GET model definition metadata**

GET /api/model/:model GET /api/model/:model/pack

# GET model metadata including text (description and notes)

GET /api/model/:model/text GET /api/model/:model/text/lang/:lang GET /api/model/:model/pack/text GET /api/model/:model/pack/text/lang/:lang

# GET model metadata including text in all languages

GET /api/model/:model/text-all

# **GET Model Extras**

# **GET model languages**

GET /api/model/:model/lang-list

# **GET model language-specific strings**

GET /api/model/:model/word-list GET /api/model/:model/word-list/lang/:lang

# **GET model profile**

GET /api/model/:model/profile/:profile

#### **GET list of profiles**

GET /api/model/:model/profile-list

# **GET Model Run results metadata**

**GET list of model runs** 

# GET list of model runs including text (description and notes)

GET /api/model/:model/run-list/text GET /api/model/:model/run-list/text/lang/:lang

# GET status of model run

GET /api/model/:model/run/:run/status

# **GET status of model run list**

GET /api/model/:model/run/:run/status/list

# GET status of first model run

GET /api/model/:model/run/status/first

## GET status of last model run

GET /api/model/:model/run/status/last

# GET status of last completed model run

GET /api/model/:model/run/status/last-completed

#### GET model run metadata and status

GET /api/model/:model/run/:run

# GET model run including text (description and notes)

GET /api/model/:model/run/:run/text GET /api/model/:model/run/:run/text/lang/:lang

# GET model run including text in all languages

GET /api/model/:model/run/:run/text-all

# GET Model Workset metadata: set of input parameters

### **GET list of model worksets**

GET /api/model/:model/workset-list

# GET list of model worksets including text (description and notes)

GET /api/model/:model/workset-list/text GET /api/model/:model/workset-list/text/lang/:lang

#### **GET workset status**

GET /api/model/:model/workset/:set/status GET /api/model/:model/workset/:set

#### GET model default workset status

# GET workset including text (description and notes)

GET /api/model/:model/workset/:set/text GET /api/model/:model/workset/:set/text/lang/:lang

## GET workset including text in all languages

GET /api/model/:model/workset/:set/text-all

# **Read Parameters, Output Tables or Microdata values**

## Read parameter values from workset

POST /api/model/:model/workset/:set/parameter/value

# Read parameter values from workset (enum id's)

POST /api/model/:model/workset/:set/parameter/value-id

#### Read parameter values from model run

POST /api/model/:model/run/:run/parameter/value

### Read parameter values from model run (enum id's)

POST /api/model/:model/run/:run/parameter/value-id

## Read output table values from model run

POST /api/model/:model/run/:run/table/value

#### Read output table values from model run (enum id's)

POST /api/model/:model/run/:run/table/value-id

# Read output table calculated values from model run

POST /api/model/:model/run/:run/table/calc

# Read output table calculated values from model run (enum id's)

POST /api/model/:model/run/:run/table/calc-id

## Read output table values and compare model runs

POST /api/model/:model/run/:run/table/compare

# Read output table values and compare model runs (enun id's)

POST /api/model/:model/run/:run/table/compare-id

# Read microdata values from model run

POST /api/model/:model/run/:run/microdata/value

## Read microdata values from model run (enum id's)

### Read aggregated microdata from model run

POST /api/model/:model/run/:run/microdata/calc

## Read aggregated microdata from model run (enum id's)

POST /api/model/:model/run/:run/microdata/calc-id

#### Read microdata run comparison

POST /api/model/:model/run/:run/microdata/compare

#### Read microdata run comparison (enum id's)

POST /api/model/:model/run/:run/microdata/compare-id

# **GET Parameters, Output Tables or Microdata values**

### **GET** parameter values from workset

GET /api/model/:model/workset/:set/parameter/:name/value

GET /api/model/:model/workset/:set/parameter/:name/value/start/:start

GET /api/model/:model/workset/:set/parameter/:name/value/start/:start/count/:count

#### GET parameter values from model run

GET /api/model/:model/run/:run/parameter/:name/value

GET /api/model/:model/run/:run/parameter/:name/value/start/:start

GET /api/model/:model/run/:run/parameter/:name/value/start/:start/count/:count

#### GET output table expression(s) from model run

GET /api/model/:model/run/:run/table/:name/expr

GET /api/model/:model/run/:run/table/:name/expr/start/:start GET /api/model/:model/run/:run/table/:name/expr/start/:start/count/:count

# GET output table calculated expression(s) from model run

- GET /api/model/:model/run/:run/table/:name/calc/:calc
- GET /api/model/:model/run/:run/table/:name/calc/:calc/start/:start
- GET /api/model/:model/run/:run/table/:name/calc/:calc/start/:start/count/:count

#### GET output table values and compare model runs

GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant

GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/start/:start

GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/start/:start/count/:count

## GET output table accumulator(s) from model run

GET /api/model/:model/run/:run/table/:name/acc

- GET /api/model/:model/run/:run/table/:name/acc/start/:start
- ${\tt GET /api/model/:model/run/:run/table/:name/acc/start/:start/count/:count}$

## GET output table all accumulators from model run

GET /api/model/:model/run/:run/table/:name/all-acc

GET /api/model/:model/run/:run/table/:name/all-acc/start/:start

GET /api/model/:model/run/:run/table/:name/all-acc/start/:start/count/:count

## GET microdata values from model run

- GET /api/model/:model/run/:run/microdata/:name/value
- GET /api/model/:model/run/:run/microdata/:name/value/start/:start
- GET /api/model/:model/run/:run/microdata/:name/value/start/:start/count/:count

## GET aggregated microdata from model run

- GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc
- GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/start/:start
- GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/start/:start/count/:count

#### **GET** microdata run comparison

- GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant
- ${\tt GET /api/model/:model/:non/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/:start$
- GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/:start/count/:count

## GET Parameters, Output Tables or Microdata values as CSV

#### **GET csv parameter values from workset**

GET /api/model/:model/workset/:set/parameter/:name/csv GET /api/model/:model/workset/:set/parameter/:name/csv-bom

#### GET csv parameter values from workset (enum id's)

GET /api/model/:model/workset/:set/parameter/:name/csv-id

GET /api/model/:model/workset/:set/parameter/:name/csv-id-bom

## GET csv parameter values from model run

GET /api/model/:model/run/:run/parameter/:name/csv GET /api/model/:model/run/:run/parameter/:name/csv-bom

## GET csv parameter values from model run (enum id's)

GET /api/model/:model/run/:run/parameter/:name/csv-id

GET /api/model/:model/run/:run/parameter/:name/csv-id-bom

### GET csv output table expressions from model run

GET /api/model/:model/run/:run/table/:name/expr/csv GET /api/model/:model/run/:run/table/:name/expr/csv-bom

#### GET csv output table expressions from model run (enum id's)

GET /api/model/:model/run/:run/table/:name/expr/csv-id GET /api/model/:model/run/:run/table/:name/expr/csv-id-bom

## GET csv calculated table expressions from model run

GET /api/model/:model/run/:run/table/:name/calc/:calc/csv GET /api/model/:model/run/:run/table/:name/calc/:calc/csv-bom

## GET csv calculated table expressions from model run (enum id's)

GET /api/model/:model/run/:run/table/:name/calc/:calc/csv-id

GET /api/model/:model/run/:run/table/:name/calc/:calc/csv-id-bom

## GET csv model runs comparison table expressions

GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/csv GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/csv-bom

#### GET csv model runs comparison table expressions (enum id's)

GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/csv-id GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/csv-id-bom

## GET csv output table accumulators from model run

GET /api/model/:model/run/:run/table/:name/acc/csv

GET /api/model/:model/run/:run/table/:name/acc/csv-bom

#### GET csv output table accumulators from model run (enum id's)

GET /api/model/:model/run/:run/table/:name/acc/csv-id GET /api/model/:model/run/:run/table/:name/acc/csv-id-bom

# GET csv output table all accumulators from model run

GET /api/model/:model/run/:run/table/:name/all-acc/csv

GET /api/model/:model/run/:run/table/:name/all-acc/csv-bom

## GET csv output table all accumulators from model run (enum id's)

GET /api/model/:model/run/:run/table/:name/all-acc/csv-id

GET /api/model/:model/run/:run/table/:name/all-acc/csv-id-bom

# GET csv microdata values from model run

GET /api/model/:model/run/:run/microdata/:name/csv

GET /api/model/:model/run/:run/microdata/:name/csv-bom

#### GET csv microdata values from model run (enum id's)

GET /api/model/:model/run/:run/microdata/:name/csv-id

GET /api/model/:model/run/:run/microdata/:name/csv-id-bom

#### GET csv aggregated microdata from model run

GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/csv GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/csv-bom

## GET csv aggregated microdata from model run (enum id's)

GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/csv-id GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/csv-id-bom

## GET csv microdata run comparison

GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/:csv GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/:sv-bom

#### GET csv microdata run comparison (enum id's)

GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/csv-id GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/csv-id-bom

# GET Modeling Task metadata and task run history

## **GET list of modeling tasks**

# GET list of modeling tasks including text (description and notes)

GET /api/model/:model/task-list/text GET /api/model/:model/task-list/text/lang/:lang

# GET modeling task input worksets

GET /api/model/:model/task/:task/sets

# **GET modeling task run history**

GET /api/model/:model/task/:task/runs

## GET status of modeling task run

GET /api/model/:model/task/:task/run-status/run/:run

## GET status of modeling task run list

GET /api/model/:model/task/:task/run-status/list/:run

# GET status of modeling task first run

GET /api/model/:model/task/:task/run-status/first

#### GET status of modeling task last run

GET /api/model/:model/task/:task/run-status/last

# GET status of modeling task last completed run

GET /api/model/:model/task/:task/run-status/last-completed

# GET modeling task including text (description and notes)

GET /api/model/:model/task/:task/text GET /api/model/:model/task/:task/text/lang/:lang

# GET modeling task text in all languages

GET /api/model/:model/task/:task/text-all

# Update Model Profile: set of key-value options

## **PATCH create or replace profile**

PATCH /api/model/:model/profile

# **DELETE** profile

DELETE /api/model/:model/profile/:profile

#### POST create or replace profile option

POST /api/model/:model/profile/:profile/key/:key/value/:value

## **DELETE** profile option

DELETE /api/model/:model/profile/:profile/key/:key

# Update Model Workset: set of input parameters

## POST update workset read-only status

POST /api/model/:model/workset/:set/readonly/:readonly

# **PUT create new workset**

PUT /api/workset-create

## PUT create or replace workset

PUT /api/workset-replace

#### **PATCH create or merge workset**

PATCH /api/workset-merge

# **DELETE workset**

DELETE /api/model/:model/workset/:set

# **POST delete multiple worksets**

POST /api/model/:model/delete-worksets

# **DELETE** parameter from workset

DELETE /api/model/:model/workset/:set/parameter/:name

## **PATCH update workset parameter values**

PATCH /api/model/:model/workset/:set/parameter/:name/new/value

#### PATCH update workset parameter values (enum id's)

PATCH /api/model/:model/workset/:set/parameter/:name/new/value-id

# PATCH update workset parameter(s) value notes

PATCH /api/model/:model/workset/:set/parameter-text

#### PUT copy parameter from model run into workset

PUT /api/model/:model/workset/:set/copy/parameter/:name/from-run/:run

### PATCH merge parameter from model run into workset

PATCH /api/model/:model/workset/:set/merge/parameter/:name/from-run/:run

## PUT copy parameter from workset to another

PUT /api/model/:model/workset/:set/copy/parameter/:name/from-workset/:from-set

## PATCH merge parameter from workset to another

PATCH /api/model/:model/workset/:set/merge/parameter/:name/from-workset/:from-set

## **Update Model Runs**

## PATCH update model run text (description and notes)

PATCH /api/run/text

# **DELETE model run**

DELETE /api/model/:model/run/:run

# **POST delete model runs**

POST /api/model/:model/delete-runs

#### PATCH update run parameter(s) value notes

PATCH /api/model/:model/run/:run/parameter-text

# **Update Modeling Tasks**

## PUT create or replace modeling task

PUT /api/task-new

#### PATCH create or update modeling task

PATCH /api/task

# **DELETE modeling task**

DELETE /api/model/:model/task/:task

# Run Models: run models and monitor progress

## POST a request to run the model

POST /api/run

# GET state of current model run

```
GET /api/run/log/model/:model/stamp/:stamp
GET /api/run/log/model/:model/stamp/:stamp/start/:start/count/:count
```

# PUT stop model run

PUT /api/run/stop/model/:model/stamp/:stamp

# Download model, model run results or input parameters

## **GET download log file**

GET /api/download/log/file/:name

# GET all download log files

GET /api/download/log-all

## **GET download files tree**

GET /api/download/file-tree/:folder

# POST initiate model download

POST /api/download/model/:model

### POST initiate model run download

POST /api/download/model/:model/run/:run

#### POST initiate model workset download

POST /api/download/model/:model/workset/:set

# **DELETE download files**

DELETE /api/download/delete/:folder DELETE /api/download/start/delete/:folder

## **DELETE all download files**

DELETE /api/download/delete-all DELETE /api/download/start/delete-all

# Upload model runs or worksets

## **GET upload log file**

GET /api/upload/log/file/:name

# GET all upload log files for the model

GET /api/upload/log/model/:model

## **GET all upload log files**

GET /api/upload/log-all

#### **GET upload files tree**

GET /api/upload/file-tree/:folder

# POST initiate model run upload

POST /api/upload/model/:model/run POST /api/upload/model/:model/run/:run

# **POST** initiate workset upload

POST /api/upload/model/:model/workset POST /api/upload/model/:model/workset/:set

# **DELETE upload files**

DELETE /api/upload/delete/:folder DELETE /api/upload/start/delete/:folder

## **DELETE all upload files**

DELETE /api/upload/delete-all DELETE /api/upload/start/delete-all

# User: manage user settings and data

# GET user views for the model

GET /api/user/view/model/:model

# PUT user views for the model

PUT /api/user/view/model/:model

## **DELETE** user views for the model

DELETE /api/user/view/model/:model

# Model run jobs and service state

# **GET** service configuration

GET /api/service/config

# **GET job service state**

GET /api/service/state

## GET disk usage state

GET /api/service/disk-use

## POST refresh disk space usage info

POST /api/service/disk-use/refersh

# GET state of active model run job

GET /api/service/job/active/:job

# GET state of model run job from queue

GET /api/service/job/queue/:job

## GET state of model run job from history

GET /api/service/job/history/:job

# PUT model run job into other queue position

# DELETE state of model run job from history

DELETE /api/service/job/delete/history/:job

# Administrative: manage web-service state

# POST a request to refresh models catalog

POST /api/admin/all-models/refresh

## POST a request to close models catalog

POST /api/admin/all-models/close

## POST a request to close model database

POST /api/admin/model/:model/close

## POST a request to open database file

POST /api/admin/db-file-open/:path

#### POST a request to cleanup database file

POST /api/admin/db-cleanup/:path

- POST /api/admin/db-cleanup/:path/name/:name
- POST /api/admin/db-cleanup/:path/name/:name/digest/:digest

# GET the list of database cleanup logs

GET /api/admin/db-cleanup/log-all

# GET database cleanup log file

GET /api/admin/db-cleanup/log/:name

# POST a request to pause model run queue

POST /api/admin/jobs-pause/:pause

## POST a request to pause all queues of model runs

POST /api/admin-all/jobs-pause/:pause

# PUT a request to shutdown web-service

PUT /shutdown

# **GET model list**

Get list of the models.

# Method:

GET /api/model-list

# Call example:

http://localhost:4040/api/model-list

Return example: This is a beta version and may change in the future.

```
[
 {
  "Modelld": 101,
  "Name": "IDMM",
  "Digest": "0f76e04fb52de763f836c7b026c00f80",
  "Type": 1,
  "Version": "2.0.0.0",
"CreateDateTime": "2017-12-19 15:19:57.0747",
  "DefaultLangCode": "EN"
 },
 {
  "ModelId": 101,
  "Name": "NewCaseBased",
  "Digest": "649f17f26d67c37b78dde94f79772445",
  "Type": 0,
  "Version": "1.0.0.0",
"CreateDateTime": "2017-12-19 15:21:14.0232",
  "DefaultLangCode": "EN"
 },
 {
  "Modelld": 101,
  "Name": "NewTimeBased",
  "Digest": "0ceaa8fbc0b762c5cb287a4910ede8f7",
  "Type": 1,
  "Version": "1.0.1.0",
  "CreateDateTime": "2017-12-19 15:21:47.0408",
"DefaultLangCode": "EN"
 },
 {
  "Modelld": 1,
  "Name": "modelOne",
"Digest": "_201208171604590148_",
  "Туре": 0,
  "Version": "1.0",
  "CreateDateTime": "2012-08-17 16:04:59.0148",
   "DefaultLangCode": "EN"
 }
]
```

# GET model list including text (description and notes)

Get model list including text (description and notes).

# Methods:

GET /api/model-list/text GET /api/model-list/text/lang/:lang

## Arguments:

:lang - (optional) language code

If optional lang argument specified then result in that language else in browser language or model default. If no such language exist then result in model default language or can be empty.

## Call examples:

http://localhost:4040/api/model-list/text http://localhost:4040/api/model-list/text/lang/en

Return example: This is a beta version and may change in the future.

```
[
 {
   "Model": {
    "ModelId": 101,
    "Name": "IDMM",
    "Digest": "0f76e04fb52de763f836c7b026c00f80",
    "Type": 1,
   "Version": "2.0.0.0",
"CreateDateTime": "2017-12-19 15:19:57.0747",
    "DefaultLangCode": "EN"
  },
"DescrNote": {
    "LangCode": "EN",
    "Descr": "model",
"Note": ""
  }
 },
 {
   "Model": {
    "ModelId": 101,
    "Name": "NewCaseBased",
"Digest": "649f17f26d67c37b78dde94f79772445",
    "Type": 0,
    "Version": "1.0.0.0",
    "CreateDateTime": "2017-12-19 15:21:14.0232",
    "DefaultLangCode": "EN"
  },
   "DescrNote": {
"LangCode": "EN",
    "Descr": "Simple case-based model",
    "Note": "This model can serve as a starting point for more complex case-based models."
  }
 },
 {
   "Model": {
    "ModelId": 101,
    "Name": "NewTimeBased",
    "Digest": "0ceaa8fbc0b762c5cb287a4910ede8f7",
    "Type": 1,
    "Version": "1.0.1.0",
    "CreateDateTime": "2017-12-19 15:21:47.0408",
    "DefaultLangCode": "EN"
  },
   "DescrNote": {
    "LangCode": "EN",
    "Descr": "Simple time-based model",
    "Note": "This model can serve as a starting point for more complex time-based models."
  }
 },
   "Model": {
    "Modelld": 1,
    "Name": "modelOne",
"Digest": "_201208171604590148_",
    "Туре": 0,
    "Version": "1.0",
    "CreateDateTime": "2012-08-17 16:04:59.0148",
    "DefaultLangCode": "EN"
  },
   "DescrNote": {
    "LangCode": "EN",
    "Descr": "First model",
    "Note": "First model: openM++ development test model"
  3
 }
]
```

# **GET model definition metadata**

Get model definition: language-neutral part of model metadata.

#### Methods:

GET /api/model/:model GET /api/model/:model/pack

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

#### Call examples:

```
http://localhost:4040/api/model/modelOne
http://localhost:4040/api/model/649f17f26d67c37b78dde94f79772445
http://localhost:4040/api/model/RiskPaths/pack
```

The *Ipackl* version of the method produce more compact output results. For example range types are retrurned as *[min, max]* enum id's only:

```
{
    "Modelld": 101,
    "Typeld": 103,
    "TypeHid": 101,
    "Name": "LIFE",
    "Digest": "90bc3191bed66b07d1c7b9f88c42584c",
    "Dicld": 3,
    "TotalEnumId": 101,
    "IsRange": true,
    "MinEnumId": 0,
    "MaxEnumId": 100,
    "Enum": null
},
```

And a regular method (without /pack/) return a full list of enum type values:

```
{
  "ModelId": 101,
  "TypeId": 103,
  "TypeHid": 101,
  "Name": "LIFE"
  "Digest": "90bc3191bed66b07d1c7b9f88c42584c",
  "Dicld": 3,
  "TotalEnumId": 101,
  "IsRange": true,
  "MinEnumId": 0.
  "MaxEnumId": 100,
  "Enum": [{
     "Modelld": 101,
     "TypeId": 103,
     "EnumId": 0,
     "Name": "0"
   },
   {
     "ModelId": 101,
    "Typeld": 103,
     "EnumId": 100,
     "Name": "100"
   1
  ]
}
```

# Return example:

{
"Model": {
"ModelId": 1,
"Namo": "modolOn

```
Name . moderone ,
  "Digest": "_201208171604590148_",
  "Туре": 0,
  "Version": "1.0",
  "CreateDateTime": "2012-08-17 16:04:59.148",
  "DefaultLangCode": "EN"
},
"Type": [
  {
    "ModelId": 1,
    "Typeld": 4,
   "TypeHid": 4,
   "Name": "int",
"Digest": "_int_",
    "DicId": 0,
    "TotalEnumId": 1,
    "Enum": null
  },
  {
    "ModelId": 1,
    "Typeld": 7,
    "TypeHid": 7,
   "Name": "bool",
"Digest": "_bool_",
    "DicId": 1,
    "TotalEnumId": 2,
    "Enum": [
     {
      "ModelId": 1,
      "Typeld": 7,
      "EnumId": 0,
      "Name": "false"
     }.
     {
      "ModelId": 1,
      "Typeld": 7,
      "EnumId": 1,
      "Name": "true"
     }
   ]
  },
    "ModelId": 1,
    "TypeId": 14,
    "TypeHid": 14,
    "Name": "double",
    "Digest": "_double_",
    "DicId": 0,
    "TotalEnumId": 1,
    "Enum": null
  },
  {
    "ModelId": 1,
    "TypeId": 21,
   "TypeHid": 21,
"Name": "file",
    "Digest": "_file_",
    "DicId": 0,
    "TotalEnumId": 1,
    "Enum": null
  },
  {
    "ModelId": 1,
    "Typeld": 101,
    "TypeHid": 96,
    "Name": "age",
    "Digest": "_20128171604590121",
    "DicId": 2,
    "TotalEnumId": 500,
    "Enum": [
     {
      "ModelId": 1,
      "TypeId": 101,
      "EnumId": 10,
       "Name": "10-20"
     },
     {
      "ModelId": 1,
      "Typeld": 101,
      "EnumId": 20,
      "Name": "20-30"
     }.
     {
      "ModelId": 1,
      "TypeId": 101,
"EnumId": 30,
      "Name": "30-40"
     },
```

```
{
     "ModelId": 1,
     "TypeId": 101,
     "EnumId": 40,
     "Name": "40+"
   }
  ]
 },
  "ModelId": 1,
  "TypeId": 102,
  "TypeHid": 97,
"Name": "sex",
  "Digest": "_20128171604590122",
  "Dicld": 2,
  "TotalEnumId": 800,
  "Enum": [
   {
     "ModelId": 1,
     "TypeId": 102,
     "EnumId": 0,
     "Name": "M"
   },
   {
     "ModelId": 1,
     "Typeld": 102,
     "EnumId": 1,
     "Name": "F"
   }
  ]
 },
 {
  "ModelId": 1,
  "Typeld": 103,
  "TypeHid": 98,
  "Name": "salary",
  "Digest": "_20128171604590123",
"DicId": 2,
  "TotalEnumId": 400,
  "Enum": [
   {
     "Modelld": 1,
"Typeld": 103,
     "EnumId": 100,
     "Name": "L"
   },
   {
     "Modelld": 1,
     "TypeId": 103,
     "EnumId": 200,
     "Name": "M"
   },
   {
     "ModelId": 1,
     "TypeId": 103,
     "EnumId": 300,
     "Name": "H"
   }
  ]
 },
 {
  "ModelId": 1,
  "TypeId": 104,
  "TypeHid": 99,
  "Name": "full",
  "Digest": "_20128171604590124",
  "Dicld": 2,
  "TotalEnumId": 44,
  "Enum": [
   {
     "ModelId": 1,
     "TypeId": 104,
     "EnumId": 22,
     "Name": "Full"
   },
   {
     "ModelId": 1,
     "TypeId": 104,
     "EnumId": 33,
     "Name": "Part"
   }
  ]
 }
]
"Param": [
  "ModelId": 1,
  "ParamId": 0,
```

```
"ParamHid": 44,
 "Name": "ageSex",
 "Digest": "_20128171604590131",
 "Rank": 2,
 "Typeld": 14,
 "IsExtendable": true,
 "IsHidden": false,
 "NumCumulated": 0,
 "DbRunTable": "ageSex_p_2012817",
"DbSetTable": "ageSex_w_2012817",
 "ImportDigest": "_i0128171604590131",
 "Dim": [
  {
    "ModelId": 1,
    "ParamId": 0,
   "DimId": 0,
"Name": "dim0",
    "TypeId": 101
  },
  {
    "Modelld": 1,
   "ParamId": 0,
   "DimId": 1,
    "Name": "dim1",
   "TypeId": 102
  }
 ],
 "Import": [
  {
    "Modelld": 1,
   "ParamId": 0,
    "FromName": "ageSexIncome",
    "FromModel": "modelOne",
    "IsSampleDim": false
  }
 ]
},
 "ModelId": 1,
 "ParamId": 1,
 "ParamHid": 45,
 "Name": "salaryAge",
 "Digest": "_20128171604590132",
 "Rank": 2,
 "Typeld": 4,
 "IsExtendable": false,
 "IsHidden": false,
 "NumCumulated": 0,
 "DbRunTable": "salaryAge_p_2012818",
 "DbSetTable": "salaryAge_w_2012818",
 "ImportDigest": "_i0128171604590132",
 "Dim": [
  {
    "ModelId": 1,
    "ParamId": 1,
    "DimId": 0,
"Name": "dim0",
    "TypeId": 103
  },
  {
    "ModelId": 1,
    "ParamId": 1,
   "DimId": 1,
"Name": "dim1",
    "TypeId": 101
  }
 ],
 "Import": [
  {
    "ModelId": 1,
    "ParamId": 1,
    "FromName": "salaryAge",
    "FromModel": "modelOne",
    "IsSampleDim": false
  }
 1
},
 "ModelId": 1,
 "ParamId": 2,
 "ParamHid": 46,
 "Name": "StartingSeed",
 "Digest": "_20128171604590133",
 "Rank": 0,
 "Typeld": 4,
 "IsExtendable": false,
 "IsHidden": false,
```

```
"Numcumulated": U,
 "DbRunTable": "StartingSeed_p_2012819",
 "DbSetTable": "StartingSeed_w_2012819",
 "ImportDigest": "_i0128171604590133",
 "Dim": null,
 "Import": [
  {
    "ModelId": 1,
    "ParamId": 2,
    "FromName": "StartingSeed",
    "FromModel": "modelOne",
    "IsSampleDim": false
  }
 1
},
{
 "ModelId": 1,
 "ParamId": 3,
 "ParamHid": 47,
 "Name": "salaryFull",
 "Digest": "_20128171604590134",
 "Rank": 1,
 "TypeId": 104,
 "IsExtendable": false,
 "IsHidden": false,
 "NumCumulated": 0,
 "DbRunTable": "salaryFull_p_2012812",
 "DbSetTable": "salaryFull_w_2012812",
 "ImportDigest": "_i0128171604590134",
 "Dim": [
  {
    "ModelId": 1,
    "ParamId": 3,
    "DimId": 0,
    "Name": "dim0",
    "TypeId": 103
  }
 1,
 "Import": null
},
 "ModelId": 1,
 "ParamId": 4,
 "ParamHid": 48,
 "Name": "baseSalary",
 "Digest": "_20128171604590135",
"Rank": 0,
 "TypeId": 104,
 "IsExtendable": false,
 "IsHidden": false,
 "NumCumulated": 0,
 "DbRunTable": "baseSalary_p_2012811",
 "DbSetTable": "baseSalary_w_2012811",
 "ImportDigest": "_i0128171604590135",
 "Dim": null,
 "Import": null
},
 "ModelId": 1,
 "ParamId": 5,
 "ParamHid": 49,
 "Name": "filePath".
 "Digest": "_20128171604590136",
 "Rank": 0,
 "TypeId": 21,
 "IsExtendable": false,
 "IsHidden": false,
 "NumCumulated": 0,
 "DbRunTable": "filePath_p_2012814",
 "DbSetTable": "filePath_w_2012814",
 "ImportDigest": "_i0128171604590136",
 "Dim": null,
 "Import": null
},
 "ModelId": 1,
 "ParamId": 6,
 "ParamHid": 50,
 "Name": "isOldAge",
 "Digest": "_20128171604590137",
 "Rank": 1,
 "TypeId": 7,
 "IsExtendable": false,
 "IsHidden": false,
 "NumCumulated": 0,
 "DbRunTable": "isOldAge_p_2012815",
"DbSetTable": "isOldAge_w_2012815",
 "ImportDigest": "_i0128171604590137",
```

```
"Dim": [
    {
      "Modelld": 1,
      "ParamId": 6,
      "DimId": 0,
      "Name": "dim0",
      "TypeId": 101
    }
   ],
   "Import": null
  }
],
  'Table": [
  {
   "ModelId": 1,
   "TableId": 0,
   "TableHid": 82,
   "Name": "salarySex",
"Digest": "_20128171604590182",
   "IsUser": false,
   "Rank": 2,
   "IsSparse": true,
   "DbExprTable": "salarySex_v_2012882",
"DbAccTable": "salarySex_a_2012882",
   "DbAccAllView": "salarySex_d_2012882",
   "ExprPos": 1,
   "IsHidden": false,
   "ImportDigest": "_i0128171604590182",
   "Dim": [
    {
      "ModelId": 1,
     "TableId": 0,
      "DimId": 0,
      "Name": "dim0",
      "TypeId": 103,
      "IsTotal": false,
      "DimSize": 3
    },
     {
      "Modelld": 1,
      "TableId": 0,
      "DimId": 1,
      "Name": "dim1",
      "TypeId": 102,
      "IsTotal": true,
      "DimSize": 3
    }
   ],
    "Acc": [
    {
      "Modelld"<sup>,</sup> 1
      "TableId": 0.
      "AccId": 0,
      "Name": "acc0",
      "IsDerived": false,
      "SrcAcc": "value_sum()",
      "AccSql": "A.acc_value"
    },
     {
      "Modelld": 1,
      "TableId": 0,
      "Accld": 1,
      "Name": "acc1",
      "IsDerived": false,
      "SrcAcc": "value_count()",
      "AccSql": "SELECT A1.acc_value FROM salarySex_a_2012882 A1 WHERE A1.run_id = A.run_id AND A1.sub_id = A.sub_id AND A1.dim0 = A.dim0 AND A1.dim1 = A.dim1 A
ND A1.acc_id = 1"
    },
    {
      "Modelld": 1,
      "TableId": 0,
      "AccId": 2,
      "Name": "acc2",
      "IsDerived": true,
      "SrcAcc": "acc0 + acc1",
      "AccSql": "(A.acc_value) + (SELECT A1.acc_value FROM salarySex_a_2012882 A1 WHERE A1.run_id = A.run_id AND A1.sub_id = A.sub_id AND A1.dim0 = A.dim0 AND A1
.dim1 = A.dim1 AND A1.acc_id = 1)"
    }
   ],
    "Expr": [
    {
      "ModelId": 1.
      "TableId": 0,
      "ExprId": 0,
      "Name": "expr0",
      "Decimals": 4,
      "SrcExpr": "OM_AVG(acc0)",
"ExprScII": "SELECT M1 run id M1 dim0 M1 dim1 AVG(M1 acc value) AS expr0 EDOM salan/Sex a 2012882 M1 WHERE M1 acc id = 0 GPOLIP RV M1 run id M1 dim0
```

```
M1.dim1'
    },
    {
     "Modelld": 1.
     "TableId": 0,
     "ExprId": 1,
     "Name": "expr1",
     "Decimals": 4,
     "SrcExpr": "OM_SUM(acc1)",
     "ExprSql": "SELECT M1.run_id, M1.dim0, M1.dim1, SUM(M1.acc_value) AS expr1 FROM salarySex_a_2012882 M1 WHERE M1.acc_id = 1 GROUP BY M1.run_id, M1.dim0,
M1.dim1"
    },
    {
     "ModelId": 1,
     "TableId": 0,
     "ExprId": 2,
     "Name": "expr2",
     "Decimals": 2,
     "SrcExpr": "OM_MIN(acc0)",
     "ExprSql": "SELECT M1.run_id, M1.dim0, M1.dim1, MIN(M1.acc_value) AS expr2 FROM salarySex_a_2012882 M1 WHERE M1.acc_id = 0 GROUP BY M1.run_id, M1.dim0,
M1.dim1"
    },
    {
     "ModelId": 1,
     "TableId": 0.
     "ExprId": 3,
     "Name": "expr3",
     "Decimals": 3.
     "SrcExpr": "OM_AVG(acc0 * acc1)",
     "ExprSql": "SELECT M1.run_id, M1.dim0, M1.dim1, AVG(M1.acc_value * A1.acc1) AS expr3 FROM salarySex_a_2012882 M1 INNER JOIN (SELECT run_id, dim0, dim1, su
b_id, acc_value AS acc1 FROM salarySex_a_2012882 WHERE acc_id = 1) A1 ON (A1.run_id = M1.run_id AND A1.dim0 = M1.dim0 AND A1.dim1 = M1.dim1 AND A1.sub_id = M1.
sub id) WHERE M1.acc id = 0 GROUP BY M1.run id, M1.dim0, M1.dim1"
    }
   ]
 },
  {
   "ModelId": 1,
   "TableId": 1,
   "TableHid": 83
   "Name": "fullAgeSalary",
   "Digest": "_20128171604590183",
   "IsUser": false,
   "Rank": 3,
   "IsSparse": false,
   "DbExprTable": "fullAgeSalary_v_2012883",
   "DbAccTable": "fullAgeSalary_a_2012883",
   "DbAccAllView": "fullAgeSalary_d_2012883",
   "ExprPos": 1,
   "IsHidden": false.
   "ImportDigest": "_i0128171604590183",
   "Dim": [
    {
      "ModelId": 1,
     "TableId": 1
     "DimId": 0,
     "Name": "dim0",
     "TypeId": 104,
     "IsTotal": false,
      "DimSize": 2
    }.
    {
     "Modelld": 1,
     "TableId": 1,
     "DimId": 1,
     "Name": "dim1",
     "TypeId": 101,
     "IsTotal": true,
     "DimSize": 5
    }.
    {
     "Modelld": 1.
     "TableId": 1,
     "DimId": 2,
     "Name": "dim2",
     "TypeId": 103,
     "IsTotal": false.
     "DimSize": 3
    }
   1.
   "Acc": [
     "ModelId": 1,
     "TableId": 1,
      "AccId": 0,
      "Name": "acc0",
     "IsDerived": false,
     "SrcAcc": "raw_value()",
```

EXPLOY . SELECT INT. TOT, INT. OND. NOT. OND. A CONTRACT, AND (INT. ONLY AND CALLED A CANDIDATION STATISTICS INT ANTICIDATION OF A CANDIDATION, AND A CANDIDATION, AND A CANDIDATION, AND A CANDIDATION AND A CANDIDATIONAL AND A CANDIDATION AND A CA

```
}
   ],
   "Expr": [
    {
     "ModelId": 1,
     "TableId": 1,
     "ExprId": 0,
     "Name": "expr0",
     "Decimals": 2,
     "SrcExpr": "OM_AVG(acc0)",
     "ExprSql": "SELECT M1.run_id, M1.dim0, M1.dim1, M1.dim2, AVG(M1.acc_value) AS expr0 FROM fullAgeSalary_a_2012883 M1 WHERE M1.acc_id = 0 GROUP BY M1.run_
id, M1.dim0, M1.dim1, M1.dim2"
    }
   ]
 }.
  {
   "ModelId": 1,
   "TableId": 2,
   "TableHid": 84,
   "Name": "ageSexIncome",
   "Digest": "_20128171604590184",
   "IsUser": false,
   "Rank": 2,
   "IsSparse": false,
   "DbExprTable": "ageSexIncome_v_2012884",
   "DbAccTable": "ageSexIncome_a_2012884",
   "DbAccAllView": "ageSexIncome_d_2012884",
   "ExprPos": 0,
   "IsHidden": false,
   "ImportDigest": "_i0128171604590131",
   "Dim": [
    {
     "ModelId": 1,
     "TableId": 2,
     "DimId": 0,
     "Name": "dim0",
     "TypeId": 101,
     "IsTotal": false,
     "DimSize": 4
    },
    {
     "ModelId": 1,
     "TableId": 2.
     "DimId": 1,
     "Name": "dim1",
     "TypeId": 102,
     "IsTotal": false,
     "DimSize": 2
    }
   1,
   "Acc": [
    {
     "ModelId": 1,
     "TableId": 2,
     "AccId": 0,
     "Name": "acc0",
     "IsDerived": false,
     "SrcAcc": "raw_value()",
     "AccSql": "A.acc_value"
    },
    {
     "ModelId": 1,
     "TableId": 2.
     "AccId": 1,
     "Name": "acc1",
     "IsDerived": false,
     "SrcAcc": "adjust value()",
     "AccSql": "A.acc_value"
    }
   ],
   "Expr": [
    {
     "Modelld": 1,
     "TableId": 2,
     "ExprId": 0,
     "Name": "expr0",
     "Decimals": 2,
     "SrcExpr": "OM_AVG(acc0)",
     "ExprSql": "SELECT M1.run_id, M1.dim0, M1.dim1, AVG(M1.acc_value) AS expr0 FROM ageSexIncome_a_2012884 M1 WHERE M1.acc_id = 0 GROUP BY M1.run_id, M1.d
im0, M1.dim1"
    },
    {
     "Modelld": 1,
     "TableId": 2,
     "ExprId": 1,
     "Name": "expr1",
```

"AccSql": "A.acc value"

"Decimals": 3,

```
"SrcExpr": "OM_AVG(acc1)",
      "ExprSql": "SELECT M1.run_id, M1.dim0, M1.dim1, AVG(M1.acc_value) AS expr1 FROM ageSexIncome_a_2012884 M1 WHERE M1.acc_id = 1 GROUP BY M1.run_id, M1.d
im0, M1.dim1"
    }
   1
  },
  {
   "ModelId": 1,
   "TableId": 3,
   "TableHid": 85,
   "Name": "seedOldAge",
"Digest": "_20128171604590185",
   "IsUser": false,
   "Rank": 0,
   "IsSparse": false,
   "DbExprTable": "seedOldAge_v_2012885",
"DbAccTable": "seedOldAge_a_2012885",
   "DbAccAllView": "seedOldAge_d_2012885",
   "ExprPos": 0,
   "IsHidden": false,
   "ImportDigest": "_i0128171604590185",
   "Dim": null,
   "Acc": [
    {
      "ModelId": 1,
      "TableId": 3,
      "AccId": 0,
      "Name": "acc0",
      "IsDerived": false,
      "SrcAcc": "raw_value()",
      "AccSql": "A.acc_value"
    }
   ],
    "Expr": [
    {
      "Modelld": 1,
      "TableId": 3.
      "ExprId": 0,
      "Name": "expr0",
      "Decimals": 5,
      "SrcExpr": "OM_AVG(acc0)",
      "ExprSql": "SELECT M1.run_id, AVG(M1.acc_value) AS expr0 FROM seedOldAge_a_2012885 M1 WHERE M1.acc_id = 0 GROUP BY M1.run_id"
    }
   ]
  }
 ],
 "Group": [
   "ModelId": 1,
   "GroupId": 1,
   "IsParam": true,
   "Name": "AllParameters",
   "IsHidden": false,
   "GroupPc": [
    {
      "Modelld": 1,
      "GroupId": 1,
      "ChildPos": 0,
      "ChildGroupId": 2,
      "ChildLeafId": -1
    },
    {
      "Modelld": 1,
      "GroupId": 1,
      "ChildPos": 1,
      "ChildGroupId": 3,
      "ChildLeafId": -1
    },
    {
      "ModelId": 1,
      "GroupId": 1,
      "ChildPos": 2,
      "ChildGroupId": -1,
      "ChildLeafId": 2
    }.
    {
      "Modelld": 1,
      "GroupId": 1,
      "ChildPos": 3,
      "ChildGroupId": -1,
      "ChildLeafId": 5
    }
   ]
  },
   "ModelId": 1,
   "GroupId": 2,
```

```
⊓sParam∵ true,
 "Name": "AgeSexParameters",
 "IsHidden": false,
 "GroupPc": [
 {
"Modelld": 1,
    "GroupId": 2,
    "ChildPos": 0,
    "ChildGroupId": -1,
    "ChildLeafId": 0
  }.
    "ModelId": 1,
    "GroupId": 2,
    "ChildPos": 1,
    "ChildGroupId": -1,
    "ChildLeafId": 1
  },
  {
    "ModelId": 1,
    "GroupId": 2,
    "ChildPos": 2,
    "ChildGroupId": -1,
    "ChildLeafId": 6
  }
 ]
},
 "ModelId": 1,
 "GroupId": 3,
 "IsParam": true,
"Name": "SalaryParameters",
 "IsHidden": false,
 "GroupPc": [
  {
    "Modelld": 1,
    "GroupId": 3,
    "ChildPos": 0,
    "ChildGroupId": -1,
    "ChildLeafId": 1
  },
    "ModelId": 1,
    "GroupId": 3,
    "ChildPos": 1,
    "ChildGroupId": -1,
    "ChildLeafId": 3
  },
  {
    "Modelld": 1,
   "GroupId": 3,
"ChildPos": 2,
    "ChildGroupId": -1,
    "ChildLeafId": 4
  }
 1
},
 "ModelId": 1,
 "GroupId": 10,
 "IsParam": false,
 "Name": "AdditionalTables",
 "IsHidden": false,
 "GroupPc": [
  {
    "Modelld": 1,
    "GroupId": 10,
    "ChildPos": 0,
    "ChildGroupId": -1,
    "ChildLeafId": 1
  }.
    "ModelId": 1,
    "GroupId": 10,
    "ChildPos": 1,
    "ChildGroupId": -1,
    "ChildLeafId": 2
  }.
  {
    "ModelId": 1,
    "GroupId": 10,
    "ChildPos": 2,
    "ChildGroupId": -1,
    "ChildLeafId": 3
  }
 1
```

}

}

# GET model metadata including text (description and notes)

Get model metadata including text (description and notes) in current user language.

## Methods:

GET /api/model/:model/text GET /api/model/:model/text/lang/:lang GET /api/model/:model/pack/text GET /api/model/:model/pack/text/lang/:lang

The /pack/ version of the method produce more compact output results. For example range types are retrurned as [min, max] enum id's only:

```
{
  "Type": {
   "Modelld": 101,
   "Typeld": 103,
   "TypeHid": 101,
   "Name": "LIFE",
   "Digest": "90bc3191bed66b07d1c7b9f88c42584c",
   "DicId": 3,
   "TotalEnumId": 101,
   "IsRange": true,
   "MinEnumId": 0,
   "MaxEnumId": 100
  },
   "DescrNote": {
   "LangCode": "EN",
   "Descr": "Simulated age range",
    "Note": "
  },
   "TypeEnumTxt": []
},
```

And a regular method (without /pack/) return a full list of enum type values:

```
{
  "Type": {
    "ModelId": 101.
    "TypeId": 103,
   "TypeHid": 101,
    "Name": "LIFE"
   "Digest": "90bc3191bed66b07d1c7b9f88c42584c",
   "DicId": 3,
    "TotalEnumId": 101,
   "IsRange": true,
    "MinEnumId": 0,
    "MaxEnumId": 100
  },
   "DescrNote": {
   "LangCode": "EN",
   "Descr": "Simulated age range",
"Note": ""
  },
   "TypeEnumTxt": [{
     "Enum": {
      "ModelId": 101,
      "TypeId": 103,
      "EnumId": 0,
      "Name": "0"
     },
     "DescrNote": {
      "LangCode": "EN",
      "Descr": "0",
      "Note": "
     }
   }, {
   }, {
     "Enum": {
      "ModelId": 101,
      "TypeId": 103,
      "EnumId": 100,
      "Name": "100"
     },
     "DescrNote": {
      "LangCode": "EN",
      "Descr": "100",
"Note": ""
     }
   }
  1
}
```

### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:lang - (optional) language code

If optional lang argument specified then result in that language else in browser language or model default. If no such language exist then result in model default language or can be empty.

#### Call examples:

```
http://localhost:4040/api/model/modelOne/text
http://localhost:4040/api/model/modelOne/text/lang/en
http://localhost:4040/api/model/_201208171604590148_/text/lang/en_CA
```

http://localhost:4040/api/model/RiskPaths/pack/text

## **Return example:**

{

```
"Model": {

"Model": 1,

"Name": "modelOne",

"Digest": "_201208171604590148_",

"Type": 0,

"Version": "1.0",
```

```
"DefaultLangCode": "EN"
},
"DescrNote": {
 "LangCode": "EN",
 "Descr": "First model",
 "Note": "First model: openM++ development test model"
},
"TypeTxt": [
{
"Type": {
    "Modelld": 1,
    "Typeld": 4,
    "TypeHid": 4,
    "Name": "int",
"Digest": "_int_",
    "DicId": 0,
    "TotalEnumId": 1
   },
   "DescrNote": {
    "LangCode": "",
    "Descr": "",
"Note": ""
  },
   "TypeEnumTxt": []
 },
   "Type": {
    "ModelId": 1,
    "Typeld": 7,
    "TypeHid": 7,
    "Name": "bool",
"Digest": "_bool_",
    "DicId": 1,
    "TotalEnumId": 2
   },
   "DescrNote": {
"LangCode": "EN",
    "Descr": "logical type",
"Note": ""
  },
   "TypeEnumTxt": [
    {
      "Enum": {
       "ModelId": 1,
       "TypeId": 7,
       "EnumId": 0,
       "Name": "false"
      },
      "DescrNote": {
       "LangCode": "EN",
       "Descr": "False",
"Note": ""
     }
    },
    {
      "Enum": {
       "Modelld": 1,
       "TypeId": 7,
       "EnumId": 1,
       "Name": "true"
      },
      "DescrNote": {
       "LangCode": "EN",
"Descr": "True",
       "Note": ""
     }
    }
  ]
  },
  {
   "Type": {
    "Modelld": 1,
    "TypeId": 14,
    "TypeHid": 14,
    "Name": "double",
"Digest": "_double_",
    "DicId": 0,
    "TotalEnumId": 1
   },
   "DescrNote": {
    "LangCode": "",
    "Descr": "",
"Note": ""
   },
   "TypeEnumTxt": []
 },
```

"CreateDateTime": "2012-08-17 16:04:59.148",

```
"Type": {
  "ModelId": 1,
  "TypeId": 21,
   "TypeHid": 21,
   "Name": "file",
  "Digest": "_file_",
   "DicId": 0,
  "TotalEnumId": 1
 },
  "DescrNote": {
  "LangCode": "",
  "Descr": "",
"Note": ""
 },
  "TypeEnumTxt": []
},
{
  "Type": {
  "ModelId": 1,
  "Typeld": 101,
  "TypeHid": 96,
"Name": "age",
  "Digest": "_20128171604590121",
"DicId": 2,
  "TotalEnumId": 500
 },
  "DescrNote": {
  "LangCode": "EN",
  "Descr": "Age",
"Note": ""
},
"TypeEnumTxt": [
  {
    "Enum": {
     "Modelld": 1,
     "TypeId": 101,
"EnumId": 10,
"Name": "10-20"
    },
     "DescrNote": {
     "LangCode": "EN",
     "Descr": "age 10-20",
"Note": ""
    }
  },
   {
    "Enum": {
     "ModelId": 1,
     "TypeId": 101,
     "EnumId": 20,
      "Name": "20-30"
    },
    "DescrNote": {
     "LangCode": "EN",
     "Descr": "age 20-30",
      "Note": ""
    }
  },
    "Enum": {
     "Modelld": 1,
     "Typeld": 101,
     "EnumId": 30,
     "Name": "30-40"
    },
     "DescrNote": {
     "LangCode": "EN",
"Descr": "age 30-40",
"Note": ""
    }
  },
   {
     "Enum": {
     "ModelId": 1,
     "TypeId": 101,
     "EnumId": 40,
"Name": "40+"
    },
     "DescrNote": {
     "LangCode": "EN",
     "Descr": "age 40+",
"Note": ""
    }
  }
 ]
},
```

```
iype::{
  "ModelId": 1,
  "TypeId": 102,
  "TypeHid": 97,
  "Name": "sex",
  "Digest": "_20128171604590122",
  "DicId": 2,
  "TotalEnumId": 800
},
 ;,
"DescrNote": {
"LangCode": "EN",
"Descr": "Sex",
"Note": ""
},
 "TypeEnumTxt": [
  {
    "Enum": {
     "Modelld": 1,
     "TypeId": 102,
     "EnumId": 0,
     "Name": "M"
    },
    "DescrNote": {
     "LangCode": "EN",
     "Descr": "Male",
"Note": ""
   }
  },
  {
    "Enum": {
     "Modelld": 1,
"Typeld": 102,
     "EnumId": 1,
     "Name": "F"
    },
    "DescrNote": {

"LangCode": "EN",
     "Descr": "Female",
"Note": ""
   }
  }
]
},
{
 "Type": {
  "Modelld": 1,
  "TypeId": 103,
"TypeHid": 98,
  "Name": "salary",
"Digest": "_20128171604590123",
  "DicId": 2,
  "TotalEnumId": 400
 },
 "DescrNote": {
"LangCode": "EN",
  "Descr": "Salary",
"Note": ""
},
 "TypeEnumTxt": [
  {
    "Enum": {
     "Modelld": 1,
     "TypeId": 103,
     "EnumId": 100,
     "Name": "L"
    },
    "DescrNote": {
     "LangCode": "EN",
     "Descr": "Low",
"Note": ""
   }
  }.
  {
    "Enum": {
     "ModelId": 1,
     "TypeId": 103,
     "EnumId": 200,
     "Name": "M"
    },
    "DescrNote": {
     "LangCode": "EN",
     "Descr": "Medium",
     "Note": ""
    }
  },
  {
    "Enum": {
     "ModelId": 1,
```

```
"TypeId": 103,
      "EnumId": 300,
       "Name": "H"
     },
     "DescrNote": {
      "LangCode": "EN",
      "Descr": "High",
"Note": ""
     }
   }
  ]
 },
  "Type": {
    "ModelId": 1,
    "TypeId": 104,
   "TypeHid": 99,
   "Name": "full",
"Digest": "_20128171604590124",
    "DicId": 2,
    "TotalEnumId": 44
  },
  "DescrNote": {
"LangCode": "EN",
   "Descr": "Full or part time",
"Note": ""
  },
   "TypeEnumTxt": [
    {
     "Enum": {
      "ModelId": 1,
      "TypeId": 104,
       "EnumId": 22,
       "Name": "Full"
     },
     "DescrNote": {
      "LangCode": "EN",
      "Descr": "Full-time",
"Note": ""
     }
   },
    {
     "Enum": {
      "Modelld": 1,
      "TypeId": 104,
"EnumId": 33,
      "Name": "Part"
     },
      "DescrNote": {
      "LangCode": "EN",
"Descr": "Part-time",
      "Note": ""
     }
   }
  ]
}
],
"ParamTxt": [
{
  "Param": {
   "Modelld": 1,
   "ParamId": 0,
   "ParamHid": 44,
   "Name": "ageSex",
   "Digest": "_20128171604590131",
"Rank": 2,
   "TypeId": 14,
    "IsExtendable": true,
    "IsHidden": false,
    "NumCumulated": 0,
   "DbRunTable": "ageSex_p_2012817",
"DbSetTable": "ageSex_w_2012817",
"ImportDigest": "_i0128171604590131"
  },
  "DescrNote": {
   "LangCode": "EN",
    "Descr": "Age by Sex",
    "Note": "Age by Sex note"
  },
   "ParamDimsTxt": [
   {
     "Dim": {
      "ModelId": 1,
      "ParamId": 0,
       "DimId": 0,
       "Name": "dim0",
       "TypeId": 101
```

```
"DescrNote": {
     "LangCode": "EN",
"Descr": "Age Dim",
"Note": "Age Dim notes"
    }
  },
   {
    "Dim": {
     "ModelId": 1,
     "ParamId": 0,
     "DimId": 1,
     "Name": "dim1",
"TypeId": 102
    },
    "DescrNote": {
     "LangCode": "EN",
     "Descr": "Sex Dim",
"Note": "Sex Dim notes"
    }
  }
 1
}.
  "Param": {
   "ModelId": 1,
  "ParamId": 1,
   "ParamHid": 45,
   "Name": "salaryAge",
   "Digest": "_20128171604590132",
   "Rank": 2,
  "TypeId": 4,
   "IsExtendable": false,
   "IsHidden": false,
   "NumCumulated": 0,
   "DbRunTable": "salaryAge_p_2012818",
   "DbSetTable": "salaryAge_w_2012818",
   "ImportDigest": "_i0128171604590132"
 }.
 "DescrNote": {

"LangCode": "EN",
   "Descr": "Salary by Age",
   "Note": "Salary by Age note"
 }.
 "ParamDimsTxt": [
  {
    "Dim": {
     "ModelId": 1,
     "ParamId": 1,
     "DimId": 0,
"Name": "dim0",
     "TypeId": 103
    },
    "DescrNote": {
     "LangCode": "",
     "Descr": "",
     "Note": ""
    }
  }.
   {
    "Dim": {
     "ModelId": 1,
     "ParamId": 1,
     "DimId": 1,
     "Name": "dim1",
     "TypeId": 101
    },
    "DescrNote": {
     "LangCode": "",
     "Descr": "
"Note": ""
    }
  }
 1
},
 "Param": {
  "ModelId": 1,
   "ParamId": 2,
   "ParamHid": 46,
   "Name": "StartingSeed",
   "Digest": "_20128171604590133",
   "Rank": 0,
   "TypeId": 4,
   "IsExtendable": false,
   "IsHidden": false,
   "NumCumulated": 0,
   "DbRunTable": "StartingSeed_p_2012819",
```

```
"DbSetTable": "StartingSeed w 2012819",
  "ImportDigest": "_i0128171604590133"
 },
 "DescrNote": {
  "LangCode": "FR",
  "Descr": "Starting Seed",
  "Note": "Random numbers generator starting seed value"
 },
 "ParamDimsTxt": []
},
  "Param": {
  "ModelId": 1,
  "ParamId": 3,
  "ParamHid": 47,
  "Name": "salaryFull",
  "Digest": "_20128171604590134",
  "Rank": 1,
  "TypeId": 104,
  "IsExtendable": false,
  "IsHidden": false,
   "NumCumulated": 0,
  "DbRunTable": "salaryFull_p_2012812",
  "DbSetTable": "salaryFull_w_2012812",
  "ImportDigest": "_i0128171604590134"
 },
 "DescrNote": {
"LangCode": "EN",
  "Descr": "Full or part time by Salary level",
  "Note": ""
 },
  "ParamDimsTxt": [
 {
"Dim": {
`>de!
     "ModelId": 1,
     "ParamId": 3,
     "DimId": 0,
     "Name": "dim0",
     "TypeId": 103
    },
    "DescrNote": {
     "LangCode": "EN",
     "Descr": "Full Dim",
     "Note": ""
    }
  }
 1
},
 "Param": {
  "ModelId": 1,
  "ParamId": 4,
   "ParamHid": 48,
  "Name": "baseSalary",
"Digest": "_20128171604590135",
  "Rank": 0,
  "TypeId": 104,
  "IsExtendable": false,
  "IsHidden": false,
  "NumCumulated": 0,
  "DbRunTable": "baseSalary_p_2012811",
  "DbSetTable": "baseSalary_w_2012811",
  "ImportDigest": "_i0128171604590135"
 },
 "DescrNote": {
  "LangCode": "EN",
  "Descr": "Base salary level",
  "Note": ""
 },
 "ParamDimsTxt": []
},
 "Param": {
  "Modelld": 1,
  "ParamId": 5,
  "ParamHid": 49,
  "Name": "filePath",
  "Digest": "_20128171604590136",
   "Rank": 0,
  "TypeId": 21,
  "IsExtendable": false,
  "IsHidden": false,
   "NumCumulated": 0,
  "DbRunTable": "filePath_p_2012814",
"DbSetTable": "filePath_w_2012814",
  "ImportDigest": "_i0128171604590136"
 },
 "DescrNote": {
```

```
"LangCode": "EN",
    "Descr": "File path string",
    "Note": ""
  },
   "ParamDimsTxt": []
 },
 {
  "Param": {
   "ModelId": 1,
    "ParamId": 6,
   "ParamHid": 50,
"Name": "isOldAge",
    "Digest": "_20128171604590137",
    "Rank": 1,
    "TypeId": 7,
    "IsExtendable": false,
    "IsHidden": false,
    "NumCumulated": 0,
    "DbRunTable": "isOldAge_p_2012815",
    "DbSetTable": "isOldAge w 2012815",
    "ImportDigest": "_i0128171604590137"
  },
  "DescrNote": {
   "LangCode": "EN",
    "Descr": "Is Old Age",
    "Note": "Is Old Age notes"
  },
  "ParamDimsTxt": [
   {
     "Dim": {
      "ModelId": 1,
      "ParamId": 6,
      "DimId": 0,
      "Name": "dim0",
      "TypeId": 101
     },
     "DescrNote": {
      "LangCode": "EN",
      "Descr": "Age Dim",
      "Note": "Age Dim notes"
     }
   }
  ]
 }
1,
"TableTxt": [
 {
  "Table": {
   "ModelId": 1,
   "TableId": 0,
    "TableHid": 82,
    "Name": "salarySex",
    "Digest": "_20128171604590182",
    "IsUser": false,
    "Rank": 2,
    "IsSparse": true,
   "DbExprTable": "salarySex_v_2012882",
"DbAccTable": "salarySex_a_2012882",
    "DbAccAllView": "salarySex_d_2012882",
    "ExprPos": 1,
    "IsHidden": false,
    "ImportDigest": "_i0128171604590182"
  },
  "LangCode": "EN",
  "TableDescr": "Salary by Sex",
  "TableNote": "Salary by Sex notes",
"ExprDescr": "Measure",
  "ExprNote": "Measure notes",
  "TableDimsTxt": [
   {
     "Dim": {
      "ModelId": 1,
      "TableId": 0,
      "DimId": 0,
      "Name": "dim0",
      "TypeId": 103,
      "IsTotal": false,
      "DimSize": 3
     },
     "DescrNote": {
      "LangCode": "EN",
      "Descr": "Salary Dim",
      "Note": "Salary Dim notes"
     }
   },
    {
     "Dim": {
```

```
"Modelld": 1,
    "TableId": 0,
    "DimId": 1,
    "Name": "dim1",
    "TypeId": 102,
    "IsTotal": true,
    "DimSize": 3
   },
   "DescrNote": {
"LangCode": "EN",
    "Descr": "Sex Dim",
"Note": "Sex Dim notes"
   }
 }
],
 "TableAccTxt": [
 {
   "Acc": {
    "Modelld": 1,
    "TableId": 0,
    "AccId": 0,
    "Name": "acc0",
    "IsDerived": false,
    "SrcAcc": "value_sum()",
"AccSql": ""
   },
   "DescrNote": {
    "LangCode": "EN",
    "Descr": "Sum of salary by sex",
"Note": ""
   }
 },
 {
   "Acc": {
    "Modelld": 1,
    "TableId": 0,
    "Accld": 1,
    "Name": "acc1",
    "IsDerived": false,
    "SrcAcc": "value_count()",
    "AccSql": ""
   },
   "DescrNote": {
    "LangCode": "EN",
    "Descr": "Count of salary by sex",
    "Note": ""
   }
 },
 {
   "Acc": {
    "Modelld": 1,
    "TableId": 0,
    "AccId": 2,
    "Name": "acc2",
    "IsDerived": true,
    "SrcAcc": "acc0 + acc1",
"AccSql": ""
   },
   "DescrNote": {
    "LangCode": "EN",
    "Descr": "Derived accumulator",
"Note": ""
  }
 }
],
"TableExprTxt": [
 {
   "Expr": {
    "Modelld": 1,
    "TableId": 0,
    "ExprId": 0,
    "Name": "expr0",
    "Decimals": 4,
"SrcExpr": "OM_AVG(acc0)",
    "ExprSql": ""
   },
   "DescrNote": {
    "LangCode": "EN",
    "Descr": "Average acc0",
    "Note": "Average on acc0 notes"
   }
 },
 {
   "Expr": {
    "ModelId": 1,
    "TableId": 0,
    "ExprId": 1,
    "Name": "expr1",
```

```
"Decimals": 4,
     "SrcExpr": "OM_SUM(acc1)",
     "ExprSql": ""
    },
    "DescrNote": {
     "LangCode": "EN",
     "Descr": "Sum acc1",
     "Note": ""
   }
  },
   {
    "Expr": {
     "Modelld": 1,
     "TableId": 0,
     "ExprId": 2,
     "Name": "expr2",
     "Decimals": 2,
     "SrcExpr": "OM_MIN(acc0)",
"ExprSql": ""
    },
    "DescrNote": {
     "LangCode": "EN",
     "Descr": "Min acc0",
"Note": ""
    }
   },
   {
    "Expr": {
     "Modelld": 1,
     "TableId": 0,
     "ExprId": 3,
     "Name": "expr3",
     "Decimals": 3,
     "SrcExpr": "OM_AVG(acc0 * acc1)",
     "ExprSql": ""
    },
    "DescrNote": {
     "LangCode": "EN",
     "Descr": "Average acc0 * acc1",
     "Note": ""
    }
  }
 ]
}.
 "Table": {
  "ModelId": 1,
  "TableId": 1,
  "TableHid": 83,
  "Name": "fullAgeSalary",
"Digest": "_20128171604590183",
   "IsUser": false,
   "Rank": 3,
   "IsSparse": false,
  "DbExprTable": "fullAgeSalary_v_2012883",
"DbAccTable": "fullAgeSalary_a_2012883",
   "DbAccAllView": "fullAgeSalary_d_2012883",
   "ExprPos": 1,
   "IsHidden": false,
   "ImportDigest": "_i0128171604590183"
 },
 "LangCode": "EN",
 "TableDescr": "Full Time by Age by Salary Group",
 "TableNote": "Full Time by Age by Salary Group notes",
 "ExprDescr": "Measure",
"ExprNote": "Measure notes",
 "TableDimsTxt": [
  {
    "Dim": {
     "Modelld": 1,
     "TableId": 1,
     "DimId": 0,
     "Name": "dim0",
     "TypeId": 104,
     "IsTotal": false,
     "DimSize": 2
    },
    "DescrNote": {
     "LangCode": "EN",
     "Descr": "Full Time",
     "Note": "Full or Part Time Dim notes"
    }
   },
     "Dim": {
     "ModelId": 1,
     "TableId": 1,
      "DimId"<sup>1</sup>
```

```
оппа. т
     "Name": "dim1",
     "TypeId": 101,
     "IsTotal": true,
    "DimSize": 5
   },
    "DescrNote": {
    "LangCode": "EN",
     "Descr": "Age Dim",
     "Note": "Age Dim notes"
   }
  },
  {
    "Dim": {
    "ModelId": 1,
     "TableId": 1,
    "DimId": 2,
     "Name": "dim2",
     "TypeId": 103,
    "IsTotal": false,
     "DimSize": 3
   }.
    "DescrNote": {
"LangCode": "EN",
     "Descr": "Salary Dim",
     "Note": "Salary Dim notes"
   }
  }
 ],
 "TableAccTxt": [
  {
   "Acc": {
    "Modelld": 1,
     "TableId": 1.
    "AccId": 0,
    "Name": "acc0",
    "IsDerived": false,
    "SrcAcc": "raw_value()",
"AccSql": ""
   },
   "DescrNote": {
    "LangCode": "EN",
     "Descr": "Full time salary by age",
     "Note": "Full time salary by age notes"
   }
  }
 ],
 "TableExprTxt": [
  {
    "Expr": {
    "ModelId": 1,
    "TableId": 1,
     "ExprId": 0,
    "Name": "expr0",
    "Decimals": 2,
"SrcExpr": "OM_AVG(acc0)",
    "ExprSql": ""
   },
    "DescrNote": {
    "LangCode": "EN",
     "Descr": "Average acc0",
    "Note": "Average on acc0 notes"
   }
  }
]
},
 "Table": {
  "ModelId": 1,
  "TableId": 2,
  "TableHid": 84,
  "Name": "ageSexIncome",
  "Digest": "_20128171604590184",
  "IsUser": false,
  "Rank": 2,
  "IsSparse": false,
  "DbExprTable": "ageSexIncome_v_2012884",
  "DbAccTable": "ageSexIncome_a_2012884",
  "DbAccAllView": "ageSexIncome_d_2012884",
  "ExprPos": 0,
  "IsHidden": false,
  "ImportDigest": "_i0128171604590131"
 },
 "LangCode": "EN",
 "TableDescr": "Age by Sex Income",
"TableNote": "Age by Sex Income notes",
 "ExprDescr": "Income Measure",
 "ExprNote": "Income Measure notes",
```

```
"TableDimsTxt": [
 {
   "Dim": {
    "ModelId": 1,
    "TableId": 2,
    "DimId": 0,
    "Name": "dim0",
    "TypeId": 101,
    "IsTotal": false,
    "DimSize": 4
   }.
   "DescrNote": {
"LangCode": "EN",
    "Descr": "Age Dim",
    "Note": "Age Dim notes"
  }
 },
 {
   "Dim": {
    "ModelId": 1,
    "TableId": 2,
    "DimId": 1,
"Name": "dim1",
    "TypeId": 102,
    "IsTotal": false,
    "DimSize": 2
   },
   "DescrNote": {
    "LangCode": "EN",
    "Descr": "Sex Dim",
"Note": "Sex Dim notes"
  }
 }
],
"TableAccTxt": [
 {
   "Acc": {
    "ModelId": 1,
    "TableId": 2,
    "AccId": 0,
    "Name": "acc0",
    "IsDerived": false,
    "SrcAcc": "raw_value()",
    "AccSql": ""
   },
   "DescrNote": {
    "LangCode": "EN",
    "Descr": "Income",
    "Note": "Income notes"
   }
 },
 {
   "Acc": {
    "ModelId": 1,
    "TableId": 2,
    "Accld": 1,
    "Name": "acc1",
    "IsDerived": false,
    "SrcAcc": "adjust_value()",
"AccSql": ""
   },
   "DescrNote": {
    "LangCode": "EN",
    "Descr": "Income adjusted",
"Note": "Income adjusted notes"
  }
 }
],
"TableExprTxt": [
 {
   "Expr": {
    "Modelld": 1,
    "TableId": 2,
    "ExprId": 0,
"Name": "expr0",
    "Decimals": 2,
    "SrcExpr": "OM_AVG(acc0)",
"ExprSql": ""
   },
   "DescrNote": {
    "LangCode": "EN",
    "Descr": "Average acc0",
    "Note": "Average on acc0 notes"
  }
 },
 {
   "Expr": {
    "ModelId": 1,
```

```
"TableId": 2,
      "ExprId": 1,
      "Name": "expr1",
      "Decimals": 3,
      "SrcExpr": "OM_AVG(acc1)",
      "ExprSql": ""
     },
     "DescrNote": {
      "LangCode": "EN",
      "Descr": "Average acc1",
      "Note": "Average on acc1 notes"
     }
   }
  1
 }.
   "Table": {
   "ModelId": 1,
    "TableId": 3,
   "TableHid": 85,
   "Name": "seedOldAge",
"Digest": "_20128171604590185",
    "IsUser": false,
    "Rank": 0,
    "IsSparse": false,
   "DbExprTable": "seedOldAge_v_2012885",
"DbAccTable": "seedOldAge_a_2012885",
    "DbAccAllView": "seedOldAge_d_2012885",
    "ExprPos": 0,
    "IsHidden": false,
    "ImportDigest": "_i0128171604590185"
  },
  "LangCode": "EN",
  "TableDescr": "Seed Old Age",
"TableNote": "Seed Old Age notes",
  "ExprDescr": "Seed Old Age Measure",
"ExprNote": "Measure notes",
  "TableDimsTxt": [],
  "TableAccTxt": [
   {
"Acc": {
`>de
      "ModelId": 1,
      "TableId": 3,
      "Accld": 0,
      "Name": "acc0",
      "IsDerived": false,
      "SrcAcc": "raw_value()",
      "AccSql": ""
     },
     "DescrNote": {
      "LangCode": "EN",
      "Descr": "Seed",
      "Note": "Seed notes"
     }
   }
  ],
   "TableExprTxt": [
   {
     "Expr": {
      "ModelId": 1,
      "TableId": 3,
      "ExprId": 0,
      "Name": "expr0",
      "Decimals": 5,
      "SrcExpr": "OM_AVG(acc0)",
      "ExprSql": ""
     },
     "DescrNote": {
      "LangCode": "EN",
      "Descr": "Average acc0",
      "Note": "Average on acc0 notes"
     }
   }
  ]
 }
1,
"GroupTxt": [
 {
   "Group": {
   "ModelId": 1,
    "GroupId": 1,
   "IsParam": true,
    "Name": "AllParameters",
    "IsHidden": false,
    "GroupPc": [
     {
       "Modelld": 1,
```

```
"Groupid": 1,
     "ChildPos": 0,
     "ChildGroupId": 2,
     "ChildLeafId": -1
    },
    {
     "ModelId": 1,
     "GroupId": 1,
     "ChildPos": 1,
     "ChildGroupId": 3,
     "ChildLeafId": -1
    },
    {
     "ModelId": 1,
     "GroupId": 1,
     "ChildPos": 2,
     "ChildGroupId": -1,
     "ChildLeafId": 2
    },
    {
     "ModelId": 1,
     "GroupId": 1,
     "ChildPos": 3,
     "ChildGroupId": -1,
     "ChildLeafId": 5
    }
  ]
 },
  "DescrNote": {
  "LangCode": "EN",
  "Descr": "All parameters",
"Note": "All model parameters group"
 }
},
{
 "Group": {
"ModelId": 1,
  "GroupId": 2,
  "IsParam": true,
  "Name": "AgeSexParameters",
  "IsHidden": false,
   "GroupPc": [
    {
     "ModelId": 1,
     "GroupId": 2,
     "ChildPos": 0,
     "ChildGroupId": -1,
     "ChildLeafId": 0
    },
    {
     "ModelId": 1,
     "GroupId": 2,
     "ChildPos": 1,
     "ChildGroupId": -1,
     "ChildLeafId": 1
    }.
    {
     "ModelId": 1,
     "GroupId": 2,
     "ChildPos": 2,
     "ChildGroupId": -1,
     "ChildLeafId": 6
    }
  ]
 },
 "DescrNote": {
"LangCode": "EN",
  "Descr": "Age and Sex parameters",
  "Note": "Age and Sex model parameters group"
 }
},
  "Group": {
  "ModelId": 1,
  "GroupId": 3,
  "IsParam": true,
   "Name": "SalaryParameters",
  "IsHidden": false,
   "GroupPc": [
    {
     "ModelId": 1,
     "GroupId": 3,
     "ChildPos": 0,
     "ChildGroupId": -1,
     "ChildLeafId": 1
    },
    {
     "Modelld": 1,
```

```
"GroupId": 3,
       "ChildPos": 1,
       "ChildGroupId": -1,
"ChildLeafId": 3
      },
      {
       "ModelId": 1,
       "GroupId": 3,
       "ChildPos": 2,
       "ChildGroupId": -1,
       "ChildLeafId": 4
     }
    ]
   },
   "DescrNote": {
"LangCode": "EN",
    "Descr": "Salary parameters",
     "Note": "Salary model parameters group"
   }
 },
  {
    "Group": {
     "ModelId": 1,
     "GroupId": 10,
    "IsParam": false,
     "Name": "AdditionalTables",
    "IsHidden": false,
     "GroupPc": [
     {
"Modelld": 1,
"GroupId": 10,
"55:IdPos": 0,
       "ChildPos": 0,
       "ChildGroupId": -1,
       "ChildLeafId": 1
      },
      {
       "Modelld": 1,
       "GroupId": 10,
       "ChildPos": 1,
       "ChildGroupId": -1,
"ChildLeafId": 2
      },
      {
       "ModelId": 1,
       "GroupId": 10,
"ChildPos": 2,
       "ChildGroupId": -1,
       "ChildLeafId": 3
     }
    ]
   },
   "DescrNote": {
"LangCode": "EN",
    "Descr": "Additional output tables",
     "Note": "Additional output tables group notes"
   }
 }
]
```

}

# GET model metadata including text in all languages

Get model metadata including text (description and notes) in all languages.

### Methods:

GET /api/model/:model/text-all

### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

### Call examples:

```
http://localhost:4040/api/model/modelOne/text-all
http://localhost:4040/api/model/_201208171604590148_/text-all
```

```
{
 "Model": {
  "ModelId": 1,
  "Name": "modelOne",
  "Digest": "_201208171604590148_",
  "Type": 0,
  "Version": "1.0",
  "CreateDateTime": "2012-08-17 16:04:59.148",
  "DefaultLangCode": "EN"
 },
 "Type": [
  {
   "ModelId": 1,
   "TypeId": 4,
   "TypeHid": 4,
   "Name": "int",
   "Digest": "_int_",
   "DicId": 0,
   "TotalEnumId": 1,
   "Enum": null
  },
  {
   "ModelId": 1,
   "Typeld": 7,
   "TypeHid": 7,
   "Name": "bool",
   "Digest": "_bool_",
   "Dicld": 1,
   "TotalEnumId": 2,
   "Enum": [
    {
      "ModelId": 1,
      "Typeld": 7,
      "EnumId": 0,
      "Name": "false"
    },
    {
      "ModelId": 1,
     "Typeld": 7,
      "EnumId": 1,
      "Name": "true"
    }
   ]
  },
   "ModelId": 1.
   "Typeld": 14,
   "TypeHid": 14,
   "Name": "double",
   "Digest": "_double_",
   "Dicld": 0,
   "TotalEnumId": 1,
   "Enum": null
  },
  {
   "ModelId": 1.
```

```
"TypeId": 21,
 "TypeHid": 21,
 "Name": "file",
 "Digest": "_file_",
"DicId": 0,
 "TotalEnumId": 1,
 "Enum": null
}.
 "ModelId": 1,
 "TypeId": 101,
 "TypeHid": 96,
 "Name": "age",
 "Digest": "_20128171604590121",
"DicId": 2,
 "TotalEnumId": 500,
 "Enum": [
  {
    "Modelld": 1,
    "TypeId": 101,
    "EnumId": 10,
    "Name": "10-20"
  },
  {
    "ModelId": 1,
    "TypeId": 101,
    "EnumId": 20,
    "Name": "20-30"
  },
  {
    "ModelId": 1,
    "TypeId": 101,
    "EnumId": 30,
    "Name": "30-40"
  },
  {
    "ModelId": 1,
    "TypeId": 101,
    "EnumId": 40,
    "Name": "40+"
  }
 ]
},
{
 "ModelId": 1,
 "TypeId": 102,
 "TypeHid": 97,
 "Name": "sex",
 "Digest": "_20128171604590122",
"DicId": 2,
 "TotalEnumId": 800,
 "Enum": [
  {
    "Modelld": 1,
    "TypeId": 102,
    "EnumId": 0,
    "Name": "M"
  },
  {
    "Modelld": 1,
    "Typeld": 102,
"Enumld": 1,
    "Name": "F"
  }
 1
},
{
 "ModelId": 1,
 "TypeId": 103,
 "TypeHid": 98,
 "Name": "salary",
"Digest": "_20128171604590123",
 "DicId": 2,
 "TotalEnumId": 400,
 "Enum": [
  {
    "Modelld": 1,
    "TypeId": 103,
    "EnumId": 100,
    "Name": "L"
  }.
    "ModelId": 1,
    "TypeId": 103,
    "EnumId": 200,
    "Name": "M"
  },
```

```
{
     "ModelId": 1,
     "TypeId": 103,
     "EnumId": 300,
     "Name": "H"
   }
  ]
 },
  "ModelId": 1,
  "TypeId": 104,
  "TypeHid": 99,
  "Name": "full",
  "Digest": "_20128171604590124",
  "DicId": 2,
  "TotalEnumId": 44,
  "Enum": [
   {
     "ModelId": 1,
     "TypeId": 104,
     "EnumId": 22,
     "Name": "Full"
   }.
   {
"Modelld": 1,
     "TypeId": 104,
     "EnumId": 33,
     "Name": "Part"
   }
  ]
 }
],
"Param": [
 {
  "ModelId": 1,
  "ParamId": 0,
  "ParamHid": 44,
  "Name": "ageSex",
  "Digest": "_20128171604590131",
  "Rank": 2,
  "TypeId": 14,
  "IsExtendable": true,
  "IsHidden": false,
  "NumCumulated": 0,
  "DbRunTable": "ageSex_p_2012817",
"DbSetTable": "ageSex_w_2012817",
"ImportDigest": "_i0128171604590131",
  "Dim": [
   {
     "ModelId": 1,
     "ParamId": 0,
     "DimId": 0,
     "Name": "dim0",
     "TypeId": 101
   },
   {
     "ModelId": 1,
     "ParamId": 0,
     "DimId": 1,
     "Name": "dim1",
     "TypeId": 102
   }
  ],
   "Import": [
   {
     "Modelld": 1,
     "ParamId": 0,
     "FromName": "ageSexIncome",
     "FromModel": "modelOne",
     "IsSampleDim": false
   }
  ]
 },
 {
  "ModelId": 1,
  "ParamId": 1,
  "ParamHid": 45,
  "Name": "salaryAge",
  "Digest": "_20128171604590132",
  "Rank": 2,
  "Typeld": 4,
  "IsExtendable": false,
  "IsHidden": false,
  "NumCumulated": 0,
  "DbRunTable": "salaryAge_p_2012818",
  "DbSetTable": "salaryAge_w_2012818",
"ImportDigest": "_i0128171604590132",
  "Dim": [
```

```
{
    "ModelId": 1,
    "ParamId": 1,
    "DimId": 0,
    "Name": "dim0",
    "TypeId": 103
  },
  {
    "ModelId": 1,
    "ParamId": 1,
    "DimId": 1,
    "Name": "dim1",
    "TypeId": 101
  }
 ],
 "Import": [
  {
    "Modelld": 1,
    "ParamId": 1,
    "FromName": "salaryAge",
    "FromModel": "modelOne",
    "IsSampleDim": false
  }
 ]
},
{
 "ModelId": 1,
 "ParamId": 2,
 "ParamHid": 46,
 "Name": "StartingSeed",
 "Digest": "_20128171604590133",
 "Rank": 0,
 "TypeId": 4,
 "IsExtendable": false,
 "IsHidden": false,
 "NumCumulated": 0,
 "DbRunTable": "StartingSeed_p_2012819",
 "DbSetTable": "StartingSeed_w_2012819",
 "ImportDigest": "_i0128171604590133",
 "Dim": null,
 "Import": [
  {
    "ModelId": 1,
    "ParamId": 2,
    "FromName": "StartingSeed",
"FromModel": "modelOne",
    "IsSampleDim": false
  }
 1
},
{
 "ModelId": 1,
 "ParamId": 3,
 "ParamHid": 47,
 "Name": "salaryFull",
 "Digest": "_20128171604590134",
 "Rank": 1,
 "TypeId": 104,
 "IsExtendable": false,
 "IsHidden": false,
 "NumCumulated": 0,
 "DbRunTable": "salaryFull_p_2012812",
"DbSetTable": "salaryFull_w_2012812",
 "ImportDigest": "_i0128171604590134",
 "Dim": [
  {
    "ModelId": 1,
    "ParamId": 3,
    "DimId": 0,
    "Name": "dim0",
    "TypeId": 103
  }
 ],
 "Import": null
},
{
 "ModelId": 1,
 "ParamId": 4,
 "ParamHid": 48,
 "Name": "baseSalary",
"Digest": "_20128171604590135",
 "Rank": 0,
 "TypeId": 104,
 "IsExtendable": false,
 "IsHidden": false,
 "NumCumulated": 0,
 "DbRunTable": "baseSalary_p_2012811",
 "Dhe
        otTablo": "bacoCalany w
                                 2012011
```

```
DUSELLANE . NASESAIALY W ZUIZOII
   "ImportDigest": "_i0128171604590135",
   "Dim": null,
   "Import": null
 },
  {
   "ModelId": 1,
   "ParamId": 5,
   "ParamHid": 49,
   "Name": "filePath",
   "Digest": "_20128171604590136",
   "Rank": 0,
   "Typeld": 21,
   "IsExtendable": false,
   "IsHidden": false,
   "NumCumulated": 0,
   "DbRunTable": "filePath_p_2012814",
   "DbSetTable": "filePath_w_2012814",
   "ImportDigest": "_i0128171604590136",
   "Dim": null,
   "Import": null
 }.
  {
   "ModelId": 1,
   "ParamId": 6,
   "ParamHid": 50,
   "Name": "isOldAge",
   "Digest": "_20128171604590137",
   "Rank": 1,
   "Typeld": 7,
   "IsExtendable": false,
   "IsHidden": false,
   "NumCumulated": 0,
   "DbRunTable": "isOldAge_p_2012815",
   "DbSetTable": "isOldAge_w_2012815",
   "ImportDigest": "_i0128171604590137",
   "Dim": [
    {
     "ModelId": 1,
     "ParamId": 6,
     "DimId": 0,
     "Name": "dim0",
      "TypeId": 101
    }
   ],
   "Import": null
 }
],
"Table": [
  {
   "ModelId": 1,
   "TableId": 0,
   "TableHid": 82,
   "Name": "salarySex",
   "Digest": "_20128171604590182",
   "IsUser": false,
   "Rank": 2,
   "IsSparse": true,
   "DbExprTable": "salarySex_v_2012882",
"DbAccTable": "salarySex_a_2012882",
   "DbAccAllView": "salarySex_d_2012882",
   "ExprPos": 1,
   "IsHidden": false,
   "ImportDigest": "_i0128171604590182",
   "Dim": [
    {
     "ModelId": 1,
     "TableId": 0,
     "DimId": 0,
     "Name": "dim0",
     "TypeId": 103,
     "IsTotal": false,
     "DimSize": 3
    },
    {
     "ModelId": 1,
     "TableId": 0,
     "DimId": 1,
     "Name": "dim1",
     "TypeId": 102,
     "IsTotal": true,
     "DimSize": 3
    }
   ],
   "Acc": [
     "ModelId": 1,
     "TableId": 0,
```

```
"Accld": 0
     "Name": "acc0".
     "IsDerived": false,
     "SrcAcc": "value_sum()",
     "AccSql": "A.acc_value"
    }.
    {
     "ModelId": 1,
     "TableId": 0,
     "AccId": 1,
     "Name": "acc1"
     "IsDerived": false.
     "SrcAcc": "value_count()",
     "AccSql": "SELECT A1.acc_value FROM salarySex_a_2012882 A1 WHERE A1.run_id = A.run_id AND A1.sub_id = A.sub_id AND A1.dim0 = A.dim0 AND A1.dim1 = A.dim1 A
ND A1.acc_id = 1"
    }.
    {
     "Modelld": 1.
     "TableId": 0,
     "AccId": 2,
     "Name": "acc2",
     "IsDerived": true.
     "SrcAcc": "acc0 + acc1",
     "AccSql": "(A.acc_value) + (SELECT A1.acc_value FROM salarySex_a_2012882 A1 WHERE A1.run_id = A.run_id AND A1.sub_id = A.sub_id AND A1.dim0 = A.dim0 AND A1
.dim1 = A.dim1 AND A1.acc_id = 1)"
    }
   ],
   "Expr": [
    {
     "Modelld": 1,
     "TableId": 0,
     "ExprId": 0,
     "Name": "expr0",
     "Decimals": 4,
     "SrcExpr": "OM_AVG(acc0)",
      "ExprSql": "SELECT M1.run_id, M1.dim0, M1.dim1, AVG(M1.acc_value) AS expr0 FROM salarySex_a_2012882 M1 WHERE M1.acc_id = 0 GROUP BY M1.run_id, M1.dim0,
M1.dim1"
    },
    {
     "ModelId": 1,
     "TableId": 0,
     "ExprId": 1.
     "Name": "expr1",
     "Decimals": 4,
     "SrcExpr": "OM_SUM(acc1)",
     "ExprSql": "SELECT M1.run id, M1.dim0, M1.dim1, SUM(M1.acc value) AS expr1 FROM salarySex a 2012882 M1 WHERE M1.acc id = 1 GROUP BY M1.run id, M1.dim0,
M1.dim1'
    },
    {
     "ModelId": 1,
     "TableId": 0,
     "ExprId": 2,
     "Name": "expr2",
     "Decimals": 2,
     "SrcExpr": "OM_MIN(acc0)",
     "ExprSql": "SELECT M1.run_id, M1.dim0, M1.dim1, MIN(M1.acc_value) AS expr2 FROM salarySex_a_2012882 M1 WHERE M1.acc_id = 0 GROUP BY M1.run_id, M1.dim0,
M1.dim1"
    },
    {
     "ModelId": 1,
     "TableId": 0,
     "ExprId": 3,
     "Name": "expr3",
     "Decimals": 3,
     "SrcExpr": "OM_AVG(acc0 * acc1)",
     "ExprSql": "SELECT M1.run_id, M1.dim0, M1.dim1, AVG(M1.acc_value * A1.acc1) AS expr3 FROM salarySex_a_2012882 M1 INNER JOIN (SELECT run_id, dim0, dim1, su
b_id, acc_value AS acc1 FROM salarySex_a_2012882 WHERE acc_id = 1) A1 ON (A1.run_id = M1.run_id AND A1.dim0 = M1.dim0 AND A1.dim1 = M1.dim1 AND A1.sub_id = M1.
sub_id) WHERE M1.acc_id = 0 GROUP BY M1.run_id, M1.dim0, M1.dim1"
    }
   ]
 },
  {
   "ModelId": 1,
   "TableId": 1.
   "TableHid": 83,
   "Name": "fullAgeSalary",
   "Digest": "_20128171604590183",
   "IsUser": false,
   "Rank": 3,
   "IsSparse": false,
   "DbExprTable": "fullAgeSalary_v_2012883",
   "DbAccTable": "fullAgeSalary_a_2012883",
   "DbAccAllView": "fullAgeSalary_d_2012883",
   "ExprPos": 1,
   "IsHidden": false,
   "ImportDigest": "_i0128171604590183",
   "Dim": [
    ł
```

```
"Modelld": 1,
      "TableId": 1,
      "DimId": 0,
      "Name": "dim0",
"TypeId": 104,
      "IsTotal": false,
      "DimSize": 2
     }.
     {
      "Modelld": 1,
      "TableId": 1,
      "DimId": 1,
      "Name": "dim1",
      "TypeId": 101,
      "IsTotal": true,
      "DimSize": 5
     },
     {
      "ModelId": 1,
      "TableId": 1,
      "DimId": 2,
      "Name": "dim2",
      "TypeId": 103,
      "IsTotal": false,
      "DimSize": 3
     }
   ],
    "Acc": [
     {
      "Modelld": 1,
      "TableId": 1,
      "AccId": 0,
      "Name": "acc0",
      "IsDerived": false,
      "SrcAcc": "raw_value()",
      "AccSql": "A.acc_value"
     }
   ],
    "Expr": [
     {
      "Modelld": 1,
      "TableId": 1,
      "ExprId": 0,
      "Name": "expr0",
      "Decimals": 2,
      "SrcExpr": "OM_AVG(acc0)",
"ExprSql": "SELECT M1.run_id, M1.dim0, M1.dim1, M1.dim2, AVG(M1.acc_value) AS expr0 FROM fullAgeSalary_a_2012883 M1 WHERE M1.acc_id = 0 GROUP BY M1.run_
id, M1.dim0, M1.dim1, M1.dim2"
     }
   ]
  },
  {
   "ModelId": 1,
   "TableId": 2,
   "TableHid": 84,
   "Name": "ageSexIncome",
"Digest": "_20128171604590184",
   "IsUser": false,
   "Rank": 2,
   "IsSparse": false,
   "DbExprTable": "ageSexIncome_v_2012884",
"DbAccTable": "ageSexIncome_a_2012884",
   "DbAccAllView": "ageSexIncome_d_2012884",
   "ExprPos": 0,
   "IsHidden": false,
   "ImportDigest": "_i0128171604590131",
    "Dim": [
     {
      "ModelId": 1,
      "TableId": 2,
      "DimId": 0,
"Name": "dim0",
      "TypeId": 101,
      "IsTotal": false,
      "DimSize": 4
     }.
     {
      "ModelId": 1,
      "TableId": 2,
      "DimId": 1,
      "Name": "dim1",
      "TypeId": 102,
      "IsTotal": false,
      "DimSize": 2
     }
   ],
    "Acc": [
```

```
{
     "Modelld": 1,
     "TableId": 2,
     "AccId": 0,
     "Name": "acc0",
     "IsDerived": false,
     "SrcAcc": "raw_value()",
     "AccSql": "A.acc_value"
    },
    {
     "ModelId": 1,
     "TableId": 2,
     "AccId": 1,
     "Name": "acc1",
     "IsDerived": false,
     "SrcAcc": "adjust_value()",
     "AccSql": "A.acc_value"
    }
   ],
   "Expr": [
    {
     "Modelld": 1,
     "TableId": 2,
     "ExprId": 0,
     "Name": "expr0",
     "Decimals": 2,
     "SrcExpr": "OM_AVG(acc0)",
     "ExprSql": "SELECT M1.run_id, M1.dim0, M1.dim1, AVG(M1.acc_value) AS expr0 FROM ageSexIncome_a_2012884 M1 WHERE M1.acc_id = 0 GROUP BY M1.run_id, M1.di
im0, M1.dim1"
    },
    {
     "ModelId": 1,
     "TableId": 2,
     "ExprId": 1,
     "Name": "expr1",
     "Decimals": 3,
     "SrcExpr": "OM_AVG(acc1)",
     "ExprSql": "SELECT M1.run_id, M1.dim0, M1.dim1, AVG(M1.acc_value) AS expr1 FROM ageSexIncome_a_2012884 M1 WHERE M1.acc_id = 1 GROUP BY M1.run_id, M1.dim1
im0, M1.dim1"
    }
   ]
 },
  {
   "ModelId": 1,
   "TableId": 3,
   "TableHid": 85,
   "Name": "seedOldAge",
   "Digest": "_20128171604590185",
   "IsUser": false,
   "Rank": 0,
   "IsSparse": false,
   "DbExprTable": "seedOldAge_v_2012885",
   "DbAccTable": "seedOldAge_a_2012885",
   "DbAccAllView": "seedOldAge_d_2012885",
   "ExprPos": 0,
   "IsHidden": false.
   "ImportDigest": "_i0128171604590185",
   "Dim": null,
   "Acc": [
    {
"Modelid": 1,
     "TableId": 3,
     "Accld": 0,
     "Name": "acc0",
     "IsDerived": false,
     "SrcAcc": "raw_value()",
     "AccSql": "A.acc_value"
    }
   ],
   "Expr": [
   {
"ModelId": 1,
     "TableId": 3,
     "ExprId": 0,
     "Name": "expr0",
     "Decimals": 5,
     "SrcExpr": "OM_AVG(acc0)",
     "ExprSql": "SELECT M1.run_id, AVG(M1.acc_value) AS expr0 FROM seedOldAge_a_2012885 M1 WHERE M1.acc_id = 0 GROUP BY M1.run_id"
    }
  1
 }
 "Group": [
  {
   "ModelId": 1,
   "GroupId": 1,
   "IsParam": true,
   "Name": "AllParameters",
```

```
"IsHidden": false,
 "GroupPc": [
  {
"Modelld": 1,
   "GroupId": 1,
    "ChildPos": 0,
    "ChildGroupId": 2,
    "ChildLeafId": -1
  },
  {
    "ModelId": 1,
    "GroupId": 1,
    "ChildPos": 1,
    "ChildGroupId": 3,
    "ChildLeafId": -1
  },
  {
    "ModelId": 1,
    "GroupId": 1,
    "ChildPos": 2,
    "ChildGroupId": -1,
    "ChildLeafId": 2
  }.
    "ModelId": 1,
    "GroupId": 1,
    "ChildPos": 3,
    "ChildGroupId": -1,
    "ChildLeafId": 5
  }
 ]
},
{
 "ModelId": 1,
 "GroupId": 2,
 "IsParam": true,
 "Name": "AgeSexParameters",
 "IsHidden": false,
 "GroupPc": [
  {
    "ModelId": 1,
    "GroupId": 2,
    "ChildPos": 0,
    "ChildGroupId": -1,
    "ChildLeafId": 0
  },
  {
    "Modelld": 1,
    "GroupId": 2,
   "ChildPos": 1,
    "ChildGroupId": -1,
    "ChildLeafId": 1
  }.
    "ModelId": 1,
    "GroupId": 2,
    "ChildPos": 2,
    "ChildGroupId": -1,
    "ChildLeafId": 6
  }
 ]
},
{
 "ModelId": 1,
 "GroupId": 3,
 "IsParam": true,
 "Name": "SalaryParameters",
 "IsHidden": false,
 "GroupPc": [
  {
    "ModelId": 1,
   "GroupId": 3,
    "ChildPos": 0,
    "ChildGroupId": -1,
    "ChildLeafId": 1
  },
  {
    "ModelId": 1,
    "GroupId": 3,
    "ChildPos": 1,
    "ChildGroupId": -1,
    "ChildLeafId": 3
  },
    "Modelld": 1,
    "GroupId": 3,
    "ChildPos": 2,
    "Childe
              und"
```

```
"ChildLeafId": 4
    }
  ]
 },
 {
   "ModelId": 1,
   "GroupId": 10,
   "IsParam": false,
   "Name": "AdditionalTables",
   "IsHidden": false,
   "GroupPc": [
    {
     "ModelId": 1,
     "GroupId": 10,
     "ChildPos": 0,
     "ChildGroupId": -1,
     "ChildLeafId": 1
    },
    {
     "ModelId": 1,
     "GroupId": 10,
     "ChildPos": 1,
     "ChildGroupId": -1,
     "ChildLeafId": 2
    },
     "ModelId": 1,
     "GroupId": 10,
     "ChildPos": 2,
     "ChildGroupId": -1,
     "ChildLeafId": 3
    }
  ]
 }
],
"ModelName": "modelOne",
"ModelDigest": "_201208171604590148_",
"ModelTxt": [
 {
  "ModelId": 1,
  "LangCode": "EN",
   "Descr": "First model",
   "Note": "First model: openM++ development test model"
 },
 {
   "ModelId": 1,
  "LangCode": "FR",
"Descr": "(FR) First model",
   "Note": "
 }
],
 "TypeTxt": [
 {
   "ModelId": 1,
   "Typeld": 7,
  "LangCode": "EN",
   "Descr": "logical type",
"Note": ""
 },
 {
   "ModelId": 1,
  "TypeId": 7,
"LangCode": "FR",
  "Descr": "type logique",
"Note": ""
 },
 {
   "ModelId": 1,
   "Typeld": 101,
   "LangCode": "EN",
   "Descr": "Age",
   "Note": ""
 },
   "ModelId": 1,
  "TypeId": 101,
   "LangCode": "FR",
  "Descr": "(FR) Age",
"Note": ""
 },
 {
   "ModelId": 1,
   "TypeId": 102,
  "LangCode": "EN",
"Descr": "Sex",
"Note": ""
 },
```

CilluGioupiu . -1,

```
{
    "ModelId": 1,
   "TypeId": 103,
   "LangCode": "EN",
   "Descr": "Salary",
"Note": ""
  },
  {
   "ModelId": 1,
   "TypeId": 104,
"LangCode": "EN",
   "Descr": "Full or part time",
"Note": ""
 }
],
"TypeEnumTxt": [
 {
   "ModelId": 1,
   "Typeld": 7,
   "EnumId": 0,
   "LangCode": "EN",
   "Descr": "False",
"Note": ""
 },
  {
   "ModelId": 1,
   "Typeld": 7,
"EnumId": 0,
   "LangCode": "FR",
   "Descr": "Faux",
"Note": ""
 },
  {
   "ModelId": 1,
   "TypeId": 7,
   "EnumId": 1,
   "LangCode": "EN",
"Descr": "True",
"Note": ""
  },
  {
   "ModelId": 1,
   "Typeld": 7,
   "EnumId": 1,
   "LangCode": "FR",
   "Descr": "Vrai",
   "Note": ""
  },
  {
   "ModelId": 1,
   "Typeld": 101,
   "EnumId": 10,
"LangCode": "EN",
   "Descr": "age 10-20",
"Note": ""
 }.
  {
   "ModelId": 1,
"TypeId": 101,
   "EnumId": 10,
   "LangCode": "FR",
   "Descr": "(FR) age 10-20",
"Note": ""
 },
  {
   "ModelId": 1,
   "TypeId": 101,
   "EnumId": 20,
   "LangCode": "EN",
"Descr": "age 20-30",
"Note": ""
 },
  {
   "ModelId": 1,
   "Typeld": 101,
   "EnumId": 20,
   "LangCode": "FR",
   "Descr": "(FR) age 20-30",
"Note": ""
  },
  {
   "ModelId": 1,
   "TypeId": 101,
   "EnumId": 30,
"LangCode": "EN",
   "Descr": "age 30-40",
   "Note": ""
```

ļ

```
"ModelId": 1,
   "Typeld": 101,
  "EnumId": 30,
"LangCode": "FR",
"Descr": "(FR) age 30-40",
"Note": ""
 }.
  {
   "ModelId": 1,
   "TypeId": 101,
   "EnumId": 40,
   "LangCode": "EN",
   "Descr": "age 40+",
"Note": ""
 },
  {
   "ModelId": 1,
   "TypeId": 101,
   "EnumId": 40,
"LangCode": "FR",
   "Descr": "(FR) age 40+",
"Note": ""
 },
  {
   "Modelld": 1,
"Typeld": 102,
   "EnumId": 0,
   "LangCode": "EN",
   "Descr": "Male",
"Note": ""
  },
   "ModelId": 1,
   "TypeId": 102,
   "EnumId": 1,
"LangCode": "EN",
   "Descr": "Female",
   "Note": ""
 }.
   "ModelId": 1,
   "Typeld": 103,
   "EnumId": 100,
   "LangCode": "EN",
   "Descr": "Low",
"Note": ""
 },
  {
   "ModelId": 1,
   "Typeld": 103,
"EnumId": 200,
   "LangCode": "EN",
   "Descr": "Medium",
"Note": ""
 },
  {
   "ModelId": 1,
   "TypeId": 103,
   "EnumId": 300,
   "LangCode": "EN",
   "Descr": "High",
   "Note": ""
 },
  {
   "ModelId": 1,
   "TypeId": 104,
"EnumId": 22,
   "LangCode": "EN",
   "Descr": "Full-time",
   "Note": ""
 },
  {
   "ModelId": 1,
   "Typeld": 104,
   "EnumId": 33,
"LangCode": "EN",
  "Descr": "Part-time",
"Note": ""
 }
],
"ParamTxt": [
 {
   "ModelId": 1,
   "ParamId": 0,
   "LangCode": "EN",
   "Descr": "Age by Sex",
```

```
},
 {
   "ModelId": 1,
  "ParamId": 0,
  "LangCode": "FR",
  "Descr": "(FR) Age by Sex",
"Note": ""
 },
 {
  "ModelId": 1,
  "ParamId": 1,
  "LangCode": "EN",
  "Descr": "Salary by Age",
"Note": "Salary by Age note"
 },
 {
  "ModelId": 1,
  "ParamId": 1,
  "LangCode": "FR",
  "Descr": "(FR) Salary by Age",
  "Note": "(FR) Salary by Age note"
 }.
 {
  "ModelId": 1,
  "ParamId": 2,
  "LangCode": "FR",
  "Descr": "Starting Seed",
  "Note": "Random numbers generator starting seed value"
 },
  "ModelId": 1,
  "ParamId": 3,
  "LangCode": "EN",
  "Descr": "Full or part time by Salary level",
  "Note": "
 },
 {
   "ModelId": 1,
  "ParamId": 4,
  "LangCode": "EN",
  "Descr": "Base salary level",
  "Note": ""
 }.
   "ModelId": 1,
  "ParamId": 5,
  "LangCode": "EN",
  "Descr": "File path string",
"Note": ""
 },
 {
  "ModelId": 1,
  "ParamId": 6,
  "LangCode": "EN",
  "Descr": "Is Old Age",
"Note": "Is Old Age notes"
 },
 {
  "ModelId": 1,
  "ParamId": 6,
"LangCode": "FR",
  "Descr": "(FR) Is Old Age",
  "Note": "(FR) Is Old Age notes"
 3
]
"ParamDimsTxt": [
 {
  "ModelId": 1,
  "ParamId": 0,
  "DimId": 0,
  "LangCode": "EN",
  "Descr": "Age Dim",
  "Note": "Age Dim notes"
 },
  "ModelId": 1,
  "ParamId": 0,
  "DimId": 0,
  "LangCode": "FR",
  "Descr": "(FR) Age Dim",
"Note": "(FR) Age Dim notes"
 },
 {
  "ModelId": 1,
  "ParamId": 0,
  "DimId": 1,
  "LangCode": "EN",
```

"Note": "Age by Sex note"

```
"Descr": "Sex Dim",
   "Note": "Sex Dim notes"
 }.
 {
  "ModelId": 1,
  "ParamId": 0,
  "DimId": 1,
  "LangCode": "FR",
  "Descr": "Sex Dim",
  "Note": ""
 },
   "ModelId": 1,
  "ParamId": 3,
  "DimId": 0,
  "LangCode": "EN",
  "Descr": "Full Dim",
   "Note": "
 },
  "ModelId": 1,
  "ParamId": 6,
  "DimId": 0,
  "LangCode": "EN",
  "Descr": "Age Dim",
  "Note": "Age Dim notes"
 },
  "ModelId": 1,
  "ParamId": 6,
  "DimId": 0,
  "LangCode": "FR",
  "Descr": "(FR) Age Dim",
"Note": "(FR) Age Dim notes"
 }
],
"TableTxt": [
 {
  "ModelId": 1,
  "TableId": 0,
  "LangCode": "EN",
  "Descr": "Salary by Sex",
  "Note": "Salary by Sex notes",
"ExprDescr": "Measure",
  "ExprNote": "Measure notes"
 },
   "ModelId": 1,
  "TableId": 0,
  "LangCode": "FR",
  "Descr": "(FR) Salary by Sex",
  "Note": "(FR) Salary by Sex notes",
  "ExprDescr": "(FR) Measure",
"ExprNote": ""
 },
 {
  "ModelId": 1,
  "TableId": 1,
  "LangCode": "EN",
  "Descr": "Full Time by Age by Salary Group",
  "Note": "Full Time by Age by Salary Group notes",
  "ExprDescr": "Measure",
  "ExprNote": "Measure notes"
 }.
  "ModelId": 1,
  "TableId": 1,
  "LangCode": "FR",
  "Descr": "(FR) Full Time by Age by Salary Group",
  "Note": "(FR) Full Time by Age by Salary Group notes",
  "ExprDescr": "(FR) Measure",
  "ExprNote": ""
 },
  "Modelld": 1.
  "TableId": 2,
  "LangCode": "EN",
  "Descr": "Age by Sex Income",
  "Note": "Age by Sex Income notes",
  "ExprDescr": "Income Measure",
"ExprNote": "Income Measure notes"
 },
   "ModelId": 1,
  "TableId": 2,
  "LangCode": "FR",
  "Descr": "(FR) Age by Sex Income",
```

"NIC

```
NULE . (FR) Age by Sex Income notes
  "ExprDescr": "(FR) Income Measure notes",
  "ExprNote": ""
 },
 {
  "ModelId": 1,
  "TableId": 3,
  "LangCode": "EN",
  "Descr": "Seed Old Age",
  "Note": "Seed Old Age notes",
  "ExprDescr": "Seed Old Age Measure",
  "ExprNote": "Measure notes"
 },
 {
  "ModelId": 1,
  "TableId": 3,
  "LangCode": "FR",
  "Descr": "(FR) Seed Old Age",
  "Note": "(FR) Seed Old Age notes",
  "ExprDescr": "(FR) Measure notes",
"ExprNote": ""
 }
],
"TableDimsTxt": [
 {
  "ModelId": 1,
  "TableId": 0,
  "DimId": 0,
  "LangCode": "EN",
  "Descr": "Salary Dim",
  "Note": "Salary Dim notes"
 }.
 {
  "ModelId": 1,
  "TableId": 0,
  "DimId": 0,
  "LangCode": "FR",
  "Descr": "(FR) Salary Dim",
"Note": "(FR) Salary Dim notes"
 },
 {
  "ModelId": 1,
  "TableId": 0,
  "DimId": 1,
  "LangCode": "EN",
  "Descr": "Sex Dim",
  "Note": "Sex Dim notes"
 }.
  "ModelId": 1,
  "TableId": 0,
  "DimId": 1,
  "LangCode": "FR",
  "Descr": "(FR) Sex Dim",
"Note": ""
 },
  "ModelId": 1,
  "TableId": 1,
  "DimId": 0,
  "LangCode": "EN",
  "Descr": "Full Time",
  "Note": "Full or Part Time Dim notes"
 },
  "ModelId": 1,
  "TableId": 1,
  "DimId": 0,
  "LangCode": "FR",
  "Descr": "(FR) Full Time",
  "Note": "(FR) Full or Part Time Dim notes"
 },
 {
  "ModelId": 1,
  "TableId": 1,
  "DimId": 1,
  "LangCode": "EN",
  "Descr": "Age Dim",
  "Note": "Age Dim notes"
 },
  "ModelId": 1,
  "TableId": 1,
  "DimId": 1,
  "LangCode": "FR",
  "Descr": "(FR) Age Dim",
"Note": ""
 },
```

```
"ModelId": 1,
  "TableId": 1,
  "DimId": 2,
  "LangCode": "EN",
"Descr": "Salary Dim",
  "Note": "Salary Dim notes"
 },
 {
  "ModelId": 1,
  "TableId": 1,
  "DimId": 2,
  "LangCode": "FR",
  "Descr": "(FR) Salary Dim",
  "Note": "(FR) Salary Dim notes"
 },
  "ModelId": 1,
  "TableId": 2,
  "DimId": 0,
  "LangCode": "EN",
  "Descr": "Age Dim",
  "Note": "Age Dim notes"
 },
 {
  "ModelId": 1,
  "TableId": 2,
  "DimId": 0,
  "LangCode": "FR",
  "Descr": "(FR) Age Dim",
"Note": "(FR) Age Dim notes"
 },
 {
  "ModelId": 1,
  "TableId": 2,
  "DimId": 1,
  "LangCode": "EN",
  "Descr": "Sex Dim",
  "Note": "Sex Dim notes"
 },
 {
  "ModelId": 1,
  "TableId": 2,
  "DimId": 1,
  "LangCode": "FR",
  "Descr": "(FR) Sex Dim",
  "Note": "
 }
],
"TableAccTxt": [
 {
  "ModelId": 1,
  "TableId": 0,
  "AccId": 0,
  "LangCode": "EN",
  "Descr": "Sum of salary by sex",
  "Note": ""
 },
 {
  "ModelId": 1,
  "TableId": 0,
  "AccId": 1,
  "LangCode": "EN",
  "Descr": "Count of salary by sex",
  "Note": ""
 },
  "ModelId": 1,
  "TableId": 0,
  "AccId": 2,
  "LangCode": "EN",
  "Descr": "Derived accumulator",
"Note": ""
 },
 {
  "ModelId": 1,
  "TableId": 1,
  "AccId": 0,
  "LangCode": "EN",
  "Descr": "Full time salary by age",
  "Note": "Full time salary by age notes"
 },
  "ModelId": 1,
  "TableId": 2,
  "AccId": 0,
  "LangCode": "EN",
  "Descr": "Income"
```

```
"Note": "Income notes"
 },
  {
   "ModelId": 1,
   "TableId": 2,
   "AccId": 1,
   "LangCode": "EN",
   "Descr": "Income adjusted",
   "Note": "Income adjusted notes"
 },
  {
   "ModelId": 1,
   "TableId": 3,
   "AccId": 0,
   "LangCode": "EN",
   "Descr": "Seed",
   "Note": "Seed notes"
 }
],
"TableExprTxt": [
   "ModelId": 1,
   "TableId": 0,
   "ExprId": 0,
   "LangCode": "EN",
   "Descr": "Average acc0",
   "Note": "Average on acc0 notes"
 },
 {
   "ModelId": 1,
   "TableId": 0,
   "ExprId": 0,
   "LangCode": "FR",
   "Descr": "(FR) Average acc0",
"Note": "(FR) Average on acc0 notes"
 },
  {
   "ModelId": 1,
   "TableId": 0,
   "ExprId": 1,
   "LangCode": "EN",
"Descr": "Sum acc1",
   "Note": ""
 },
   "ModelId": 1,
   "TableId": 0,
   "ExprId": 2,
   "LangCode": "EN",
   "Descr": "Min acc0",
   "Note": ""
  },
   "ModelId": 1,
   "TableId": 0,
   "ExprId": 3,
   "LangCode": "EN",
   "Descr": "Average acc0 * acc1",
   "Note": ""
 },
  {
   "ModelId": 1,
   "TableId": 1,
   "ExprId": 0,
   "LangCode": "EN",
   "Descr": "Average acc0",
"Note": "Average on acc0 notes"
 },
 {
   "ModelId": 1,
   "TableId": 2,
   "ExprId": 0,
   "LangCode": "EN",
   "Descr": "Average acc0",
   "Note": "Average on acc0 notes"
 }.
   "ModelId": 1,
   "TableId": 2,
   "ExprId": 1,
   "LangCode": "EN",
   "Descr": "Average acc1",
   "Note": "Average on acc1 notes"
  },
   "ModelId": 1,
   "TableId": 3,
```

```
"ExprId": 0,
    "LangCode": "EN",
    "Descr": "Average acc0",
    "Note": "Average on acc0 notes"
  }
 ],
"GroupTxt": [
 {
"Modelld": 1,
    "GroupId": 1,
   "LangCode": "EN",
   "Descr": "All parameters",
   "Note": "All model parameters group"
  },
  {
    "ModelId": 1,
    "GroupId": 1,
    "LangCode": "FR",
    "Descr": "(FR) All parameters",
"Note": ""
  },
  {
    "ModelId": 1,
    "GroupId": 2,
    "LangCode": "EN",
    "Descr": "Age and Sex parameters",
    "Note": "Age and Sex model parameters group"
  },
  {
    "ModelId": 1,
   "GroupId": 2,
    "LangCode": "FR",
    "Descr": "(FR) Age and Sex parameters",
    "Note": "(FR) Age and Sex model parameters group"
  },
   {
    "ModelId": 1,
   "GroupId": 3,
   "LangCode": "EN",
"Descr": "Salary parameters",
    "Note": "Salary model parameters group"
  },
  {
    "ModelId": 1,
    "GroupId": 10,
    "LangCode": "EN",
    "Descr": "Additional output tables",
    "Note": "Additional output tables group notes"
  },
  {
    "ModelId": 1,
    "GroupId": 10,
   "LangCode": "FR",
   "Descr": "(FR) Additional output tables",
"Note": ""
  }
 ]
}
```

Þ

4

# **GET model languages**

Get model languages.

# Methods:

GET /api/model/:model/lang-list

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

# Call examples:

```
http://localhost:4040/api/model/modelOne/lang-list
http://localhost:4040/api/model/649f17f26d67c37b78dde94f79772445/lang-list
```

# **Return example:**

Known issue: There is no "model languages" table in current database, only master language list table lang\_lst. As result if there are multiple model in same database it is assumed all models have same list of languages.

```
[
{
    "LangCode": "EN",
    "Name": "English"
},
{
    "LangCode": "FR",
    "Name": "Français"
}
```

# **GET model language-specific strings**

Get model language-specific strings.

Language-specific strings are (code, label) rows from lang\_word and model\_word database tables.

### Methods:

GET /api/model/:model/word-list GET /api/model/:model/word-list/lang/:lang

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:lang - (optional) language code

If optional lang argument specified then result in that language else in browser language or model default. If no such language exist then result in model default language or can be empty.

### Call examples:

http://localhost:4040/api/model/modelOne/word-list http://localhost:4040/api/model/modelOne/word-list/lang/fr-CA

http://localhost:4040/api/model/\_201208171604590148\_/word-list

```
{

"ModelName": "modelOne",

"ModelDigest": "_201208171604590148_",

"LangCode": "EN",

"LangCode": "EN",
   {
     "Code": "all",
     "Label": "All"
   },
   {
     "Code": "max",
     "Label": "Max"
   },
   {
     "Code": "min",
     "Label": "Min"
   }.
   {
     "Code": "Sub-value %d",
     "Label": "Sub-value %d"
   },
   {
     "Code": "Read",
"Label": "Read"
   }
  ],
  "ModelLangCode": "EN",
  "ModelWords": [
   {
     "Code": "Event loop completed",
     "Label": "Event loop completed"
   },
   {
     "Code": "Reading Parameters",
     "Label": "Reading Parameters"
   },
   {
     "Code": "Running Simulation",
"Label": "Running Simulation"
   },
   {
     "Code": "Start model subvalue",
     "Label": "Start model subvalue"
   },
   {
     "Code": "Writing Output Tables",
     "Label": "Writing Output Tables"
   }
 ]
}
```

# **GET model profile**

Get model profile. Profile is a set of key-value options, similar to ini-file, which can be used to run the model. Please keep in mind, there is no actual link between profiles and models and any profile can be applied to run any model (it is by design, similar to ini-file).

### Methods:

GET /api/model/:model/profile/:profile

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:profile - (required) profile name

Profile name is unique per database.

## Call examples:

http://localhost:4040/api/model/modelOne/profile/modelOne

Return example: This is a beta version and may change in the future.

```
{
    "Name": "modelOne",
    "Opts": {
        "OpenM.SparseOutput": "true",
        "Parameter.StartingSeed": "1023"
    }
}
```

# **GET list of profiles**

Get list of profile names by model name or model digest.

Profile is a set of key-value options, similar to ini-file, which can be used to run the model. Please keep in mind, there is no actual link between profiles and models and any profile can be applied to run any model (it is by design, similar to ini-file).

### Methods:

GET /api/model/:model/profile-list

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

Model digest or name is used by server to find SQLite database. There is no explicit link between model and profile. All profile name from that database will be selected.

# Call examples:

http://localhost:4040/api/model/modelOne/profile-list

## Return example:

[ "modelOne" ]

# **GET list of model runs**

Get list of model run results: language-neutral part of run list metadata.

### Methods:

GET /api/model/:model/run-list

### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

### Call examples:

```
http://localhost:4040/api/model/modelOne/run-list
http://localhost:4040/api/model/_201208171604590148_/run-list
```

```
[
 {
  "ModelName": "modelOne",
  "ModelDigest": "_201208171604590148_",
  "Name": "Default",
  "SubCount": 1,
  "SubStarted": 1,
  "SubCompleted": 1,
  "CreateDateTime": "2021-03-11 00:27:56.583",
  "Status": "s"
  "UpdateDateTime": "2021-03-11 00:27:57.030",
  "RunDigest": "88b8c45b77993133b07a7c85e4447d5c",
  "ValueDigest": "6c5c0f48e19f67899c868688bb8a23fd",
  "RunStamp": "2021_03_11_00_27_56_535",
  "Txt": [],
  "Opts": {}
  "Param": [],
  "Table": [],
  "Progress": []
 }.
 {
  "ModelName": "modelOne",
  "ModelDigest": "_201208171604590148_",
  "Name": "Default-4",
  "SubCount": 4.
  "SubStarted": 4,
  "SubCompleted": 4,
  "CreateDateTime": "2021-03-11 00:27:57.119",
  "Status": "s",
  "UpdateDateTime": "2021-03-11 00:27:57.955",
  "RunDigest": "c6ced1efa64dca8a98e5cd323ac7f50d",
  "ValueDigest": "d900353af61f7f824ddae66b47b456ea",
  "RunStamp": "2021_03_11_00_27_57_080",
  "Txt": [],
  "Opts": {},
  "Param": [],
  "Table": [],
  "Progress": []
 },
 {
  "ModelName": "modelOne",
  "ModelDigest": "_201208171604590148_",
  "Name": "First Task Run_Default",
  "SubCount": 1,
  "SubStarted": 1,
  "SubCompleted": 1,
  "CreateDateTime": "2021-03-11 00:27:58.054",
  "Status": "s"
  "UpdateDateTime": "2021-03-11 00:27:58.485",
  "RunDigest": "419f0d1b7078cff499f87be5d9e8995c"
  "ValueDigest": "6c5c0f48e19f67899c868688bb8a23fd",
  "RunStamp": "2021_03_11_00_27_58_005",
  "Txt": [],
  "Opts": {},
  "Param": [],
  "Table": П.
```

```
"Progress": []
},
"ModelName": "modelOne",
"ModelDigest": "_201208171604590148_",
 "Name": "First Task Run_modelOne_other",
 "SubCount": 1,
 "SubStarted": 1,
 "SubCompleted": 1,
 "CreateDateTime": "2021-03-11 00:27:58.505",
 "Status": "s",
 "UpdateDateTime": "2021-03-11 00:27:58.833",
 "RunDigest": "ec2455261ede37787150692c460a2688",
 "ValueDigest": "fb27d108fae2040fa1cae6f49704a1b7",
 "RunStamp": "2021_03_11_00_27_58_005",
 "Txt": [],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
},
{
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "Sub-values_2_from_csv",
 "SubCount": 2,
 "SubStarted": 2,
 "SubCompleted": 2,
 "CreateDateTime": "2021-03-11 00:27:58.935",
 "Status": "s",
 "UpdateDateTime": "2021-03-11 00:27:59.531",
 "RunDigest": "de486efd4c8d002036876a3b9a285f63",
 "ValueDigest": "c91cee4876452c95717b8d2d6aaee7a5",
 "RunStamp": "2021_03_11_00_27_58_895",
 "Txt": [],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
},
 "ModelName": "modelOne",
"ModelDigest": "_201208171604590148_",
 "Name": "Sub-values_4",
 "SubCount": 4,
 "SubStarted": 4,
 "SubCompleted": 4,
 "CreateDateTime": "2021-03-11 00:27:59.631",
 "Status": "s",
 "UpdateDateTime": "2021-03-11 00:28:00.492",
 "RunDigest": "668da5c876e3c7c8742d24e17071505f",
 "ValueDigest": "2ccb8ebabceb2cfb23bbca6403ac52d0",
 "RunStamp": "2021_03_11_00_27_59_582",
 "Txt": [],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
},
"ModelName": "modelOne",
"ModelDigest": "_201208171604590148_",
 "Name": "Group_sub-values_2_from_csv",
 "SubCount": 2,
 "SubStarted": 2,
 "SubCompleted": 2,
 "CreateDateTime": "2021-03-11 00:28:00.587",
 "Status": "s"
 "UpdateDateTime": "2021-03-11 00:28:00.921",
 "RunDigest": "e36f2fbff9439a8f4f7268e50eef2986",
 "ValueDigest": "d73a023253e620a3df7fc45b4b826a60",
 "RunStamp": "2021_03_11_00_28_00_543",
 "Txt": [],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
},
 "ModelName": "modelOne",
 "ModelDigest": " 201208171604590148 ",
 "Name": "Import_from_Default_run",
 "SubCount": 1,
 "SubStarted": 1,
 "SubCompleted": 1,
 "CreateDateTime": "2021-03-11 00:28:01.015",
 "Status": "s",
```

```
"UpdateDateTime": "2021-03-11 00:28:01.256",
 "RunDigest": "dcc2a68b7e86267d7efad9f8b7fd2092"
 "ValueDigest": "6c5c0f48e19f67899c868688bb8a23fd",
 "RunStamp": "2021_03_11_00_28_00_952",
 "Txt": [],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
}
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "Base_run_is_Sub-values_2_from_csv",
 "SubCount": 2,
 "SubStarted": 2.
 "SubCompleted": 2,
 "CreateDateTime": "2021-03-11 00:28:01.326",
 "Status": "s"
 "UpdateDateTime": "2021-03-11 00:28:01.619",
 "RunDigest": "a57ac3d4c0cefdc09939ad7150661bed",
 "ValueDigest": "c91cee4876452c95717b8d2d6aaee7a5",
 "RunStamp": "2021_03_11_00_28_01_286",
 "Txt": [],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
}.
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_"
 "Name": "Base_run_and_partial_input_set",
 "SubCount": 1,
 "SubStarted": 1.
 "SubCompleted": 1,
 "CreateDateTime": "2021-03-11 00:28:01.704",
 "Status": "s",
 "UpdateDateTime": "2021-03-11 00:28:01.913",
 "RunDigest": "f170ec1ad8596d1f82114285c3d93eec",
 "ValueDigest": "f8638fcc86441f3fd22b2c37e0ed5e47",
 "RunStamp": "2021_03_11_00_28_01_661",
 "Txt": [],
 "Opts": {},
"Param": [],
 "Table": [],
 "Progress": []
},
{
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "Task Run with Suppressed Tables_Default",
 "SubCount": 2,
 "SubStarted": 2,
 "SubCompleted": 2,
 "CreateDateTime": "2021-03-11 00:28:01.994",
 "Status": "s"
 "UpdateDateTime": "2021-03-11 00:28:02.241",
 "RunDigest": "e40a172f046a248d85f0fc600d9aa133",
 "ValueDigest": "74dc31c98dd0e491bfdbf0f68961576d",
 "RunStamp": "2021_03_11_00_28_01_943",
 "Txt": [],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
},
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "Task Run with Suppressed Tables_modelOne_other",
 "SubCount": 2,
 "SubStarted": 2,
 "SubCompleted": 2,
 "CreateDateTime": "2021-03-11 00:28:02.253",
 "Status": "s".
 "UpdateDateTime": "2021-03-11 00:28:02.435",
 "RunDigest": "e97dc09e7ae4965a47688eb90ba434c1",
 "ValueDigest": "7dd0761dcfd04cb8def60c63a2804157",
 "RunStamp": "2021_03_11_00_28_01_943",
 "Txt": [],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
}.
```

"ModelName": "modelOne",

```
"ModelDigest": "_201208171604590148_",
 "Name": "Task Run with NotSuppressed Tables_Default",
 "SubCount": 2,
 "SubStarted": 2,
 "SubCompleted": 2,
 "CreateDateTime": "2021-03-11 00:28:02.572",
 "Status": "s",
 "UpdateDateTime": "2021-03-11 00:28:03.016",
"RunDigest": "ef9920516d16859e1705574d7e6f8891",
 "ValueDigest": "e284bb8c7f1e28aa6dc5b52fa78d975d",
 "RunStamp": "2021_03_11_00_28_02_520",
 "Txt": [],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
},
{
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "Task Run with NotSuppressed Tables_modelOne_other",
 "SubCount": 2,
 "SubStarted": 2,
 "SubCompleted": 2,
 "CreateDateTime": "2021-03-11 00:28:03.036",
 "Status": "s",
 "UpdateDateTime": "2021-03-11 00:28:03.372",
 "RunDigest": "a5b56959d3f3efd82e7702289af43022"
 "ValueDigest": "79c55110928e7d372c0570cfa2202867",
 "RunStamp": "2021_03_11_00_28_02_520",
 "Txt": [],
 "Opts": {},
 "Param": [],
"Table": [],
 "Progress": []
}
```

]

# GET list of model runs including text (description and notes)

Get list of model runs, including text (description and notes).

### Methods:

GET /api/model/:model/run-list/text GET /api/model/:model/run-list/text/lang/:lang

### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:lang - (optional) language code

If optional lang argument specified then result in that language else in browser language. If no such language exist then text portion of result (description and notes) is empty.

#### Call examples:

```
http://localhost:4040/api/model/modelOne/run-list/text
http://localhost:4040/api/model/_201208171604590148_/run-list/text
http://localhost:4040/api/model/modelOne/run-list/text/lang/en_CA
```

```
[
 {
  "ModelName": "modelOne",
  "ModelDigest": "_201208171604590148_",
  "Name": "Default",
  "SubCount": 1,
  "SubStarted": 1,
  "SubCompleted": 1.
  "CreateDateTime": "2021-03-11 00:27:56.583",
  "Status": "s",
  "UpdateDateTime": "2021-03-11 00:27:57.030",
  "RunDigest": "88b8c45b77993133b07a7c85e4447d5c",
  "ValueDigest": "6c5c0f48e19f67899c868688bb8a23fd".
  "RunStamp": "2021_03_11_00_27_56_535",
  "Txt": [
   {
     "LangCode": "EN",
     "Descr": "Model One default set of parameters",
     "Note": "
   }
  ],
  "Opts": {},
  "Param": [],
  "Table": [],
  "Progress": []
 },
  "ModelName": "modelOne",
  "ModelDigest": "_201208171604590148_",
  "Name": "Default-4",
  "SubCount": 4,
  "SubStarted": 4,
  "SubCompleted": 4.
  "CreateDateTime": "2021-03-11 00:27:57.119",
  "Status": "s"
  "UpdateDateTime": "2021-03-11 00:27:57.955"
  "RunDigest": "c6ced1efa64dca8a98e5cd323ac7f50d",
  "ValueDigest": "d900353af61f7f824ddae66b47b456ea",
  "RunStamp": "2021_03_11_00_27_57_080",
  "Txt": [
   {
     "LangCode": "EN",
     "Descr": "Model One default set of parameters",
     "Note": '
   }
  1.
```

```
"Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
},
 "ModelName": "modelOne",
"ModelDigest": "_201208171604590148_",
 "Name": "First Task Run_Default",
 "SubCount": 1,
 "SubStarted": 1,
 "SubCompleted": 1,
 "CreateDateTime": "2021-03-11 00:27:58.054",
 "Status": "s",
 "UpdateDateTime": "2021-03-11 00:27:58.485",
 "RunDigest": "419f0d1b7078cff499f87be5d9e8995c",
 "ValueDigest": "6c5c0f48e19f67899c868688bb8a23fd",
"RunStamp": "2021_03_11_00_27_58_005",
 "Txt": [
  {
    "LangCode": "EN",
   "Descr": "Model One default set of parameters",
"Note": ""
  }
 ],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
},
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "First Task Run_modelOne_other",
 "SubCount": 1,
 "SubStarted": 1,
 "SubCompleted": 1,
 "CreateDateTime": "2021-03-11 00:27:58.505",
 "Status": "s",
 "UpdateDateTime": "2021-03-11 00:27:58.833",
 "RunDigest": "ec2455261ede37787150692c460a2688",
 "ValueDigest": "fb27d108fae2040fa1cae6f49704a1b7",
 "RunStamp": "2021_03_11_00_27_58_005",
 "Txt": [
  {
    "LangCode": "EN",
   "Descr": "Model One other set of parameters",
"Note": ""
  }
 1,
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
},
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "Sub-values_2_from_csv",
 "SubCount": 2,
 "SubStarted": 2,
 "SubCompleted": 2,
 "CreateDateTime": "2021-03-11 00:27:58.935",
 "Status": "s"
 "UpdateDateTime": "2021-03-11 00:27:59.531",
 "RunDigest": "de486efd4c8d002036876a3b9a285f63",
 "ValueDigest": "c91cee4876452c95717b8d2d6aaee7a5",
 "RunStamp": "2021_03_11_00_27_58_895",
 "Txt": [
  {
    "LangCode": "EN",
   "Descr": "Parameter sub-values 2 from csv",
    "Note": ""
  }
 ],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
},
{
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "Sub-values_4",
 "SubCount": 4.
 "SubStarted": 4.
 "SubCompleted": 4,
 "CreateDateTime": "2021-03-11 00:27:59.631",
```

```
"Status": "s".
 "UpdateDateTime": "2021-03-11 00:28:00.492",
 "RunDigest": "668da5c876e3c7c8742d24e17071505f",
 "ValueDigest": "2ccb8ebabceb2cfb23bbca6403ac52d0",
 "RunStamp": "2021_03_11_00_27_59_582",
 "Txt": [
  {
   "LangCode": "EN",
   "Descr": "Parameter sub-values 4",
"Note": ""
  }
 ],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
},
 "ModelName": "modelOne",
 "ModelDigest": " 201208171604590148 ",
 "Name": "Group_sub-values_2_from_csv",
 "SubCount": 2,
 "SubStarted": 2,
 "SubCompleted": 2,
 "CreateDateTime": "2021-03-11 00:28:00.587",
 "Status": "s"
 "UpdateDateTime": "2021-03-11 00:28:00.921",
 "RunDigest": "e36f2fbff9439a8f4f7268e50eef2986",
 "ValueDigest": "d73a023253e620a3df7fc45b4b826a60",
 "RunStamp": "2021_03_11_00_28_00_543",
 "Txt": [
  {
   "LangCode": "EN",
   "Descr": "Parameter group sub-values 2 from csv",
"Note": ""
  }
 ],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
},
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "Import_from_Default_run",
 "SubCount": 1.
 "SubStarted": 1.
 "SubCompleted": 1,
 "CreateDateTime": "2021-03-11 00:28:01.015",
 "Status": "s",
 "UpdateDateTime": "2021-03-11 00:28:01.256",
 "RunDigest": "dcc2a68b7e86267d7efad9f8b7fd2092",
 "ValueDigest": "6c5c0f48e19f67899c868688bb8a23fd",
 "RunStamp": "2021_03_11_00_28_00_952",
 "Txt": [
  {
   "LangCode": "EN",
   "Descr": "Import parameters from Default run",
"Note": ""
  }
],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
},
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "Base_run_is_Sub-values_2_from_csv",
 "SubCount": 2,
 "SubStarted": 2,
 "SubCompleted": 2,
 "CreateDateTime": "2021-03-11 00:28:01.326",
 "Status": "s"
 "UpdateDateTime": "2021-03-11 00:28:01.619",
 "RunDigest": "a57ac3d4c0cefdc09939ad7150661bed",
 "ValueDigest": "c91cee4876452c95717b8d2d6aaee7a5",
 "RunStamp": "2021_03_11_00_28_01_286",
 "Txt": [
  {
   "LangCode": "EN",
   "Descr": "Parameters from base run Sub-values_2_from_csv",
   "Note": "
  }
],
```

```
"Param": [],
 "Table": [],
 "Progress": []
}.
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "Base_run_and_partial_input_set",
 "SubCount": 1.
 "SubStarted": 1,
 "SubCompleted": 1,
 "CreateDateTime": "2021-03-11 00:28:01.704",
 "Status": "s",
 "UpdateDateTime": "2021-03-11 00:28:01.913",
 "RunDigest": "f170ec1ad8596d1f82114285c3d93eec",
 "ValueDigest": "f8638fcc86441f3fd22b2c37e0ed5e47",
 "RunStamp": "2021_03_11_00_28_01_661",
 "Txt": [
  {
   "LangCode": "EN",
   "Descr": "Parameters from base run and from partial input set",
   "Note": "
  }
1.
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
},
{
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "Task Run with Suppressed Tables_Default",
 "SubCount": 2,
 "SubStarted": 2,
 "SubCompleted": 2,
 "CreateDateTime": "2021-03-11 00:28:01.994",
 "Status": "s"
 "UpdateDateTime": "2021-03-11 00:28:02.241",
 "RunDigest": "e40a172f046a248d85f0fc600d9aa133",
 "ValueDigest": "74dc31c98dd0e491bfdbf0f68961576d",
 "RunStamp": "2021_03_11_00_28_01_943",
 "Txt": [
  {
   "LangCode": "EN",
   "Descr": "Model One default set of parameters",
   "Note": ""
  }
1.
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
},
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "Task Run with Suppressed Tables_modelOne_other",
 "SubCount": 2,
 "SubStarted": 2,
 "SubCompleted": 2,
 "CreateDateTime": "2021-03-11 00:28:02.253",
 "Status": "s"
 "UpdateDateTime": "2021-03-11 00:28:02.435",
 "RunDigest": "e97dc09e7ae4965a47688eb90ba434c1",
 "ValueDigest": "7dd0761dcfd04cb8def60c63a2804157",
 "RunStamp": "2021_03_11_00_28_01_943",
 "Txt": [
  {
   "LangCode": "EN",
   "Descr": "Model One other set of parameters",
   "Note": ""
  }
 ],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": []
},
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "Task Run with NotSuppressed Tables_Default",
 "SubCount": 2,
 "SubStarted": 2,
 "SubCompleted": 2,
 "CreateDateTime": "2021-03-11 00:28:02.572",
```

"Opts": {},

```
"Status": "s",
 "UpdateDateTime": "2021-03-11 00:28:03.016",
 "RunDigest": "ef9920516d16859e1705574d7e6f8891",
"ValueDigest": "e284bb8c7f1e28aa6dc5b52fa78d975d",
"RunStamp": "2021_03_11_00_28_02_520",
  "Txt": [
   {
    "LangCode": "EN",
    "Descr": "Model One default set of parameters",
    "Note": ""
   }
 ],
 "Opts": {},
"Param": [],
 "Table": [],
 "Progress": []
},
{
 "ModelName": "modelOne",
"ModelDigest": "_201208171604590148_",
 "Name": "Task Run with NotSuppressed Tables_modelOne_other",
 "SubCount": 2,
 "SubStarted": 2,
 "SubCompleted": 2,
 "CreateDateTime": "2021-03-11 00:28:03.036",
 "Status": "s",
 "UpdateDateTime": "2021-03-11 00:28:03.372",
 "RunDigest": "a5b56959d3f3efd82e7702289af43022"
 "ValueDigest": "79c55110928e7d372c0570cfa2202867",
 "RunStamp": "2021_03_11_00_28_02_520",
  "Txt": [
   {
    "LangCode": "EN",
    "Descr": "Model One other set of parameters",
    "Note": ""
   }
 ],
 "Opts": {},
"Param": [],
 "Table": [],
 "Progress": []
}
```

]

# GET status of model run

Get status of model run by run digest, run stamp or run name. If there is only multiple runs with such stamp or name exist then it is better to use GET status of model run list method to get run status of all runs.

## Methods:

GET /api/model/:model/run/:run/status

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use run name, which is more human readable than digest, but if there are multiple runs with same name or same run stamp in database then result is undefined.

# Call examples:

http://localhost:4040/api/model/modelOne/run/Default-4/status

http://localhost:4040/api/model/modelOne/run/05403de52f30f59b050417561914fbb8/status http://localhost:4040/api/model/modelOne/run/2019\_01\_17\_19\_59\_52\_998/status

```
{

"ModelName": "modelOne",

"ModelDigest": "_201208171604590148_",

____" "Default-4",
 "SubCount": 4,
 "SubStarted": 4,
 "SubCompleted": 4,
 "CreateDateTime": "2021-03-11 00:27:57.119",
 "Status": "s",
 "UpdateDateTime": "2021-03-11 00:27:57.955",
 "RunDigest": "c6ced1efa64dca8a98e5cd323ac7f50d",
 "ValueDigest": "d900353af61f7f824ddae66b47b456ea",
 "RunStamp": "2021_03_11_00_27_57_080",
 "Txt": [],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": [
  {
    "SubId": 0,
    "CreateDateTime": "2021-03-11 00:27:57.151",
    "Status": "s",
   "UpdateDateTime": "2021-03-11 00:27:57.512",
    "Count": 100,
   "Value": 0
  },
  {
    "SubId": 1,
    "CreateDateTime": "2021-03-11 00:27:57.153",
   "Status": "s",
    "UpdateDateTime": "2021-03-11 00:27:57.669",
    "Count": 100,
    "Value": 0
  },
  {
    "SubId": 2,
   "CreateDateTime": "2021-03-11 00:27:57.157",
    "Status": "s",
    "UpdateDateTime": "2021-03-11 00:27:57.649",
    "Count": 100,
    "Value": 0
  },
  {
"SubId": 3,
   "CreateDateTime": "2021-03-11 00:27:57.159",
    "Status": "s",
   "UpdateDateTime": "2021-03-11 00:27:57.746",
    "Count": 100,
    "Value": 0
  }
 ]
```

}

# GET status of model run list

Get status of model runs by run digest, run stamp or run name. If there is only single run with such stamp or name exist then result similar to the result of GET status of model run method.

# Methods:

GET /api/model/:model/run/:run/status/list

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use run name, which is more human readable than digest.

# Call examples:

http://localhost:4040/api/model/modelOne/run/Default-4/status/list

http://localhost: 4040/api/model/modelOne/run/05403 de 52f 30f 59b 050417561914 fbb8/status/listed and the status and the st

http://localhost:4040/api/model/modelOne/run/2019\_01\_17\_19\_59\_52\_998/status/list

```
{
 "ModelName": "modelOne",
"ModelDigest": "_201208171604590148_",
 "Name": "Default-4",
 "SubCount": 4,
 "SubStarted": 4,
 "SubCompleted": 4,
 "CreateDateTime": "2021-03-11 00:27:57.119",
 "Status": "s",
 "UpdateDateTime": "2021-03-11 00:27:57.955",
 "RunDigest": "c6ced1efa64dca8a98e5cd323ac7f50d",
 "ValueDigest": "d900353af61f7f824ddae66b47b456ea",
 "RunStamp": "2021_03_11_00_27_57_080",
 "Txt": [],
 "Opts": {},
"Param": [],
 "Table": [],
 "Progress": [
  {
   .
"SubId": 0,
   "CreateDateTime": "2021-03-11 00:27:57.151",
   "Status": "s",
   "UpdateDateTime": "2021-03-11 00:27:57.512",
   "Count": 100,
   "Value": 0
  },
  .
{
"SubId": 1,
*>Dat
   "CreateDateTime": "2021-03-11 00:27:57.153",
   "Status": "s",
   "UpdateDateTime": "2021-03-11 00:27:57.669",
   "Count": 100,
    "Value": 0
  },
  {
   "SubId": 2,
   "CreateDateTime": "2021-03-11 00:27:57.157",
    "Status": "s",
   "UpdateDateTime": "2021-03-11 00:27:57.649",
   "Count": 100,
   "Value": 0
  },
  {
    "SubId": 3,
   "CreateDateTime": "2021-03-11 00:27:57.159",
   "Status": "s",
   "UpdateDateTime": "2021-03-11 00:27:57.746",
   "Count": 100,
   "Value": 0
  }
 1
```

[

} ]

# GET status of first model run

Get status of first model run.

# Methods:

GET /api/model/:model/run/status/first

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

### Call examples:

```
http://localhost:4040/api/model/modelOne/run/status/first
http://localhost:4040/api/model/_201208171604590148_/run/status/first
```

```
{
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "Default",
 "SubCount": 1,
 "SubStarted": 1,
 "SubCompleted": 1,
 "CreateDateTime": "2021-03-11 00:27:56.583",
 "Status": "s",
 "UpdateDateTime": "2021-03-11 00:27:57.030",
 "RunDigest": "88b8c45b77993133b07a7c85e4447d5c",
 "ValueDigest": "6c5c0f48e19f67899c868688bb8a23fd",
 "RunStamp": "2021_03_11_00_27_56_535",
 "Txt": [],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": [
  {
   "SubId": 0,
   "CreateDateTime": "2021-03-11 00:27:56.647",
   "Status": "s",
   "UpdateDateTime": "2021-03-11 00:27:56.816",
   "Count": 100,
   "Value": 0
  }
]
}
```

# GET status of last model run

Get status of last model run.

# Methods:

GET /api/model/:model/run/status/last

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

#### Call examples:

http://localhost:4040/api/model/modelOne/run/status/last http://localhost:4040/api/model/\_201208171604590148\_/run/status/last

```
{
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_"
 "Name": "Task Run with NotSuppressed Tables_modelOne_other",
 "SubCount": 2,
 "SubStarted": 2,
 "SubCompleted": 2,
 "CreateDateTime": "2021-03-11 00:28:03.036",
 "Status": "s",
 "UpdateDateTime": "2021-03-11 00:28:03.372",
 "RunDigest": "a5b56959d3f3efd82e7702289af43022",
 "ValueDigest": "79c55110928e7d372c0570cfa2202867",
 "RunStamp": "2021_03_11_00_28_02_520",
 "Txt": [],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": [
  {
   "SubId": 0,
   "CreateDateTime": "2021-03-11 00:28:03.070",
   "Status": "s",
   "UpdateDateTime": "2021-03-11 00:28:03.204",
   "Count": 100,
    "Value": 0
  },
  {
   "SubId": 1,
   "CreateDateTime": "2021-03-11 00:28:03.073",
   "Status": "s".
   "UpdateDateTime": "2021-03-11 00:28:03.195",
   "Count": 100,
   "Value": 0
  }
1
}
```

# GET status of last completed model run

Get status of last completed model run. Run completed if run status one of: s=success, x=exit, e=error

# Methods:

GET /api/model/:model/run/status/last-completed

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

#### Call examples:

http://localhost:4040/api/model/modelOne/run/status/last-completed http://localhost:4040/api/model/\_201208171604590148\_/run/status/last-completed

```
{
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_"
 "Name": "Task Run with NotSuppressed Tables_modelOne_other",
 "SubCount": 2,
 "SubStarted": 2
 "SubCompleted": 2,
 "CreateDateTime": "2021-03-11 00:28:03.036",
 "Status": "s",
 "UpdateDateTime": "2021-03-11 00:28:03.372",
 "RunDigest": "a5b56959d3f3efd82e7702289af43022",
 "ValueDigest": "79c55110928e7d372c0570cfa2202867",
 "RunStamp": "2021_03_11_00_28_02_520",
 "Txt": [],
 "Opts": {},
 "Param": [],
 "Table": [],
 "Progress": [
  {
   "SubId": 0,
   "CreateDateTime": "2021-03-11 00:28:03.070",
   "Status": "s",
   "UpdateDateTime": "2021-03-11 00:28:03.204",
   "Count": 100,
    "Value": 0
  },
  {
   "SubId": 1,
   "CreateDateTime": "2021-03-11 00:28:03.073",
   "Status": "s".
   "UpdateDateTime": "2021-03-11 00:28:03.195",
   "Count": 100,
   "Value": 0
  }
1
}
```

# GET model run metadata and status

Get model run results metadata and status

# Methods:

GET /api/model/:model/run/:run

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

```
:run - (required) model run digest, run stamp or run name
```

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

# Call examples:

```
http://localhost:4040/api/model/modelOne/run/Default-4
http://localhost:4040/api/model/_201208171604590148_/run/Default-4
http://localhost:4040/api/model/modelOne/run/2019_01_17_19_59_52_998
```

```
{
"ModelName": "modelOne",
"ModelDigest": "_201208171604590148_",
 "Name": "Default-4",
"SubCount": 4,
 "SubStarted": 4,
 "SubCompleted": 4.
"CreateDateTime": "2021-11-10 19:08:00.578",
 "Status": "s",
"UpdateDateTime": "2021-11-10 19:08:04.632",
 "RunDigest": "77074b15c611d2330acc249286bddc04"
 "ValueDigest": "3da3d883d9cb45d419847d3b20cbb6e2",
"RunStamp": "2021_11_10_19_08_00_552",
 "Txt": [],
 "Opts": {
  "OpenM.LogFilePath": "modelOne.log",
  "OpenM.RunName": "Default-4"
  "OpenM.RunStamp": "2021_11_10_19_08_00_552",
  "OpenM.SetId": "2"
  "OpenM.SetName": "Default",
  "OpenM.SubValues": "4",
  "OpenM.Threads": "4"
},
 "Param": [
  {
   "Name": "ageSex",
   "Txt": [],
   "SubCount": 1
   "DefaultSubId": 0.
   "ValueDigest": "ca3edf7630fae786c75f10781a664933"
 },
   "Name": "salaryAge",
   "Txt": [],
   "SubCount": 1,
   "DefaultSubId": 0,
   "ValueDigest": "0becae6201e424a1f3b66e421864b4b3"
  }.
   "Name": "StartingSeed",
   "Txt": [],
   "SubCount": 1,
   "DefaultSubId": 0.
   "ValueDigest": "cb565f810da2b25939d0bd958cb5392a"
```

```
"Name": "salaryFull",
 "Txt": [],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "a2f1ce089553caf3f7fb080aa170507d"
},
{
 "Name": "baseSalary",
 "Txt": [],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "1541b570479f12a40b9d8a782795c7c2"
},
 "Name": "filePath",
 "Txt": [],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "f5d536e282b0941dc84f17cc11a94091"
}.
 "Name": "isOldAge",
 "Txt": [],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "ef4288d0277e97b1b8a2009ce962323b"
}.
 "Name": "salaryByYears",
 "Txt": [],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "41934eed3ed19a88b3cb346e447f689f"
},
 "Name": "salaryByPeriod",
 "Txt": [],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "3871b18ad0ae36bab0a5badd5bcaab6f"
}.
 "Name": "salaryByLow",
 "Txt": [],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "b93c3f85f3259f2ad709f39403e7fac9"
},
 "Name": "salaryByMiddle",
 "Txt": [],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "6e0d6bf8f96c2d89ff2d2ae2fd82997b"
}
'Table'': [
{
 "Name": "salarySex",
 "ValueDigest": "5b5f5dd270012d1d2eff0d1440613f68"
},
{
 "Name": "fullAgeSalary",
 "ValueDigest": "2501fe0596490d69a6e37260f0af35bc"
},
 "Name": "ageSexIncome",
 "ValueDigest": "aa6c5e76c324cc1bd413afe8e6de6f27"
},
 "Name": "seedOldAge",
 "ValueDigest": "4883e0ea0adbb4f649ca19aea3b60a78"
},
 "Name": "incomeByYear",
 "ValueDigest": "83b59f82f2b57268886db6fad85bf423"
}.
 "Name": "incomeByLow",
 "ValueDigest": "d4fac571f0a6943afb96ab428ac79b4a"
},
 "Name": "incomeByMiddle",
 "ValueDigest": "818c1b6a7ee16d13377e6ffb5355948f"
},
```

],

```
.
"Name": "incomeByPeriod",
   "ValueDigest": "5379aabc2d6ca654c6e28766ca597d20"
 }
],
"Progress": [
{
"SubId": 0,
  "CreateDateTime": "2021-11-10 19:08:04.470",
  "Status": "s",
  "UpdateDateTime": "2021-11-10 19:08:04.552",
  "Count": 100,
"Value": 0
 },
 {
  .
"SubId": 1,
   "CreateDateTime": "2021-11-10 19:08:04.470",
   "Status": "s",
  "UpdateDateTime": "2021-11-10 19:08:04.522",
   "Count": 100,
  "Value": 0
 },
 {
   "SubId": 2,
  "CreateDateTime": "2021-11-10 19:08:04.471",
  "Status": "s",
  "UpdateDateTime": "2021-11-10 19:08:04.538",
   "Count": 100,
  "Value": 0
 },
 {
   "SubId": 3,
  "CreateDateTime": "2021-11-10 19:08:04.471",
  "Status": "s",
  "UpdateDateTime": "2021-11-10 19:08:04.570",
  "Count": 100,
  "Value": 0
 }
]
```

}

# GET model run including text (description and notes)

Get model run results, including text (description and notes)

### Methods:

GET /api/model/:model/run/:run/text GET /api/model/:model/run/:run/text/lang/:lang

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:lang - (optional) language code

If optional lang argument specified then result in that language else in browser language. If no such language exist then text portion of result (description and notes) is empty.

# Call examples:

http://localhost:4040/api/model/modelOne/run/Default-4/text

http://localhost:4040/api/model/\_201208171604590148\_/run/Default-4/text

http://localhost:4040/api/model/modelOne/run/Default-4/text/lang/en

http://localhost:4040/api/model/modelOne/run/05403de52f30f59b050417561914fbb8/text/lang/en

http://localhost:4040/api/model/modelOne/run/2019\_01\_17\_19\_59\_52\_998/text/lang/en

```
{
 "ModelName": "modelOne",
"ModelDigest": " 201208171604590148 "
"Name": "Default-4",
"SubCount": 4,
 "SubStarted": 4,
"SubCompleted": 4,
 "CreateDateTime": "2021-11-10 19:08:00.578",
 "Status": "s".
"UpdateDateTime": "2021-11-10 19:08:04.632",
 "RunDigest": "77074b15c611d2330acc249286bddc04",
"ValueDigest": "3da3d883d9cb45d419847d3b20cbb6e2",
 "RunStamp": "2021_11_10_19_08_00_552",
 "Txt": [
 {
   "LangCode": "EN",
  "Descr": "Model One default set of parameters",
   "Note": '
 }
]
 "Opts": {
  "OpenM.LogFilePath": "modelOne.log",
  "OpenM.RunName": "Default-4"
  "OpenM.RunStamp": "2021_11_10_19_08_00_552",
  "OpenM.SetId": "2"
  "OpenM.SetName": "Default",
  "OpenM.SubValues": "4",
  "OpenM.Threads": "4"
}
 "Param": [
   "Name": "ageSex",
   "Txt": [
    {
```

```
"LangCode": "EN",
   "Note": "Age by Sex default values"
  }
 ],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "ca3edf7630fae786c75f10781a664933"
}.
 "Name": "salaryAge",
 "Txt": [
  {
   "LangCode": "EN",
   "Note": "Salary by Age default values"
  }
 ],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "0becae6201e424a1f3b66e421864b4b3"
}.
 "Name": "StartingSeed",
 "Txt": [
  {
   "LangCode": "EN",
   "Note": "Starting seed default value"
  }
 ],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "cb565f810da2b25939d0bd958cb5392a"
}.
 "Name": "salaryFull",
 "Txt": [
  {
   "LangCode": "EN",
   "Note": "Full or part time by Salary default values"
  }
 1,
 "SubCount": 1.
 "DefaultSubId": 0,
 "ValueDigest": "a2f1ce089553caf3f7fb080aa170507d"
},
 "Name": "baseSalary",
 "Txt": [],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "1541b570479f12a40b9d8a782795c7c2"
},
 "Name": "filePath",
 "Txt": [],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "f5d536e282b0941dc84f17cc11a94091"
},
{
 "Name": "isOldAge",
 "Txt": [
  {
   "LangCode": "EN",
   "Note": "Is old age default values"
  }
 ],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "ef4288d0277e97b1b8a2009ce962323b"
}.
{
 "Name": "salaryByYears",
 "Txt": [
  {
   "LangCode": "EN",
   "Note": "Salary by Years default values"
  }
 ],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "41934eed3ed19a88b3cb346e447f689f"
},
 "Name": "salaryByPeriod",
 "Txt": [
  {
    "LangCode": "EN",
```

```
"Note": "Salary by Period default values"
   }
  ],
  "SubCount": 1,
  "DefaultSubId": 0,
  "ValueDigest": "3871b18ad0ae36bab0a5badd5bcaab6f"
}.
  "Name": "salaryByLow",
  "Txt": [
   {
    "LangCode": "EN",
    "Note": "Salary by Low Period default values"
   }
  ],
  "SubCount": 1,
  "DefaultSubId": 0,
  "ValueDigest": "b93c3f85f3259f2ad709f39403e7fac9"
 },
  "Name": "salaryByMiddle",
  "Txt": [
   {
    "LangCode": "EN",
    "Note": "Salary by Middle Period default values"
   }
  ],
  "SubCount": 1,
  "DefaultSubId": 0,
  "ValueDigest": "6e0d6bf8f96c2d89ff2d2ae2fd82997b"
],
"Table": [
 {
  "Name": "salarySex",
  "ValueDigest": "5b5f5dd270012d1d2eff0d1440613f68"
},
  "Name": "fullAgeSalary",
  "ValueDigest": "2501fe0596490d69a6e37260f0af35bc"
},
  "Name": "ageSexIncome",
  "ValueDigest": "aa6c5e76c324cc1bd413afe8e6de6f27"
}.
  "Name": "seedOldAge",
  "ValueDigest": "4883e0ea0adbb4f649ca19aea3b60a78"
}.
  "Name": "incomeByYear",
  "ValueDigest": "83b59f82f2b57268886db6fad85bf423"
 },
 {
  "Name": "incomeByLow",
  "ValueDigest": "d4fac571f0a6943afb96ab428ac79b4a"
 },
 {
  "Name": "incomeByMiddle",
  "ValueDigest": "818c1b6a7ee16d13377e6ffb5355948f"
},
  "Name": "incomeByPeriod",
  "ValueDigest": "5379aabc2d6ca654c6e28766ca597d20"
3
"Progress": [
 {
  "SubId": 0,
  "CreateDateTime": "2021-11-10 19:08:04.470",
  "Status": "s",
  "UpdateDateTime": "2021-11-10 19:08:04.552",
  "Count": 100,
  "Value": 0
 },
  "SubId": 1,
  "CreateDateTime": "2021-11-10 19:08:04.470",
  "Status": "s",
  "UpdateDateTime": "2021-11-10 19:08:04.522",
  "Count": 100,
  "Value": 0
 },
 {
  "SubId": 2,
  "CreateDateTime": "2021-11-10 19:08:04.471",
  "Status": "s",
  "UpdateDateTime": "2021-11-10 19:08:04.538",
```

```
"Count": 100,

"Value": 0

},

{

"SubId": 3,

"CreateDateTime": "2021-11-10 19:08:04.471",

"Status": "s",

"UpdateDateTime": "2021-11-10 19:08:04.570",

"Count": 100,

"Value": 0

}

]
```

# GET model run including text in all languages

Get model run results, including text (description and notes) in all languages

# Methods:

GET /api/model/:model/run/:run/text-all

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

```
:run - (required) model run digest, run stamp or run name
```

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

# Call examples:

```
http://localhost:4040/api/model/modelOne/run/Default/text-all
http://localhost:4040/api/model/_201208171604590148_/run/Default/text-all
```

http://localhost:4040/api/model/modelOne/run/6fbad822cb9ae42deea1ede626890711/text-all

```
http://localhost:4040/api/model/modelOne/run/2019_01_17_19_59_52_998/text-all
```

```
{
"ModelName": "modelOne",
"ModelDigest": "_201208171604590148_",
"Name": "Default",
 "SubCount": 1,
 "SubStarted": 1.
"SubCompleted": 1,
 "CreateDateTime": "2021-11-10 19:07:56.864",
 "Status": "s".
 "UpdateDateTime": "2021-11-10 19:08:00.537",
"RunDigest": "b2b0878d5b6740983429a06cd856a9b0".
"ValueDigest": "a1c9a056f2ee40fcc1e07471097845a7",
 "RunStamp": "2021_11_10_19_07_56_837",
"Txt": [
 {
   "LangCode": "EN",
   "Descr": "Model One default set of parameters",
   "Note": '
 }.
  ł
   "LangCode": "FR",
   "Descr": "Modèle Un ensemble de paramètres par défaut",
   "Note": '
 }
1,
 "Opts": {
  "OpenM.LogFilePath": "modelOne.log",
  "OpenM.RunName": "Default"
  "OpenM.RunStamp": "2021_11_10_19_07_56_837",
  "OpenM.SetId": "2"
  "OpenM.SetName": "Default"
}
 "Param": [
  {
   "Name": "ageSex",
   "Txt": [
    {
     "LangCode": "EN",
     "Note": "Age by Sex default values"
    },
     "LangCode": "FR".
     "Note": "Valeurs par défaut de l'Âge par Sexe"
```

```
1
 "SubCount": 1,
"DefaultSubId": 0,
 "ValueDigest": "ca3edf7630fae786c75f10781a664933"
},
 "Name": "salaryAge",
 "Txt": [
  {
    "LangCode": "EN",
    "Note": "Salary by Age default values"
  },
  {
    "LangCode": "FR",
    "Note": "Salaire par Âge valeurs par défaut"
  }
 ],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "0becae6201e424a1f3b66e421864b4b3"
}.
 "Name": "StartingSeed",
 "Txt": [
  {
    "LangCode": "EN",
    "Note": "Starting seed default value"
  }
 ],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "cb565f810da2b25939d0bd958cb5392a"
},
 "Name": "salaryFull",
 "Txt": [
  {
    "LangCode": "EN",
    "Note": "Full or part time by Salary default values"
  }
 ],
  "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "a2f1ce089553caf3f7fb080aa170507d"
},
 "Name": "baseSalary",
 "Txt": [],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "1541b570479f12a40b9d8a782795c7c2"
},
 "Name": "filePath",
 "Txt": [],
 "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "f5d536e282b0941dc84f17cc11a94091"
}.
 "Name": "isOldAge",
 "Txt": [
  {
    "LangCode": "EN",
    "Note": "Is old age default values"
  }
 ],
  "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "ef4288d0277e97b1b8a2009ce962323b"
},
 "Name": "salaryByYears",
 "Txt": [
  {
    "LangCode": "EN",
    "Note": "Salary by Years default values"
  }
 ],
  "SubCount": 1,
 "DefaultSubId": 0,
 "ValueDigest": "41934eed3ed19a88b3cb346e447f689f"
}.
 "Name": "salaryByPeriod",
 "Txt": [
  {
```

```
"LangCode": "EN",
     "Note": "Salary by Period default values"
   }
  ],
   "SubCount": 1,
  "DefaultSubId": 0,
  "ValueDigest": "3871b18ad0ae36bab0a5badd5bcaab6f"
 },
  "Name": "salaryByLow",
  "Txt": [
   {
     "LangCode": "EN",
     "Note": "Salary by Low Period default values"
   }
  ],
   "SubCount": 1,
  "DefaultSubId": 0,
  "ValueDigest": "b93c3f85f3259f2ad709f39403e7fac9"
 },
 {
  "Name": "salaryByMiddle",
  "Txt": [
   {
     "LangCode": "EN",
     "Note": "Salary by Middle Period default values"
   }
  ],
  "SubCount": 1,
  "DefaultSubId": 0,
  "ValueDigest": "6e0d6bf8f96c2d89ff2d2ae2fd82997b"
 }
]
"Table": [
 {
  "Name": "salarySex",
  "ValueDigest": "2d860e00b49881ed802377529236fc0e"
 },
  "Name": "fullAgeSalary",
  "ValueDigest": "6f55fbd529a126a6d5ac6a6e855476ce"
 }.
 {
  "Name": "ageSexIncome",
  "ValueDigest": "72121007312255cdcad7a82b46e6aa9c"
 },
   "Name": "seedOldAge",
  "ValueDigest": "df4c82301d470072348f996b7d75424d"
 },
 {
   "Name": "incomeByYear",
   "ValueDigest": "83b59f82f2b57268886db6fad85bf423"
 },
 {
  "Name": "incomeByLow",
  "ValueDigest": "d4fac571f0a6943afb96ab428ac79b4a"
 },
  "Name": "incomeByMiddle",
  "ValueDigest": "818c1b6a7ee16d13377e6ffb5355948f"
 }.
  "Name": "incomeByPeriod",
  "ValueDigest": "5379aabc2d6ca654c6e28766ca597d20"
 }
1,
"Progress": [
 {
  "SubId": 0,
  "CreateDateTime": "2021-11-10 19:08:00.399",
  "Status": "s",
  "UpdateDateTime": "2021-11-10 19:08:00.433",
  "Count": 100,
  "Value": 0
 }
]
```

}

# **GET list of model worksets**

Get list of model worksets: language-neutral part of workset list metadata. Workset is a set of model input parameters (a.k.a. "scenario" input). Workset can be used to run the model.

# Methods:

GET /api/model/:model/workset-list

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

## Call examples:

```
http://localhost:4040/api/model/modelOne/workset-list
http://localhost:4040/api/model/649f17f26d67c37b78dde94f79772445/workset-list
```

```
[
 {
  "ModelName": "modelOne",
  "ModelDigest": "_201208171604590148_",
  "Name": "modelOne",
  "BaseRunDigest":
  "IsReadonly": true,
  "UpdateDateTime": "2013-05-29 23:55:07.1234",
  "Txt": [],
  "Param": []
 },
 {
  "ModelName": "modelOne",
  "ModelDigest": "_201208171604590148_",
  "Name": "modelOne_set",
  "BaseRunDigest": ""
  "IsReadonly": false,
  "UpdateDateTime": "2013-05-30 23:55:07.1234",
  "Txt": [],
  "Param": []
 },
 {
  "ModelName": "modelOne",
  "ModelDigest": "_201208171604590148_",
  "Name": "modelOne_other",
  "BaseRunDigest": "",
  "IsReadonly": true,
  "UpdateDateTime": "2013-05-29 23:55:07.1234",
  "Txt": [],
  "Param": []
}
]
```

# GET list of model worksets including text (description and notes)

Get list of model worksets, including text (description and notes). Workset is a set of model input parameters (a.k.a. "scenario" input). Workset can be used to run the model.

### Methods:

GET /api/model/:model/workset-list/text GET /api/model/:model/workset-list/text/lang/:lang

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:lang - (optional) language code

If optional lang argument specified then result in that language else in browser language. If no such language exist then text portion of result (description and notes) is empty.

## Call examples:

http://localhost:4040/api/model/modelOne/workset-list/text http://localhost:4040/api/model/649f17f26d67c37b78dde94f79772445/workset-list/text http://localhost:4040/api/model/modelOne/workset-list/text/lang/fr-FR

```
[
 {
  "ModelName": "modelOne",
"ModelDigest": "_201208171604590148_",
  "Name": "modelOne",
  "BaseRunDigest": "",
  "IsReadonly": true,
  "UpdateDateTime": "2013-05-29 23:55:07.1234",
   "Txt": [
    {
     "LangCode": "EN",
     "Descr": "Model One default set of parameters",
     "Note": ""
    }
  ],
   "Param": []
 },
 {
  "ModelName": "modelOne",
"ModelDigest": "_201208171604590148_",
   "Name": "modelOne_set",
  "BaseRunDigest": "",
  "IsReadonly": false,
  "UpdateDateTime": "2013-05-30 23:55:07.1234",
  "Txt": [
    {
     "LangCode": "EN",
     "Descr": "modelOne modified set of parameters",
"Note": ""
    }
  ],
   "Param": []
 },
 {
  "ModelName": "modelOne",
"ModelDigest": "_201208171604590148_",
  "Name": "modelOne_other",
  "BaseRunDigest": "",
"IsReadonly": true,
  "UpdateDateTime": "2013-05-29 23:55:07.1234",
   "Txt": [
  {

"LangCode": "EN",

"Descr": "Model One other set of parameters",

"Note": ""
   "Param": []
 }
```

]

# **GET workset status**

Get status of model workset. Workset is a set of model input parameters (a.k.a. "scenario" input). Workset can be used to run the model.

# Methods:

GET /api/model/:model/workset/:set/status GET /api/model/:model/workset/:set

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:set - (required) workset name

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

#### Call examples:

```
\label{eq:http://localhost:4040/api/model/modelOne/workset/modelOne_set/status \\ http://localhost:4040/api/model/649f17f26d67c37b78dde94f79772445/workset/Default/status \\ \end{tabular}
```

```
{
    "SetId": 101,
    "BaseRunId": 0,
    "ModelId": 101,
    "Name": "Default",
    "IsReadonly": true,
    "UpdateDateTime": "2017-12-19 15:21:14.0232"
}
```

# GET model default workset status

Get status of default model workset. Workset is a set of model input parameters (a.k.a. "scenario" input). Workset can be used to run the model. Default workset is a first workset of the model with set\_id = min(set\_id) for that model.

# Methods:

GET /api/model/:model/workset/status/default

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

## Call examples:

http://localhost:4040/api/model/modelOne/workset/status/default http://localhost:4040/api/model/649f17f26d67c37b78dde94f79772445/workset/status/default

```
{
    "SetId": 101,
    "BaseRunId": 0,
    "ModelId": 101,
    "Name": "Default",
    "IsReadonly": true,
    "UpdateDateTime": "2017-12-19 15:21:14.0232"
}
```

# GET workset including text (description and notes)

Get model workset metadata, including text (description and notes). Workset is a set of model input parameters (a.k.a. "scenario" input). Workset can be used to run the model.

## Methods:

GET /api/model/:model/workset/:set/text GET /api/model/:model/workset/:set/text/lang/:lang

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:set - (required) workset name

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

:lang - (optional) language code

If optional lang argument specified then result in that language else in browser language. If no such language exist then text portion of result (description and notes) is empty.

### Call examples:

http://localhost:4040/api/model/modelOne/workset/modelOne\_set/text

http://localhost:4040/api/model/649f17f26d67c37b78dde94f79772445/workset/Default/text

http://localhost:4040/api/model/modelOne/workset/modelOne\_set/text/lang/FR

http://localhost:4040/api/model/649f17f26d67c37b78dde94f79772445/workset/Default/text/lang/en

```
{
 "ModelName": "modelOne",
"ModelDigest": "_201208171604590148_",
 "Name": "Default",
 "BaseRunDigest": ""
 "IsReadonly": true,
 "UpdateDateTime": "2020-03-17 12:10:48.303",
 "Txt": [
  {
    "LangCode": "EN",
   "Descr": "Model One default set of parameters",
"Note": ""
  }
 ],
 "Param": [
  {
    "Name": "ageSex",
    "SubCount": 1,
    "DefaultSubId": 0,
    "Txt": [
     {
      "LangCode": "EN",
      "Note": "Age by Sex default values"
     }
   ]
  },
   {
    "Name": "salaryAge",
    "SubCount": 1,
    "DefaultSubId": 0,
    "Txt": [
     {
      "LangCode": "EN",
      "Note": "Salary by Age default values"
     }
   ]
  }.
    "Name": "StartingSeed",
   "SubCount": 1,
    "DefaultSubId": 0,
    "Txt": [
     {
      "LangCode": "EN",
      "Note": "Starting seed default value"
     }
   ]
  },
   {
    "Name": "salaryFull",
    "SubCount": 4,
    "DefaultSubId": 3,
    "Txt": [
     {
      "LangCode": "EN",
      "Note": "Full or part time by Salary default values"
     }
   ]
  },
    "Name": "baseSalary",
    "SubCount": 4,
    "DefaultSubId": 3,
    "Txt": []
   },
    "Name": "filePath",
    "SubCount": 4,
    "DefaultSubId": 3,
    "Txt": []
  },
  {
    "Name": "isOldAge",
    "SubCount": 4,
    "DefaultSubId": 3,
    "Txt": [
     {
      "LangCode": "EN",
      "Note": "Is old age default values"
     }
   ]
  }
 ]
}
```

# GET workset including text in all languages

Get model workset metadata, including text (description and notes), in all languages. Workset is a set of model input parameters (a.k.a. "scenario" input). Workset can be used to run the model.

### Methods:

GET /api/model/:model/workset/:set/text-all

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:set - (required) workset name

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

#### Call examples:

http://localhost:4040/api/model/modelOne/workset/modelOne\_set/text-all http://localhost:4040/api/model/649f17f26d67c37b78dde94f79772445/workset/Default/text-all

```
{
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "Default",
 "BaseRunDigest": "
 "IsReadonly": true,
 "UpdateDateTime": "2021-09-22 21:37:46.792",
 "Txt": [
  {
   "LangCode": "EN",
   "Descr": "Model One default set of parameters",
"Note": ""
  },
  {
   "LangCode": "FR",
   "Descr": "(FR) Model One default set of parameters",
"Note": ""
  }
 ],
 "Param": [
  {
   "Name": "ageSex",
   "SubCount": 1,
   "DefaultSubId": 0,
   "Txt": [
    {
      "LangCode": "EN",
      "Note": "Age by Sex default values"
    },
    {
      "LangCode": "FR",
      "Note": "(FR) Age by Sex default values'
    }
   ]
  },
   "Name": "salaryAge",
   "SubCount": 1
   "DefaultSubId": 0
   "Txt": [
    {
      "LangCode": "EN",
      "Note": "Salary by Age default values"
    {
      "LangCode": "FR",
      "Note": "(FR) Salarv by Age default values'
```

```
}
   ]
 }.
  {
   "Name": "StartingSeed",
   "SubCount": 1,
   "DefaultSubId": 0,
   "Txt": [
   {
"LangCode": "EN",
"Note": "Starting seed default value"
  ]
 },
  {
   "Name": "salaryFull",
   "SubCount": 4,
   "DefaultSubId": 3,
   "Txt": [
   {
"LangCode": "EN",
" "Eull or part
     "Note": "Full or part time by Salary default values"
    }
  ]
 }.
   "Name": "baseSalary",
   "SubCount": 4,
   "DefaultSubId": 3,
   "Txt": []
 },
  {
   "Name": "filePath",
   "SubCount": 4,
   "DefaultSubId": 3,
   "Txt": []
 },
 {
   "Name": "isOldAge",
   "SubCount": 4,
   "DefaultSubId": 3,
   "Txt": [
   {
"LangCode": "EN",
": "I's old age (
     "Note": "Is old age default values"
   }
  ]
 }
]
```

}

# Read parameter values from workset

Read a "page" of parameter values from workset.

Page is part of parameter values defined by zero-based "start" row number and row count. If row count <= 0 then all rows below start row number returned.

Dimension(s) and enum-based parameters returned as enum codes. If dimension type or parameter type is simple (integer or boolean) then string value used (ex.: "true", "1234").

Method verb must be POST and Content-Type header "application/json". JSON body POSTed to specify parameter name, page size, row count, filters and row order. It is expected to be JSON representation of db.ReadLayout structure from Go library.

# Method:

POST /api/model/:model/workset/:set/parameter/value

# Call example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/workset/Default/parameter/value -d @test.json

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:set - (required) workset name

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

## JSON body arguments:

For example:

```
{
 "Name": "ageSex",
 "Offset"<sup>.</sup> 0
 "Size": 100,
 "IsFullPage": true,
 "IsSubId": true,
 "SubId": 2,
 "Filter": [{
    "Name": "dim0",
    "Op": "IN",
    "Values": ["20-30", "40+"]
  }, {
    "Name": "dim1",
    "Op": "="
    "Values": ["F"]
  }
 ],
  "OrderBy": [{
    "IndexOne": 2,
    "IsDesc": true
  }, {
    "IndexOne": 3,
    "IsDesc": true
  }
 ]
}
```

 Name
 - (required) parameter name

 Offset
 - (optional) zero-based start row to select parameter values

 Size
 - (optional) max row count to select parameter values, if size <= 0 then all rows selected</td>

 IsFullPage
 - (optional) if true then always return non-empty last page of data

 IsSubId
 - (optional) if true then select only single sub-value, default: all sub-values

 SubId
 - (optional) sub-value id to select if IsSubId is true

 Filter
 - (optional) conditions to filter dimension enum code(s)

 OrderBy
 - (optional) list of columns indexes (one based) to order by

Filter conditions joined by AND and can have following operations:

= - enum equal to: AgeGroup = "20-30" != - enum not equal to: AgeGroup <> "20-30" - enum greater than: AgeGroup > "20-30" > >= enum greater or equal: AgeGroup >= "20-30" < - enum less than: AgeGroup < "20-30" <= - enum less or equal: AgeGroup <= "20-30" - enum is in the list of: AgeGroup IN ("20-30", "30-40", "40+") IN BETWEEN - between min and max: AgeGroup BETWEEN "30-40" AND "all" IN\_AUTO - automatically choose most suitable: = or != or IN or BETWEEN

Keep in mind: dimension enums are always ordered by id's, not by code and result of filter Sex < "M" may not be Sex = "F".

Order by specified by one-based column(s) index(es) in result. In case of parameters columns are:

SELECT sub\_id, dim0, dim1, ..., value FROM parameterTable ORDER BY 1, 2,...

Columns always contain enum id's, not enum codes and therefore result ordered by id's

# **JSON** response:

```
{
Layout: {
    Coffset: actual first row number of the page data (zero-base),
    Size: actual data page row count,
    IsLastPage: true if this is last page of data
    },
    Page: [....page of data...]
}
```

# Example 1:

JSON body:

```
{
    "Name": "ageSex",
    "Filter": [],
    "OrderBy": []
}
```

< HTTP/1.1 200 OK

Result:

```
< Access-Control-Allow-Origin: *

< Content-Type: application/json

< Date: Tue, 19 Dec 2017 17:13:51 GMT

< Content-Length: 424

<

{"Layout":{"Offset":0,"Size":8,"IsFullPage":false,"IsLastPage":true}

,"Page":{{"Dims":["10-20","M"],"IsNull":false,"Value":0.1,"SubId":0}

,{"Dims":["10-20","F"],"IsNull":false,"Value":0.2,"SubId":0}

,["Dims":["20-30","M"],"IsNull":false,"Value":0.3,"SubId":0}
```

,{"Dims":["20-30","F"],"IsNull":false,"Value":0.4,"SubId":0}

- ,{"Dims":["30-40","M"],"IsNull":false,"Value":0.5,"SubId":0}
- ,{"Dims":["30-40","F"],"IsNull":false,"Value":0.6,"SubId":0}
- ,{"Dims":["40+","M"],"IsNull":false,"Value":0.7,"SubId":0}

```
,{"Dims":["40+","F"],"IsNull":false,"Value":0.8,"SubId":0}
```

```
]}
```

#### Example 2:

JSON body:

```
{
    "Name": "ageSex",
    "Offset": 6,
    "Size": 4,
    "IsFullPage": true,
    "Filter": [],
    "OrderBy": []
}
```

# Result:

{"Layout":{"Offset":6,"Size":2,"IsFullPage":true,"IsLastPage":true},"Page":{["Dims":["40+","M"],"IsNull":false,"Value":0.7,"SubId":0}, ,("Dims":["40+","F"],"IsNull":false,"Value":0.8,"SubId":0}]}

# Example 3:

# JSON body:

```
{
    "Name": "ageSex",
    "Offset": 2,
    "OrderBy": [{
        "IndexOne": 2,
        "IsDesc": true
    }, {
        "IndexOne": 3,
        "IsDesc": true
    }
]
```

#### Result:

```
{"Layout": {"Offset": 2, "Size": 6, "IsFullPage":false, "IsLastPage":true}
,"Page": {["Dims": ["30-40", "F"], "IsNull":false, "Value": 0.6, "SubId": 0}
, {"Dims": ["30-40", "M"], "IsNull":false, "Value": 0.5, "SubId": 0}
, {"Dims": ["20-30", "F"], "IsNull":false, "Value": 0.4, "SubId": 0}
, {"Dims": ["20-30", "M"], "IsNull":false, "Value": 0.3, "SubId": 0}
, {"Dims": ["10-20", "F"], "IsNull":false, "Value": 0.1, "SubId": 0}
, {"Dims": ["10-20", "M"], "IsNull":false, "Value": 0.1, "SubId": 0}
]}
```

## Example 4:

# JSON body:

```
{
 "Name": "isOldAge",
 "Offset": 0,
 "Size": 0,
 "Filter": [{
   "Name": "dim0",
   "Op": "IN",
   "Values": ["20-30", "40+"]
  }
 ],
 "OrderBy": [{
   "IndexOne": 2,
   "IsDesc": true
  }
 ],
 "IsSubId": true,
 "SubId": 2
}
```

# Result:

{
 "Page":[
 {"Dims":["40+"],"IsNull":false,"Value":true,"SubId":2}
 ,{"Dims":["20-30"],"IsNull":false,"Value":false,"SubId":2}
],
"Layout":{"Offset":0,"Size":2,"IsLastPage":true,"IsFullPage":false} }

# Read parameter values from workset (enum id's)

Read a "page" of parameter values from workset.

Page is part of parameter values defined by zero-based "start" row number and row count. If row count <= 0 then all rows below start row number returned. Dimension(s) and enum-based parameters returned as enum id, not enum codes.

Method verb must be POST and Content-Type header "application/json". JSON body POSTed to specify parameter name, page size, row count, filters and row order. It is expected to be JSON representation of db.ReadLayout structure from Go library.

#### Method:

POST /api/model/:model/workset/:set/parameter/value-id

#### For example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/model/model/one/workset/Default/parameter/value-id -d @test.json

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

```
:set - (required) workset name
```

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

# JSON body arguments:

For example:

{ "Name": "ageSex", "Offset": 0, "Size": 100, "IsFullPage": true. "IsSubId": true. "SubId": 2, "FilterById": [{ "Name": "AgeGroup", "Op": "IN", "EnumIds": [20, 40] }, { "Name": "Sex", "Op": "=", "EnumIds": [1] "OrderBy": [{ "IndexOne": 2, "IsDesc": true }, { "IndexOne": 3. "IsDesc": true } 1 }

 Name
 - (required) parameter name

 Offset
 - (optional) zero-based start row to select parameter values

 Size
 - (optional) max row count to select parameter values, if size <= 0 then all rows selected</td>

 IsFullPage
 - (optional) if true then always return non-empty last page of data.

 IsSubid
 - (optional) if true then select only single sub-value, default: all sub-values

 Subid
 - (optional) sub-value id to select if ISSubId is true

 FilterById
 - (optional) conditions to filter dimension enum id's

 OrderBy
 - (optional) list of columns indexes (one based) to order by

Filter conditions joined by AND and can have following operations:

```
=
    - enum id equal to:
                         AgeGroup = 20
    - enum id not equal to: AgeGroup <> 20
!=
>
    - enum id greater than: AgeGroup > 20
>=
    - enum id greater or equal: AgeGroup >= 20
<
    - enum id less than: AgeGroup < 20
    - enum id less or equal: AgeGroup <= 20
<=
    - in the list of id's: AgeGroup IN (20, 30, 40)
IN
BETWEEN - between min and max: AgeGroup BETWEEN 20 AND 40
IN_AUTO - automatically choose most suitable: = or != or IN or BETWEEN
```

Order by specified by one-based column(s) index(es) in result. In case of parameters columns are:

```
SELECT sub_id, dim0, dim1, ..., value FROM parameterTable
```

# **JSON** response:

```
{

Layout: {

Offset: actual first row number of the page data (zero-base),

Size: actual data page row count,

IsLastPage: true if this is last page of data

},

Page: [....page of data...]

}
```

# Example 1:

JSON body:

```
{
"Name": "ageSex"
}
```

Result:

```
< HTTP/1.1 200 OK
< Content-Type: application/json
< Date: Fri, 14 Dec 2018 01:48:51 GMT
< Content-Length: 508
<
{"Layout":{"Offset":0,"Size":8,"IsFullPage":false,"IsLastPage":true}
,"Page":[{"Dimlds":[10,0],"IsNull":false,"Value":0.1,"SubId":0}
,{"Dimlds":[10,1],"IsNull":false,"Value":0.2,"SubId":0}
,{"Dimlds":[20,1],"IsNull":false,"Value":0.3,"SubId":0}
,{"Dimlds":[20,1],"IsNull":false,"Value":0.4,"SubId":0}
,{"Dimlds":[30,0],"IsNull":false,"Value":0.5,"SubId":0}
,{"Dimlds":[30,1],"IsNull":false,"Value":0.6,"SubId":0}
,{"Dimlds":[40,0],"IsNull":false,"Value":0.7,"SubId":0}
,{"Dimlds":[40,0],"IsNull":false,"Value":0.8,"SubId":0}
]}
```

# Example 2:

JSON body:

```
{

"Name": "ageSex",

"Offset": 6,

"Size": 4,

"IsFullPage": true

}
```

Result:

{"Layout":{"Offset":6,"Size":2,"IsFullPage":true,"IsLastPage":true}

,"Page":[{"DimIds":[40,0],"IsNull":false,"Value":0.7,"SubId":0}, {("DimIds":[40,1],"IsNull":false,"Value":0.8,"SubId":0}

]}

### Example 3:

JSON body:

```
{
    "Name": "ageSex",
    "Offset": 2,
    "OrderBy": [{
        "IndexOne": 2,
        "IsDesc": true
    }, {
        "IndexOne": 3,
        "IsDesc": true
    }
    ]
}
```

#### Result:

{"Layout":{"Offset":2,"Size":6,"IsFullPage":false,"IsLastPage":true}
,"Page":[{"DimIds":[30,1],"IsNull":false,"Value":0.6,"SubId":0}
,{"DimIds":[30,0],"IsNull":false,"Value":0.5,"SubId":0}
,{"DimIds":[20,1],"IsNull":false,"Value":0.4,"SubId":0}
,{"DimIds":[20,0],"IsNull":false,"Value":0.3,"SubId":0}
,{"DimIds":[10,1],"IsNull":false,"Value":0.2,"SubId":0}
,{"DimIds":[10,0],"IsNull":false,"Value":0.1,"SubId":0}
]}

#### Example 4:

JSON body:

```
{
"Name": "isOldAge",
 "Offset": 0,
 "Size": 0,
 "IsSubId": true,
 "SubId": 2,
 "FilterById": [{
"Name": "dim0",
"Op": "IN",
    "EnumIds": [20, 40]
  }
],
"OrderBy": [{
daxOne
    "IndexOne": 2,
    "IsDesc": true
  }, {
"IndexOne": 3,
    "IsDesc": true
   }
 ]
}
```

Result:

{
 "Page":[
 {"DimIds":[40],"IsNull":false,"Value":true,"SubId":2}
 ,("DimIds":[20],"IsNull":false,"Value":false,"SubId":2}
],
 "Layout":{"Offset":0,"Size":2,"IsLastPage":true,"IsFullPage":false}

}

# Read parameter values from model run

Read a "page" of parameter values from model run.

Page is part of parameter values defined by zero-based "start" row number and row count. If row count <= 0 then all rows below start row number returned.

Dimension(s) and enum-based parameters returned as enum codes. Dimension type or parameter type is simple (integer or boolean) then string value used (ex.: "true", "1234").

Method verb must be POST and Content-Type header "application/json". JSON body POSTed to specify parameter name, page size, row count, filters and row order. It is expected to be JSON representation of db.ReadLayout structure from Go library.

#### Method:

POST /api/model/:model/run/:run/parameter/value

For example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/Default/parameter/value -d @test.json curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/2016\_08\_17\_21\_07\_55\_123/parameter/value -d @test.json

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

# JSON body arguments:

For example:

```
{
 "Name": "ageSex",
 "Offset": 0,
  "Size": 100,
 "IsFullPage": true.
 "IsSubId": true,
 "SubId": 2,
 "Filter": [{
    "Name": "AgeGroup",
    "Op": "IN",
    "Values": ["20-30", "30-40", "40+"]
  }, {
    "Name": "Sex",
    "Op": "='
    "Values": ["F"]
  }
 ],
  "OrderBy": [{
    "IndexOne": 2,
    "IsDesc": true
  }, {
    "IndexOne": 3.
    "IsDesc": true
  }
 1
}
```

 Name
 - (required) parameter name

 Offset
 - (optional) zero-based start row to select parameter values

 Size
 - (optional) max row count to select parameter values.

 IsFullPage
 - (optional) if true then always return non-empty last page of data.

 IsSubId
 - (optional) if true then select only single sub-value, default: all sub-values

 SubId
 - (optional) sub-value id to select if IsSubId is true

 Filter
 - (optional) conditions to filter dimension enum code(s)

 OrderBy
 - (optional) list of columns indexes (one based) to order by

By default oms service selects 100 rows (it can be configured). If Size <= 0 specified then all rows selected.

Filter conditions joined by AND and can have following operations:

```
-
      - enum equal to:
                            AgeGroup = "20-30"

    enum not equal to: AgeGroup <> "20-30"
    enum greater than: AgeGroup > "20-30"

!=
>
>= - enum greater or equal: AgeGroup >= "20-30"
<
    - enum less than:
                           AgeGroup < "20-30"
<=
     - enum less or equal: AgeGroup <= "20-30"
    - enum is in the list of: AgeGroup IN ("20-30", "30-40", "40+")
IN
BETWEEN - between min and max: AgeGroup BETWEEN "30-40" AND "all"
IN_AUTO - automatically choose most suitable: = or != or IN or BETWEEN
```

Keep in mind: dimension enums are always ordered by id's, not by code and result of filter Sex < "M" may not be Sex = "F".

Order by specified by one-based column(s) index(es) in result. In case of parameters columns are:

```
SELECT sub_id, dim0, dim1, ..., value FROM parameterTable ORDER BY 1, 2,...
```

Columns always contain enum id's, not enum codes and therefore result ordered by id's

#### **JSON** response:

```
{
Layout: {
    Offset: actual first row number of the page data (zero-base),
    Size: actual data page row count,
    IsLastPage: true if this is last page of data
    },
    Page: [....page of data...]
}
```

#### Example 1:

#### JSON body:

```
{
"Name": "ageSex",
"Filter": [],
"OrderBy": []
}
```

#### Result:

```
< HTTP/1.1 200 OK
< Content-Type: application/json
< Date: Fri, 14 Dec 2018 01:53:21 GMT
< Content-Length: 544
<
{"Layout":{"Offset":0,"Size":8,"IsFullPage":false,"IsLastPage":true}
,"Page":[{"Dims":["10-20","F"],"IsNull":false,"Value":0.2,"SubId":0}
,{"Dims":["20-30","F"],"IsNull":false,"Value":0.2,"SubId":0}
,{"Dims":["20-30","F"],"IsNull":false,"Value":0.3,"SubId":0}
,{"Dims":["20-30","M"],"IsNull":false,"Value":0.4,"SubId":0}
,{"Dims":["30-40","F"],"IsNull":false,"Value":0.5,"SubId":0}
,{"Dims":["30-40","F"],"IsNull":false,"Value":0.6,"SubId":0}
,{"Dims":["40++","F"],"IsNull":false,"Value":0.7,"SubId":0}
,{"Dims":["40++","F"],"IsNull":false,"Value":0.8,"SubId":0}
]}
```

#### Example 2:

```
{
    "Name": "ageSex",
    "Offset": 6,
    "Size": 4,
    "IsFullPage": true,
    "Filter": [],
    "OrderBy": []
}
```

## Result:

```
{"Layout":{"Offset":6,"Size":2,"IsFullPage":true,"IsLastPage":true},"Page":{["Dims":["40+","M"],"IsNull":false,"Value":0.7,"SubId":0},
,("Dims":["40+","F"],"IsNull":false,"Value":0.8,"SubId":0}]}
```

#### Example 3:

JSON body:

```
{
    "Name": "ageSex",
    "Offset": 2,
    "OrderBy": [{
        "IndexOne": 2,
        "IsDesc": true
    }, {
        "IndexOne": 3,
        "IsDesc": true
    }
]
```

#### Result:

```
{"Layout":{"Offset":2,"Size":6,"IsFullPage":false,"IsLastPage":true}
,"Page":{{"Dims":["30-40","F"],"IsNull":false,"Value":0.6,"SubId":0}
,{"Dims":["30-40","M"],"IsNull":false,"Value":0.5,"SubId":0}
,{"Dims":["20-30","F"],"IsNull":false,"Value":0.4,"SubId":0}
,{"Dims":["20-30","M"],"IsNull":false,"Value":0.3,"SubId":0}
,{"Dims":["10-20","M"],"IsNull":false,"Value":0.2,"SubId":0}
,{"Dims":["10-20","M"],"IsNull":false,"Value":0.1,"SubId":0}
,{"Dims":["10-20","M"],"IsNull":false,"Value":0.1,"SubId":0}
,{"Dims":["10-20","M"],"IsNull":false,"Value":0.1,"SubId":0}
,{"Dims":["10-20","M"],"IsNull":false,"Value":0.1,"SubId":0}
,{"Dims":["10-20","M"],"IsNull":false,"Value":0.1,"SubId":0}
,{"Dims":["10-20","M"],"IsNull":false,"Value":0.1,"SubId":0}
```

#### Example 4:

JSON body:

```
{
 "Name": "isOldAge",
 "Offset": 0,
 "Size": 0,
 "IsSubId": true,
 "SubId": 2,
 "Filter": [{
   "Name": "dim0",
    "Op": "IN",
   "Values": ["20-30", "40+"]
  }
 ],
 "OrderBy": [{
   "IndexOne": 2,
   "IsDesc": true
  }, {
   "IndexOne": 3,
   "IsDesc": true
  }
 ]
}
```

Result:

}

{
 "Page":[
 {"Dims":["40+"],"IsNull":false,"Value":true,"SubId":2}
 ,{"Dims":["20-30"],"IsNull":false,"Value":false,"SubId":2}
],
"Layout":{"Offset":0,"Size":2,"IsLastPage":true,"IsFullPage":false}

# Read parameter values from model run (enum id's)

Read a "page" of parameter values from model run.

Page is part of parameter values defined by zero-based "start" row number and row count. If row count <= 0 then all rows below start row number returned. Dimension(s) and enum-based parameters returned as enum id, not enum codes.

Method verb must be POST and Content-Type header "application/json". JSON body POSTed to specify parameter name, page size, row count, filters and row order. It is expected to be JSON representation of db.ReadLayout structure from Go library.

#### Method:

POST /api/model/:model/run/:run/parameter/value-id

#### For example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/Default/parameter/value-id -d @test.json curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/2019\_01\_17\_19\_59\_52\_998/parameter/value-id -d @test.json

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

#### JSON body arguments:

For example:

```
{
 "Name": "ageSex",
 "Offset": 0
 "Size": 100,
 "IsFullPage": true,
 "IsSubId": true,
  "SubId": 2.
 "FilterById": [{
    "Name": "AgeGroup",
    "Op": "IN",
    "EnumIds": [20, 40]
  }, {
    "Name": "Sex",
    "Op": "="
    "EnumIds": [1]
  }
 ],
  "OrderBy": [{
    "IndexOne": 2,
    "IsDesc": true
  }, {
    "IndexOne": 3,
    "IsDesc": true
  }
 1
}
```

 Name
 - (required) parameter name

 Offset
 - (optional) zero-based start row to select parameter values

 Size
 - (optional) max row count to select parameter values, if size <= 0 then all rows selected</td>

 IsFullPage
 - (optional) if true then always return non-empty last page of data.

 IsSubId
 - (optional) if true then select only single sub-value, default: all sub-values

 SubId
 - (optional) sub-value id to select if IsSubId is true

 FilterById
 - (optional) conditions to filter dimension enum code(s)

 OrderBy
 - (optional) list of columns indexes (one based) to order by

Filter conditions joined by AND and can have following operations:

```
=
     - enum id equal to:
                          AgeGroup = 20
!=
    - enum id not equal to: AgeGroup <> 20
>
    - enum id greater than: AgeGroup > 20
>=

    enum id greater or equal: AgeGroup >= 20

<
    - enum id less than:
                         AgeGroup < 20
<=
     - enum id less or equal: AgeGroup <= 20
   - in the list of id's: AgeGroup IN (20, 30, 40)
IN
BETWEEN - between min and max: AgeGroup BETWEEN 20 AND 40
IN_AUTO - automatically choose most suitable: = or != or IN or BETWEEN
```

Order by specified by one-based column(s) index(es) in result. In case of parameters columns are:

SELECT sub\_id, dim0, dim1, ..., value FROM parameterTable ORDER BY 1, 2,...

Columns always contain enum id's, not enum codes and therefore result ordered by id's

#### **JSON** response:

```
{
Layout: {
    Offset: actual first row number of the page data (zero-base),
    Size: actual data page row count,
    IsLastPage: true if this is last page of data
    },
    Page: [....page of data...]
}
```

#### Example 1:

#### JSON body:

```
{
"Name": "ageSex"
}
```

#### Result:

```
< HTTP/1.1 200 OK
< Content-Type: application/json
< Date: Fri, 14 Dec 2018 01:56:34 GMT
< Content-Length: 508
<
{"Layout": {"Offset":0, "Size":8, "IsFullPage":false, "IsLastPage":true}
,"Page": {{"DimIds":[10,0], "IsNull":false, "Value":0.1, "SubId":0}
,{"DimIds":[10,0], "IsNull":false, "Value":0.2, "SubId":0}
,{"DimIds":[20,0], "IsNull":false, "Value":0.3, "SubId":0}
,{"DimIds":[30,0], "IsNull":false, "Value":0.4, "SubId":0}
,{"DimIds":[30,0], "IsNull":false, "Value":0.6, "SubId":0}
,{"DimIds":[40,0], "IsNull":false, "Value":0.7, "SubId":0}
,{"DimIds":[40,0], "IsNull":false, "Value":0.8, "SubId":0}
,{"DimIds":[40,1], "IsNull":false, "Value":0.8, "SubId":0}
}}
```

#### Example 2:

```
{
    "Name": "ageSex",
    "Offset": 6,
    "Size": 4,
    "IsFullPage": true
}
```

### Result:

```
{"Layout":{"Offset":6,"Size":2,"IsFullPage":true,"IsLastPage":true},"Page":[{"DimIds":[40,0],"IsNull":false,"Value":0.7,"SubId":0},("DimIds":[40,1],"IsNull":false,"Value":0.8,"SubId":0}]}
```

#### Example 3:

JSON body:

```
{
    "Name": "ageSex",
    "Offset": 2,
    "OrderBy": [{
        "IndexOne": 2,
        "IsDesc": true
    }, {
        "IndexOne": 3,
        "IsDesc": true
    }
    ]
}
```

#### Result:

```
{"Layout":("Offset":2,"Size":6,"IsFullPage":false,"IsLastPage":true}
,"Page":[{"DimIds":[30,1],"IsNull":false,"Value":0.6,"SubId":0}
,{"DimIds":[30,0],"IsNull":false,"Value":0.5,"SubId":0}
,{"DimIds":[20,1],"IsNull":false,"Value":0.4,"SubId":0}
,{"DimIds":[20,0],"IsNull":false,"Value":0.3,"SubId":0}
,{"DimIds":[10,1],"IsNull":false,"Value":0.2,"SubId":0}
,{"DimIds":[10,0],"IsNull":false,"Value":0.1,"SubId":0}
]}
```

# Example 4:

```
{
 "Name": "isOldAge",
 "Offset": 0,
 "Size": 0,
 "IsSubId": true,
 "SubId": 2,
 "FilterById": [{
   "Name": "dim0",
   "Op": "IN",
   "EnumIds": [20, 40]
  }
 ],
 "OrderBy": [{
   "IndexOne": 2,
   "IsDesc": true
  }, {
   "IndexOne": 3,
   "IsDesc": true
  }
]
}
```



{ "Page":[ {"Dimlds":[40],"IsNull":false,"Value":true,"SubId":2} ,{"Dimlds":[20],"IsNull":false,"Value":false,"SubId":2} ], "Layout":{"Offset":0,"Size":2,"IsLastPage":true,"IsFullPage":false} }

# Read output table values from model run

Read a "page" of output table values from model run.

- Page is part of output table values defined by zero-based "start" row number and row count. If row count <= 0 then all rows below start row number returned.
- Dimension(s) and enum-based parameters returned as enum codes. If dimension type or parameter type is simple (integer or boolean) then string value used (ex.: "true", "1234").
- Values can be from output table expressions, accumulators or derived accumulators.
- Method verb must be POST and Content-Type header "application/json".

JSON body POSTed to specify output table name, page size, row count, filters and row order. It is expected to be JSON representation of db.ReadLayout structure from Go library.

## Method:

POST /api/model/:model/run/:run/table/value

#### For example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/Default/table/value -d @test.json curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/2019\_01\_17\_19\_59\_52\_998/table/value -d @test.json

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

#### JSON body arguments:

For example:

```
{
 "Name": "salarySex",
 "Offset": 0,
 "Size": 100,
 "IsFullPage": true,
 "Filter": [{
   "Name": "dim0",
   "Op": "IN",
   "Values": ["L", "H"]
  }, {
    "Name": "dim1",
   "Op": "BETWEEN",
   "Values": ["F", "all"]
  }
 ],
 "OrderBy": [{
   "IndexOne": 2,
   "IsDesc": true
  }, {
   "IndexOne": 3,
   "IsDesc": true
  }
 ],
 "IsSubId": true,
 "SubId": 2,
 "ValueName": "acc2",
 "IsAccum": true,
 "IsAllAccum": true
}
```

 Name
 - (required) output table name

 Offset
 - (optional) zero-based start row to select output table values

 Size
 - (optional) max row count to select output table values, if size <= 0 then all rows selected</td>

 IsFullPage - (optional) if true then always return non-empty last page of data

 Filter
 - (optional) conditions to filter dimension enum id's

 OrderBy
 - (optional) ist of columns indexes (one based) to order by

 IsSubId
 - (optional) if true then select only single sub-value, default: all sub-values

 SubId
 - (optional) if not empty then only that value selected (ex.: "acc2"), default: all values

 IsAccum - (optional) if true then select from "all accumulators" view else from accumulators table

Filter conditions joined by AND and can have following operations:

=	- enum equal to:	AgeGroup = "20-30"
!=	- enum not equal to:	AgeGroup <> "20-30"
>	- enum greater than:	AgeGroup > "20-30"
>=	- enum greater or eq	ual: AgeGroup >= "20-30"
<	- enum less than:	AgeGroup < "20-30"
<=	- enum less or equal	: AgeGroup <= "20-30"
IN	- enum is in the list of	f: AgeGroup IN ("20-30", "30-40", "40+")
BET	WEEN - between min a	and max: AgeGroup BETWEEN "30-40" AND "all"
IN_A	AUTO - automatically c	hoose most suitable: = or != or IN or BETWEEN

Keep in mind: dimension enums are always ordered by id's, not by code and result of filter Sex < "M" may not be Sex = "F".

Order by specified by one-based column(s) index(es) in result. Columns always contain enum id's, not enum codes and therefore result ordered by id's

In case of output table expressions columns are:

SELECT expr\_id, dim0, dim1, ..., expr\_value FROM valueTable ORDER BY 1, 2,...

In case of output table accumulators columns are:

SELECT acc\_id, sub\_id, dim0, dim1, ..., acc\_value FROM accumulatorTable ORDER BY 1, 2,...

In case of "all accumulators" columns are:

SELECT sub\_id, dim0, dim1, ..., acc0, acc1,... FROM allAccumulatorsView ORDER BY 1, 2,...

```
{
Layout: {
Offset: actual first row number of the page data (zero-base),
Size: actual data page row count,
IsLastPage: true if this is last page of data
},
Page: [....page of data...]
}
```

# Example 1:

JSON body:

{ "Name": "salarySex", "Filter": [], "OrderBy": [] }

Result:

< HTTP/1.1 200 OK
< Access-Control-Allow-Origin: *
< Content-Type: application/json
< Date: Tue, 19 Dec 2017 18:43:54 GMT
< Transfer-Encoding: chunked
<
{"Layout":{"Offset":0,"Size":36,"IsFullPage":false,"IsLastPage":true}
,"Page":[{"Dims":["L","M"],"Value":50,"IsNull":false,"ExprId":0}
,{"Dims":["L","F"],"Value":60,"IsNull":false,"ExprId":0}
{"Dims":["L", "all"], "Value":1, "IsNull":false, "ExprId":0}
{"Dims":["M","M"],"Value":51.59999999999999994,"ISNull":false,"ExprId":0}
{"Dims":["M", "F"], "Value":62, "IsNull":false, "Exprid":0}
,{"Dims":["M", "all"],"Value":2,"IsNull":false,"ExprId":0}
,{"Dims":["H", "M"],"Value":53.2,"IsNull":false,"Exprid:0]
{"Dims":["H", "F"],"Value":64,"IsNull":false,"Exprid":0}
{"Dims":["H", "all"], "Value":3, "IsNull":false, "Exprid":0}
,{"Dims":["L","M"],"Value":1,"IsNull":false,"Exprid":1}
,{"Dims":["L","F"],"Value":2,"IsNull":false,"Exprid:1}
,{"Dims":["L","all"],"Value":801,"IsNull":false,"Exprid":1}
, ["Dims": ["M", "M"], "Value":3, "IsNull":false, "Exprid":1}
,{ Dinis .[ M , M ], Value .3, Isivui .lase, Explu .1} ,{"Dins":["M", "F"],"Value":4,"IsNull":false,"ExprId":1}
,{ Dinis .[ M, F ], Value .4, ISNUII .false, Exprid .1} ,{"Dims":["M", "all"],"Value":803,"ISNUII":false,"Exprid":1}
,{ Diffis .[ M , all ], Value .003, isivui .laise, Expire .1} ,{"Dims":["H", "M"],"Value":4,"IsNull":false,"Expire".1}
,{ Dinis .[ H , M ], Value .4, Isivui .laise, Explici .1} ,{"Dims":["H","F"],"Value":5,"IsNull":false,"ExprId":1}
,{ Dins .[ H , F ], Value .3, Isivui .lase, Exprid .1; ,{"Dins":["H","all"],"Value":804,"Isivull":false,"Exprid":1}
,{"Dims":["L","M"],"Value":50,"IsNull":false,"Exprid":2}
{"Dims":["L", "F"], "Value":60, "IsNull":false, "Exprid":2}
,{"Dims":["L", "all"],"Value":1,"IsNull":false,"Exprid::2}
,{"Dims":["M","M"],"Value":51.599999999999994,"IsNull":false,"ExprId":2}
{"Dims":["M", "F"], "Value":62, "IsNull":false, "Exprid":2}
{"Dims":["M","all"],"Value":2,"IsNull":false,"ExprId":2}
,{"Dims":["H", "M"], "Value":53.2, "IsNull":false, "ExprId":2}
,{"Dims":["H","F"],"Value":64,"IsNull":false,"ExprId":2}
,{"Dims":["H", "all"], "Value":3, "IsNull":false, "Exprid":2}
,{"Dims":["L","M"],"Value":50,"IsNull":false,"Exprid":2}
,{"Dims":["L", "F"],"Value":120,"IsNull":false,"Exprid::3}
{"Dims":["L", "all"],"Value":801,"IsNull":false,"ExprId":3}
{"Dims":["M", "M"], "Value":154.79999999999998, "IsNull":false, "ExprId":3}
{"Dims":["M", "F"], "Value":248, "IsNull":false, "Exprid":3}
{"Dims":["M","all"],"Value":1606,"ISNull":false,"Exprid":3}
,{"Dims":["H","M"],"Value":212.8,"ISNull":false,"Exprid::3}
, ["Dims:["H", "F"], "Value":320, "IsNull":false, "Exprid":3}
,{ Dinis .[ H , F ], Value .320, Isivui .iase, Exprid .3} ,{"Dins":["H", "all"],"Value":2412,"IsNull":false,"Exprid":3}
, Dinis .[ 11 , ali ], value .2412, ISIVUII .Iaise, Explin .3}

]}

# Example 2:

```
{
    "Name": "salarySex",
    "Offset": 32,
    "Size": 8,
    "IsFullPage": true,
    "Filter": [],
    "OrderBy": []
}
```

```
{"Layout":{"Offset":32,"Size":4,"IsFullPage":true,"IsLastPage":true},
,"Page":{{"Dims":["M","all"],"Value":1606,"IsNull":false,"ExprId":3},
,{"Dims":["H","M"],"Value":212.8,"IsNull":false,"ExprId":3},
,{"Dims":["H","F"],"Value":320,"IsNull":false,"ExprId":3},
,{"Dims":["H","all"],"Value":2412,"IsNull":false,"ExprId":3}
]}
```

## Example 3:

JSON body:

```
{
    "Name": "salarySex",
    "Filter": [],
    "OrderBy": [{
        "IndexOne": 2,
        "IsDesc": true
    }, {
        "IndexOne": 3,
        "IsDesc": true
    }
],
    "IsAccum": true,
    "IsAllAccum": false
}
```



{"Layout":{"Offset":0,"Size":18,"IsFullPage":false,"IsLastPage":true} ,"Page":[{"Dims":["H","M"],"Value":53.2,"IsNull":false,"AccId":0,"SubId":0} ,{"Dims":["H","F"],"Value":64,"IsNull":false,"AccId":0,"SubId":0} ,{"Dims":["H","all"],"Value":3,"IsNull":false,"AccId":0,"SubId":0} ,{"Dims":["H","M"],"Value":4,"IsNull":false,"AccId":1,"SubId":0} ,{"Dims":["H","F"],"Value":5,"IsNull":false,"AccId":1,"SubId":0} ,{"Dims":["H","all"],"Value":804,"IsNull":false,"AccId":1,"SubId":0} ,{"Dims":["M", "M"], "Value":51.5999999999999994, "IsNull":false, "AccId":0, "SubId":0} ,{"Dims":["M","F"],"Value":62,"IsNull":false,"AccId":0,"SubId":0} ,{"Dims":["M","all"],"Value":2,"IsNull":false,"AccId":0,"SubId":0} ,{"Dims":["M","M"],"Value":3,"IsNull":false,"AccId":1,"SubId":0} ,{"Dims":["M","F"],"Value":4,"IsNull":false,"AccId":1,"SubId":0} ,{"Dims":["M","all"],"Value":803,"IsNull":false,"AccId":1,"SubId":0} ,{"Dims":["L","M"],"Value":50,"IsNull":false,"AccId":0,"SubId":0} ,{"Dims":["L","F"],"Value":60,"IsNull":false,"AccId":0,"SubId":0} ,{"Dims":["L","all"],"Value":1,"IsNull":false,"AccId":0,"SubId":0} ,("Dims":["L","M"],"Value":1,"ISNull":false,"Accld":1,"Subld":0} ,("Dims":["L","F"],"Value":2,"ISNull":false,"Accld":1,"Subld":0} ,{"Dims":["L","all"],"Value":801,"IsNull":false,"AccId":1,"SubId":0} ]}

#### Example 4:

{ r Jage :[ Dinis :[ T1 , ai ], Subid :2, Isrdii :[Iase], Value :[004]] ,["Dims":["H", "F"], "Subid":2, "IsNull":[Ialse], "Value":[5]] ,["Dims":["L", "all"], "Subid":2, "IsNull":[Ialse], "Value":[802]] ,["Dims":["L", "F"], "Subid":2, "IsNull":[Ialse], "Value":[3]]], "Layout":["Offset":0, "Size":4, "IsLastPage":true, "IsFullPage":false]}

{"Page":[{"Dims":["H","all"],"SubId":2,"IsNull":[false],"Value":[804]}

Result:

{ "Name": "salarySex", "Offset": 0, ": 100 "Size": 100, "Filter": [{ "Name": "dim0", "Op": "IN", "Values": ["L", "H"] }, { "Name": "dim1", "Op": "BETWEEN", "Values": ["F", "all"] } ], "OrderBy": [{ "IndexOne": 2, "IsDesc": true }, { "IndexOne": 3, "IsDesc": true } ], "IsSubId": true, "SubId": 2, "ValueName": "acc1", "IsAccum": true, "IsAllAccum": true }

# Read output table values from model run (enum id's)

Read a "page" of output table values from model run.

- Page is part of output table values defined by zero-based "start" row number and row count. If row count <= 0 then all rows below start row number returned.
- Dimension(s) returned as enum id, not enum codes.
- Values can be from output table expressions, accumulators or derived accumulators.
- Method verb must be POST and Content-Type header "application/json".

JSON body POSTed to specify output table name, page size, row count, filters and row order. It is expected to be JSON representation of db.ReadLayout structure from Go library.

## Method:

POST /api/model/:model/run/:run/table/value-id

#### For example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/Default/table/value-id -d @test.json curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/2019\_01\_17\_19\_59\_52\_998/table/value-id -d @test.json

#### Arguments:

```
:model - (required) model digest or model name
```

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

#### JSON body arguments:

For example:

```
{
 "Name": "salarySex",
 "Offset": 0,
 "Size": 100,
 "IsFullPage": true,
 "IsSubId": true,
 "SubId": 2.
 "FilterById": [{
   "Name": "AgeGroup",
   "Op": "IN",
   "EnumIds": [100, 300]
  }, {
   "Name": "Province",
   "Op": "BETWEEN",
   "EnumIds": [1, 800]
  }
 1,
 "OrderBy": [{
   "IndexOne": 2,
   "IsDesc": true
  }, {
   "IndexOne": 3,
   "IsDesc": true
  }
 ],
 "ValueName": "acc2",
 "IsAccum": true,
 "IsAllAccum": true
}
```

 Name
 - (required) output table name

 Offset
 - (optional) zero-based start row to select output table values

 Size
 - (optional) max row count to select output table values, if size <= 0 then all rows selected</td>

 IsFullPage
 - (optional) if true then always return non-empty last page of data

 IsSubid
 - (optional) if true then select only single sub-value, default: all sub-values

 Subid
 - (optional) sub-value id to select if IsSubId is true

 FilterById
 - (optional) conditions to filter dimension enum id's

 OrderBy
 - (optional) if not empty then only that value selected (ex.: "acc2"), default: all values

 IsAccum
 - (optional) if true then select from "all accumulators" view else from accumulators table

Filter conditions joined by AND and can have following operations:

=	- enum id equal to: AgeGroup = 20
!=	- enum id not equal to: AgeGroup <> 20
>	- enum id greater than: AgeGroup > 20
>=	- enum id greater or equal: AgeGroup >= 20
<	- enum id less than: AgeGroup < 20
<=	- enum id less or equal: AgeGroup <= 20
IN	- in the list of id's: AgeGroup IN (20, 30, 40)
BET	WEEN - between min and max: AgeGroup BETWEEN 20 AND 40
IN_A	UTO - automatically choose most suitable: = or != or IN or BETWEEN

Order by specified by one-based column(s) index(es) in result. Columns always contain enum id's, not enum codes and therefore result ordered by id's

In case of output table expressions columns are:

SELECT expr\_id, dim0, dim1, ..., expr\_value FROM valueTable ORDER BY 1, 2,...

In case of output table accumulators columns are:

SELECT acc\_id, sub\_id, dim0, dim1, ..., acc\_value FROM accumulatorTable ORDER BY 1, 2,...

In case of "all accumulators" columns are:

SELECT sub\_id, dim0, dim1, ..., acc0, acc1,... FROM allAccumulatorsView ORDER BY 1, 2,...

#### Example 1:

#### Result:

< Access-Control-Allow-Origin: \* < Content-Type: application/json < Date: Tue, 19 Dec 2017 19:04:15 GMT < Transfer-Encoding: chunked < {"Layout":{"Offset":0,"Size":36,"IsFullPage":false,"IsLastPage":true} "Page":[{"DimIds":[100,0],"Value":50,"IsNull":false,"ExprId":0} ,{"DimIds":[100,1],"Value":60,"IsNull":false,"ExprId":0} ,{"DimIds":[100,800],"Value":1,"IsNull":false,"ExprId":0} ,{"DimIds":[200,0],"Value":51.5999999999999994,"IsNull":false,"ExprId":0} ,{"DimIds":[200,1],"Value":62,"IsNull":false,"ExprId":0} ,{"DimIds":[200,800],"Value":2,"IsNull":false,"ExprId":0} ,{"DimIds":[300,0],"Value":53.2,"IsNull":false,"ExprId":0} ,{"DimIds":[300,1],"Value":64,"IsNull":false,"ExprId":0} ,{"DimIds":[300,800],"Value":3,"IsNull":false,"ExprId":0} ,{"DimIds":[100,0],"Value":1,"IsNull":false,"ExprId":1} ,{"DimIds":[100,1],"Value":2,"IsNull":false,"ExprId":1} ,{"DimIds":[100,800],"Value":801,"IsNull":false,"ExprId":1} ,{"DimIds":[200,0],"Value":3,"IsNull":false,"ExprId":1} ,{"DimIds":[200,1],"Value":4,"IsNull":false,"ExprId":1} ,{"DimIds":[200,800],"Value":803,"IsNull":false,"ExprId":1} ,{"DimIds":[300,0],"Value":4,"IsNull":false,"ExprId":1} ,{"DimIds":[300,1],"Value":5,"IsNull":false,"ExprId":1} ,{"DimIds":[300,800],"Value":804,"IsNull":false,"ExprId":1} ,{"DimIds":[100,0],"Value":50,"IsNull":false,"ExprId":2} ,{"DimIds":[100,1],"Value":60,"IsNull":false,"ExprId":2} ,{"DimIds":[100,800],"Value":1,"IsNull":false,"ExprId":2} ,{"DimIds":[200,0],"Value":51.599999999999994,"IsNull":false,"ExprId":2} ,{"DimIds":[200,1],"Value":62,"IsNull":false,"ExprId":2} ,{"DimIds":[200,800],"Value":2,"IsNull":false,"ExprId":2} ,{"DimIds":[300,0],"Value":53.2,"IsNull":false,"ExprId":2} ,{"DimIds":[300,1],"Value":64,"IsNull":false,"ExprId":2} ,{"DimIds":[300,800],"Value":3,"IsNull":false,"ExprId":2} ,{"DimIds":[100,0],"Value":50,"IsNull":false,"ExprId":3} ,{"DimIds":[100,1],"Value":120,"IsNull":false,"ExprId":3} ,{"DimIds":[100,800],"Value":801,"IsNull":false,"ExprId":3} ,{"DimIds":[200,0],"Value":154.79999999999998,"IsNull":false,"ExprId":3} ,{"DimIds":[200,1],"Value":248,"IsNull":false,"ExprId":3} ,{"DimIds":[200,800],"Value":1606,"IsNull":false,"ExprId":3} ,{"DimIds":[300,0],"Value":212.8,"IsNull":false,"ExprId":3} ,{"DimIds":[300,1],"Value":320,"IsNull":false,"ExprId":3}

,{"DimIds":[300,800],"Value":2412,"IsNull":false,"ExprId":3}

# ]}

#### Example 2:

JSON body:

```
{
    "Name": "salarySex",
    "Offset": 32,
    "Size": 8,
    "IsFullPage": true
}
```

#### Result:

{"Layout":{"Offset":32,"Size":4,"IsFullPage":true,"IsLastPage":true} ,"Page":{{"DimIds":[200,800],"Value":1606,"IsNull":false,"ExprId":3} ,{"DimIds":[300,0],"Value":212.8,"IsNull":false,"ExprId":3} ,{"DimIds":[300,1],"Value":320,"IsNull":false,"ExprId":3} ,{"DimIds":[300,800],"Value":2412,"IsNull":false,"ExprId":3} ]}

#### Example 3:

```
{
    "Name": "salarySex",
    "FilterById": [],
    "OrderBy": [{
        "IndexOne": 2,
        "IsDesc": true
    }, {
        "IndexOne": 3,
        "IsDesc": true
    }
],
    "IsAccum": true,
    "IsAllAccum": false
}
```

#### Result:

{"Layout":{"Offset":0,"Size":18,"IsFullPage":false,"IsLastPage":true} ,"Page":[{"DimIds":[300,0],"Value":53.2,"IsNull":false,"AccId":0,"SubId":0} ,{"DimIds":[300,1],"Value":64,"IsNull":false,"AccId":0,"SubId":0} ,{"DimIds":[300,800],"Value":3,"IsNull":false,"AccId":0,"SubId":0} ,{"DimIds":[300,0],"Value":4,"IsNull":false,"AccId":1,"SubId":0} ,{"DimIds":[300,1],"Value":5,"IsNull":false,"AccId":1,"SubId":0} ,{"DimIds":[300,800],"Value":804,"IsNull":false,"AccId":1,"SubId":0} ,{"DimIds":[200,0],"Value":51.59999999999999994,"IsNull":false,"AccId":0,"SubId":0} ,{"DimIds":[200,1],"Value":62,"IsNull":false,"AccId":0,"SubId":0} ,{"DimIds":[200,800],"Value":2,"IsNull":false,"AccId":0,"SubId":0} ,{"DimIds":[200,0],"Value":3,"IsNull":false,"AccId":1,"SubId":0} ,{"DimIds":[200,1],"Value":4,"IsNull":false,"AccId":1,"SubId":0} ,{"DimIds":[200,800],"Value":803,"IsNull":false,"AccId":1,"SubId":0} ,{"DimIds":[100,0],"Value":50,"IsNull":false,"AccId":0,"SubId":0} ,{"DimIds":[100,1],"Value":60,"IsNull":false,"AccId":0,"SubId":0} ,{"DimIds":[100,800],"Value":1,"IsNull":false,"AccId":0,"SubId":0} ,("Dimlds":[100,0],"Value":1,"ISNull":false,"AccId":1,"SubId":0} ,{"Dimlds":[100,1],"Value":2,"ISNull":false,"AccId":1,"SubId":0} ,{"DimIds":[100,800],"Value":801,"IsNull":false,"AccId":1,"SubId":0}

```
]}
```

#### Example 3:

# JSON body:

{ "Name": "salarySex", "Offset": 0, "Size": 0, "IsSubId": true, "SubId": 2, "FilterById": [{ "Name": "dim0", "Op": "IN", "EnumIds": [100, 300] }, { "Name": "dim1", "Op": "BETWEEN", "EnumIds": [1, 800] } ], "OrderBy": [{ "IndexOne": 2, "IsDesc": true }, { "IndexOne": 3, "IsDesc": true } ] "ValueName": "acc1", "IsAccum": true, "IsAllAccum": true }

# Result:


{
 "Page":[
 {"DimIds":[300,800],"SubId":2,"IsNull":[false],"Value":[804]}
 ,{"DimIds":[300,1],"SubId":2,"IsNull":[false],"Value":[5]}
 ,{"DimIds":[100,800],"SubId":2,"IsNull":[false],"Value":[802]}
 ,{"DimIds":[100,1],"SubId":2,"IsNull":[false],"Value":[802]}
],
"Layout":{"Offset":0,"Size":4,"IsLastPage":true,"IsFullPage":false}
}

# Read output table calculated values from model run

Read a "page" of output table calculated values from model run.

- · Calculate one or more values from output table expressions or accumulators.
- Page is part of output table values defined by zero-based "start" row number and row count. If row count <= 0 then all rows below start row number returned.
- Dimension(s) and enum-based parameters returned as enum codes. If dimension type or parameter type is simple (integer or boolean) then string value used (ex.: "true", "1234").
- · Calculations are done either on output table expressions or aggregated accumulators (see example below).
- Method verb must be POST and Content-Type header "application/json".

JSON body POSTed to specify output table name, page size, row count, filters and row order. It is expected to be JSON representation of db.ReadCalculteTableLayout structure from Go library. See also: db.ReadLayout structure from Go library.



#### Method:

POST /api/model/:model/run/:run/table/calc

### For example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/Default/table/calc -d @test.json curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/2019\_01\_17\_19\_59\_52\_998/table/calc -d @test.json

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run.

Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

# JSON body arguments:

Example 1. Calculate two values using modelOne output table salarySex :

- ratio of expressions: expr1 / expr2
- standard error of acc1 accumulator sub-values

```
"Name": "salarySex",
"Calculation": [
 {
  "Calculate": "expr1 / expr2",
  "CalcId": 201,
            "Expr1_div_expr2",
  "Name":
  "IsAggr": false
 },
 {
  "Calculate": "OM SE(acc1)",
  "CalcId": 301,
  "Name": "Se_of_acc1",
  "IsAggr": true
 }
1
}
```

Calcultion can be done over output table expressions if IsAggr: false or over accumulators if IsAggr: true. You cannot mix expressions and accumultors in the same calculation, it is mutually exclusive. Following aggregation functions available for accumulators:

- OM\_AVG mean of accumulators sub-values
- OM\_SUM sum of accumulators sub-values
- OM\_COUNT count of accumulators sub-values (excluding NULL's)
- OM\_COUNT\_IF count values matching condition
- OM\_MAX maximum of accumulators sub-values
- OM\_MIN minimum of accumulators sub-values
- OM\_VAR variance of accumulators sub-values
- OM\_SD standard deviation of accumulators sub-values
- OM\_SE standard error of accumulators sub-values
- OM\_CV coefficient of variation of accumulators sub-values

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: OM\_COUNT\_IF(acc1 > param.High), where param.High is a value of scalar parameter High in that model run.

For more details please see: Model Output Expressions

### Example 2.:

- ratio of expressions: expr1 / expr2, adjusted by using parameter StartingSeed values
- standard error of acc1 accumulator sub-values, adjusted by using parameter StartingSeed values
- read only first 100 rows: Offset: 0, Size: 100
- apply WHERE filters and ORDER BY

```
{
.
"Name": "salarySex",
"Calculation": [
 {
  "Calculate": "expr1 / expr2 + param.StartingSeed / 100",
  "CalcId": 201,
"Name": "Expr1_div_expr2_adjusted",
  "IsAggr": false
 },
 {
  "Calculate": "OM_SE(acc1 - param.StartingSeed) + param.StartingSeed",
  "CalcId": 301,
"Name": "Se_of_acc1_adjusted",
  "IsAggr": true
}
1.
"Offset": 0,
"Size": 100,
"IsFullPage": true,
"Filter": [{
  "Name": "dim0",
  "Op": "IN",
  "Values": ["L", "H"]
 }, {
  "Name": "dim1",
  "Op": "BETWEEN",
  "Values": ["F", "all"]
}
],
"OrderBy": [{
  "IndexOne": 2,
  "IsDesc": true
 }, {
  "IndexOne": 3,
  "IsDesc": true
 }
1
}
Name
          - (required) output table name
Offset - (optional) zero-based start row to select output table values
        - (optional) max row count to select output table values, if size <= 0 then all rows selected
Size
IsFullPage - (optional) if true then always return non-empty last page of data
Filter - (optional) conditions to filter dimension enum id's
OrderBy - (optional) list of columns indexes (one based) to order by
```

Filter conditions joined by AND and can have following operations:

```
AgeGroup = "20-30"
=

    enum equal to:

    enum not equal to: AgeGroup <> "20-30"
    enum greater than: AgeGroup > "20-30"

I=
>
>= - enum greater or equal: AgeGroup >= "20-30"
<
     - enum less than:
                           AgeGroup < "20-30"
    - enum less or equal: AgeGroup <= "20-30"
<=
     - enum is in the list of: AgeGroup IN ("20-30", "30-40", "40+")
IN
BETWEEN - between min and max: AgeGroup BETWEEN "30-40" AND "all"
IN_AUTO - automatically choose most suitable: = or != or IN or BETWEEN
```

Keep in mind: dimension enums are always ordered by id's, not by code and result of filter Sex < "M" may not be Sex = "F".

Order by specified by one-based column(s) index(es) in result. Columns always contain enum id's, not enum codes and therefore result ordered by id's. First two columns are run\_id, calc\_id :

SELECT run\_id, CalcId AS calc\_id, dim0, dim1, ..., calc\_value FROM .... ORDER BY 1, 2,...

#### JSON response:

```
{
  Layout: {
    Offset: actual first row number of the page data (zero-base),
    Size: actual data page row count,
    IsLastPage: true if this is last page of data
    },
    Page: [....page of data...]
}
```

JSON body:

```
{
 "Name": "salarySex",
  "Calculation": [
   {
    "Calculate": "expr1 / expr2",
   "CalcId": 201,
"Name": "Expr1_div_expr2",
    "IsAggr": false
  },
  {
    "Calculate": "OM_AVG(acc1)",
    "CalcId": 301,
    "Name": "Se_of_acc1",
    "IsAggr": true
  }
 ]
}
```

#### Result:

```
* Trying 127.0.0.1:4040...
* Connected to localhost (127.0.0.1) port 4040 (#0)
> POST /api/model/modelOne/run/Default/table/calc HTTP/1.1
> Host: localhost:4040
> User-Agent: curl/8.0.1
> Accept: */*
> Content-Type: application/json
> Content-Length: 296
< HTTP/1.1 200 OK
< Content-Type: application/json
< Date: Thu, 26 Oct 2023 02:51:18 GMT
< Transfer-Encoding: chunked
<
{
  "Page": [{
       "Dims": ["L", "M"],
       "IsNull": false,
        "Value": 0,
       "CalcName": "Expr1_div_expr2",
        "RunDigest": "ca663651953bae94d0afdf71edba4c91"
    }, {
       "Dims": ["L", "F"],
       "IsNull": false,
       "Value": 0.01639344262295082,
       "CalcName": "Expr1_div_expr2",
"RunDigest": "ca663651953bae94d0afdf71edba4c91"
    }, {
       "Dims": ["L", "all"],
       "IsNull": false,
        "Value": 0.9987515605493134,
       "CalcName": "Expr1_div_expr2",
"RunDigest": "ca663651953bae94d0afdf71edba4c91"
    }, {
        "Dims": ["M", "M"],
        "IsNull": false,
        "Value": 0.019011406844106467,
       "CalcName": "Expr1_div_expr2",
"RunDigest": "ca663651953bae94d0afdf71edba4c91"
    }, {
        .
"Dims": ["M", "F"],
       "IsNull": false,
       "Value": 0.03125.
       "CalcName": "Expr1_div_expr2",
       "RunDigest": "ca663651953bae94d0afdf71edba4c91"
    }, {
       "Dims": ["M", "all"],
       "IsNull": false,
        "Value": 0.9975093399750934,
       "CalcName": "Expr1_div_expr2",
        "RunDigest": "ca663651953bae94d0afdf71edba4c91"
    }, {
        "Dims": ["H", "M"],
       "IsNull": false,
       "Value": 0.036231884057971016,
        "CalcName": "Expr1_div_expr2",
        "RunDigest": "ca663651953bae94d0afdf71edba4c91"
    }, {
        "Dims": ["H", "F"],
       "IsNull": false,
        "Value": 0.04477611940298507,
```

```
"CalcName": "Expr1_div_expr2",
     "RunDigest": "ca663651953bae94d0afdf71edba4c91"
  }, {
     "Dims": ["H", "all"],
     "IsNull": false,
     "Value": 0.9962732919254659,
    "CalcName": "Expr1_div_expr2",
"RunDigest": "ca663651953bae94d0afdf71edba4c91"
  }, {
    "Dims": ["L", "M"],
"IsNull": false,
     "Value": 0,
     "CalcName": "Se_of_acc1",
     "RunDigest": "ca663651953bae94d0afdf71edba4c91"
  }, {
     .
"Dims": ["L", "F"],
     "IsNull": false,
     "Value": 1,
     "CalcName": "Se_of_acc1",
     "RunDigest": "ca663651953bae94d0afdf71edba4c91"
  }, {
     "Dims": ["L", "all"],
     "IsNull": false,
     "Value": 800,
     "CalcName": "Se_of_acc1",
"RunDigest": "ca663651953bae94d0afdf71edba4c91"
  }, {
     "Dims": ["M", "M"],
    "IsNull": false,
     "Value": 1,
     "CalcName": "Se_of_acc1",
     "RunDigest": "ca663651953bae94d0afdf71edba4c91"
  }, {
     "Dims": ["M", "F"],
     "IsNull": false,
     "Value": 2,
     "CalcName": "Se_of_acc1",
     "RunDigest": "ca663651953bae94d0afdf71edba4c91"
  }, {
     "Dims": ["M", "all"],
    "IsNull": false,
     "Value": 801,
     "CalcName": "Se_of_acc1",
    "RunDigest": "ca663651953bae94d0afdf71edba4c91"
  }, {
     "Dims": ["H", "M"],
    "IsNull": false,
"Value": 2,
    "CalcName": "Se_of_acc1",
"RunDigest": "ca663651953bae94d0afdf71edba4c91"
  }, {
    "Dims": ["H", "F"],
"IsNull": false,
     "Value": 3,
     "CalcName": "Se_of_acc1",
     "RunDigest": "ca663651953bae94d0afdf71edba4c91"
  }, {
     "Dims": ["H", "all"],
     "IsNull": false,
     "Value": 802,
     "CalcName": "Se_of_acc1",
     "RunDigest": "ca663651953bae94d0afdf71edba4c91"
 }
"Layout": {
  "Offset": 0,
  "Size": 18,
  "IsLastPage": true,
  "IsFullPage": false
```

1,

} }

# Read output table calculated values from model run (enum id's)

Read a "page" of output table calculated values from model run.

- · Calculate one or more values from output table expressions or accumulators.
- Page is part of output table values defined by zero-based "start" row number and row count. If row count <= 0 then all rows below start row number returned.
- Dimension(s) returned as enum id, not enum codes.
- Calculations are done either on output table expressions or aggregated accumulators (see example below).
- Method verb must be POST and Content-Type header "application/json".

JSON body POSTed to specify output table name, page size, row count, filters and row order. It is expected to be JSON representation of db.ReadCalculteTableLayout structure from Go library. See also: db.ReadLayout structure from Go library.

<pre>// ReadCalculteTableLayout describe table read layout and additional measures to calculte. type ReadCalculteTableLayout struct {     ReadLayout // output table name, run id, page size, where filters and order by     Calculation []CalculateTableLayout // additional measures to calculate }</pre>
// CalculateLayout describes calculation to output table values. type CalculateTableLayout struct { CalculateLayout // expression to calculate and layout IsAggr bool // if true then select output table accumulator else expression }
<pre>// CalculateLayout describes calculation to parameters or output table values. type CalculateLayout struct {     Calculate string // expression to calculate, ex.: Expr0[base] - Expr0[variant]     Calcld int // calculated expression id, calc_id column in csv, ex.: 0, 12000, 24000     Name string // calculated expression name, calc_name column in csv, ex.: Expr0, AVG_Expr0, RATIO_Expr00 }</pre>
<pre>// ReadLayout describes source and size of data page to read input parameter, output table values or microdata. // // Row filters combined by AND and allow to select dimension or attribute items, // it can be enum codes or enum id's, ex.: dim0 = 'CA' AND dim1 IN (2010, 2011, 2012) type ReadLayout struct {     Name string // parameter name, output table name or entity microdata name     FromId int // run id or set id to select input parameter, output table values or microdata from     ReadPageLayout // read page first row offset, size and last page flag     Filter []FilterColumn // dimension or attribute filters, final WHERE does join all filters by AND     FilterById []FilterIdColumn // dimension or attribute filters by enum ids, final WHERE does join filters by AND     OrderBy []OrderByColumn // order by columnns, if empty then dimension id ascending order is used }</pre>
Method:

POST /api/model/:model/run/:run/table/calc-id

#### For example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/Default/table/calc-id -d @test.json curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/2019\_01\_17\_19\_59\_52\_998/table/calc-id -d @test.json

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

# JSON body arguments:

Example 1. Calculate two values using modelOne output table salarySex :

- ratio of expressions: expr1 / expr2
- standard error of acc1 accumulator sub-values

```
"Name": "salarySex",
"Calculation": [
 {
  "Calculate": "expr1 / expr2",
  "CalcId": 201,
  "Name": "Expr1_div_expr2",
  "IsAggr": false
 }.
  "Calculate": "OM_SE(acc1)",
  "CalcId": 301,
  "Name":
             "Se_of_acc1",
  "IsAggr": true
 }
1
}
```

Calcultion can be done over output table expressions if IsAggr: false or over accumulators if IsAggr: true. You cannot mix expressions and accumultors in the same calculation, it is mutually exclusive. Following aggregation functions available for accumulators:

- OM\_AVG mean of accumulators sub-values
- OM\_SUM sum of accumulators sub-values
- OM\_COUNT count of accumulators sub-values (excluding NULL's)
- OM\_COUNT\_IF count values matching condition
- OM\_MAX maximum of accumulators sub-values
- OM\_MIN minimum of accumulators sub-values
- OM\_VAR variance of accumulators sub-values
- OM\_SD standard deviation of accumulators sub-values
- OM\_SE standard error of accumulators sub-values
- OM\_CV coefficient of variation of accumulators sub-values

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: OM\_COUNT\_IF(acc1 > param.High), where param.High is a value of scalar parameter High in that model run.

For more details please see: Model Output Expressions

#### Example 2:

- ratio of expressions: expr1 / expr2 , adjusted by using parameter StartingSeed values
- standard error of acc1 accumulator sub-values, adjusted by using parameter StartingSeed values
- read only first 100 rows: Offset: 0, Size: 100
- apply WHERE filters and ORDER BY

```
"Name": "salarySex",
"Calculation": [
 {
  "Calculate": "expr1 / expr2 + param.StartingSeed / 100",
  "CalcId": 201,
"Name": "Expr1_div_expr2_adjusted",
  "IsAggr": false
 },
 {
  "Calculate": "OM SE(acc1 - param.StartingSeed) + param.StartingSeed",
  "CalcId": 301,
"Name": "Se_of_acc1_adjusted",
  "IsAggr": true
 }
1.
"Offset": 0,
"Size": 100,
"IsFullPage": true,
"IsSubId": true,
"SubId": 2,
"FilterById": [{
  "Name": "AgeGroup",
  "Op": "IN",
  "EnumIds": [100, 300]
}, {
  "Name": "Province",
  "Op": "BETWEEN",
  "EnumIds": [1, 800]
 }
1,
"OrderBy": [{
  "IndexOne": 2.
  "IsDesc": true
 }, {
  "IndexOne": 3,
  "IsDesc": true
 }
}
          - (required) output table name
Name
Offset - (optional) zero-based start row to select output table values
Size - (optional) max row count to select output table values, if size <= 0 then all rows selected
IsFullPage - (optional) if true then always return non-empty last page of data
IsSubId - (optional) if true then select only single sub-value, default: all sub-values
SubId - (optional) sub-value id to select if IsSubId is true
FilterById - (optional) conditions to filter dimension enum id's
OrderBy - (optional) list of columns indexes (one based) to order by
```

Filter conditions joined by AND and can have following operations:

enum id equal to: AgeGroup = 20
 enum id not equal to: AgeGroup < 20</li>
 enum id greater than: AgeGroup > 20
 enum id greater or equal: AgeGroup > 20
 enum id less than: AgeGroup > 20
 enum id less or equal: AgeGroup < 20</li>
 enum id less or equal: AgeGroup < 20</li>
 in the list of id's: AgeGroup < 20</li>
 in the list of id's: AgeGroup IN (20, 30, 40)
 BETWEEN - between min and max: AgeGroup BETWEEN 20 AND 40
 IN\_AUTO - automatically choose most suitable: = or != or IN or BETWEEN

Order by specified by one-based column(s) index(es) in result. Columns always contain enum id's, not enum codes and therefore result ordered by id's First two columns are run\_id, calc\_id :

SELECT run\_id, CalcId AS calc\_id, dim0, dim1, ..., calc\_value FROM .... ORDER BY 1, 2,...

Example 1:

```
{
    "Name": "salarySex",
    "Calculation": [
    {
        "Calculate": "expr1 / expr2",
        "CalcId": 201,
        "Name": "Expr1_div_expr2",
        "IsAggr": false
    },
    {
        "Calculate": "OM_AVG(acc1)",
        "CalcId": 301,
        "Name": "Se_of_acc1",
        "IsAggr": true
    }
]
```

### Result:

```
> POST /api/model/modelOne/run/Default/table/calc-id HTTP/1.1
> Host: localhost:4040
> User-Agent: curl/8.0.1
> Accept: */*
> Content-Type: application/json
> Content-Length: 296
>
< HTTP/1.1 200 OK
< Content-Type: application/json
< Date: Thu, 26 Oct 2023 02:52:01 GMT
< Content-Length: 1489
<
{
  "Page": [{
"DimIds": [100, 0],
        "IsNull": false,
        "Value": 0,
        "CalcId": 201,
        "RunId": 201
    }, {
"DimIds": [100, 1],
        "IsNull": false,
        "Value": 0.01639344262295082,
        "CalcId": 201,
        "RunId": 201
     }, {
        "DimIds": [100, 800],
       "IsNull": false,
        "Value": 0.9987515605493134,
        "CalcId": 201,
        "RunId": 201
     }, {
        "DimIds": [200, 0],
        "IsNull": false,
        "Value": 0.019011406844106467,
       "CalcId": 201,
"RunId": 201
     }, {
        "DimIds": [200, 1],
        "IsNull": false,
       "Value": 0.03125,
"CalcId": 201,
       "Runld": 201
     }, {
        "DimIds": [200, 800],
        "IsNull": false,
        "Value": 0.9975093399750934,
        "CalcId": 201,
        "RunId": 201
    }, {
"DimIds": [300, 0],
        "IsNull": false,
        "Value": 0.036231884057971016,
        "CalcId": 201,
       "RunId": 201
    }, {
"DimIds": [300, 1],
       "IsNull": false,
        "Value": 0.04477611940298507,
        "CalcId": 201,
        "RunId": 201
     }, {
        "DimIds": [300, 800],
        "IsNull": false,
        "Value": 0.9962732919254659.
```

```
"CalcId": 201,
"RunId": 201
    }, {
        "DimIds": [100, 0],
        "IsNull": false,
       "Value": 0,
"CalcId": 301,
       "RunId": 201
  }, {
"DimIds": [100, 1],
"IsNull": false,
"Value": 1,
"Coloid": 301,
       "CalcId": 301,
        "RunId": 201
   }, {
"DimIds": [100, 800],
"ISNUII": false,
        "Value": 800,
        "CalcId": 301,
       "RunId": 201
   }, {
"DimIds": [200, 0],
       "IsNull": false,
        "Value": 1,
        "CalcId": 301,
        "RunId": 201
    }, {
        "DimIds": [200, 1],
        "IsNull": false,
       "Value": 2,
       "CalcId": 301,
"RunId": 201
    }, {
       "DimIds": [200, 800],
"IsNull": false,
       "Value": 801,
"Calcid": 301,
       "RunId": 201
   }, {
"DimIds": [300, 0],
        "IsNull": false,
        "Value": 2,
        "Calcid": 301,
        "RunId": 201
   }, {
"DimIds": [300, 1],
        "IsNull": false,
       "Value": 3,
"CalcId": 301,
       "RunId": 201
  }, {
    "DimIds": [300, 800],
    "ISNull": false,
    "Value": 802,
    "Dould": 301,
        "RunId": 201
   }
],
"Layout": {
    "Offset": 0,
    "Size": 18,
    "IsLastPage": true,
    "IsFullPage": false
}
```

}

# Read output table values and compare model runs

Read a "page" of output table values and compare model runs.

- Compare output table expressions between multiple model runs.
- Comparison typically is a calculation between [base] and [variant] model runs, for example: Expr0[variant] / Expr0[base] .
- It is also posiible to include calculation results for each single run, for example: Expr0 or 100 \* Expr0 / Expr1 .
- Page is part of output table values defined by zero-based "start" row number and row count. If row count <= 0 then all rows below start row number returned.
- Dimension(s) and enum-based parameters returned as enum codes. If dimension type or parameter type is simple (integer or boolean) then string value used (ex.: "true", "1234").
- Method verb must be POST and Content-Type header "application/json".

JSON body POSTed to specify output table name, page size, row count, filters and row order. It is expected to be JSON representation of db.ReadCompareTableLayout structure from Go library. See also: db.ReadLayout structure from Go library.

<pre>// ReadCompareTableLayout to compare output table runs with base run using multiple comparison expressions and/or calculation measures. type ReadCompareTableLayout struct {     ReadCalculteTableLayout // output table, base run and comparison expressions or calculations     Runs []string // runs to compare: list of digest, stamp or name }</pre>
// ReadCalculteTableLayout describe table read layout and additional measures to calculte. type ReadCalculteTableLayout struct { ReadLayout // output table name, run id, page size, where filters and order by Calculation []CalculateTableLayout // additional measures to calculate }
// CalculateLayout describes calculation to output table values. type CalculateTableLayout struct { CalculateLayout // expression to calculate and layout IsAggr bool // if true then select output table accumulator else expression }
<pre>// CalculateLayout describes calculation to parameters or output table values. type CalculateLayout struct {     Calculate string // expression to calculate, ex.: Expr0[base] - Expr0[variant]     Calculate int // calculated expression id, calc_id column in csv, ex.: 0, 12000, 24000     Name string // calculated expression name, calc_name column in csv, ex.: Expr0, AVG_Expr0, RATIO_Expr0 }</pre>
<pre>// ReadLayout describes source and size of data page to read input parameter, output table values or microdata. // // Row filters combined by AND and allow to select dimension or attribute items, // it can be enum codes or enum id's, ex.: dim0 = 'CA' AND dim1 IN (2010, 2011, 2012) type ReadLayout struct {     Name string // parameter name, output table name or entity microdata name     FromId int // run id or set id to select input parameter, output table values or microdata from     ReadPageLayout // read page first row offset, size and last page flag     Filter [[FilterColumn // dimension or attribute filters, final WHERE does join all filters by AND     FilterById [[FilterIdColumn // dimension or attribute filters by enum ids, final WHERE does join filters by AND     OrderBy []OrderByColumn // order by columnns, if empty then dimension id ascending order is used }</pre>

#### Method:

POST /api/model/:model/run/:run/table/compare

# For example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/Default/table/compare -d @test.json curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/2019\_01\_17\_19\_59\_52\_998/table/compare -d @test.json

#### Arguments:

:model - (required) model digest or model name

```
Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use
```

model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

#### JSON body arguments:

Example 1. For modelOne output table salarySex :

- read expr0 values from [base] run and from [variant] runs: "Default-4", "First Task Run modelOne other"
- calculate difference of expr0 values between [variant] runs and [base]

```
"Name": "salarySex",
"Calculation": [
 {
  "Calculate": "expr0",
  "CalcId": 0,
  "Name":
            "expr0",
  "IsAggr": false
 }.
 {
  "Calculate": "expr0[variant] - expr0[base]",
  "CalcId": 12000,
  "Name": "Diff_of_expr0",
  "IsAggr": false
}
],
"Runs": [
 "Default-4",
 "First Task Run_modelOne_other"
```

Calculation must be done over output table expressions and can NOT include table accumulators. Output table expression can be from [base] or from [variant] model run, e.g.: expr0[variant] - expr0[base]. It is also possible to use to do a calcultion for each single (not between two runs), e.g.: expr0, or 100 \* expr0 / expr1. Calculation must be a comparison formula between two runs [base] and [variant] or done on single run. You cannot mix comparison and sincle run calcultion, it is mutually exclusive, for exampel: this is an error: expr1 + expr0[variant] - expr0[base]. Calculation can include expression names, +-\*/ operators and following functions:

- SQRT square root
- ABS absolute value
- OM\_IF equivalent of if .... then .... else ....
- OM\_DIV\_BY wrap denominator

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: (Expr1[variant] - Expr1[base]) \* param.Scale[base], where param.Scale is a value of scalar parameter Scale in [base] model run.

For more details please see: Model Output Expressions

#### Example 2.:

- read expro values from [base] run and from [variant] runs: "Default-4", "First Task Run\_modelOne\_other"
- calculate difference of expro values between [variant] runs and [base], adjusted by using parameter StartingSeed value from base run
- read only first 100 rows: Offset: 0, Size: 100
- apply WHERE filters and ORDER BY

```
.
"Name": "salarySex",
"Calculation": [
 {
  "Calculate": "expr0",
  "CalcId": 0,
  "Name": "expr0",
  "IsAggr": false
 },
 {
  "Calculate": "(expr0[variant] - expr0[base]) + param.StartingSeed[base] / 100",
  "CalcId": 12000,
  "Name": "Diff_of_expr0_adjusted",
  "IsAggr": false
 }
1.
"Runs": [
 "Default-4",
 "First Task Run_modelOne_other"
],
"Offset": 0,
"Size": 100,
"IsFullPage": true,
"Filter": [{
  "Name": "dim0",
  "Op": "IN",
  "Values": ["L", "H"]
 }, {
  "Name": "dim1",
  "Op": "BETWEEN",
  "Values": ["F", "all"]
 }
1,
"OrderBy": [{
  "IndexOne": 2,
  "IsDesc": true
 }, {
  "IndexOne": 3,
  "IsDesc": true
 }
]
}
Name
         - (required) output table name
Offset - (optional) zero-based start row to select output table values
        - (optional) max row count to select output table values, if size <= 0 then all rows selected
Size
IsFullPage - (optional) if true then always return non-empty last page of data
Filter - (optional) conditions to filter dimension enum id's
```

Filter conditions joined by AND and can have following operations:

OrderBy - (optional) list of columns indexes (one based) to order by

```
enum equal to: AgeGroup = "20-30"
enum not equal to: AgeGroup < "20-30"</li>
enum greater than: AgeGroup > "20-30"
enum greater or equal: AgeGroup > "20-30"
enum less than: AgeGroup > "20-30"
enum less or equal: AgeGroup < "20-30"</li>
enum less or equal: AgeGroup < "20-30"</li>
enum is in the list of: AgeGroup < "20-30"</li>
enum is in the list of: AgeGroup IN ("20-30", "30-40", "40+")
BETWEEN - between min and max: AgeGroup BETWEEN "30-40" AND "all"
IN_AUTO - automatically choose most suitable: = or != or IN or BETWEEN
```

Keep in mind: dimension enums are always ordered by id's, not by code and result of filter Sex < "M" may not be Sex = "F".

Order by specified by one-based column(s) index(es) in result. Columns always contain enum id's, not enum codes and therefore result ordered by id's. First two columns are run\_id, calc\_id :

SELECT run\_id, CalcId AS calc\_id, dim0, dim1, ..., calc\_value FROM .... ORDER BY 1, 2,...

**JSON** response:

```
{
Layout: {
    Offset: actual first row number of the page data (zero-base),
    Size: actual data page row count,
    IsLastPage: true if this is last page of data
    },
    Page: [....page of data...]
}
```

# Example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/Default/table/compare -d @test.json

#### JSON body (test.json):

```
{
 "Name": "salarySex",
 "Calculation": [
  {
    "Calculate": "expr0",
   "CalcId": 0,
"Name": "expr0",
    "IsAggr": false
  },
  {
    "Calculate": "expr0[variant] - expr0[base]",
    "CalcId": 12000,
    "Name":
              "Diff_of_expr0",
   "IsAggr": false
  }
 ],
"Runs": [
  "Default-4",
  "First Task Run_modelOne_other"
 ]
}
```

#### Result:

```
> POST /api/model/modelOne/run/Default/table/compare HTTP/1.1
> Host: localhost:4040
> User-Agent: curl/8.0.1
> Accept: */*
> Content-Type: application/json
> Content-Length: 363
>
< HTTP/1.1 200 OK
< Content-Type: application/json
< Date: Thu, 26 Oct 2023 02:53:46 GMT
< Transfer-Encoding: chunked
<
{
  "Page": [{
       "Dims": ["L", "M"],
        "IsNull": false,
        "Value": 50,
        "CalcName": "expr0",
        "RunDigest": "ca663651953bae94d0afdf71edba4c91"
     }, {
        "Dims": ["L", "F"],
        "IsNull": false,
        "Value": 60,
       "CalcName": "expr0",
"RunDigest": "ca663651953bae94d0afdf71edba4c91"
     }, {
        "Dims": ["L", "all"],
       "IsNull": false,
        "Value": 1,
        "CalcName": "expr0",
        "RunDigest": "ca663651953bae94d0afdf71edba4c91"
     }, {
        "Dims": ["M", "M"],
        "IsNull": false,
       "Value": 51.599999999999994,
       "CalcName": "expr0",
"RunDigest": "ca663651953bae94d0afdf71edba4c91"
     }, {
        "Dims": ["M", "F"],
        "IsNull": false,
        "Value": 62,
        "CalcName": "expr0"
```

```
"RunDigest": "ca663651953bae94d0afdf71edba4c91"
}, {
   "Dims": ["M", "all"],
   "IsNull": false,
   "Value": 2,
   "CalcName": "expr0",
   "RunDigest": "ca663651953bae94d0afdf71edba4c91"
}, {
   .
"Dims": ["H", "M"],
   "IsNull": false,
   "Value": 53.2,
   "CalcName": "expr0",
"RunDigest": "ca663651953bae94d0afdf71edba4c91"
}, {
   "Dims": ["H", "F"],
   "IsNull": false,
   "Value": 64,
   "CalcName": "expr0",
   "RunDigest": "ca663651953bae94d0afdf71edba4c91"
}, {
   "Dims": ["H", "all"],
   "IsNull": false,
   "Value": 3,
   "CalcName": "expr0",
   "RunDigest": "ca663651953bae94d0afdf71edba4c91"
}, {
   "Dims": ["L", "M"],
   "IsNull": false,
   "Value": 50,
   "CalcName": "expr0",
   "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
}, {
   .
"Dims": ["L", "F"],
   "IsNull": false,
   "Value": 60,
   "CalcName": "expr0",
   "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
}, {
   "Dims": ["L", "all"],
"IsNull": false,
   "Value": 1201,
   "CalcName": "expr0",
   "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
}, {
   "Dims": ["M", "M"],
   "IsNull": false,
   "Value": 51.599999999999994,
   "CalcName": "expr0",
   "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
}, {
"Dims": ["M", "F"],
   "IsNull": false,
   "Value": 62,
   "CalcName": "expr0",
   "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
}, {
   "Dims": ["M", "all"],
   "IsNull": false,
   "Value": 1202,
   "CalcName": "expr0",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
}, {
   "Dims": ["H", "M"],
   "IsNull": false,
   "Value": 53.2,
   "CalcName": "expr0",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
}, {
   "Dims": ["H", "F"],
   "IsNull": false,
   "Value": 64,
   "CalcName": "expr0",
   "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
}, {
   "Dims": ["H", "all"],
   "IsNull": false,
   "Value": 1203,
   "CalcName": "expr0",
   "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
}, {
"Dims": ["L", "M"],
   "IsNull": false,
   "Value": 0,
   "CalcName": "Diff_of_expr0",
   "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
}, {
   "Dims": ["L", "F"],
```

"IsNull": false, "Value": 0, "CalcName": "Diff\_of\_expr0", "RunDigest": "c519fc5869f244ac4c80ae44695a4272" }, { "Dims": ["L", "all"], "IsNull": false, "Value": 1200, "CalcName": "Diff\_of\_expr0", "RunDigest": "c519fc5869f244ac4c80ae44695a4272" }, { . "Dims": ["M", "M"], "IsNull": false, "Value": 0, "CalcName": "Diff\_of\_expr0", "RunDigest": "c519fc5869f244ac4c80ae44695a4272" }, { "Dims": ["M", "F"], "IsNull": false, "Value": 0, "CalcName": "Diff\_of\_expr0", "RunDigest": "c519fc5869f244ac4c80ae44695a4272" }, { "Dims": ["M", "all"], "IsNull": false, "Value": 1200, "CalcName": "Diff\_of\_expr0", "RunDigest": "c519fc5869f244ac4c80ae44695a4272" }, { "Dims": ["H", "M"], "IsNull": false, "Value": 0, "CalcName": "Diff of expr0", "RunDigest": "c519fc5869f244ac4c80ae44695a4272" }, { "Dims": ["H", "F"], "IsNull": false, "Value": 0, "CalcName": "Diff\_of\_expr0", "RunDigest": "c519fc5869f244ac4c80ae44695a4272" }, { "Dims": ["H", "all"], "IsNull": false, "Value": 1200, "CalcName": "Diff\_of\_expr0", "RunDigest": "c519fc5869f244ac4c80ae44695a4272" }, { "Dims": ["L", "M"], "IsNull": false, "Value": 225.6, "CalcName": "expr0", "RunDigest": "9a1121a0392aa3eddd0932d269838e2d" }, { "Dims": ["L", "F"], "IsNull": false, "Value": 272, "CalcName": "expr0", "RunDigest": "9a1121a0392aa3eddd0932d269838e2d" }, { "Dims": ["L", "all"], "IsNull": false, "Value": 1, "CalcName": "expr0", "RunDigest": "9a1121a0392aa3eddd0932d269838e2d" }, { "Dims": ["M", "M"], "IsNull": false, "Value": 232, "CalcName": "expr0", "RunDigest": "9a1121a0392aa3eddd0932d269838e2d" }, { "Dims": ["M", "F"], "IsNull": false, "Value": 280, "CalcName": "expr0", "RunDigest": "9a1121a0392aa3eddd0932d269838e2d" }, { "Dims": ["M", "all"], "IsNull": false, "Value": 2, "CalcName": "expr0", "RunDigest": "9a1121a0392aa3eddd0932d269838e2d" }, { "Dims": ["H", "M"], "IsNull": false, "Value": 238.39999999999998, "CalcName": "expr0" "RunDigest": "9a1121a0392aa3eddd0932d269838e2d"

```
}, {
     "Dims": ["H", "F"],
    "IsNull": false,
     "Value": 288,
     "CalcName": "expr0",
     "RunDigest": "9a1121a0392aa3eddd0932d269838e2d"
  }, {
     "Dims": ["H", "all"],
     "IsNull": false,
     "Value": 3,
     "CalcName": "expr0",
"RunDigest": "9a1121a0392aa3eddd0932d269838e2d"
  }, {
     "Dims": ["L", "M"],
     "IsNull": false,
     "Value": 175.6,
     "CalcName": "Diff_of_expr0",
    "RunDigest": "9a1121a0392aa3eddd0932d269838e2d"
  }, {
     "Dims": ["L", "F"],
     "IsNull": false,
     "Value": 212,
     "CalcName": "Diff_of_expr0",
     "RunDigest": "9a1121a0392aa3eddd0932d269838e2d"
  }, {
     .
"Dims": ["L", "all"],
     "IsNull": false,
     "Value": 0,
     "CalcName": "Diff_of_expr0",
     "RunDigest": "9a1121a0392aa3eddd0932d269838e2d"
  }, {
     "Dims": ["M", "M"],
    "IsNull": false,
     "Value": 180.4,
     "CalcName": "Diff_of_expr0",
     "RunDigest": "9a1121a0392aa3eddd0932d269838e2d"
  }, {
     .
"Dims": ["M", "F"],
     "IsNull": false,
     "Value": 218,
    "CalcName": "Diff_of_expr0",
"RunDigest": "9a1121a0392aa3eddd0932d269838e2d"
  }, {
    "Dims": ["M", "all"],
    "IsNull": false,
     "Value": 0,
     "CalcName": "Diff of expr0",
     "RunDigest": "9a1121a0392aa3eddd0932d269838e2d"
  }, {
     "Dims": ["H", "M"],
     "IsNull": false,
     "Value": 185.2,
    "CalcName": "Diff_of_expr0",
"RunDigest": "9a1121a0392aa3eddd0932d269838e2d"
  }, {
     "Dims": ["H", "F"],
     "IsNull": false,
     "Value": 224,
     "CalcName": "Diff_of_expr0",
    "RunDigest": "9a1121a0392aa3eddd0932d269838e2d"
  }, {
     "Dims": ["H", "all"],
     "IsNull": false,
     "Value": 0.
    "CalcName": "Diff_of_expr0",
     "RunDigest": "9a1121a0392aa3eddd0932d269838e2d"
  }
"Layout": {
  "Offset": 0,
  "Size": 45,
  "IsLastPage": true,
  "IsFullPage": false
```

1.

} }

## Read output table values and compare model runs (enun id's)

Read a "page" of output table values and compare model runs.

- Compare output table expressions between multiple model runs.
- Comparison typically is a calculation between [base] and [variant] model runs, for example: Expr0[variant] / Expr0[base] .
- It is also posiible to include calculation results for each single run, for example: Expr0 or 100 \* Expr0 / Expr1 .
- Page is part of output table values defined by zero-based "start" row number and row count. If row count <= 0 then all rows below start row number returned.
- Dimension(s) returned as enum id, not enum codes.
- Method verb must be POST and Content-Type header "application/json".

JSON body POSTed to specify output table name, page size, row count, filters and row order. It is expected to be JSON representation of db.ReadCompareTableLayout structure from Go library. See also: db.ReadLayout structure from Go library.

<pre>// ReadCompareTableLayout to compare output table runs with base run using multiple comparison expressions and/or calculation measures. type ReadCompareTableLayout struct {     ReadCalculteTableLayout // output table, base run and comparison expressions or calculations     Runs []string // runs to compare: list of digest, stamp or name }</pre>
<pre>// ReadCalculteTableLayout describe table read layout and additional measures to calculte. type ReadCalculteTableLayout struct {     ReadLayout // output table name, run id, page size, where filters and order by     Calculation []CalculateTableLayout // additional measures to calculate }</pre>
// CalculateLayout describes calculation to output table values. type CalculateTableLayout struct { CalculateLayout // expression to calculate and layout IsAggr bool // if true then select output table accumulator else expression }
// CalculateLayout describes calculation to parameters or output table values. type CalculateLayout struct { Calculate string // expression to calculate, ex.: Expr0[base] - Expr0[variant] Calcld int // calculated expression id, calc_id column in csv, ex.: 0, 12000, 24000 Name string // calculated expression name, calc_name column in csv, ex.: Expr0, AVG_Expr0, RATIO_Expr00 }
<pre>// ReadLayout describes source and size of data page to read input parameter, output table values or microdata. // // Row filters combined by AND and allow to select dimension or attribute items, // it can be enum codes or enum id's, ex.: dim0 = 'CA' AND dim1 IN (2010, 2011, 2012) type ReadLayout struct {     Name string // parameter name, output table name or entity microdata name     FromId int // run id or set id to select input parameter, output table values or microdata from     ReadPageLayout // read page first row offset, size and last page flag     Filter IFilterColumn // dimension or attribute filters by enum ids, final WHERE does join filters by AND     OrderBy [OrderByColumn // order by columnns, if empty then dimension id ascending order is used } </pre>

### Method:

POST /api/model/:model/run/:run/table/compare-id

#### For example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/model/one/run/Default/table/compare-id -d @test.json curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/model/one/run/2019 01 17 19 59 52 998/table/compare-id -d @test.json

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

## JSON body arguments:

Example 1. For modelOne output table salarySex :

- read expro values from [base] run and from [variant] runs: "Default-4", "First Task Run\_modelOne\_other"
- calculate difference of expr0 values between [variant] runs and [base] run

```
"Name":
           "salarySex",
"Calculation": [
 {
  "Calculate": "expr0",
  "CalcId": 0,
  "Name":
             "expr0".
  "IsAggr": false
 },
 {
  "Calculate": "expr0[variant] - expr0[base]",
  "CalcId": 12000,
  "Name":
             "Diff of expr0",
  "IsAggr": false
}
],
-
"Runs": [
 "Default-4".
 "First Task Run_modelOne_other"
```

Calculation must be done over output table expressions and can NOT include table accumulators. Output table expression can be from [base] or from [variant] model run, e.g.: expr0[variant] - expr0[base]. It is also possible to use to do a calculation for each single (not between two runs), e.g.: expr0, or 100 \* expr0 / expr1. Calculation must be a comparison formula between two runs [base] and [variant] or done on single run. You cannot mix comparison and sincle run calculation, it is mutually exclusive, for exampel: this is an error: expr1 + expr0[variant] - expr0[base]. Calculation can include expression names, +-\*/ operators and following functions:

- SQRT square root
- ABS absolute value
- OM\_IF equivalent of if .... then .... else ....
- OM\_DIV\_BY wrap denominator

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: (Expr1[variant] - Expr1[base]) \* param.Scale[base], where param.Scale is a value of scalar parameter Scale in [base] model run.

For more details please see: Model Output Expressions

#### Example 2:

- read expro values from [base] run and from [variant] runs: "Default-4", "First Task Run\_modelOne\_other"
- calculate difference of expro values between [variant] runs and [base], adjusted by using parameter StartingSeed value from base run
- read only first 100 rows: Offset: 0, Size: 100
- apply WHERE filters and ORDER BY

```
.
"Name": "salarySex",
"Calculation": [
 {
  "Calculate": "expr0",
  "CalcId": 0,
  "Name": "expr0",
  "IsAggr": false
 },
 {
  "Calculate": "(expr0[variant] - expr0[base]) + param.StartingSeed[base] / 100",
  "CalcId": 12000,
  "Name": "Diff_of_expr0_adjusted",
  "IsAggr": false
}
1.
"Runs": [
 "Default-4".
 "First Task Run_modelOne_other"
],
"Offset": 0,
"Size": 100,
"IsFullPage": true,
"IsSubId": true,
"SubId": 2,
"FilterById": [{
  "Name": "AgeGroup",
  "Op": "IN",
  "EnumIds": [100, 300]
}, {
  "Name": "Province",
  "Op": "BETWEEN",
  "EnumIds": [1, 800]
 }
],
"OrderBy": [{
  "IndexOne": 2,
  "IsDesc": true
 }, {
  "IndexOne": 3,
  "IsDesc": true
 }
1
}
Name
         - (required) output table name
```

Offset - (optional) zero-based start row to select output table values - (optional) max row count to select output table values, if size <= 0 then all rows selected Size IsFullPage - (optional) if true then always return non-empty last page of data IsSubId - (optional) if true then select only single sub-value, default: all sub-values SubId - (optional) sub-value id to select if IsSubId is true FilterById - (optional) conditions to filter dimension enum id's OrderBy - (optional) list of columns indexes (one based) to order by

Filter conditions joined by AND and can have following operations:

- = - enum id equal to: AgeGroup = 20
- !=
- enum id not equal to: AgeGroup <> 20
   enum id greater than: AgeGroup > 20 >
- >= enum id greater or equal: AgeGroup >= 20
- enum id less than: AgeGroup < 20</li>
   enum id less or equal: AgeGroup <= 20</li>
- in the list of id's: AgeGroup IN (20, 30, 40) IN
- BETWEEN between min and max: AgeGroup BETWEEN 20 AND 40
- IN\_AUTO automatically choose most suitable: = or != or IN or BETWEEN

Order by specified by one-based column(s) index(es) in result. Columns always contain enum id's, not enum codes and therefore result ordered by id's Order by specified by one-based column(s) index(es) in result. Columns always contain enum id's, not enum codes and therefore result ordered by id's. First two columns are run\_id, calc\_id :

SELECT run\_id, CalcId AS calc\_id, dim0, dim1, ..., calc\_value FROM .... ORDER BY 1, 2,...

### Example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/Default/table/compare-id -d @test.json

```
{
 "Name": "salarySex",
 "Calculation": [
   {
    "Calculate": "expr0",
    "CalcId": 0,
"Name": "expr0",
    "IsAggr": false
   },
   {
    "Calculate": "expr0[variant] - expr0[base]",
    "CalcId": 12000,
    "Name": "Diff_of_expr0",
"IsAggr": false
  }
 ],
 "Runs": [
   "Default-4",
   "First Task Run_modelOne_other"
 ]
}
```

```
> POST /api/model/modelOne/run/Default/table/compare-id HTTP/1.1
> Host: localhost:4040
> User-Agent: curl/8.0.1
> Accept: */*
> Content-Type: application/json
> Content-Length: 363
>
< HTTP/1.1 200 OK
< Content-Type: application/json
< Date: Thu, 26 Oct 2023 02:55:09 GMT
< Transfer-Encoding: chunked
<
{
  "Page": [{
        "DimIds": [100, 0],
        "IsNull": false,
        "Value": 50,
"CalcId": 0,
        "RunId": 201
     }, {
        "DimIds": [100, 1],
        "IsNull": false,
"Value": 60,
        "CalcId": 0,
        "RunId": 201
     }, {
"Dimlds": [100, 800],
        "IsNull": false,
        "Value": 1,
        "CalcId": 0,
        "RunId": 201
     }, {
        "DimIds": [200, 0],
        "IsNull": false,
"Value": 51.59999999999999994,
        "CalcId": 0,
        "Runld": 201
     }, {
        "DimIds": [200, 1],
        "IsNull": false,
        "Value": 62,
        "CalcId": 0,
        "RunId": 201
     }, {
"DimIds": [200, 800],
        "IsNull": false,
        "Value": 2,
        "CalcId": 0,
        "RunId": 201
     }, {
        "DimIds": [300, 0],
        "IsNull": false,
        "Value": 53.2,
        "CalcId": 0,
        "RunId": 201
     }, {
        "DimIds": [300, 1],
        "IsNull": false,
        "Value": 64,
"Calcid": 0
```

```
"RunId": 201
}, {
   "DimIds": [300, 800],
   "IsNull": false,
   "Value": 3,
   "CalcId": 0,
   "RunId": 201
}, {
   "DimIds": [100, 0],
   "IsNull": false,
   "Value": 50,
   "CalcId": 0,
   "RunId": 202
}, {
   "DimIds": [100, 1],
   "IsNull": false,
    "Value": 60,
   "CalcId": 0,
   "RunId": 202
}, {
   "Dimlds": [100, 800],
   "IsNull": false,
"Value": 1201,
   "CalcId": 0,
   "RunId": 202
}, {
   "DimIds": [200, 0],
   "IsNull": false,
   "Value": 51.5999999999999994,
   "CalcId": 0,
   "RunId": 202
}, {
   "DimIds": [200, 1],
   "IsNull": false,
"Value": 62,
   "CalcId": 0,
   "RunId": 202
}, {
"DimIds": [200, 800],
"IsNull": false,
   "Value": 1202,
   "CalcId": 0,
   "Runld": 202
}, {
   "DimIds": [300, 0],
   "IsNull": false,
   "Value": 53.2,
   "CalcId": 0,
   "RunId": 202
}, {
   "DimIds": [300, 1],
   "IsNull": false,
   "Value": 64,
   "CalcId": 0,
   "RunId": 202
}, {
"DimIds": [300, 800],
   "IsNull": false,
   "Value": 1203,
"CalcId": 0,
   "RunId": 202
}, {
   "DimIds": [100, 0],
   "IsNull": false,
"Value": 0,
   "CalcId": 12000,
   "RunId": 202
}, {
"Dimlds": [100, 1],
   "IsNull": false,
   "Value": 0,
   "CalcId": 12000,
   "RunId": 202
}, {
"DimIds": [100, 800],
   "IsNull": false,
   "Value": 1200,
   "CalcId": 12000,
    "RunId": 202
}, {
"DimIds": [200, 0],
   "IsNull": false,
   "Value": 0,
   "CalcId": 12000,
   "RunId": 202
}, {
   "DimIds": [200, 1],
```

Calciu . 0,

"IsNull": false, "Value": 0, "CalcId": 12000, "RunId": 202 }, { "DimIds": [200, 800], "IsNull": false, "Value": 1200, "CalcId": 12000, "RunId": 202 }, { "DimIds": [300, 0], "IsNull": false, "Value": 0, "CalcId": 12000, "RunId": 202 }, { "DimIds": [300, 1], "IsNull": false, "Value": 0, "CalcId": 12000, "Runld": 202 }, { "DimIds": [300, 800], "IsNull": false, "Value": 1200, "CalcId": 12000, "RunId": 202 }, { "DimIds": [100, 0], "IsNull": false, "Value": 225.6, "CalcId": 0, "RunId": 205 }, { "DimIds": [100, 1], "IsNull": false, "Value": 272, "CalcId": 0, "RunId": 205 }, { "Dimlds": [100, 800], "IsNull": false, "Value": 1, "CalcId": 0, "RunId": 205 }, { "DimIds": [200, 0], "IsNull": false, "Value": 232, "CalcId": 0, "RunId": 205 }, { "DimIds": [200, 1], "IsNull": false, .....": 280, "Value": 280, "CalcId": 0, "RunId": 205 }, { "DimIds": [200, 800], "IsNull": false, "Value": 2, "CalcId": 0, "RunId": 205 }, { "DimIds": [300, 0], "IsNull": false, "Value": 238.39999999999998, "CalcId": 0, "RunId": 205 }, { "DimIds": [300, 1], "IsNull": false, "Value": 288, "CalcId": 0, "RunId": 205 }, { "DimIds": [300, 800], "IsNull": false, "Value": 3, "CalcId": 0, "RunId": 205 }, { "DimIds": [100, 0], "IsNull": false, "Value": 175.6, "CalcId": 12000, "RunId": 205

```
}, {
"Dimlds": [100, 1],
"": false,
       "Value": 212,
       "CalcId": 12000,
       "RunId": 205
    }, {
       "DimIds": [100, 800],
       "IsNull": false,
       "Value": 0,
       "CalcId": 12000,
"RunId": 205
    }, {
       "DimIds": [200, 0],
"IsNull": false,
       "Value": 180.4,
"CalcId": 12000,
       "RunId": 205
   }, {
"Dimlds": [200, 1],
       "IsNull": false,
"Value": 218,
       "CalcId": 12000,
       "RunId": 205
   }, {
"DimIds": [200, 800],
"IsNull": false,
       "Value": 0,
"CalcId": 12000,
       "RunId": 205
   }, {
"DimIds": [300, 0],
       "IsNull": false,
"Value": 185.2,
       "CalcId": 12000,
       "RunId": 205
    }, {
       "DimIds": [300, 1],
       "IsNull": false,
       "Value": 224,
       "CalcId": 12000,
"RunId": 205
    }, {
       "DimIds": [300, 800],
"IsNull": false,
       "Value": 0,
"CalcId": 12000,
       "RunId": 205
   }
],
 "Layout": {
"Offset": 0,
    "Size": 45,
    "IsLastPage": true,
    "IsFullPage": false
}
```

}

## Read microdata values from model run

Read a "page" of microdata values from model run.

Page is part of microdata values defined by zero-based "start" row number and row count. If row count <= 0 then all rows below start row number returned.

Enum-based microdata attributes returned as enum codes.

Method verb must be POST and Content-Type header "application/json". JSON body POSTed to specify microdata name, page size, row count, filters and row order. It is expected to be JSON representation of db.ReadLayout structure from Go library.

#### Method:

POST /api/model/:model/run/:run/microdata/value

#### For example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/value -d @test.json curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/2016\_08\_17\_21\_07\_55\_123/microdata/value -d @test.json

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

#### JSON body arguments:

For example:

```
{
 "Name": "Person",
 "Offset": 8,
 "Size": 16,
 "IsFullPage": true,
 "Filter": [{
    "Name": "Age",
    "Op": "BETWEEN",
    "Values": ["21", "65"]
  }, {
    "Name": "Province",
    "Op": "IN",
    "Values": ["BC", "QC"]
  }, {
    "Name": "Sex",
    "Op": "="
    "Values": ["F"]
  }
 1,
  "OrderBy": [{
    "IndexOne": 5
  }, {
    "IndexOne": 6,
    "IsDesc": true
  }
 ]
}
```

 Name
 - (required) microdata name

 Offset
 - (optional) zero-based start row to select microdata values

 Size
 - (optional) max row count to select microdata values, if size <= 0 then all rows selected</td>

 IsFullPage
 - (optional) if true then always return non-empty last page of data.

 Filter
 - (optional) conditions to filter attribute values, if attribute is enum-based then filter by enum code(s).

 OrderBy
 - (optional) list of columns indexes (one based) to order by

Filter conditions joined by AND and can have following operations:

- value equal to: Age = 20
- value not equal to: Age <> 20
- value greater than: Age > 20
- value greater or equal: Age >= 20
- value less than: Age < 20</li>
- value less or equal: Age <= 20</li>
IN - in the list of codes: Province IN ("BC", "QC", "ON")
BETWEEN - between min and max: Age BETWEEN 20 AND 40
IN\_AUTO - automatically choose most suitable: = or != or IN or BETWEEN

Order by specified by one-based column(s) index(es) in result. In case of microdata columns are:

```
SELECT entity_key, attr0, attr1, ..., value FROM microdataTable ORDER BY 1, 2,...
```

For enum-based attribute column always contain enum id's, not enum codes and therefore result ordered by id's

### **JSON** response:

```
{
  Layout: {
    Offset: actual first row number of the page data (zero-base),
    Size: actual data page row count,
    IsLastPage: true if this is last page of data
    },
    Page: [....page of data...]
}
```

#### Example 1:

JSON body:

{
"Name": "Person",
"Offset": 8,
"Size": 2
}

```
< HTTP/1.1 200 OK
< Content-Type: application/json
< Date: Fri, 13 Jan 2023 22:25:27 GMT
< Content-Length: 1299
<
{
  "Page": [{
"Key": 8,
         "Attr": [{
              "IsNull": false,
              "Value": "39"
           }, {
              "IsNull": false,
              "Value": "30-40"
           }, {
               "IsNull": false,
              "Value": "237539"
           }
        ]
     }, {
        "Key": 9,
"Attr": [{
              "IsNull": false,
              "Value": "30"
           }, {
              "IsNull": false,
              "Value": "30-40"
           }, {
              "IsNull": false,
              "Value": "245730"
           }
        ]
     }
  ],
   "Layout": {
     "Offset": 8,
     "Size": 2,
     "IsFullPage":false,
      "IsLastPage": false
  }
}
```

## Example 2:

JSON body:

```
{
"Name": "Person",
"Offset": 0,
Dirao": 3
  "Filter": [{
     "Name": "AgeGroup",
     "Op": "IN",
"Values": ["20-30", "40+"]
   }, {
    "Name": "Sex",
"Op": "=",
     "Values": ["F"]
   }
 ],
  "OrderBy": [{
    "IndexOne": 5
  }, {
"IndexOne": 6,
     "IsDesc": true
   }
 ]
}
```

```
< HTTP/1.1 200 OK
< Content-Type: application/json
< Date: Fri, 13 Jan 2023 22:49:06 GMT
< Content-Length: 1000
<
{
    "Page": [{
        "Key": 844424930131977,
        "Attr": [{
            "Key": 844424930131977,
            "Attr": [{
               "IsNull": false,
               "Value": "83"</pre>
```

```
}, {
         "IsNull": false,
        "Value": "40+"
     }, {
        "IsNull": false,
        "Value": "F"
     }, {
        "IsNull": false,
        "Value": "23000"
     }, {
        "IsNull": false,
        "Value": "0"
    }, {
"IsNull": false,
        "Value": "L"
     }, {
         "IsNull": false,
        "Value": "Part"
     }, {
        "IsNull": false,
        "Value": "true"
     }, {
        "IsNull": false,
"Value": "23000"
     }
  ]
}, {
   "Key": 562949953421322,
"Attr": [{
        "IsNull": false,
        "Value": "83"
     }, {
         "IsNull": false,
         "Value": "40+"
     }, {
        "IsNull": false,
        "Value": "F"
     }, {
"IsNull": false,
        "Value": "23000"
     }, {
        "IsNull": false,
        "Value": "0"
     }, {
        "IsNull": false,
        "Value": "L"
     }, {
        "IsNull": false,
        "Value": "Part"
     }, {
        "IsNull": false,
        "Value": "true"
     }, {
         "IsNull": false,
        "Value": "23000"
     }
   ]
}, {
   "Key": 281474976710667,
"Attr": [{
        "IsNull": false,
        "Value": "83"
     }, {
         "IsNull": false,
         "Value": "40+'
     }, {
        "IsNull": false,
        "Value": "F"
     }, {
        "IsNull": false,
        "Value": "23000"
     }, {
        "IsNull": false,
        "Value": "0"
     }, {
        "IsNull": false,
        "Value": "L"
     }, {
        "IsNull": false,
        "Value": "Part"
     }, {
        "IsNull": false,
        "Value": "true"
     }, {
         "IsNull": false,
        "Value": "23000"
     }
   1
```

} ], "Layout": { "Offset": 0, "Size": 3, "IsFullPage":false, "IsLastPage": false }

}

## Read microdata values from model run (enum id's)

Read a "page" of microdata values from model run.

Page is part of microdata values defined by zero-based "start" row number and row count. If row count <= 0 then all rows below start row number returned.

Enum-based microdata attributes returned as enum id, not enum codes.

Method verb must be POST and Content-Type header "application/json". JSON body POSTed to specify microdata name, page size, row count, filters and row order. It is expected to be JSON representation of db.ReadLayout structure from Go library.

#### Method:

POST /api/model/:model/run/:run/microdata/value-id

#### For example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/value-id -d @test.json curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/2016\_08\_17\_21\_07\_55\_123/microdata/value-id -d @test.json

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

#### JSON body arguments:

For example:

```
{
 "Name": "Person",
 "Offset": 8.
 "Size": 16,
 "IsFullPage": true,
 "FilterById": [{
   "Name": "AgeGroup",
   "Op": "IN",
   "EnumIds": [20, 40]
  }, {
   "Name": "Sex",
   "Op": "="
   "EnumIds": [1]
  }
 1,
 "OrderBy": [{
   "IndexOne": 5
  }, {
    "IndexOne": 6.
   "IsDesc": true
  }
]
}
```

 Name
 - (required) microdata name

 Offset
 - (optional) zero-based start row to select microdata values

 Size
 - (optional) max row count to select microdata values, if size <= 0 then all rows selected</td>

 IsFullPage - (optional) if true then always return non-empty last page of data.

 FilterById - (optional) conditions to filter attribute values, if attribute is enum-based then filter by enum id(s)

 OrderBy
 - (optional) list of columns indexes (one based) to order by

Filter conditions joined by AND and can have following operations:

```
value equal to: Age = 20
value not equal to: Age <> 20
value greater than: Age > 20
value greater or equal: Age >= 20
value less than: Age < 20</li>
value less or equal: Age <= 20</li>
in the list of id's: Age IN (20, 30, 40)
BETWEEN - between min and max: Age BETWEEN 20 AND 40
IN_AUTO - automatically choose most suitable: = or != or IN or BETWEEN
```

Order by specified by one-based column(s) index(es) in result. In case of microdata columns are:

```
SELECT entity_key, attr0, attr1, ..., value FROM microdataTable ORDER BY 1, 2,...
```

For enum-based attribute column always contain enum id's, not enum codes and therefore result ordered by id's

### **JSON** response:

```
{
Layout: {
Offset: actual first row number of the page data (zero-base),
Size: actual data page row count,
IsLastPage: true if this is last page of data
},
Page: [....page of data...]
}
```

## Example 1:

JSON body:

```
{
    "Name": "Other",
    "Offset": 8,
    "Size": 2
}
```

```
< HTTP/1.1 200 OK
< Content-Type: application/json
< Date: Fri, 13 Jan 2023 22:41:11 GMT
< Content-Length: 279
<
{
  "Page": [{
"Key": 8,
         "Attr": [{
              "IsNull": false,
              "Value": 39
           }, {
               "IsNull": false,
               "Value": 30
           }, {
               "IsNull": false,
               "Value": 237539
           }
         ]
      }, {
         "Key": 9,
"Attr": [{
              "IsNull": false,
"Value": 30
           }, {
               "IsNull": false,
               "Value": 30
           }, {
              "IsNull": false,
              "Value": 245730
           }
        ]
     }
   ],
   "Layout": {
      "Offset": 8,
      "Size": 2,
      "IsFullPage":false,
      "IsLastPage": false
   }
}
```

## Example 2:

JSON body:

```
{
"Name": "Person",
 "Offset": 0,
  "Size": 3,
  "FilterById": [{
"Name": "AgeGroup",
    "Op": "IN",
"EnumIds": [20, 40]
   }, {
    "Name": "Sex",
"Op": "=",
     "EnumIds": [1]
   }
  ],
  "OrderBy": [{
    "IndexOne": 5
  }, {
"IndexOne": 6,
    "IsDesc": true
   }
 ]
}
```

```
< HTTP/1.1 200 OK
< Content-Type: application/json
< Date: Fri, 13 Jan 2023 22:52:12 GMT
< Content-Length: 943
<
{
    "Page": [{
    "Key": 844424930131977,
    "Attr": [{
        "Key": 844424930131977,
        "Attr": [{
         "IsNull": false,
         "Value": 83
```

```
}, {
         "IsNull": false,
        "Value": 40
     }, {
        "IsNull": false,
        "Value": 1
     }, {
        "IsNull": false,
        "Value": 23000
     }, {
        "IsNull": false,
        "Value": 0
     }, {
        "IsNull": false,
        "Value": 100
     }, {
         "IsNull": false,
        "Value": 33
     }, {
        "IsNull": false,
        "Value": true
     }, {
        "IsNull": false,
        "Value": 23000
     }
   ]
}, {
  "Key": 562949953421322,
"Attr": [{
"IsNull": false,
        "Value": 83
     }, {
        "IsNull": false,
        "Value": 40
     }, {
        "IsNull": false,
        "Value": 1
     }, {
"IsNull": false,
        "Value": 23000
     }, {
        "IsNull": false,
        "Value": 0
     }, {
        "IsNull": false,
        "Value": 100
     }, {
        "IsNull": false,
        "Value": 33
     }, {
        "IsNull": false,
        "Value": true
     }, {
         "IsNull": false,
        "Value": 23000
     }
  ]
}, {
   "Key": 281474976710667,
"Attr": [{
        "IsNull": false,
        "Value": 83
     }, {
         "IsNull": false,
         "Value": 40
     }, {
        "IsNull": false,
        "Value": 1
     }, {
         "IsNull": false,
        "Value": 23000
     }, {
        "IsNull": false,
        "Value": 0
     }, {
        "IsNull": false,
        "Value": 100
     }, {
         "IsNull": false,
        "Value": 33
     }, {
        "IsNull": false,
        "Value": true
     }, {
         "IsNull": false,
        "Value": 23000
     }
   1
```

} ], "Layout": { "Offset": 0, "Size": 3, "ISFullPage":false, "ISLastPage": false }

}

# Read aggregated microdata from model run

Read a "page" of aggregated microdata values from model run.

- Aggregate one or more microdata value attribute (float of integer type attribute). For example, two aggregations: OM\_AVG(Income),
   OM\_MAX(Salary + Pension).
- Group by one or more dimension attributes (enum-based or bool type attribute). For example, group by two dimension attributes: AgeGroup, Sex .
- Page is part of output table values defined by zero-based "start" row number and row count. If row count <= 0 then all rows below start row number returned.
- Dimension attribute(s) returned as enum codes. For boolean dimensions string value used, e.g.: "true".
- Method verb must be POST and Content-Type header "application/json".

Following aggregation functions available:

- OM\_AVG mean of accumulators sub-values
- OM\_SUM sum of accumulators sub-values
- OM\_COUNT count of accumulators sub-values (excluding NULL's)
- OM\_COUNT\_IF count values matching condition
- OM\_MAX maximum of accumulators sub-values
- OM\_MIN minimum of accumulators sub-values
- OM\_VAR variance of accumulators sub-values
- OM\_SD standard deviation of accumulators sub-values
- OM\_SE standard error of accumulators sub-values
- OM\_CV coefficient of variation of accumulators sub-values

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: OM\_COUNT\_IF(Income > param.High), where param.High is a value of scalar parameter High in that model run.

For more details please see: Model Output Expressions

JSON body POSTed to specify entity name, page size, row count, filters and row order. It is expected to be JSON representation of db.ReadCalculteMicroLayout structure from Go library. See also: db.ReadLayout structure from Go library.

// ReadCalculteMicroLayout describe microdata generation read layout, aggregation measures and group by attributes. type ReadCalculteMicroLayout struct { ReadLayout // entity name, run id, page size, where filters and order by CalculateMicroLayout // microdata aggregations }
// CalculateMicroLayout describes aggregations of microdata. // // It can be comparison aggregations and/or calculation aggregations. // Comparison aggregation must contain [base] and [variant] attribute(s), ex.: OM_AVG(Income[base] - Income[variant]). // Calculation aggregation is attribute(s) aggregation expression, ex.: OM_MAX(Income) / OM_MIN(Salary). type CalculateMicroLayout struct { Calculation []CalculateLayout // aggregation measures, ex.: OM_MIN(Salary), OM_AVG(Income[base] - Income[variant]) GroupBy []string // attributes to group by }
// CalculateLayout describes calculation expression for parameters, output table values or microdata entity. // It can be comparison calculation for multiple model runs, ex.: Expr0[base] - Expr0[variant]. type CalculateLayout struct { Calculate string // expression to calculate, ex.: Expr0[base] - Expr0[variant] Calcld int // calculated expression id, calc_id column in csv, ex.: 0, 12000, 24000 Name string // calculated expression name, calc_name column in csv, ex.: Expr0, AVG_Expr0, RATIO_Expr00 }
<pre>// ReadLayout describes source and size of data page to read input parameter, output table values or microdata. // // Row filters combined by AND and allow to select dimension or attribute items, // it can be enum codes or enum id's, ex.: dim0 = 'CA' AND dim1 IN (2010, 2011, 2012) type ReadLayout struct {     Name string // parameter name, output table name or entity microdata name     FromId int // run id or set id to select input parameter, output table values or microdata from     ReadPageLayout // read page first row offset, size and last page flag     Filter []FilterColumn // dimension or attribute filters, final WHERE does join all filters by AND     FilterByld []FilterIdColumn // dimension or attribute filters by enum ids, final WHERE does join filters by AND     OrderBy []OrderByColumn // order by columnns, if empty then dimension id ascending order is used }</pre>

## Methods:

POST /api/model/:model/run/:run/microdata/calc

### For example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/calc -d @read\_m1\_person\_calc\_1.json

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

## JSON body arguments:

Example 1: Aggregate Person entity to get OM\_AVG() average Income value and group it by AgeGroup, Sex dimension attributes.

```
{
    "Name": "Person",
    "Calculation": [{
        "Calculate": "OM_AVG(Income)",
        "Calcld": 2401,
        "Name": "Avg_Income"
     }
],
"GroupBy": [
     "AgeGroup",
     "Sex"
]
}
```

Example 2.

- aggregate Person entity
- calculate two values:
  - OM\_AVG() average of Income value, adjusted by using parameter StartingSeed values
  - OM\_AVG() average of Salary + Pension value, adjusted by using parameter StartingSeed values
- and group it by AgeGroup , Sex dimension attributes
- filter only rows where:
  - dimension AgeGroup IN ["20-30", "40+"]
  - and dimension Sex = "F"

```
{
"Name": "Person",
"Calculation": [{
    "Calculate": "OM_AVG(Income) * (param.StartingSeed / 100)",
    "CalcId": 2401,
    "Name": "Avg_Income_adjusted"
 }, {
    "Calculate": "OM_AVG(Salary + Pension + param.StartingSeed)",
    "CalcId": 2404,
    "Name": "Avg_Salary_Pension_adjusted"
 }
],
"GroupBy": [
 "AgeGroup",
 "Sex"
],
"Offset": 0,
"Size": 100,
"IsFullPage": true,
"Filter": [{
    "Name": "AgeGroup",
    "Op": "IN",
    "Values": ["20-30", "40+"]
 }, {
    "Name": "Sex",
    "Op": "=",
    "Values": ["F"]
 }
],
"OrderBy": [{
    "IndexOne": 2,
    "IsDesc": true
 }, {
    "IndexOne": 3,
    "IsDesc": true
 }
1
}
Name
          - (required) entity name
Offset - (optional) zero-based start row to select aggreagted microdata values
       - (optional) max row count to select rows, if size <= 0 then all rows selected
Size
IsFullPage - (optional) if true then always return non-empty last page of data
Filter - (optional) conditions to filter dimension attributes
```

OrderBy - (optional) list of columns indexes (one based) to order by

```
enum equal to: AgeGroup = "20-30"
enum not equal to: AgeGroup > "20-30"
enum greater than: AgeGroup > "20-30"
enum greater or equal: AgeGroup > = "20-30"
enum less than: AgeGroup < "20-30"</li>
enum less or equal: AgeGroup < "20-30"</li>
enum is in the list of: AgeGroup < "20-30"</li>
enum is in the list of: AgeGroup IN ("20-30", "30-40", "40+")
BETWEEN - between min and max: AgeGroup BETWEEN "30-40" AND "all"
IN_AUTO - automatically choose most suitable: = or != or IN or BETWEEN
```

Keep in mind: dimension enums are always ordered by id's, not by code and result of filter Sex < "M" may not be Sex = "F".

Order by specified by one-based column(s) index(es) in result. Columns always contain enum id's, not enum codes and therefore result ordered by id's. First two columns are run\_id, calc\_id :

SELECT run\_id, CalcId AS calc\_id, AgeGroup, Sex, ..., calc\_value FROM .... ORDER BY 1, 2,...

## **JSON** response:

{
Layout: {
 Offset: actual first row number of the page data (zero-base),
 Size: actual data page row count,
 IsLastPage: true if this is last page of data
 },
 Page: [....page of data...]
}

```
* Trying [::1]:4040...
* Connected to localhost (::1) port 4040
> POST /api/model/modelOne/run/Microdata%20in%20database/microdata/calc HTTP/1.1
> Host: localhost:4040
> User-Agent: curl/8.4.0
> Accept: */*
> Content-Type: application/json
> Content-Length: 702
>
< HTTP/1.1 200 OK
< Content-Type: application/json
< Date: Fri, 29 Dec 2023 03:36:38 GMT
< Content-Length: 830
<
{
  "Page": [{
        "Attr": [{
             "IsNull": false,
"Value": "40+"
          }, {
             "IsNull": false,
             "Value": "F"
          \big\},\,\big\{
             "IsNull": false,
             "Value": 57665830.54215979
          }
        1
        "CalcName": "Avg_Salary_Pension",
"RunDigest": "a59c91359c4cd98f6275529c798d2485"
     }, {
        "Attr": [{
             "IsNull": false,
             "Value": "20-30"
          }, {
             "IsNull": false,
             "Value": "F"
          }, {
"IsNull": false,
             "Value": 100657151.25
          }
        ]
        "CalcName": "Avg_Salary_Pension",
        "RunDigest": "a59c91359c4cd98f6275529c798d2485"
     }, {
        "Attr": [{
             "IsNull": false,
             "Value": "40+"
          }, {
             "IsNull": false,
             "Value": "F"
          }, {
             "IsNull": false,
             "Value": 71069306.57187325
          }
        ]
        "CalcName": "Avg_Income",
        "RunDigest": "a59c91359c4cd98f6275529c798d2485"
     }, {
        .
"Attr": [{
             "IsNull": false,
             "Value": "20-30"
          }, {
             "IsNull": false,
             "Value": "F"
          }, {
             "IsNull": false,
             "Value": 134209535
          }
        1,
        "CalcName": "Avg_Income",
        "RunDigest": "a59c91359c4cd98f6275529c798d2485"
    }
  1,
   "Layout": {
     "Offset": 0,
     "Size": 4,
     "IsLastPage": true,
     "IsFullPage": false
  }
}
```

# Read aggregated microdata from model run (enum id's)

Read a "page" of aggregated microdata values from model run.

- Aggregate one or more microdata value attribute (float of integer type attribute). For example, two aggregations: OM\_AVG(Income),
   OM\_MAX(Salary + Pension).
- Group by one or more dimension attributes (enum-based or bool type attribute). For example, group by two dimension attributes: AgeGroup, Sex .
- Page is part of output table values defined by zero-based "start" row number and row count. If row count <= 0 then all rows below start row number returned.
- Dimension(s) returned as enum id, not enum codes.
- Method verb must be POST and Content-Type header "application/json".

Following aggregation functions available:

- OM\_AVG mean of accumulators sub-values
- OM\_SUM sum of accumulators sub-values
- OM\_COUNT count of accumulators sub-values (excluding NULL's)
- OM\_COUNT\_IF count values matching condition
- OM\_MAX maximum of accumulators sub-values
- OM\_MIN minimum of accumulators sub-values
- OM\_VAR variance of accumulators sub-values
- OM\_SD standard deviation of accumulators sub-values
- OM\_SE standard error of accumulators sub-values
- OM\_CV coefficient of variation of accumulators sub-values

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: OM\_COUNT\_IF(Income > param.High), where param.High is a value of scalar parameter High in that model run.

For more details please see: Model Output Expressions

JSON body POSTed to specify entity name, page size, row count, filters and row order. It is expected to be JSON representation of db.ReadCalculteMicroLayout structure from Go library. See also: db.ReadLayout structure from Go library.

// ReadCalculteMicroLayout describe microdata generation read layout, aggregation measures and group by attributes. type ReadCalculteMicroLayout struct { ReadLayout // entity name, run id, page size, where filters and order by CalculateMicroLayout // microdata aggregations }
// CalculateMicroLayout describes aggregations of microdata. // // It can be comparison aggregations and/or calculation aggregations. // Comparison aggregation must contain [base] and [variant] attribute(s), ex.: OM_AVG(Income[base] - Income[variant]). // Calculation aggregation is attribute(s) aggregation expression, ex.: OM_MAX(Income) / OM_MIN(Salary). type CalculateMicroLayout struct { Calculation []CalculateLayout // aggregation measures, ex.: OM_MIN(Salary), OM_AVG(Income[base] - Income[variant]) GroupBy []string // attributes to group by }
// CalculateLayout describes calculation expression for parameters, output table values or microdata entity. // It can be comparison calculation for multiple model runs, ex.: Expr0[base] - Expr0[variant]. type CalculateLayout struct { Calculate string // expression to calculate, ex.: Expr0[base] - Expr0[variant] Calcld int // calculated expression id, calc_id column in csv, ex.: 0, 12000, 24000 Name string // calculated expression name, calc_name column in csv, ex.: Expr0, AVG_Expr0, RATIO_Expr00 }
<pre>// ReadLayout describes source and size of data page to read input parameter, output table values or microdata. // // Row filters combined by AND and allow to select dimension or attribute items, // it can be enum codes or enum id's, ex.: dim0 = 'CA' AND dim1 IN (2010, 2011, 2012) type ReadLayout struct {     Name string // parameter name, output table name or entity microdata name     FromId int // run id or set id to select input parameter, output table values or microdata from     ReadPageLayout // read page first row offset, size and last page flag     Filter []FilterColumn // dimension or attribute filters, final WHERE does join all filters by AND     FilterByld []FilterIdColumn // dimension or attribute filters by enum ids, final WHERE does join filters by AND     OrderBy []OrderByColumn // order by columnns, if empty then dimension id ascending order is used } </pre>

## Methods:

POST /api/model/:model/run/:run/microdata/calc-id

## For example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/calc-id -d @read\_m1\_person\_calc\_1.jso n

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

## JSON body arguments:

Example 1: Aggregate Person entity to get OM\_AVG() average Income value and group it by AgeGroup, Sex dimension attributes.

```
{
    "Name": "Person",
    "Calculation": [{
        "Calculate": "OM_AVG(Income)",
        "Calcld": 2401,
        "Name": "Avg_Income"
    }
  ],
  "GroupBy": [
        "AgeGroup",
        "Sex"
  ]
}
```

Example 2.

- aggregate Person entity
- calculate two values:
  - OM\_AVG() average of Income value, adjusted by using parameter StartingSeed values
  - OM\_AVG() average of Salary + Pension value, adjusted by using parameter StartingSeed values
- and group it by AgeGroup , Sex dimension attributes
- filter only rows where:
  - enum id's of dimension AgeGroup IN [20, 40]
  - and enum id's of dimension Sex = 1

```
{
"Name": "Person",
"Calculation": [{
    "Calculate": "OM_AVG(Income) * (param.StartingSeed / 100)",
    "CalcId": 2401,
    "Name": "Avg_Income_adjusted"
 }, {
    "Calculate": "OM_AVG(Salary + Pension + param.StartingSeed)",
    "CalcId": 2404,
    "Name": "Avg_Salary_Pension_adjusted"
 }
],
"GroupBy": [
 "AgeGroup",
 "Sex"
],
"Offset": 0,
"Size": 100,
"IsFullPage": true,
"FilterById": [{
    "Name": "AgeGroup",
    "Op": "IN",
    "EnumIds": [20, 40]
 }, {
    "Name": "Sex",
    "Op": "=",
    "EnumIds": [1]
 }
],
"OrderBy": [{
    "IndexOne": 2,
    "IsDesc": true
 }, {
    "IndexOne": 3,
    "IsDesc": true
 }
1
Name
          - (required) entity name
Offset - (optional) zero-based start row to select aggreagted microdata values
Size
       - (optional) max row count to select rows, if size <= 0 then all rows selected
IsFullPage - (optional) if true then always return non-empty last page of data
FilterByld - (optional) conditions to filter enum id's of dimension attributes
OrderBy - (optional) list of columns indexes (one based) to order by
```

- enum id equal to: AgeGroup = 20
   enum id not equal to: AgeGroup <> 20
   enum id greater than: AgeGroup > 20
   enum id greater or equal: AgeGroup >= 20
   enum id less than: AgeGroup < 20</li>
   enum id less or equal: AgeGroup <= 20</li>
   IN in the list of id's: AgeGroup IN (20, 30, 40)
   BETWEEN between min and max: AgeGroup BETWEEN
- BETWEEN between min and max: AgeGroup BETWEEN 20 AND 40 IN\_AUTO - automatically choose most suitable: = or != or IN or BETWEEN

Order by specified by one-based column(s) index(es) in result. Columns always contain enum id's, not enum codes and therefore result ordered by id's. First two columns are run\_id, calc\_id :

SELECT run\_id, CalcId AS calc\_id, AgeGroup, Sex, ..., calc\_value FROM .... ORDER BY 1, 2,...

## **JSON** response:

{	
Layout: {	
Offset: actual first ro	w number of the page data (zero-base)
Size: actual data pa	age row count,
IsLastPage: true if this	is last page of data
},	
Page: [page of data]	]
}	



```
* Trying [::1]:4040...
* Connected to localhost (::1) port 4040
> POST /api/model/modelOne/run/Microdata%20in%20database/microdata/calc-id HTTP/1.1
> Host: localhost:4040
> User-Agent: curl/8.4.0
> Accept: */*
> Content-Type: application/json
> Content-Length: 753
>
< HTTP/1.1 200 OK
< Content-Type: application/json
< Date: Fri, 29 Dec 2023 03:53:37 GMT
< Content-Length: 609
<
{
  "Page": [{
       "Attr": [{
            "IsNull": false,
             "Value": 40
          }, {
             "IsNull": false,
             "Value": 1
          }, {
             "IsNull": false,
            "Value": 57665830.54215979
          }
       1
        "CalcId": 2404,
        "RunId": 219
     }, {
        "Attr": [{
            "IsNull": false,
             "Value": 20
          }, {
            "IsNull": false,
             "Value": 1
         }, {
"IsNull": false,
             "Value": 100657151.25
          }
       ]
        "CalcId": 2404,
        "Runld": 219
     }, {
        "Attr": [{
            "IsNull": false,
            "Value": 40
          }, {
            "IsNull": false,
            "Value": 1
          }, {
             "IsNull": false,
             "Value": 71069306.57187325
          }
       ],
        "CalcId": 2401,
       "RunId": 219
     }, {
        "Attr": [{
            "IsNull": false,
            "Value": 20
          }, {
             "IsNull": false,
             "Value": 1
          }, {
             "IsNull": false,
             "Value": 134209535
         }
       1,
        "CalcId": 2401,
        "RunId": 219
    }
  1,
   "Layout": {
     "Offset": 0,
     "Size": 4,
     "IsLastPage": true,
     "IsFullPage": true
  }
}
```

# Read microdata run comparison

Read a "page" of microdata values and compare model runs.

Compare [base] and [variant] model runs microdata value attributes (float of integer type attributes), group it by dimension attributes (enum-based or bool type attributes).

- Compare one or more microdata value attributes (float of integer type attribute). For example, two comparisons: OM\_AVG(Income[variant] Income[base]), OM\_MAX(100 \* (Salary[variant] + Pension[variant]) / Income[base]).
- It is also possible to include aggreagted value attribute(s) for each single run, for example: OM\_MAX(Salary), OM\_MIN(Pension).
- Group by one or more dimension attributes (enum-based or bool type attribute). For example, group by two dimension attributes: AgeGroup,
   Sex .
- Page is part of output table values defined by zero-based "start" row number and row count. If row count <= 0 then all rows below start row number returned.
- Dimension attribute(s) returned as enum codes. For boolean dimensions string value used, e.g.: "true".
- Method verb must be POST and Content-Type header "application/json".

Following aggregation functions avaliable:

- OM\_AVG mean of accumulators sub-values
- OM\_SUM sum of accumulators sub-values
- OM\_COUNT count of accumulators sub-values (excluding NULL's)
- OM\_COUNT\_IF count values matching condition
- OM\_MAX maximum of accumulators sub-values
- OM\_MIN minimum of accumulators sub-values
- OM\_VAR variance of accumulators sub-values
- OM\_SD standard deviation of accumulators sub-values
- OM\_SE standard error of accumulators sub-values
- OM\_CV coefficient of variation of accumulators sub-values

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: OM\_COUNT\_IF((Income[variant - Income[base]) > param.High[base]), where param.High[base] is a value of scalar parameter High in [base] model run.

For more details please see: Model Output Expressions

JSON body POSTed to specify entity name, page size, row count, filters and row order. It is expected to be JSON representation of db.ReadCompareMicroLayout structure from Go library. See also: db.ReadLayout structure from Go library.

<pre>// ReadCompareMicroLayout to compare microdata runs with base run using multiple comparison aggregations and/or calculation aggregations. // // Comparison aggregation must contain [base] and [variant] attribute(s), ex.: OM_AVG(Income[base] - Income[variant]). // Calculation aggregation is attribute(s) aggregation expression, ex.: OM_MAX(Income) / OM_MIN(Salary). type ReadCompareMicroLayout struct {     ReadCalculteMicroLayout // aggregation measures and group by attributes     Runs []string // runs to compare: list of digest, stamp or name }</pre>
<pre>// ReadCalculteMicroLayout describe microdata generation read layout, aggregation measures and group by attributes. type ReadCalculteMicroLayout struct {     ReadLayout // entity name, run id, page size, where filters and order by     CalculateMicroLayout // microdata aggregations }</pre>
<pre>// CalculateMicroLayout describes aggregations of microdata. // // It can be comparison aggregations and/or calculation aggregations. // Comparison aggregation must contain [base] and [variant] attribute(s), ex.: OM_AVG(Income[base] - Income[variant]). // Calculation aggregation is attribute(s) aggregation expression, ex.: OM_MAX(Income) / OM_MIN(Salary). type CalculateMicroLayout struct {     Calculation []CalculateLayout // aggregation measures, ex.: OM_MIN(Salary), OM_AVG(Income[base] - Income[variant])     GroupBy []string // attributes to group by }</pre>
<pre>// CalculateLayout describes calculation expression for parameters, output table values or microdata entity. // It can be comparison calculation for multiple model runs, ex.: Expr0[base] - Expr0[variant]. type CalculateLayout struct { Calculate string // expression to calculate, ex.: Expr0[base] - Expr0[variant] Calculate despression id, calc_id column in csv, ex.: 0, 12000, 24000 Name string // calculated expression name, calc_name column in csv, ex.: Expr0, AVG_Expr0, RATIO_Expr00 }</pre>
<pre>// ReadLayout describes source and size of data page to read input parameter, output table values or microdata. // // Row filters combined by AND and allow to select dimension or attribute items, // it can be enum codes or enum id's, ex.: dim0 = 'CA' AND dim1 IN (2010, 2011, 2012) type ReadLayout struct {     Name string // parameter name, output table name or entity microdata name     FromId int // run id or set id to select input parameter, output table values or microdata from     ReadPageLayout // read page first row offset, size and last page flag     Filter [[FilterColumn // dimension or attribute filters, final WHERE does join all filters by AND     FilterById [[FilterIdColumn // dimension or attribute filters by enum ids, final WHERE does join filters by AND     OrderBy []OrderByColumn // order by columnns, if empty then dimension id ascending order is used</pre>

#### Methods:

POST /api/model/:model/run/:run/microdata/compare

## For example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/compare -d @read\_m1\_person\_cmp\_1.j son

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

## JSON body arguments:

Example 1: Compare Person entity between [base] model run and [variant] model run: Microdata other in database by OM\_AVG() average Income[variant] - Income[base] value and group it by AgeGroup, Sex dimension attributes.

```
{
  "Name": "Person",
   "Calculation": [{
       "Calculate": "OM_AVG(Income[variant] - Income[base])",
       "CalcId": 2401,
       "Name": "Avg Income"
    }
  1,
   "GroupBy": [
     "AgeGroup",
     "Sex"
  1
  "Runs": [
     "Microdata other in database"
  1
}
```

#### Example 2.

- compare Person entity
- between [base] model run and [variant] model run: Microdata other in database
- calculate two values:
  - OM\_AVG() average of Income[variant] Income[base] value, adjusted by using parameter StartingSeed values
  - OM\_AVG() average of Salary + Pension value, adjusted by using parameter StartingSeed values
- and group it by AgeGroup , Sex dimension attributes
- filter only rows where:
  - dimension AgeGroup IN ["20-30", "40+"]
  - and dimension Sex = "F"

```
{
"Name": "Person",
"Calculation": [{
    "Calculate": "OM_AVG((Income[variant] - Income[base]) * (param.StartingSeed[variant] - param.StartingSeed[base]))",
    "CalcId": 2401,
    "Name": "Avg_Income_adjusted"
 }, {
    "Calculate": "param.StartingSeed + OM_AVG(Salary + Pension)",
    "CalcId": 2408,
    "Name": "Avg_Salary_Pension_adjusted"
 }
1,
"GroupBy": [
 "AgeGroup",
 "Sex"
],
"Runs": [
 "Microdata other in database"
],
"Offset": 0,
"Size": 100,
"IsFullPage": true,
"Filter": [{
    "Name": "AgeGroup",
    "Op": "IN",
    "Values": ["20-30", "40+"]
 }, {
    "Name": "Sex",
    "Op": "="
    "Values": ["F"]
 }
1
}
Name
         - (required) entity name
Offset - (optional) zero-based start row to select aggreagted microdata values
       - (optional) max row count to select rows, if size <= 0 then all rows selected
Size
IsFullPage - (optional) if true then always return non-empty last page of data
Filter - (optional) conditions to filter dimension attributes
OrderBy - (optional) list of columns indexes (one based) to order by
```

```
enum equal to: AgeGroup = "20-30"
enum not equal to: AgeGroup > "20-30"
enum greater than: AgeGroup > "20-30"
enum greater or equal: AgeGroup > "20-30"
enum less than: AgeGroup > "20-30"
enum less or equal: AgeGroup < "20-30"</li>
enum less or equal: AgeGroup < "20-30"</li>
enum is in the list of: AgeGroup <= "20-30"</li>
enum is in the list of: AgeGroup <= "20-30"</li>
BETWEEN - between min and max: AgeGroup BETWEEN "30-40" AND "all"
IN_AUTO - automatically choose most suitable: = or != or IN or BETWEEN
```

Keep in mind: dimension enums are always ordered by id's, not by code and result of filter Sex < "M" may not be Sex = "F".

Order by specified by one-based column(s) index(es) in result. Columns always contain enum id's, not enum codes and therefore result ordered by id's. First two columns are run\_id, calc\_id :

SELECT run\_id, CalcId AS calc\_id, AgeGroup, Sex, ..., calc\_value FROM .... ORDER BY 1, 2,...

## **JSON** response:

```
{
Layout: {
Offset: actual first row number of the page data (zero-base),
Size: actual data page row count,
IsLastPage: true if this is last page of data
},
Page: [....page of data...]
}
```

```
* Trying [::1]:4040...
* Connected to localhost (::1) port 4040
> POST /api/model/modelOne/run/Microdata%20in%20database/microdata/compare HTTP/1.1
> Host: localhost:4040
> User-Agent: curl/8.4.0
> Accept: */*
> Content-Type: application/json
> Content-Length: 689
>
< HTTP/1.1 200 OK
< Content-Type: application/json
< Date: Fri, 29 Dec 2023 04:20:36 GMT
< Content-Length: 1214
<
{
  "Page": [{
        "Attr": [{
            "IsNull": false,
             "Value": "20-30"
          }, {
             "IsNull": false.
            "Value": "F"
          }, {
             "IsNull": false,
             "Value": 100657151.25
         }
       1,
        "CalcName": "Avg_Salary_Pension",
        "RunDigest": "a59c91359c4cd98f6275529c798d2485"
     }, {
        "Attr": [{
            "IsNull": false,
            "Value": "40+"
          }, {
             "IsNull": false,
            "Value": "F"
          }, {
            "IsNull": false,
            "Value": 57665830.54215979
          }
        ],
        "CalcName": "Avg_Salary_Pension",
        "RunDigest": "a59c91359c4cd98f6275529c798d2485"
     }, {
        .
"Attr": [{
             "IsNull": false.
             "Value": "20-30"
          }, {
             "IsNull": false,
             "Value": "F"
```

```
}, {
            "IsNull": false,
            "Value": -67112960
        }
      ],
      "CalcName": "Avg_Income",
"RunDigest": "86135ceed94d1239937a42e088a7fcb7"
  }, {
"Attr": [{
"'sf
           "IsNull": false,
"Value": "40+"
        }, {
            "IsNull": false,
            "Value": "F"
        }, {
            "IsNull": false,
            "Value": -35538991.09092548
        }
     ],
"CalcName": "Avg_Income",
"RunDigest": "86135ceed94d1239937a42e088a7fcb7"
   }, {
      "Attr": [{
            "IsNull": false,
            "Value": "20-30"
        }, {
            "IsNull": false,
            "Value": "F"
        }, {
            "IsNull": false,
            "Value": 50322431.25
        }
     ],
      "CalcName": "Avg_Salary_Pension",
"RunDigest": "86135ceed94d1239937a42e088a7fcb7"
   }, {
      "Attr": [{
           "IsNull": false,
            "Value": "40+"
        }, {
"IsNull": false,
            "Value": "F"
        }, {
            "IsNull": false,
            "Value": 28829395.64922502
        }
      ],
      "CalcName": "Avg_Salary_Pension",
"RunDigest": "86135ceed94d1239937a42e088a7fcb7"
  }
],
"Layout": {
   "Offset": 0,
   "Size": 6,
   "IsLastPage": true,
   "IsFullPage": true
}
```

}

# Read microdata run comparison (enum id's)

Read a "page" of microdata values and compare model runs.

Compare [base] and [variant] model runs microdata value attributes (float of integer type attributes), group it by dimension attributes (enum-based or bool type attributes).

- Compare one or more microdata value attributes (float of integer type attribute). For example, two comparisons: OM\_AVG(Income[variant] Income[base]), OM\_MAX(100 \* (Salary[variant] + Pension[variant]) / Income[base]).
- It is also posiible to include aggreagted value attribute(s) for each single run, for example: OM\_MAX(Salary), OM\_MIN(Pension).
- Group by one or more dimension attributes (enum-based or bool type attribute). For example, group by two dimension attributes: AgeGroup,
   Sex .
- Page is part of output table values defined by zero-based "start" row number and row count. If row count <= 0 then all rows below start row number returned.
- Dimension(s) returned as enum id, not enum codes.
- Method verb must be POST and Content-Type header "application/json".

Following aggregation functions available:

- OM\_AVG mean of accumulators sub-values
- OM\_SUM sum of accumulators sub-values
- OM\_COUNT count of accumulators sub-values (excluding NULL's)
- OM\_COUNT\_IF count values matching condition
- OM\_MAX maximum of accumulators sub-values
- OM\_MIN minimum of accumulators sub-values
- OM\_VAR variance of accumulators sub-values
- OM\_SD standard deviation of accumulators sub-values
- OM\_SE standard error of accumulators sub-values
- OM\_CV coefficient of variation of accumulators sub-values

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: OM\_COUNT\_IF((Income[variant - Income[base]) > param.High[base]), where param.High[base] is a value of scalar parameter High in [base] model run.

For more details please see: Model Output Expressions

JSON body POSTed to specify entity name, page size, row count, filters and row order. It is expected to be JSON representation of db.ReadCompareMicroLayout structure from Go library. See also: db.ReadLayout structure from Go library.

<pre>// ReadCompareMicroLayout to compare microdata runs with base run using multiple comparison aggregations and/or calculation aggregations. // // Comparison aggregation must contain [base] and [variant] attribute(s), ex.: OM_AVG(income[base] - Income[variant]). // Calculation aggregation is attribute(s) aggregation expression, ex.: OM_MAX(Income) / OM_MIN(Salary). type ReadCompareMicroLayout struct {     ReadCalculteMicroLayout // aggregation measures and group by attributes     Runs []string // runs to compare: list of digest, stamp or name }</pre>
<pre>// ReadCalculteMicroLayout describe microdata generation read layout, aggregation measures and group by attributes. type ReadCalculteMicroLayout struct {     ReadLayout // entity name, run id, page size, where filters and order by     CalculateMicroLayout // microdata aggregations }</pre>
<pre>// CalculateMicroLayout describes aggregations of microdata. // // It can be comparison aggregations and/or calculation aggregations. // Comparison aggregation must contain [base] and [variant] attribute(s), ex.: OM_AVG(Income[base] - Income[variant]). // Calculation aggregation is attribute(s) aggregation expression, ex.: OM_MAX(Income) / OM_MIN(Salary). type CalculateMicroLayout struct {     Calculation []CalculateLayout // aggregation measures, ex.: OM_MIN(Salary), OM_AVG(Income[base] - Income[variant])     GroupBy []string // attributes to group by }</pre>
<pre>// CalculateLayout describes calculation expression for parameters, output table values or microdata entity. // It can be comparison calculation for multiple model runs, ex.: Expr0[base] - Expr0[variant]. type CalculateLayout struct { Calculate string // expression to calculate, ex.: Expr0[base] - Expr0[variant] Calculate despression id, calc_id column in csv, ex.: 0, 12000, 24000 Name string // calculated expression name, calc_name column in csv, ex.: Expr0, AVG_Expr0, RATIO_Expr00 }</pre>
<pre>// ReadLayout describes source and size of data page to read input parameter, output table values or microdata. // // Row filters combined by AND and allow to select dimension or attribute items, // it can be enum codes or enum id's, ex.: dim0 = 'CA' AND dim1 IN (2010, 2011, 2012) type ReadLayout struct {     Name string // parameter name, output table name or entity microdata name     FromId int // run id or set id to select input parameter, output table values or microdata from     ReadPageLayout // read page first row offset, size and last page flag     Filter []FilterColumn // dimension or attribute filters, final WHERE does join all filters by AND     FilterById []FilterIdColumn // dimension or attribute filters by enum ids, final WHERE does join filters by AND     OrderBy []OrderByColumn // order by columnns, if empty then dimension id ascending order is used</pre>

#### Methods:

POST /api/model/:model/run/:run/microdata/compare-id

## For example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/compare-id -d @read\_m1\_person\_cmp \_1.json

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

### JSON body arguments:

Example 1: Compare Person entity between [base] model run and [variant] model run: Microdata other in database by OM\_AVG() average Income[variant] - Income[base] value and group it by AgeGroup, Sex dimension attributes.

```
{
  "Name": "Person",
   "Calculation": [{
       "Calculate": "OM_AVG(Income[variant] - Income[base])",
       "CalcId": 2401,
       "Name": "Avg Income"
    }
  1,
   "GroupBy": [
     "AgeGroup",
     "Sex"
  1,
  "Runs": [
     "Microdata other in database"
  1
}
```

#### Example 2.

- compare Person entity
- between [base] model run and [variant] model run: Microdata other in database
- calculate two values:
  - OM\_AVG() average of Income[variant] Income[base] value, adjusted by using parameter StartingSeed Values
  - OM\_AVG() average of Salary + Pension value, adjusted by using parameter StartingSeed values
- and group it by AgeGroup , Sex dimension attributes
- filter only rows where:
  - enum id's of dimension AgeGroup IN [20, 40]
  - and enum id's of dimension Sex = 1

```
{
"Name": "Person",
"Calculation": [{
    "Calculate": "OM_AVG((Income[variant] - Income[base]) * (param.StartingSeed[variant] - param.StartingSeed[base]))",
    "CalcId": 2401,
    "Name": "Avg_Income_adjusted"
 }, {
    "Calculate": "param.StartingSeed + OM_AVG(Salary + Pension)",
    "CalcId": 2408,
    "Name": "Avg_Salary_Pension_adjusted"
 }
1,
"GroupBy": [
 "AgeGroup",
 "Sex"
],
"Runs": [
 "Microdata other in database"
],
"Offset": 0,
"Size": 100,
"IsFullPage": true,
"FilterById": [{
"Name": "AgeGroup",
    "Op": "IN",
    "EnumIds": [20, 40]
 }, {
    "Name": "Sex",
    "Op": "="
    "EnumIds": [1]
 }
1
}
Name
          - (required) entity name
Offset - (optional) zero-based start row to select aggreagted microdata values
       - (optional) max row count to select rows, if size <= 0 then all rows selected
Size
IsFullPage - (optional) if true then always return non-empty last page of data
FilterById - (optional) conditions to filter enum id's of dimension attributes
OrderBy - (optional) list of columns indexes (one based) to order by
```

= !=

- enum equal to: AgeGroup = "20-30"
   enum not equal to: AgeGroup <> "20-30"
   enum greater than: AgeGroup > "20-30" >
- >= - enum greater or equal: AgeGroup >= "20-30"
- enum less than: AgeGroup < "20-30" <
- enum less or equal: AgeGroup <= "20-30" <=
- IN enum is in the list of: AgeGroup IN ("20-30", "30-40", "40+")
- BETWEEN between min and max: AgeGroup BETWEEN "30-40" AND "all"
- IN\_AUTO automatically choose most suitable: = or != or IN or BETWEEN

Order by specified by one-based column(s) index(es) in result. Columns always contain enum id's, not enum codes and therefore result ordered by id's. First two columns are run\_id, calc\_id :

SELECT run\_id, CalcId AS calc\_id, AgeGroup, Sex, ..., calc\_value FROM .... ORDER BY 1, 2,...

## **JSON** response:

```
{
 Layout: {
  Offset: actual first row number of the page data (zero-base),
  Size:
            actual data page row count,
  IsLastPage: true if this is last page of data
 },
 Page: [....page of data...]
}
```

```
* Trying [::1]:4040...
* Connected to localhost (::1) port 4040
> POST /api/model/modelOne/run/Microdata%20in%20database/microdata/compare-id HTTP/1.1
> Host: localhost:4040
> User-Agent: curl/8.4.0
> Accept: */*
> Content-Type: application/json
> Content-Length: 685
>
< HTTP/1.1 200 OK
< Content-Type: application/json
< Date: Fri, 29 Dec 2023 04:28:01 GMT
< Content-Length: 876
<
{
  "Page": [{
        "Attr": [{
            "IsNull": false,
             "Value": 20
          }, {
             "IsNull": false,
             "Value": 1
          }, {
             "IsNull": false,
             "Value": 100657151.25
          }
       ],
        "CalcId": 2408,
        "Runld": 219
     }, {
        "Attr": [{
            "IsNull": false,
             "Value": 40
          }, {
             "IsNull": false
             "Value": 1
          }, {
             "IsNull": false,
             "Value": 57665830.54215979
          }
        1
        "CalcId": 2408,
        "RunId": 219
     }, {
        "Attr": [{
             "IsNull": false,
             "Value": 20
          }, {
             "IsNull": false,
             "Value": 1
          }, {
             "IsNull": false,
```

```
"Value": -67112960
        }
     ],
      "CalcId": 2401,
      "Runld": 221
  }, {
"Attr": [{
"IsN
           "IsNull": false,
           "Value": 40
        }, {
           "IsNull": false,
           "Value": 1
        }, {
"IsNull": false,
           "Value": -35538991.09092548
        }
     ],
"CalcId": 2401,
"RunId": 221
   }, {
      "Attr": [{
"IsNull": false,
"Value": 20
        }, {
           "IsNull": false,
           "Value": 1
       }, {
"IsNull": false,
"Value": 50322431.25
     ],
      "CalcId": 2408,
"RunId": 221
   }, {
      "Attr": [{
          "IsNull": false,
           "Value": 40
        }, {
"IsNull": false,
           "Value": 1
        }, {
            "IsNull": false,
           "Value": 28829395.64922502
        }
      ],
      "CalcId": 2408,
      "Runld": 221
  }
],
"Layout": {
  "Offset": 0,
   "Size": 6,
  "IsLastPage": true,
"IsFullPage": true
}
```

}

## **GET** parameter values from workset

Read a "page" of parameter values from workset.

Page is part of parameter values defined by zero-based "start" row number and row count. If row count <= 0 then all rows returned.

Dimension(s) and enum-based parameters returned as enum codes.

### Methods:

- GET /api/model/:model/workset/:set/parameter/:name/value
- GET /api/model/:model/workset/:set/parameter/:name/value/start/:start
- GET /api/model/:model/workset/:set/parameter/:name/value/start/:start/count/:count

#### Arguments:

```
:model - (required) model digest or model name
```

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:set - (required) workset name

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

:name - (required) parameter name

:start - (optional) start "page" row number, zero-based.

:count - (optional) "page" size, number of rows to select, if count <= 0 then all rows selected.

### Call examples:

http://localhost:4040/api/model/modelOne/workset/modelOne\_other/parameter/ageSex/value http://localhost:4040/api/model/modelOne/workset/modelOne\_other/parameter/ageSex/value/start/2 http://localhost:4040/api/model/modelOne/workset/modelOne\_other/parameter/ageSex/value/start/2/count/4 http://localhost:4040/api/model/\_201208171604590148\_/workset/modelOne\_set/parameter/ageSex/value

#### **Return example:**

- [{"Dims":["10-20","M"],"IsNull":false,"Value":1.1,"SubId":0}
- ,{"Dims":["10-20","F"],"IsNull":false,"Value":1.2,"SubId":0}
- ,{"Dims":["20-30","M"],"IsNull":false,"Value":1.3,"SubId":0} ,{"Dims":["20-30","F"],"IsNull":false,"Value":1.4,"SubId":0}
- ,{"Dims":["30-40","M"],"IsNull":false,"Value":1.5,"SubId":0}
- ,{"Dims":["30-40","F"],"IsNull":false,"Value":1.6,"SubId":0}
- ,{"Dims":["40+","M"],"IsNull":false,"Value":1.7,"SubId":0} ,{"Dims":["40+","F"],"IsNull":false,"Value":1.8,"SubId":0}

# GET parameter values from model run

Read a "page" of parameter values from model run.

Page is part of parameter values defined by zero-based "start" row number and row count. If row count <= 0 then all rows returned.

Dimension(s) and enum-based parameters returned as enum codes.

#### Methods:

- GET /api/model/:model/run/:run/parameter/:name/value
- GET /api/model/:model/run/:run/parameter/:name/value/start/:start
- GET /api/model/:model/run/:run/parameter/:name/value/start/:start/count/:count

#### Arguments:

```
:model - (required) model digest or model name
```

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) parameter name

```
:start - (optional) start "page" row number, zero-based.
:count - (optional) "page" size, number of rows to select, if count <= 0 then all rows selected</pre>
```

#### Call examples:

http://localhost:4040/api/model/modelOne/run/Default/parameter/ageSex/value http://localhost:4040/api/model/modelOne/run/Default/parameter/ageSex/value/start/2 http://localhost:4040/api/model/modelOne/run/Default/parameter/ageSex/value/start/2/count/4 http://localhost:4040/api/model/\_201208171604590148\_/run/f172e98da17beb058f30f11768053456/parameter/ageSex/value http://localhost:4040/api/model/\_201208171604590148\_/run/2019\_01\_17\_19\_59\_52\_998/parameter/ageSex/value

#### Return example:

[{"Dims":["10-20","M"],"IsNull":false,"Value":0.1,"Subld":0}, ,{"Dims":["10-20","F"],"IsNull":false,"Value":0.2,"Subld":0}, ,{"Dims":["20-30","M"],"IsNull":false,"Value":0.3,"Subld":0}, ,{"Dims":["20-30","F"],"IsNull":false,"Value":0.4,"Subld":0}, ,{"Dims":["30-40","M"],"IsNull":false,"Value":0.5,"Subld":0}, ,{"Dims":["30-40","F"],"IsNull":false,"Value":0.6,"Subld":0}, ,{"Dims":["40+","M"],"IsNull":false,"Value":0.7,"Subld":0}, ,{"Dims":["40+","F"],"IsNull":false,"Value":0.8,"Subld":0},

# GET output table expression(s) from model run

Read a "page" of output table expression(s) values from model run.

Page is part of output table values defined by zero-based "start" row number and row count. If row count <= 0 then all rows returned.

Dimension(s) returned as enum codes or as string values if dimension type is simple (integer or boolean).

### Methods:

```
GET /api/model/:model/run/:run/table/:name/expr
```

- GET /api/model/:model/run/:run/table/:name/expr/start/:start
- GET /api/model/:model/run/:run/table/:name/expr/start/:start/count/:count

#### Arguments:

```
:model - (required) model digest or model name
```

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) output table name

:start - (optional) start "page" row number, zero-based. :count - (optional) "page" size, number of rows to select, if count <= 0 then all rows selected.

### Call examples:

http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/expr http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/expr/start/2 http://localhost:4040/api/model/\_201208171604590148\_/run/f172e98da17beb058f30f11768053456/table/salarySex/expr http://localhost:4040/api/model/\_201208171604590148\_/run/2019\_01\_17\_19\_59\_52\_998/table/salarySex/expr

**Return example:** 

[{"Dims":["L","M"],"Value":50,"IsNull":false,"ExprId":0} ,{"Dims":["L","F"],"Value":60,"IsNull":false,"ExprId":0} ,{"Dims":["L","all"],"Value":1,"IsNull":false,"ExprId":0} ,{"Dims":["M","M"],"Value":51.5999999999999994,"IsNull":false,"ExprId":0} ,{"Dims":["M","F"],"Value":62,"IsNull":false,"ExprId":0} ,{"Dims":["M","all"],"Value":2,"IsNull":false,"ExprId":0} ,{"Dims":["H","M"],"Value":53.2,"IsNull":false,"ExprId":0} ,{"Dims":["H","F"],"Value":64,"IsNull":false,"ExprId":0} ,{"Dims":["H","all"],"Value":3,"IsNull":false,"ExprId":0} ,{"Dims":["L","M"],"Value":1,"IsNull":false,"ExprId":1} ,{"Dims":["L","F"],"Value":2,"IsNull":false,"ExprId":1} ,{"Dims":["L","all"],"Value":801,"IsNull":false,"ExprId":1} ,{"Dims":["M","M"],"Value":3,"IsNull":false,"ExprId":1} ,{"Dims":["M","F"],"Value":4,"IsNull":false,"ExprId":1} ,{"Dims":["M","all"],"Value":803,"IsNull":false,"ExprId":1} ,{"Dims":["H","M"],"Value":4,"IsNull":false,"ExprId":1} ,{"Dims":["H","F"],"Value":5,"IsNull":false,"ExprId":1} ,{"Dims":["H","all"],"Value":804,"IsNull":false,"ExprId":1} ,{"Dims":["L","M"],"Value":50,"IsNull":false,"ExprId":2} ,{"Dims":["L","F"],"Value":60,"IsNull":false,"ExprId":2} ,{"Dims":["L","all"],"Value":1,"IsNull":false,"ExprId":2} ,{"Dims":["M","M"],"Value":51.599999999999994,"IsNull":false,"ExprId":2} ,{"Dims":["M","F"],"Value":62,"IsNull":false,"ExprId":2} ,{"Dims":["M","all"],"Value":2,"IsNull":false,"ExprId":2} ,{"Dims":["H","M"],"Value":53.2,"IsNull":false,"ExprId":2} ,{"Dims":["H","F"],"Value":64,"IsNull":false,"ExprId":2} ,{"Dims":["H","all"],"Value":3,"IsNull":false,"ExprId":2} ,{"Dims":["L","M"],"Value":50,"IsNull":false,"ExprId":3} ,{"Dims":["L","F"],"Value":120,"IsNull":false,"ExprId":3} ,{"Dims":["L","all"],"Value":801,"IsNull":false,"ExprId":3} ,{"Dims":["M","M"],"Value":154.79999999999998,"IsNull":false,"ExprId":3} ,{"Dims":["M","F"],"Value":248,"IsNull":false,"ExprId":3} ,{"Dims":["M","all"],"Value":1606,"IsNull":false,"ExprId":3} ,{"Dims":["H","M"],"Value":212.8,"IsNull":false,"ExprId":3} ,{"Dims":["H","F"],"Value":320,"IsNull":false,"ExprId":3} ,{"Dims":["H","all"],"Value":2412,"IsNull":false,"ExprId":3} ]

# GET output table calculated expression(s) from model run

Read a "page" of output table calculated expression(s) values from model run.

Read output table expression(s) and calculate additrional measures. Measures calculated as one of the following:

- for each table expression calculate one of: avg, sum, count, max, min, var, sd, se, cv
- · as arbitrary aggreagated expressions provided as comma separated list

Page is part of output table values defined by zero-based "start" row number and row count. If row count <= 0 then all rows returned.

Dimension(s) returned as enum codes or as string values if dimension type is simple (integer or boolean).

## Methods:

- GET /api/model/:model/run/:run/table/:name/calc/:calc
- GET /api/model/:model/run/:run/table/:name/calc/:calc/start/:start GET /api/model/:model/run/:run/table/:name/calc/:calc/start/:start/count/:count

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) output table name

:calc - (required) name of additional measure to calculate

Additional measure must be one of:

- avg mean of expression sub-values
- sum sum of expression sub-values
- count count of expression sub-values (excluding NULL's)
- max maximum of expression sub-values
- min minimum of expression sub-values
- var variance of expression sub-values
- sd standard deviation of expression sub-values
- se standard error of expression sub-values
- cv coefficient of variation of expression sub-values

Or a list of comma-separated aggreagated expressions, for example: OM\_AVG(acc0) , 2 \* SQRT(OM\_SUM(acc1) - OM\_SD(acc0))

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: OM\_COUNT\_IF(acc1 > param.High), where param.High is a value of scalar parameter High in that model run.

Following aggregation functions avaliable:

- OM\_AVG mean of accumulators sub-values
- OM\_SUM sum of accumulators sub-values
- OM\_COUNT count of accumulators sub-values (excluding NULL's)
- OM\_COUNT\_IF count values matching condition
- OM\_MAX maximum of accumulators sub-values
- OM\_MIN minimum of accumulators sub-values
- OM\_VAR variance of accumulators sub-values
- OM\_SD standard deviation of accumulators sub-values
- OM\_SE standard error of accumulators sub-values
- OM\_CV coefficient of variation of accumulators sub-values

For more details please see: Model Output Expressions

:start - (optional) start "page" row number, zero-based. :count - (optional) "page" size, number of rows to select, if count <= 0 then all rows selected.

#### Call examples:

```
http://localhost:4040/api/model/RiskPaths/run/RiskPaths_Default/table/T04_FertilityRatesByAgeGroup/calc/se
http://localhost:4040/api/model/_201208171604590148_/run/f172e98da17beb058f30f11768053456/table/salarySex/calc/se/start/2
http://localhost:4040/api/model/_201208171604590148_/run/f172e98da17beb058f30f11768053456/table/salarySex/calc/se/start/2/count/4
http://localhost:4040/api/model/_201208171604590148_/run/2019_01_17_19_59_52_998/table/salarySex/calc/se
```

http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/calc/avg http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/calc/sum http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/calc/count http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/calc/count http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/calc/war http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/calc/var http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/calc/sd http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/calc/sd http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/calc/se http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/calc/se

 $\label{eq:http://ocalhost:4040/api/model/modelOne/run/Default-4/table/salarySex/calc/OM_AVG(acc0), 2*SQRT(OM_SUM(acc1)-OM_SD(acc0)) \\ \http://ocalhost:4040/api/model/modelOne/run/Default-4/table/salarySex/calc/OM_COUNT_IF(acc0%3Cparam.StartingSeed) \\ \http://ocalhost:4040/api/model/modelOne/run/Default-4/table/salarySex/calc/OM_COUNT_IF(acc0%3Cparam.StartingSecd) \\ \http://ocalhost:4040/api/model/modelOne/run/Default-4/table/salarySex/calc/OM_COUNT_IF(acc0%3Cparam.StartingSecd) \\ \http://ocalhost:4040/api/model/modelOne/run/Default-4/table/salarySex/calc/OM_COUNT_IF(acc0%3Cparam.StartingSecd) \\ \http://ocalhost:4040/api/model/modelOne/run/Default-4/table/salarySex/calc/OM_COUNT_IF(acc0%3Cparam.StartingSecd) \\ \http://ocalhost:4040/api/model/modelOne/run/Default-4/table/salarySex/calc/OM_COUNT_IF(acc0%3Cparam.StartingSecd) \\ \http://ocalhost:4040/api/model/modelO$ 

Note: OM\_COUNT\_IF(acc0%3Cparam.StartingSeed) is URL encoded: OM\_COUNT\_IF(acc0<param.StartingSeed)

#### Example:

http://localhost:4040/api/model/RiskPaths/run/RiskPaths\_Default\_4/table/T04\_FertilityRatesByAgeGroup/calc/se

```
[
 {
  "Dims": [
   "(-∞,15)",
   "US NEVER IN UNION"
  "IsNull": false,
  "Value": 0,
  "CalcName": "Expr0",
  "RunDigest": "b794d3399099035740e117378c523feb"
 },
 {
  "Dims": [
   "(-∞,15)",
   "US_FIRST_UNION_PERIOD1"
  "IsNull": true,
  "Value": 0,
  "CalcName": "Expr0",
  "RunDigest": "b794d3399099035740e117378c523feb"
 }.
  "Dims": [
```

```
(-00,10)
  "US_FIRST_UNION_PERIOD2"
 1
 "IsNull": true,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "(-∞,15)",
  "US_AFTER_FIRST_UNION"
],
 "IsNull": true,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "(-∞,15)",
  "US_SECOND_UNION"
1.
 "IsNull": true,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "(-∞,15)",
  "US_AFTER_SECOND_UNION"
1.
 "IsNull": true,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[15,17.5)",
  "US_NEVER_IN_UNION"
1.
 "IsNull": false,
 "Value": 0.01831399787736417,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[15,17.5)",
  "US_FIRST_UNION_PERIOD1"
1.
 "IsNull": false,
 "Value": 0.31524674743336684,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[15,17.5)",
  "US_FIRST_UNION_PERIOD2"
1,
 "IsNull": true,
 "Value": 0.
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[15,17.5)",
  "US_AFTER_FIRST_UNION"
],
 "IsNull": false,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}.
 "Dims": [
  "[15,17.5)",
  "US_SECOND_UNION"
1.
 "IsNull": false,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
```

```
{
 "Dims": [
  "[15,17.5)",
  "US_AFTER_SECOND_UNION"
1,
 "IsNull": true,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[17.5,20)",
  "US_NEVER_IN_UNION"
1.
 "IsNull": false,
 "Value": 0.05375412945398035,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[17.5,20)",
  "US_FIRST_UNION_PERIOD1"
1,
 "IsNull": false,
 "Value": 0.7131296479419359,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}.
 "Dims": [
  "[17.5,20)",
  "US_FIRST_UNION_PERIOD2"
1.
 "IsNull": false,
 "Value": 0.27913884088946966,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[17.5,20)",
  "US_AFTER_FIRST_UNION"
1,
 "IsNull": false,
 "Value": 0.03403061129977049,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
"[17.5,20)",
  "US_SECOND_UNION"
],
 "IsNull": false,
 "Value": 0.6313567713962284,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[17.5,20)",
  "US_AFTER_SECOND_UNION"
 1,
 "IsNull": true,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[20,22.5)",
  "US_NEVER_IN_UNION"
 ],
 "IsNull": false,
 "Value": 0.054454055397003744,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[20,22.5)",
  "US_FIRST_UNION_PERIOD1"
 "IsNull": false,
 "Value": 0.8142261153929924,
 "CalcName": "Expr0".
```

```
"RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[20,22.5)",
  "US_FIRST_UNION_PERIOD2"
],
 "IsNull": false,
 "Value": 0.22599976710820624,
 "CalcName": "Expr0",
"RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[20,22.5)",
  "US_AFTER_FIRST_UNION"
 1,
 "IsNull": false,
 "Value": 0.02252894224790954,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[20,22.5)",
  "US_SECOND_UNION"
 ],
 "IsNull": false,
 "Value": 0.552801004995511,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}.
 "Dims": [
  "[20,22.5)",
  "US_AFTER_SECOND_UNION"
 1,
 "IsNull": false,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}
 "Dims": [
  "[22.5,25)",
  "US_NEVER_IN_UNION"
 ],
 "IsNull": false,
 "Value": 0.053909930664369304,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[22.5,25)",
  "US_FIRST_UNION_PERIOD1"
1,
 "IsNull": false,
 "Value": 0.8095822302661376,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[22.5,25)",
  "US_FIRST_UNION_PERIOD2"
],
 "IsNull": false,
 "Value": 0.19515570806104682,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[22.5,25)",
  "US_AFTER_FIRST_UNION"
],
 "IsNull": false,
 "Value": 0.04149012389398613,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}
 "Dims": [
  "[22.5,25)",
  "US_SECOND_UNION"
],
```

```
"IsNull": talse,
 "Value": 0.5994579474940404,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[22.5,25)",
  "US_AFTER_SECOND_UNION"
],
 "IsNull": false,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[25,27.5)",
  "US_NEVER_IN_UNION"
 ],
 "IsNull": false,
 "Value": 0.041598506770988926,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[25,27.5)",
  "US_FIRST_UNION_PERIOD1"
],
 "IsNull": false,
 "Value": 0.6024591444120154,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}
{
 "Dims": [
  "[25,27.5)",
  "US_FIRST_UNION_PERIOD2"
1.
 "IsNull": false,
 "Value": 0.18708044915078834,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}.
 "Dims": [
  "[25,27.5)",
  "US_AFTER_FIRST_UNION"
1.
 "IsNull": false,
 "Value": 0.020349606948328054,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[25,27.5)",
  "US_SECOND_UNION"
1.
 "IsNull": false,
 "Value": 1.0090672465971064,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}.
 "Dims": [
  "[25,27.5)",
  "US_AFTER_SECOND_UNION"
1.
 "IsNull": false,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[27.5,30)",
  "US_NEVER_IN_UNION"
1,
 "IsNull": false,
 "Value": 0.03146736899461647,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
 "Dims": [
  "[27.5,30)",
```

```
"US_FIRST_UNION_PERIOD1"
1.
 "IsNull": false,
 "Value": 0.4621989244428227,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[27.5,30)",
  "US_FIRST_UNION_PERIOD2"
],
 "IsNull": false,
"Value": 0.1378516298224034,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}.
 "Dims": [
  "[27.5,30)",
  "US_AFTER_FIRST_UNION"
1.
 "'sNull": false,
"Value": 0.022982490984116696,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[27.5,30)",
  "US_SECOND_UNION"
],
 "IsNull": false,
 "Value": 0.3622228137167969,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
 "Dims": [
  "[27.5,30)",
  "US_AFTER_SECOND_UNION"
1.
 "IsNull": false,
 "Value": 0.057202677626031914,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[30,32.5)",
  "US_NEVER_IN_UNION"
],
 "IsNull": false,
 "Value": 0.041649739660050096,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[30,32.5)",
  "US_FIRST_UNION_PERIOD1"
],
 "IsNull": false,
 "Value": 0.549536875782365,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[30,32.5)",
  "US_FIRST_UNION_PERIOD2"
 1,
 "IsNull": false,
 "Value": 0.1100888012811952,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[30,32.5)",
  "US_AFTER_FIRST_UNION"
 ],
 "IsNull": false,
 "Value": 0.04683269746871016,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
```

```
"Dims": [
  "[30,32.5)",
  "US_SECOND_UNION"
],
 "IsNull": false,
 "Value": 0.33029219738801313,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[30,32.5)",
  "US_AFTER_SECOND_UNION"
],
 "IsNull": false,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[32.5,35)",
  "US_NEVER_IN_UNION"
],
 "IsNull": false,
 "Value": 0.022147682759750396,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[32.5,35)",
  "US_FIRST_UNION_PERIOD1"
 ],
 "IsNull": false,
 "Value": 0.24011920351426697,
 "CalcName": "Expr0",
"RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[32.5,35)",
  "US_FIRST_UNION_PERIOD2"
 1,
 "IsNull": false,
 "Value": 0.07322050511146887,
"CalcName": "Expr0",
"RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[32.5,35)",
  "US_AFTER_FIRST_UNION"
 ],
 "IsNull": false,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[32.5,35)",
  "US_SECOND_UNION"
],
 "IsNull": false,
 "Value": 0.3916092867847636,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[32.5,35)",
  "US_AFTER_SECOND_UNION"
],
 "IsNull": false,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[35,37.5)",
  "US_NEVER_IN_UNION"
1,
 "IsNull": false,
 "Value": 0.011848889031140083,
 "CalcName": "Expr0",
```

```
"RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[35,37.5)",
  "US_FIRST_UNION_PERIOD1"
 ],
 "IsNull": false,
 "Value": 0.13186273037645685,
 "CalcName": "Expr0",
"RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[35,37.5)",
  "US_FIRST_UNION_PERIOD2"
],
 "IsNull": false,
 "Value": 0.08309987275700664,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[35,37.5)",
  "US_AFTER_FIRST_UNION"
],
 "IsNull": false,
 "Value": 0.022104741738314906,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[35,37.5)",
  "US_SECOND_UNION"
],
 "IsNull": false,
 "Value": 0.27986398799940426,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[35,37.5)",
  "US_AFTER_SECOND_UNION"
],
 "IsNull": false,
 "Value": 0.11444275060810742,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}.
{
 "Dims": [
  "[37.5,40)",
  "US_NEVER_IN_UNION"
],
 "IsNull": false,
 "Value": 0.017525081049451968,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[37.5,40)",
  "US_FIRST_UNION_PERIOD1"
],
 "IsNull": false,
 "Value": 0.1577477795548111,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}.
 "Dims": [
  "[37.5,40)",
  "US_FIRST_UNION_PERIOD2"
],
 "IsNull": false,
 "Value": 0.05727119253571546,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[37.5,40)",
  "US_AFTER_FIRST_UNION"
],
 "IsNull": false.
```

```
"Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}.
{
 "Dims": [
  "[37.5,40)",
  "US_SECOND_UNION"
],
 "IsNull": false,
 "Value": 0.16945519905993123,
"CalcName": "Expr0",
"RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[37.5,40)",
  "US_AFTER_SECOND_UNION"
],
 "IsNull": false,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[40,∞)",
  "US_NEVER_IN_UNION"
],
 "IsNull": false,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[40,∞)",
  "US_FIRST_UNION_PERIOD1"
],
 "IsNull": false,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[40,∞)"
  "US_FIRST_UNION_PERIOD2"
],
 "IsNull": false,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}.
 "Dims": [
  "[40,∞)",
  "US_AFTER_FIRST_UNION"
],
 "IsNull": false,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[40,∞)",
  "US_SECOND_UNION"
],
 "IsNull": false,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[40,∞)"
  "US_AFTER_SECOND_UNION"
],
 "IsNull": false,
 "Value": 0,
 "CalcName": "Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "(-∞,15)",
```

```
],
 "IsNull": false,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}.
 "Dims": [
  "(-∞,15)",
  "US_FIRST_UNION_PERIOD1"
],
 "IsNull": true,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "(-∞,15)",
  "US_FIRST_UNION_PERIOD2"
 ],
 "IsNull": true,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "(-∞,15)",
  "US_AFTER_FIRST_UNION"
 ],
 "IsNull": true,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "(-∞.15)".
  "US_SECOND_UNION"
 "IsNull": true,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "(-∞,15)".
  "US_AFTER_SECOND_UNION"
 ],
 "IsNull": true,
 "Value": 0,
 "CalcName": "OM SE Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}.
 "Dims": [
  "[15,17.5)",
  "US_NEVER_IN_UNION"
 "IsNull": false,
 "Value": 0.000973984611518573,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[15,17.5)",
  "US_FIRST_UNION_PERIOD1"
 "IsNull": false,
 "Value": 0.024860412545759547,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[15,17.5)",
  "US_FIRST_UNION_PERIOD2"
 1
 "IsNull": true,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}
```

"US\_NEVER\_IN\_UNION"

```
"Dims": [
  "[15,17.5)",
  "US AFTER FIRST UNION"
 ],
 "IsNull": false,
 "Value": 0,
 "CalcName": "OM SE Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}.
 "Dims": [
  "[15,17.5)",
  "US_SECOND_UNION"
 "IsNull": true,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}
 "Dims": [
  "[15,17.5)",
  "US_AFTER_SECOND_UNION"
1,
 "IsNull": true,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}
 "Dims": [
  "[17.5,20)",
  "US_NEVER_IN_UNION"
 1
 "IsNull": false,
 "Value": 0.0021489962375885207,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[17.5,20)",
  "US_FIRST_UNION_PERIOD1"
 1
 "IsNull": false,
 "Value": 0.016185741408360488,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[17.5,20)",
  "US FIRST UNION PERIOD2"
1,
 "IsNull": false,
 "Value": 0.04582070104311915,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[17.5,20)",
  "US_AFTER_FIRST_UNION"
 1
 "IsNull": false,
 "Value": 0.025795347742306313,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[17.5,20)",
  "US_SECOND_UNION"
1.
 "IsNull": false,
 "Value": 0.7869023105120465,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[17.5,20)",
  "US_AFTER_SECOND_UNION"
 1.
 "IsNull": true,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "DunDigast": "h70/d32000000357/0a117378c523fah
```

```
},
 "Dims": [
  "[20,22.5)",
   "US_NEVER_IN_UNION"
 1,
 "IsNull": false,
 "Value": 0.004127288570814012,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[20,22.5)",
  "US_FIRST_UNION_PERIOD1"
 1
 "IsNull": false,
 "Value": 0.02043658375123932,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[20,22.5)",
  "US_FIRST_UNION_PERIOD2"
 1.
 "IsNull": false,
 "Value": 0.041408824916237076,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[20,22.5)",
  "US_AFTER_FIRST_UNION"
 1.
 "IsNull": false,
 "Value": 0.012711616731356437,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[20,22.5)",
  "US_SECOND_UNION"
 1,
 "IsNull": false,
 "Value": 0.17542003779519497,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[20,22.5)",
  "US_AFTER_SECOND_UNION"
 ],
 "IsNull": true,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[22.5,25)",
  "US_NEVER_IN_UNION"
 "IsNull": false,
 "Value": 0.003881467816107038,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[22.5,25)",
  "US_FIRST_UNION_PERIOD1"
 "IsNull": false,
 "Value": 0.016193285699936572,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[22.5,25)",
  "US_FIRST_UNION_PERIOD2"
 "IsNull": false,
```

```
"Value": 0.026391425572356776
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[22.5,25)",
  "US_AFTER_FIRST_UNION"
 ],
 "IsNull": false,
 "Value": 0.024820325593176193,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[22.5,25)",
  "US_SECOND_UNION"
 1,
 "IsNull": false,
 "Value": 0.3528132665325038,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[22.5,25)",
  "US_AFTER_SECOND_UNION"
 "IsNull": true,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[25,27.5)",
  "US_NEVER_IN_UNION"
 "IsNull": false,
 "Value": 0.0036557290231329803,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[25,27.5)",
  "US_FIRST_UNION_PERIOD1"
 "IsNull": false,
 "Value": 0.01959960089317563,
 "CalcName": "OM_SE_Expr0",
"RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[25,27.5)",
  "US_FIRST_UNION_PERIOD2"
 1
 "IsNull": false,
 "Value": 0.02072720867372254,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[25,27.5)",
  "US_AFTER_FIRST_UNION"
 1
 "IsNull": false,
 "Value": 0.03151338138462493,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[25,27.5)",
  "US_SECOND_UNION"
 "IsNull": false,
 "Value": 0.5935067944778238,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[25,27.5)",
  "US AFTER SECOND UNION"
```

```
"IsNull": false,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[27.5,30)",
  "US_NEVER_IN_UNION"
 1,
 "IsNull": false,
 "Value": 0.005196619763242931,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[27.5,30)",
  "US_FIRST_UNION_PERIOD1"
 1
 "IsNull": false,
 "Value": 0.011665634117207072,
 "CalcName": "OM_SE_Expr0",
"RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[27.5,30)",
  "US_FIRST_UNION_PERIOD2"
 "IsNull": false,
 "Value": 0.01945905164366974,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[27.5,30)",
  "US_AFTER_FIRST_UNION"
 1
 "IsNull": false,
 "Value": 0.029555729394609345,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[27.5,30)",
  "US_SECOND_UNION"
 1
 "IsNull": false,
 "Value": 0.10422127860974977,
 "CalcName": "OM_SE_Expr0",
"RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[27.5,30)",
  "US_AFTER_SECOND_UNION"
1.
 "IsNull": false,
 "Value": 0.02670576575482527,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[30,32.5)",
  "US_NEVER_IN_UNION"
 1
 "IsNull": false,
 "Value": 0.004163546631457847,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[30,32.5)",
  "US_FIRST_UNION_PERIOD1"
1
 "IsNull": false,
 "Value": 0.07776769082434758,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}
```

```
"Dims": [
  "[30,32.5)",
  "US_FIRST_UNION_PERIOD2"
 ],
 "IsNull": false,
 "Value": 0.00807157824867373,
 "CalcName": "OM_SE_Expr0",
"RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[30,32.5)",
  "US_AFTER_FIRST_UNION"
1,
 "IsNull": false,
 "Value": 0.04520648331822375,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[30,32.5)",
  "US_SECOND_UNION"
1.
 "IsNull": false,
 "Value": 0.23240410935784928,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[30,32.5)",
  "US_AFTER_SECOND_UNION"
1.
 "IsNull": false,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[32.5,35)",
  "US_NEVER_IN_UNION"
 1.
 "IsNull": false,
 "Value": 0.002133413207162846,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[32.5,35)",
  "US_FIRST_UNION_PERIOD1"
 1,
 "IsNull": false,
 "Value": 0.0522818322110285.
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[32.5,35)",
  "US_FIRST_UNION_PERIOD2"
 ],
 "IsNull": false,
 "Value": 0.01949087594847643,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[32.5,35)",
  "US_AFTER_FIRST_UNION"
 1,
 "IsNull": false,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[32.5,35)",
  "US_SECOND_UNION"
 "IsNull": false,
 "Value": 0.4087021371108991,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
```

```
}.
 "Dims": [
  "[32.5,35)",
  "US_AFTER_SECOND_UNION"
],
 "IsNull": false,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[35,37.5)",
  "US_NEVER_IN_UNION"
 ],
 "IsNull": false,
 "Value": 0.004685194405920375,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[35,37.5)",
  "US_FIRST_UNION_PERIOD1"
],
 "IsNull": false,
 "Value": 0.03917868926846236,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[35,37.5)",
  "US_FIRST_UNION_PERIOD2"
 1.
 "IsNull": false,
 "Value": 0.012717967350323902,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[35,37.5)",
  "US_AFTER_FIRST_UNION"
 1,
 "IsNull": false,
 "Value": 0.012339858333394415,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[35,37.5)",
  "US_SECOND_UNION"
 ],
 "IsNull": false,
 "Value": 0.14037654439621916,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[35,37.5)",
  "US_AFTER_SECOND_UNION"
 ],
 "IsNull": false,
 "Value": 0.05343598681843709,
 "CalcName": "OM SE Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[37.5,40)",
  "US_NEVER_IN_UNION"
 ],
 "IsNull": false,
 "Value": 0.003295964388970783,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[37.5,40)",
  "US_FIRST_UNION_PERIOD1"
 "IsNull": false,
 "\/alua"· 0 0107/202/000027076
```

```
value . U.UI3143334003031310
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[37.5,40)",
  "US_FIRST_UNION_PERIOD2"
 1,
 "IsNull": false,
 "Value": 0.01043050794857122,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[37.5,40)",
  "US_AFTER_FIRST_UNION"
 "IsNull": false,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[37.5,40)",
  "US_SECOND_UNION"
 ],
 "IsNull": false,
 "Value": 0.11795500304906231,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[37.5,40)",
  "US_AFTER_SECOND_UNION"
 ]
 "IsNull": false,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
}
 "Dims": [
  "[40,∞)",
  "US_NEVER_IN_UNION"
 1,
 "IsNull": false,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[40,∞)<sup>"</sup>,
  "US_FIRST_UNION_PERIOD1"
 1.
 "IsNull": false,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
 "Dims": [
  "[40,∞)",
  "US_FIRST_UNION_PERIOD2"
1,
 "IsNull": false,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[40,∞)",
  "US_AFTER_FIRST_UNION"
1
 "IsNull": false,
 "Value": 0,
 "CalcName": "OM_SE_Expr0",
 "RunDigest": "b794d3399099035740e117378c523feb"
},
{
 "Dims": [
  "[40,∞)",
  "US_SECOND_UNION"
```

], "IsNull": false, "Value": 0, "CalcName": "OM\_SE\_Expr0", "RunDigest": "b794d3399099035740e117378c523feb" }, { "Dims": [ "[40,∞)", "US\_AFTER\_SECOND\_UNION" ], "ISNull": false, "Value": 0, "CalcName": "OM\_SE\_Expr0", "RunDigest": "b794d3399099035740e117378c523feb" }

## GET output table values and compare model runs

Read a "page" of output table values and compare model runs.

Comparison can be calculated as one of the following:

- for each table expression use one of: diff, ratio or percent comparison between [base] and [variant] model runs.
- use comma separated list of comparison expressions between [base] and [variant] or simple expression for each run.

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: (Expr1[variant] - Expr1[base]) \* param.Scale[base], where param.Scale is a value of scalar parameter Scale in [base] model run.

Page is part of output table values defined by zero-based "start" row number and row count. If row count <= 0 then all rows returned.

Dimension(s) returned as enum codes or as string values if dimension type is simple (integer or boolean).

### Methods:

- GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant
- GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/start/:start
- GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/start/:start/count/:count

### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) base model run digest, run stamp or run name :variant - (required) variant model run(s): comma-separated list of digests, run stamps or run names

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) output table name

:compare - (required) comparison to calculate

- diff difference of values between variant and base run, e.g.: Expr0[variant] Expr0[base]
- ratio ratio of values between variant and base run, e.g.: Expr0[variant] / Expr0[base]
- percent proportional difference multipled by 100, e.g.: 100 \* (Expr0[variant] Expr0[base]) / Expr0[base]

Or a list of comma-separated expressions, for example: expr0, expr1[variant] + expr2[base]

:start - (optional) start "page" row number, zero-based. :count - (optional) "page" size, number of rows to select, if count <= 0 then all rows selected.</pre>

#### Call examples:

http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/diff/variant/Default-4 http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/ratio/variant/Default-4 http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/percent/variant/Default-4

http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/ratio/variant/Default-4/start/2 http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/ratio/variant/Default-4/start/2/count/4

http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/expr0%2Cexpr1%5Bvariant%5D%2Bexpr2%5Bbase%5D/variant/Default-4 http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/%28expr1%5Bvariant%5D-expr1%5Bbase%5D%29%2Bparam.StartingSeed%5Bbase%5D/variant/ Default-4

#### Note:

- expr0%2Cexpr1%5Bvariant%5D%2Bexpr2%5Bbase%5D is URL encoded: expr0,expr1[variant]+expr2[base] .
- %28expr1%5Bvariant%5D-expr1%5Bbase%5D%29%2Bparam.StartingSeed%5Bbase%5D is URL encoded: (expr1[variant]-expr1[base])+param.StartingSeed[base] .

## Example:

http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/percent/variant/Default-4,Sub-values\_4

```
[
 {
   "Dims": [
   "L",
   "M"
  ],
   "IsNull": false,
  "Value": 50,
  "CalcName": "expr0",
  "RunDigest": "ca663651953bae94d0afdf71edba4c91"
 },
 {
   "Dims": [
   "L",
   "F"
  1.
   "IsNull": false,
  "Value": 60,
  "CalcName": "expr0",
   "RunDigest": "ca663651953bae94d0afdf71edba4c91"
 },
 {
   "Dims": [
   "L",
   "all"
  ],
   "IsNull": false,
  "Value": 1,
  "CalcName": "expr0",
  "RunDigest": "ca663651953bae94d0afdf71edba4c91"
 },
 {
  "Dims": [
   "M",
   "M"
  ],
   "IsNull": false,
   "Value": 51.599999999999994,
  "CalcName": "expr0",
   "RunDigest": "ca663651953bae94d0afdf71edba4c91"
 },
 {
  "Dims": [
   "M",
   "F"
  ],
   "IsNull": false,
   "Value": 62,
  "CalcName": "expr0",
  "RunDigest": "ca663651953bae94d0afdf71edba4c91"
 },
 {
  "Dims": [
   "M",
    "all"
  1,
   "IsNull": false,
   "Value": 2,
  "CalcName": "expr0",
"RunDigest": "ca663651953bae94d0afdf71edba4c91"
 },
 {
   "Dims": [
   "H",
    "M"
  ],
   "IsNull": false,
  "Value": 53.2,
  "CalcName": "expr0",
   "RunDigest": "ca663651953bae94d0afdf71edba4c91"
 },
 {
   "Dims": [
```

```
"Н",
   "F'
 ],
 "IsNull": false,
 "Value": 64,
 "CalcName": "expr0",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "H",
"all"
 ],
 "IsNull": false,
 "Value": 3,
 "CalcName": "expr0",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "L",
  "M"
 ],
 "IsNull": false,
 "Value": 0,
 "CalcName": "expr1",
"RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "L",
"F"
 ],
 "IsNull": false,
 "Value": 1,
 "CalcName": "expr1",
"RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "L",
"all"
 ],
 "IsNull": false,
 "Value": 800,
 "CalcName": "expr1",
"RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "M",
   "M"
 ],
 "IsNull": false,
 "Value": 1,
 "CalcName": "expr1",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "M",
   "F"
 ],
 "IsNull": false,
 "Value": 2,
 "CalcName": "expr1",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "M",
   "all"
 ],
 "IsNull": false,
 "Value": 801,
 "CalcName": "expr1",
"RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "H",
  "M"
 1,
 "IsNull": false,
 "Value": 2,
 "CalcName": "expr1",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
```

```
{
 "Dims": [
  "H",
  "F"
 ],
 "IsNull": false,
 "Value": 3,
 "CalcName": "expr1",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "H",
  "all"
 ],
 "IsNull": false,
 "Value": 802,
 "CalcName": "expr1",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "L",
  "M"
 ],
 "IsNull": false,
 "Value": 50,
 "CalcName": "expr2",
"RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "L",
  "F"
 ],
 "IsNull": false,
 "Value": 61,
 "CalcName": "expr2",
"RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "L",
  "all"
 ],
 "IsNull": false,
 "Value": 801,
 "CalcName": "expr2",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "M",
  "M"
 1,
 "IsNull": false,
 "Value": 52.599999999999994,
 "CalcName": "expr2",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "M",
  "F"
 ],
 "IsNull": false,
 "Value": 64,
 "CalcName": "expr2",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "M",
  "all"
 ],
 "IsNull": false,
 "Value": 803,
 "CalcName": "expr2",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "H",
  "M"
 1.
 "IsNull": false,
 "Value": 55.2,
 "CalcName": "evnr?
```

```
Calcination . CAPIZ ,
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "H",
  "F"
 1,
 "IsNull": false,
 "Value": 67,
 "CalcName": "expr2",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "H",
  "all"
 ],
 "IsNull": false,
 "Value": 805,
 "CalcName": "expr2",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "L",
  "M"
 ],
 "IsNull": false,
 "Value": 0,
 "CalcName": "expr3",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "L",
  "F"
 1.
 "IsNull": false,
 "Value": 60,
 "CalcName": "expr3",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "L",
  "all"
 ],
 "IsNull": false,
 "Value": 800,
 "CalcName": "expr3",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "M",
  "M"
 ],
 "IsNull": false,
 "Value": 51.599999999999994,
 "CalcName": "expr3",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "M",
  "F"
 ],
 "IsNull": false,
 "Value": 124,
 "CalcName": "expr3",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "M",
  "all"
 ],
 "IsNull": false,
 "Value": 1602,
 "CalcName": "expr3",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "H",
  "M"
 1.
```

```
"IsNull": false,
 "Value": 106.4,
 "CalcName": "expr3",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "H",
  "F"
 ],
 "IsNull": false,
 "Value": 192,
 "CalcName": "expr3",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "H",
  "all"
 ],
 "IsNull": false,
 "Value": 2406,
 "CalcName": "expr3",
 "RunDigest": "ca663651953bae94d0afdf71edba4c91"
},
{
 "Dims": [
  "L",
  "M"
 ],
 "IsNull": false,
 "Value": 50,
 "CalcName": "expr0",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "L",
"F"
 ],
 "IsNull": false,
 "Value": 60,
 "CalcName": "expr0",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "L",
  "all"
 ],
 "IsNull": false,
 "Value": 1201,
 "CalcName": "expr0",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "M",
  "M"
 ],
 "IsNull": false,
 "Value": 51.599999999999994,
 "CalcName": "expr0",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "M",
  "F"
 ],
 "IsNull": false,
 "Value": 62,
 "CalcName": "expr0",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "M",
  "all"
 ],
 "IsNull": false,
 "Value": 1202,
 "CalcName": "expr0",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "H",
```

```
"M'
 ],
 "IsNull": false,
 "Value": 53.2,
 "CalcName": "expr0",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "H",
  "F"
 ],
 "IsNull": false,
 "Value": 64,
 "CalcName": "expr0",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "H",
  "all"
 ],
 "IsNull": false,
 "Value": 1203,
 "CalcName": "expr0",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "L",
  "M"
 ],
 "IsNull": false,
 "Value": 6,
 "CalcName": "expr1",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "L",
  "F"
 ],
 "IsNull": false,
 "Value": 10,
 "CalcName": "expr1",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "L",
  "all"
 ],
 "IsNull": false,
 "Value": 3206,
 "CalcName": "expr1",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "M",
  "M"
 1,
 "IsNull": false,
 "Value": 10,
 "CalcName": "expr1",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "M",
  "F"
 ],
 "IsNull": false,
 "Value": 14,
 "CalcName": "expr1",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "M",
  "all"
 1,
 "IsNull": false,
 "Value": 3210,
 "CalcName": "expr1",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
```

```
"Dims": [
  "H",
  "M"
 ],
 "IsNull": false,
 "Value": 14,
 "CalcName": "expr1",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "H",
  "F"
 ],
 "IsNull": false,
"Value": 18,
 "CalcName": "expr1",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "H",
  "all"
 ],
 "IsNull": false,
 "Value": 3214,
 "CalcName": "expr1",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "L",
  "M"
 ],
 "IsNull": false,
 "Value": 51.5,
 "CalcName": "expr2",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "L",
  "F"
 ],
 "IsNull": false,
 "Value": 62.5,
 "CalcName": "expr2",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "L",
  "all"
 ],
 "IsNull": false,
 "Value": 2002.5,
 "CalcName": "expr2",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "M",
  "M"
 ],
 "IsNull": false,
 "Value": 54.099999999999994,
 "CalcName": "expr2",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "M",
  "F"
 ],
 "IsNull": false,
 "Value": 65.5,
 "CalcName": "expr2",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "M",
  "all"
 ],
 "IsNull": false,
 "Value": 2004.5,
 "CalcName": "expr2",
```

```
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "H",
  "M"
 ],
  "IsNull": false,
 "Value": 56.7,
 "CalcName": "expr2",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "H",
  "F"
 ],
  "IsNull": false,
  "Value": 68.5,
 "CalcName": "expr2",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
  "Dims": [
  "H",
  "all"
 ],
  "IsNull": false,
  "Value": 2006.5,
 "CalcName": "expr2",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
  "Dims": [
  "L",
  "M"
 ],
  "IsNull": false,
 "Value": 75,
 "CalcName": "expr3",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
  "Dims": [
  "L",
"F"
 ],
  "IsNull": false,
 "Value": 150,
 "CalcName": "expr3",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
  "Dims": [
   "L",
   "all'
 ],
 "IsNull": false,
 "Value": 963601.5,
 "CalcName": "expr3",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
  "Dims": [
   "M",
   "M"
 ],
 "IsNull": false,
 "Value": 129,
 "CalcName": "expr3",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
  "Dims": [
  "M",
   "F"
 ],
 "IsNull": false,
 "Value": 217,
 "CalcName": "expr3",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
  "Dims": [
  "M",
   "all"
 ],
  "leNull": faleo
```

```
เอเงนแ . เฉเอะ
 "Value": 965605,
 "CalcName": "expr3",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "H",
  "M"
 ],
 "IsNull": false,
 "Value": 186.2,
 "CalcName": "expr3",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "H",
  "F"
 ],
 "IsNull": false,
 "Value": 288,
 "CalcName": "expr3",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "H",
  "all"
 ],
 "IsNull": false,
 "Value": 967610.5,
 "CalcName": "expr3",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "L",
  "M'
 ],
 "IsNull": false,
 "Value": 0,
 "CalcName": "percent_expr0",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "L",
  "F'
 ],
 "IsNull": false,
 "Value": 0,
 "CalcName": "percent_expr0",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "L",
  "all'
],
"IsNull": false,
 "Value": 1200,
 "CalcName": "percent_expr0",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "M",
  "M"
 ],
 "IsNull": false,
 "Value": 0,
 "CalcName": "percent_expr0",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "M",
  "F"
 ],
 "IsNull": false,
 "Value": 0,
 "CalcName": "percent_expr0",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "M",
```

```
1,
 "IsNull": false,
 "Value": 60000,
 "CalcName": "percent_expr0",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "H",
  "M"
],
"IsNull": false,
 "Value": 0,
 "CalcName": "percent_expr0",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "H",
  "F"
 ],
 "IsNull": false,
 "Value": 0,
 "CalcName": "percent_expr0",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "H",
  "all"
 ],
 "IsNull": false,
 "Value": 40000,
 "CalcName": "percent_expr0",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "L"
  "M"
 1,
 "IsNull": true,
 "Value": 0,
 "CalcName": "percent_expr1",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "L",
  "F"
 ],
 "IsNull": false,
 "Value": 900,
 "CalcName": "percent_expr1",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "L",
  "all"
 ],
 "IsNull": false,
 "Value": 300.75,
 "CalcName": "percent_expr1",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "M".
  "M"
 ],
 "IsNull": false,
 "Value": 900,
 "CalcName": "percent_expr1",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "M"
  "F"
 ],
 "IsNull": false,
 "Value": 600,
 "CalcName": "percent_expr1",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
}
```

"all

```
"Dims": [
  "M",
  "all"
 ],
 "IsNull": false,
 "Value": 300.749063670412,
 "CalcName": "percent_expr1",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "H",
  "M"
 ],
 "IsNull": false,
 "Value": 600,
 "CalcName": "percent_expr1",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "H",
  "F"
 ],
 "IsNull": false,
 "Value": 500,
 "CalcName": "percent_expr1",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "H",
  "all"
 ],
 "IsNull": false,
 "Value": 300.74812967581045,
 "CalcName": "percent_expr1",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "L".
  "M'
 ],
 "IsNull": false,
 "Value": 3,
 "CalcName": "percent_expr2",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "L",
  "F
 ],
 "IsNull": false,
 "Value": 2.459016393442623,
 "CalcName": "percent_expr2",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "L",
  "all'
 ],
 "IsNull": false,
 "Value": 150,
 "CalcName": "percent_expr2",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "M",
  "M"
 ],
 "IsNull": false,
 "Value": 2.8517110266159698,
 "CalcName": "percent_expr2",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "M",
  "F"
 1,
 "IsNull": false,
 "Value": 2.34375,
 "CalcName": "percent_expr2",
```

```
"RunDigest": "C519fC5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "M",
  "all'
 ],
 "IsNull": false,
 "Value": 149.626400996264,
 "CalcName": "percent_expr2",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "H",
  "M'
 ],
 "IsNull": false,
 "Value": 2.717391304347826,
 "CalcName": "percent_expr2",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "H",
  "F'
 ],
 "IsNull": false,
 "Value": 2.2388059701492535,
 "CalcName": "percent_expr2",
"RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "H",
  "all'
 ],
 "IsNull": false,
 "Value": 149.25465838509317,
 "CalcName": "percent_expr2",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "L",
  "M'
 ],
 "IsNull": true,
 "Value": 0,
 "CalcName": "percent_expr3",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "L",
  "F
 ],
 "IsNull": false,
 "Value": 150,
 "CalcName": "percent_expr3",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "L",
  "all
 1.
 "IsNull": false,
 "Value": 120350.1875,
 "CalcName": "percent_expr3",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "M",
  "M'
 ],
 "IsNull": false,
 "Value": 150.0000000000003,
 "CalcName": "percent_expr3",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "M",
  "F"
 1.
 "IsNull": false,
```

```
"Value": 75,
 "CalcName": "percent_expr3",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "M",
  "all'
 ],
 "IsNull": false,
 "Value": 60174.968789013736,
 "CalcName": "percent_expr3",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
{
 "Dims": [
  "H",
  "M'
 1.
 "IsNull": false,
 "Value": 74.999999999999999,
 "CalcName": "percent_expr3",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "H",
  "F'
 ],
 "IsNull": false,
 "Value": 50,
 "CalcName": "percent_expr3",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "H",
  "all'
 1.
 "IsNull": false,
 "Value": 40116.56275976725,
 "CalcName": "percent_expr3",
 "RunDigest": "c519fc5869f244ac4c80ae44695a4272"
},
 "Dims": [
  "L",
  "M'
 1.
 "IsNull": false,
"Value": 50,
 "CalcName": "expr0",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "L",
  "F"
 ],
 "IsNull": false,
 "Value": 60,
 "CalcName": "expr0",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "L",
  "all'
 1.
 "IsNull": false,
 "Value": 1201,
 "CalcName": "expr0",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "M",
  "M"
 1,
 "IsNull": false,
 "Value": 51.599999999999994,
 "CalcName": "expr0",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "M",
   "F
```

```
1.
 "IsNull": false,
 "Value": 62,
 "CalcName": "expr0",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "M",
  "all"
 ],
 "IsNull": false,
 "Value": 1202,
 "CalcName": "expr0",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "H",
  "M"
 ],
 "IsNull": false,
 "Value": 53.2,
 "CalcName": "expr0",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "H",
  "F"
 ],
 "IsNull": false,
 "Value": 64,
 "CalcName": "expr0",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "H",
   "all"
 ],
 "IsNull": false,
 "Value": 1203,
 "CalcName": "expr0",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "L",
  "M"
 ],
 "IsNull": false,
 "Value": 6,
 "CalcName": "expr1",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "L",
"F"
 ],
 "IsNull": false,
 "Value": 10,
 "CalcName": "expr1",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "L",
  "all"
 ],
 "IsNull": false,
 "Value": 3206,
 "CalcName": "expr1",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "M",
   "M"
 ],
 "IsNull": false,
 "Value": 10,
 "CalcName": "expr1",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
```

```
"Dims": [
  "M",
  "F'
 ],
 "IsNull": false,
 "Value": 14,
 "CalcName": "expr1",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "M",
  "all"
 ],
 "IsNull": false,
 "Value": 3210,
 "CalcName": "expr1",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "H",
  "M"
 ],
 "IsNull": false,
 "Value": 14,
 "CalcName": "expr1",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "H",
  "F"
 ],
 "IsNull": false,
 "Value": 18,
 "CalcName": "expr1",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "H",
  "all"
 ],
 "IsNull": false,
 "Value": 3214,
 "CalcName": "expr1",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "L",
  "M"
 ],
 "IsNull": false,
 "Value": 51.5,
 "CalcName": "expr2",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "L",
  "F"
 ],
 "IsNull": false,
 "Value": 62.5,
 "CalcName": "expr2",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "L",
  "all"
 ],
 "IsNull": false,
 "Value": 2002.5,
 "CalcName": "expr2",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "M",
  "M"
 1.
 "IsNull": false,
 "Value": 54.09999999999994,
 "CalcName": "expr2",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74'
```

```
},
{
  "Dims": [
  "M",
   "F"
 ],
 "IsNull": false,
 "Value": 65.5,
 "CalcName": "expr2",
  "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
  "Dims": [
  "M",
   "all"
 ],
 "IsNull": false,
 "Value": 2004.5,
 "CalcName": "expr2",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
  "Dims": [
  "H",
  "M"
 ],
 "IsNull": false,
 "Value": 56.7,
 "CalcName": "expr2",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
  "Dims": [
  "H",
  "F"
 ],
 "IsNull": false,
 "Value": 68.5,
 "CalcName": "expr2",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
  "Dims": [
  "H",
  "all"
 ],
"IsNull": false,
 "Value": 2006.5,
 "CalcName": "expr2",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "L",
  "M"
 ],
  "IsNull": false,
 "Value": 75,
 "CalcName": "expr3",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
  "Dims": [
  "L",
  "F"
 1,
  "IsNull": false,
 "Value": 150,
  "CalcName": "expr3",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
  "Dims": [
  "L",
  "all"
 1.
  "IsNull": false,
 "Value": 963601.5,
  "CalcName": "expr3",
  "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
  "Dims": [
  "M",
  "M"
 1,
  "IsNull": false,
```

```
value : 129,
 "CalcName": "expr3",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "M",
  "F"
 ],
 "IsNull": false,
 "Value": 217,
 "CalcName": "expr3",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "M",
  "all"
 ],
 "IsNull": false,
 "Value": 965605,
 "CalcName": "expr3",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "H",
  "M"
 ],
 "IsNull": false,
 "Value": 186.2,
 "CalcName": "expr3",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "H",
  "F"
 ],
 "IsNull": false,
 "Value": 288,
 "CalcName": "expr3",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "H",
  "all"
 ],
 "IsNull": false,
 "Value": 967610.5,
 "CalcName": "expr3",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "L",
  "M"
 ],
 "IsNull": false,
 "Value": 0,
 "CalcName": "percent_expr0",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "L",
  "F"
 ],
 "IsNull": false,
 "Value": 0,
 "CalcName": "percent_expr0",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "L",
  "all'
 ],
 "IsNull": false,
 "Value": 1200,
 "CalcName": "percent_expr0",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "M",
   "M'
```

```
],
 "IsNull": false,
 "Value": 0,
 "CalcName": "percent_expr0",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "M",
  "F"
 ],
 "IsNull": false,
 "Value": 0,
 "CalcName": "percent_expr0",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "M",
  "all"
 ],
 "IsNull": false,
 "Value": 60000,
 "CalcName": "percent_expr0",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "H",
  "M"
 ],
 "IsNull": false,
 "Value": 0,
 "CalcName": "percent_expr0",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "H",
  "F"
 ],
 "IsNull": false,
 "Value": 0,
 "CalcName": "percent_expr0",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "H",
  "all"
 ],
 "IsNull": false,
 "Value": 40000,
 "CalcName": "percent_expr0",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "L",
  "M"
 ],
 "IsNull": true,
 "Value": 0,
 "CalcName": "percent_expr1",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "L",
  "F"
 ],
 "IsNull": false,
 "Value": 900,
 "CalcName": "percent_expr1",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
 "Dims": [
  "L",
  "all"
 ],
 "IsNull": false,
 "Value": 300.75,
 "CalcName": "percent_expr1",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
}.
{
 "Dime
```

```
دוווים
  "M",
  "M'
 1,
 "IsNull": false,
 "Value": 900,
 "CalcName": "percent_expr1",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "M",
  "F"
 ],
 "IsNull": false,
 "Value": 600,
 "CalcName": "percent_expr1",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "M",
  "all"
 ],
 "IsNull": false,
 "Value": 300.749063670412,
 "CalcName": "percent_expr1",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "H",
  "M"
 ],
 "IsNull": false,
 "Value": 600,
 "CalcName": "percent_expr1",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
}.
{
 "Dims": [
  "H",
  "F"
 1.
 "IsNull": false,
 "Value": 500,
 "CalcName": "percent_expr1",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "H",
  "all"
 1,
 "IsNull": false,
"Value": 300.74812967581045,
 "CalcName": "percent_expr1",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "L",
  "M"
 ],
 "IsNull": false,
"Value": 3,
 "CalcName": "percent_expr2",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "L",
  "F"
 ],
 "IsNull": false,
 "Value": 2.459016393442623,
 "CalcName": "percent_expr2",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "L",
  "all"
 ],
 "IsNull": false,
 "Value": 150,
 "CalcName": "percent_expr2",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
```

```
"Dims": [
  "M",
   "M"
 1,
 "IsNull": false,
"Value": 2.8517110266159698,
 "CalcName": "percent_expr2",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "M",
  "F"
 ],
 "IsNull": false,
 "Value": 2.34375,
 "CalcName": "percent_expr2",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "M",
  "all"
 1,
 "IsNull": false,
 "Value": 149.626400996264,
 "CalcName": "percent_expr2",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "H",
  "M"
 ],
 "IsNull": false,
 "Value": 2.717391304347826,
 "CalcName": "percent_expr2",
 "RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "H",
   "F"
 ],
 "IsNull": false,
 "Value": 2.2388059701492535,
 "CalcName": "percent_expr2",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "H",
"all"
 ],
 "IsNull": false,
 "Value": 149.25465838509317,
 "CalcName": "percent_expr2",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "L",
   "M"
 ],
 "IsNull": true,
 "Value": 0,
 "CalcName": "percent_expr3",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "L",
"F"
 ],
 "IsNull": false,
 "Value": 150,
 "CalcName": "percent_expr3",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
 "Dims": [
  "L",
"all"
 ],
 "IsNull": false,
 "Value": 120350.1875,
```

```
"CalcName": "percent_expr3",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
  "Dims": [
   "M",
"M"
 ],
  "IsNull": false,
  "Value": 150.000000000003,
 "CalcName": "percent_expr3",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
  "Dims": [
   "M",
   "F"
 ],
  "IsNull": false,
  "Value": 75,
 "CalcName": "percent_expr3",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
  .
"Dims": [
   "M",
"all"
 ],
  "IsNull": false,
  "Value": 60174.968789013736,
 "CalcName": "percent_expr3",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
  "Dims": [
   "H",
"M"
 ],
  "IsNull": false,
 "Value": 74.999999999999999,
 "CalcName": "percent_expr3",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
  "Dims": [
   "H",
   "F"
 ],
  "IsNull": false,
  "Value": 50,
  "CalcName": "percent_expr3",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
},
{
  "Dims": [
   "H",
   "all"
 ],
  "IsNull": false,
 "Value": 40116.56275976725,
 "CalcName": "percent_expr3",
"RunDigest": "ffad6e8ed4449dafe11b82c7aea82f74"
}
```

]

# GET output table accumulator(s) from model run

Read a "page" of output table accumulator(s) values from model run.

Page is part of output table values defined by zero-based "start" row number and row count. If row count <= 0 then all rows returned.

Dimension(s) returned as enum codes or as string values if dimension type is simple (integer or boolean).

## Methods:

- GET /api/model/:model/run/:run/table/:name/acc
- GET /api/model/:model/run/:run/table/:name/acc/start/:start
- GET /api/model/:model/run/:run/table/:name/acc/start/:start/count/:count

### Arguments:

```
:model - (required) model digest or model name
```

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) output table name

```
:start - (optional) start "page" row number, zero-based.
:count - (optional) "page" size, number of rows to select, if count <= 0 then all rows selected</pre>
```

# Call examples:

```
http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/acc
http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/acc/start/2
http://localhost:4040/api/model/_201208171604590148_/run/f172e98da17beb058f30f11768053456/table/salarySex/acc
http://localhost:4040/api/model/_201208171604590148_/run/2019_01_17_19_59_52_998/table/salarySex/acc
```

```
[{"Dims":["L","M"],"Value":50,"IsNull":false,"AccId":0,"SubId":0}
,{"Dims":["L","F"],"Value":60,"IsNull":false,"AccId":0,"SubId":0}
,{"Dims":["L","all"],"Value":1,"IsNull":false,"AccId":0,"SubId":0}
,{"Dims":["M","M"],"Value":51.5999999999999994,"IsNull":false,"AccId":0,"SubId":0}
,{"Dims":["M","F"],"Value":62,"IsNull":false,"AccId":0,"SubId":0}
,{"Dims":["M","all"],"Value":2,"IsNull":false,"AccId":0,"SubId":0}
,{"Dims":["H","M"],"Value":53.2,"IsNull":false,"AccId":0,"SubId":0}
,{"Dims":["H","F"],"Value":64,"IsNull":false,"AccId":0,"SubId":0}
,{"Dims":["H","all"],"Value":3,"IsNull":false,"AccId":0,"SubId":0}
,{"Dims":["L","M"],"Value":1,"IsNull":false,"AccId":1,"SubId":0}
,{"Dims":["L","F"],"Value":2,"IsNull":false,"AccId":1,"SubId":0}
,{"Dims":["L","all"],"Value":801,"IsNull":false,"AccId":1,"SubId":0}
,{"Dims":["M","M"],"Value":3,"IsNull":false,"AccId":1,"SubId":0}
,{"Dims":["M","F"],"Value":4,"IsNull":false,"AccId":1,"SubId":0}
,{"Dims":["M","all"],"Value":803,"IsNull":false,"AccId":1,"SubId":0}
,{"Dims":["H","M"],"Value":4,"IsNull":false,"AccId":1,"SubId":0}
,{"Dims":["H","F"],"Value":5,"IsNull":false,"AccId":1,"SubId":0}
,{"Dims":["H","all"],"Value":804,"IsNull":false,"AccId":1,"SubId":0}
```

# GET output table all accumulators from model run

Read a "page" of output table values from "all accumulators" view of model run.

"All accumulators" view include derived accumulators. Page is part of output table values defined by zero-based "start" row number and row count. If row count <= 0 then all rows returned.

Dimension(s) returned as enum codes or as string values if dimension type is simple (integer or boolean).

### Methods:

```
GET /api/model/:model/run/:run/table/:name/all-acc
```

- GET /api/model/:model/run/:run/table/:name/all-acc/start/:start
- GET /api/model/:model/run/:run/table/:name/all-acc/start/:start/count/:count

### Arguments:

```
:model - (required) model digest or model name
```

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) output table name

```
:start - (optional) start "page" row number, zero-based.
```

:count - (optional) "page" size, number of rows to select, if count <= 0 then all rows selected.

### Call examples:

http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/all-acc

- http://localhost:4040/api/model/modelOne\_/run/Default/table/salarySex/all-acc/start/2
- http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/all-acc/start/2/count/4
- $http://localhost: 4040/api/model/_201208171604590148\_/run/f172e98da17beb058f30f11768053456/table/salarySex/all-acceleration and the second s$
- http://localhost:4040/api/model/\_201208171604590148\_/run/2019\_01\_17\_19\_59\_52\_998/table/salarySex/all-acc

- [{"Dims":["L","M"],"SubId":0,"IsNull":[false,false,false],"Value":[50,1,51]}
- ,{"Dims":["L","F"],"SubId":0,"IsNull":[false,false,false],"Value":[60,2,62]}
- ,{"Dims":["L","all"],"SubId":0,"IsNull":[false,false,false],"Value":[1,801,802]}
- ,{"Dims":["M","M"],"SubId":0,"IsNull":[false,false,false],"Value":[51.599999999999994,3,54.5999999999999999]}
- , {"Dims": ["M", "F"], "SubId": 0, "IsNull": [false, false, false], "Value": [62, 4, 66] }
- $, \{"Dims": ["M", "all"], "SubId": 0, "IsNull": [false, false, false], "Value": [2,803,805] \}$
- ,{"Dims":["H","M"],"SubId":0,"IsNull":[false,false,false],"Value":[53.2,4,57.2]}
- ,{"Dims":["H","F"],"SubId":0,"IsNull":[false,false,false],"Value":[64,5,69]}
- ,{"Dims":["H","all"],"SubId":0,"IsNull":[false,false,false],"Value":[3,804,807]}

```
1
```

# GET microdata values from model run

Read a "page" of microdata values from model run.

Page is part of microdata values defined by zero-based "start" row number and row count. If row count <= 0 then all rows returned.

Enum-based microdata attributes returned as enum codes.

# Methods:

- GET /api/model/:model/run/:run/microdata/:name/value
- GET /api/model/:model/run/:run/microdata/:name/value/start/:start
- GET /api/model/:model/run/:run/microdata/:name/value/start/:start/count/:count

## Arguments:

```
:model - (required) model digest or model name
```

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) microdata entity name

```
:start - (optional) start "page" row number, zero-based.
:count - (optional) "page" size, number of rows to select, if count <= 0 then all rows selected</pre>
```

# Call examples:

http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/value http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/value/start/131040 http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/value/start/131040/count/4 http://localhost:4040/api/model/\_201208171604590148\_/run/Microdata%20in%20database/microdata/Person/value http://localhost:4040/api/model/\_201208171604590148\_/run/2019\_01\_17\_19\_59\_52\_998/microdata/Person/value

```
[{
      "Key": 844424930164716,
      "Attr": [{
           "IsNull": false
           "Value": "32"
        }, {
           "IsNull": false,
           "Value": "30-40"
        }, {
           "IsNull": false,
           "Value": "M"
        }, {
           "IsNull": false.
           "Value": "268271632"
        }, {
           "IsNull": false,
           "Value": "201203724"
        }, {
           "IsNull": false,
           "Value": "H"
        }, {
            "IsNull": false,
            "Value": "Full"
        }, {
           "IsNull": false.
           "Value": "false"
        }, {
```

```
"IsNull": false,
         "Value": "0"
      }
   ]
}, {
    .
"Key": 844424930164717,
   "Attr": [{
         "IsNull": false,
         "Value": "23"
      }, {
         "IsNull": false,
         "Value": "20-30"
     }, {
"IsNull": false,
         "Value": "F"
     }, {
"IsNull": false,
"· "2682
         "Value": "268279823"
      }, {
          "IsNull": false,
         "Value": "201209867.25"
      }, {
         "IsNull": false,
         "Value": "H"
      }, {
         "IsNull": false,
         "Value": "Full"
      }, {
         "IsNull": false,
         "Value": "false"
      }, {
          "IsNull": false,
         "Value": "0"
      }
   1
}, {
   "Key": 844424930164718,
"Attr": [{
         "IsNull": false,
         "Value": "14"
     }, {
"IsNull": false,
         "Value": "10-20"
      }, {
          "IsNull": false,
         "Value": "M"
     }, {
"IsNull": false,
"• "0"
         "Value": "0"
      }, {
         "IsNull": false,
         "Value": "0"
      }, {
         "IsNull": false,
         "Value": "L"
      }, {
          "IsNull": false,
         "Value": "Part"
      }, {
         "IsNull": false,
         "Value": "false"
     }, {
"IsNull": false,
         "Value": "0"
      }
   ]
،

, {

    "Key": 844424930164719,

    "Attr": [{

    "'`¬^tull": false,
        "IsNull": false,
         "Value": "5"
      }, {
         "IsNull": false,
         "Value": "10-20"
      }, {
          "IsNull": false,
         "Value": "F"
     }, {
"IsNull": false,
         "Value": "0"
      }, {
          "IsNull": false,
         "Value": "0"
      }, {
          "IsNull": false,
         "Value": "L"
      }, {
          "IsNull": false
```

"Value": "Part" }, { "IsNull": false, "Value": "false" }, { "IsNull": false, "Value": "0" } } ]

# GET aggregated microdata from model run

Read a "page" of aggregated microdata values from model run.

Result can include multiple aggregations of value attributes (float of integer type) and group by dimension attributes (enum-based or bool type). Aggregation(s) is a comma-separated list of Model Output Expressions of microdata value attributes. For example, two aggregations: OM\_AVG(Income), OM\_MAX(Salary + Pension) and group by two dimension attributes: AgeGroup, Sex.

Page is part of output table values defined by zero-based "start" row number and row count. If row count <= 0 then all rows returned.

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: OM\_COUNT\_IF(Income > param.High), where param.High is a value of scalar parameter High in that model run.

Enum-based microdata attributes returned as enum codes.

Following aggregation functions avaliable:

- OM\_AVG mean of accumulators sub-values
- OM\_SUM sum of accumulators sub-values
- OM\_COUNT count of accumulators sub-values (excluding NULL's)
- OM\_COUNT\_IF count values matching condition
- OM\_MAX maximum of accumulators sub-values
- OM\_MIN minimum of accumulators sub-values
- OM\_VAR variance of accumulators sub-values
- OM\_SD standard deviation of accumulators sub-values
- OM\_SE standard error of accumulators sub-values
- OM\_CV coefficient of variation of accumulators sub-values

For more details please see: Model Output Expressions

# Methods:

- GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/start/:start GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/start/:start/count/:count
- Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) microdata entity name

:group-by - (required) comma-separated list of dimension attribute(s) to group by aggreagated values, dimension attribute must be enum-based or boolean type.

GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc

:calc - (required) comma-separated list of aggregation of microdata value attribute(s), value attribute must be float of integer type.

:start - (optional) start "page" row number, zero-based. :count - (optional) "page" size, number of rows to select, if count <= 0 then all rows selected.

# Call examples:

http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income) http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income)/start/2 http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income)/start/2

http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income),OM\_AVG(Salary+Pension) http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_COUNT\_IF(Income%3Eparam.StartingSeed)

Note: OM\_COUNT\_IF(Income%3Eparam.StartingSeed) is URL encoded: OM\_COUNT\_IF(Income>param.StartingSeed) .

## **Return example:**

curl http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income)/csv

[ { "Attr": [ "IsNull": false, "Value": "10-20" }. "IsNull": false. "Value": "M }, { "IsNull": false, "Value": 13400876.354360776 } ], "CalcName": "ex\_12000", "RunDigest": "a59c91359c4cd98f6275529c798d2485" } "Attr": [ { "IsNull": false, "Value": "10-20" }, ł "IsNull": false, "Value": "F" }, { "IsNull": false, "Value": 13403741.889092576 } 1, "CalcName": "ex\_12000", "RunDigest": "a59c91359c4cd98f6275529c798d2485" }, { "Attr": [ { "IsNull": false, "Value": "20-30" }. { "IsNull": false, "Value": "M" }, { "IsNull": false, "Value": 134201344 } "CalcName": "ex\_12000", "RunDigest": "a59c91359c4cd98f6275529c798d2485" }, "Attr": [ { "IsNull": false,

```
"Value": "20-30"
  },
   {
    "IsNull": false,
    "Value": "F"
  },
  {
    "IsNull": false,
    "Value": 134209535
  }
 ],
  "CalcName": "ex_12000",
 "RunDigest": "a59c91359c4cd98f6275529c798d2485"
},
{
  "Attr": [
  {
    "IsNull": false,
    "Value": "30-40"
  },
   {
    "IsNull": false,
    "Value": "M"
  }.
   {
    "IsNull": false,
    "Value": 134283254
  }
 1.
  "CalcName": "ex_12000",
 "RunDigest": "a59c91359c4cd98f6275529c798d2485"
},
{
  "Attr": [
  {
    "IsNull": false,
    "Value": "30-40"
   },
   {
    "IsNull": false,
    "Value": "F"
   },
   {
    "IsNull": false,
    "Value": 134291445
  }
 ],
  "CalcName": "ex_12000",
 "RunDigest": "a59c91359c4cd98f6275529c798d2485"
},
{
  "Attr": [
  {
    "IsNull": false,
    "Value": "40+"
  },
   {
    "IsNull": false,
    "Value": "M"
  },
   {
    "IsNull": false,
    "Value": 74645804.26116003
  }
 1,
  "CalcName": "ex_12000",
  "RunDigest": "a59c91359c4cd98f6275529c798d2485"
},
{
  "Attr": [
  {
    "IsNull": false,
    "Value": "40+"
   },
   {
    "IsNull": false,
    "Value": "F"
  },
   {
    "IsNull": false,
    "Value": 71069306.57187325
  }
 ]
  "CalcName": "ex_12000",
 "RunDigest": "a59c91359c4cd98f6275529c798d2485"
}
```

1

# GET microdata run comparison

Read a "page" of microdata values and compare model runs.

Compare [base] and [variant] model runs microdata value attributes (float of integer type), group it by dimension attributes (enum-based or bool type).

Result can include multiple aggregated comparisons, grouped by multiple dimension attributes. Aggregated comparision(s) is a commaseparated list of Model Output Expressions of [base] and [variant] value attributes. For example, two comparisions: OM\_AVG(income[variant] -Income[base]), OM\_MAX(100 \* (Salary[variant] + Pension[variant]) / Income[base]) and group by two dimension attributes: AgeGroup, Sex .

Page is part of output table values defined by zero-based "start" row number and row count. If row count <= 0 then all rows returned.

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: OM\_COUNT\_IF((Income[variant - Income[base]) > param.High[base]), where param.High[base] is a value of scalar parameter High in [base] model run.

Enum-based microdata attributes returned as enum codes.

Following aggregation functions avaliable:

- OM\_AVG mean of accumulators sub-values
- OM\_SUM sum of accumulators sub-values
- OM\_COUNT count of accumulators sub-values (excluding NULL's)
- OM\_COUNT\_IF count values matching condition
- OM\_MAX maximum of accumulators sub-values
- OM\_MIN minimum of accumulators sub-values
- OM\_VAR variance of accumulators sub-values
- OM\_SD standard deviation of accumulators sub-values
- OM\_SE standard error of accumulators sub-values
- OM\_CV coefficient of variation of accumulators sub-values

For more details please see: Model Output Expressions

# Methods:

 ${\tt GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:varia$ 

- GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/start/:start
- ${\tt GET}\ /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/:start/count/:$

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) base model run digest, run stamp or run name :variant - (required) variant model run(s): comma-separated list of digests, run stamps or run names

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined. :group-by - (required) comma-separated list of dimension attribute(s) to group by aggreagated values, dimension attribute must be enum-based or boolean type.

:compare - (required) comma-separated list of comparions of microdata value attribute(s), value attribute must be float of integer type.

:start - (optional) start "page" row number, zero-based.

:count - (optional) "page" size, number of rows to select, if count <= 0 then all rows selected.

# Call examples:

http://localhost:4040/api/model/model/one/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG(Income%5Bvariant%5D-Income%5Bba se%5D)/variant/Microdata%20in%20database

http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG(Income%5Bvariant%5D-Income%5Bba se%5D)/variant/Microdata%20in%20database/start/2

http://localhost:4040/api/model/model/one/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG(Income%5Bvariant%5D-Income%5Bba se%5D)/variant/Microdata%20in%20database/start/2/count/4

http://localhost:4040/api/model/model/one/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG(Income%5Bvariant%5D-Income%5Bba se%5D),OM\_AVG(Salary)/variant/Microdata%20in%20database

http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG((Income%5Bvariant%5D-Income%5Bbase%5D)+param.StartingSeed%5Bbase%5D)/variant/Microdata%20other%20in%20database

#### Note:

- OM\_AVG(Income%5Bvariant%5D-Income%5Bbase%5D) is URL encoded: OM\_AVG(Income[variant]-Income[base]).
- OM\_AVG((Income%5Bvariant%5D-Income%5Bbase%5D)+param.StartingSeed%5Bbase%5D) is URL encoded: OM\_AVG((Income[variant]-Income[base])+param.StartingSeed[base]) .

### **Return example:**

http://localhost:4040/api/model/model/one/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG(Income%5Bvariant%5D-Income%5Bba se%5D)/variant/Microdata%20in%20database

```
[
 {
   "Attr": [
    {
     "IsNull": false,
     "Value": "10-20"
    }.
    {
     "IsNull": false,
     "Value": "M"
    }.
     "IsNull": false.
     "Value": -6701256.201619063
    }
  1
   "CalcName": "ex 12000",
   "RunDigest": "86135ceed94d1239937a42e088a7fcb7'
 },
   "Attr": [
    {
     "IsNull": false.
     "Value": "10-20"
    },
     "IsNull": false,
      "Value": "F'
    },
    {
     "IsNull": false,
     "Value": -6702689.143904675
    }
  ]
   "CalcName": "ex_12000",
   "RunDigest": "86135ceed94d1239937a42e088a7fcb7"
 },
 {
   "Attr": [
     "IsNull": false,
     "Value": "20-30"
    }.
```

```
{
    "IsNull": false,
    "Value": "M"
  },
  {
   "IsNull": false,
   "Value": -67108864
  }
 ],
 "CalcName": "ex_12000",
"RunDigest": "86135ceed94d1239937a42e088a7fcb7"
},
{
 "Attr": [
  {
   "IsNull": false,
   "Value": "20-30"
  },
  {
    "IsNull": false,
    "Value": "F"
  },
  ł
    "IsNull": false,
    "Value": -67112960
  }
 ],
 "CalcName": "ex_12000",
 "RunDigest": "86135ceed94d1239937a42e088a7fcb7"
},
{
 "Attr": [
  {
   "IsNull": false,
    "Value": "30-40"
  },
  {
    "IsNull": false,
    "Value": "M"
  },
  {
    "IsNull": false,
    "Value": -67149824
  }
 1.
 "CalcName": "ex_12000",
 "RunDigest": "86135ceed94d1239937a42e088a7fcb7"
},
{
 "Attr": [
  {
    "IsNull": false,
    "Value": "30-40"
  },
  {
    "IsNull": false,
    "Value": "F"
  },
  {
    "IsNull": false,
    "Value": -67153920
  }
 ],
 "CalcName": "ex_12000",
 "RunDigest": "86135ceed94d1239937a42e088a7fcb7"
},
{
 "Attr": [
  {
   "IsNull": false,
   "Value": "40+"
  },
    "IsNull": false,
    "Value": "M"
  }.
  {
    "IsNull": false,
    "Value": -37327458.47071971
  }
 ],
 "CalcName": "ex_12000",
 "RunDigest": "86135ceed94d1239937a42e088a7fcb7"
},
{
 "Attr": [
  {
    "IsNull": false
```

"Value": "40+"
},
{
 "IsNull": false,
 "Value": "F"
},
 {
 "IsNull": false,
 "Value": -35538991.09092548
 }
],
 "CalcName": "ex\_12000",
 "RunDigest": "86135ceed94d1239937a42e088a7fcb7"
}
]

101 van . 10100,

# GET csv parameter values from workset

Read entire parameter values from workset as csv file.

Response stream is UTF-8 parameter.csv file attachment, optionally starts with byte order mark (BOM).

Dimension(s) and enum-based parameters returned as enum codes.

# Methods:

```
GET /api/model/:model/workset/:set/parameter/:name/csv
GET /api/model/:model/workset/:set/parameter/:name/csv-bom
```

# Arguments:

```
:model - (required) model digest or model name
```

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:set - (required) workset name

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

:name - (required) parameter name

# Call examples:

 $\label{eq:http://ocalhost:4040/api/model/model/model/workset/model/one_other/parameter/ageSex/csv-http://ocalhost:4040/api/model/model/model/workset/model/one_other/parameter/ageSex/csv-bom/api/model/mo$ 

### **Return example:**

sub\_id,dim0,dim1,param\_value 0,10-20,M,1.1 0,10-20,F,1.2 0,20-30,M,1.3 0,20-30,F,1.4 0,30-40,M,1.5 0,30-40,F,1.6 0,40+,M,1.7 0,40+,F,1.8

# GET csv parameter values from workset (enum id's)

Read entire parameter values from workset as csv file.

Response stream is UTF-8 parameter.csv file attachment, optionally starts with byte order mark (BOM).

Dimension(s) and enum-based parameters returned as enum id, not enum codes.

# Methods:

```
GET /api/model/:model/workset/:set/parameter/:name/csv-id
GET /api/model/:model/workset/:set/parameter/:name/csv-id-bom
```

# Arguments:

```
:model - (required) model digest or model name
```

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:set - (required) workset name

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

:name - (required) parameter name

# Call examples:

http://localhost:4040/api/model/modelOne/workset/modelOne\_other/parameter/ageSex/csv-id http://localhost:4040/api/model/modelOne/workset/modelOne\_other/parameter/ageSex/csv-id-bom

### **Return example:**

sub\_id,dim0,dim1,param\_value 0,10,0,1.1 0,10,1,1.2 0,20,0,1.3 0,20,1,1.4 0,30,0,1.5 0,30,1,1.6 0,40,0,1.7 0,40,1,1.8

# GET csv parameter values from model run

Read entire parameter values from model run as csv file.

Response stream is UTF-8 parameter.csv file attachment, optionally starts with byte order mark (BOM).

Dimension(s) and enum-based parameters returned as enum codes.

# Methods:

```
GET /api/model/:model/run/:run/parameter/:name/csv
GET /api/model/:model/run/:run/parameter/:name/csv-bom
```

## Arguments:

```
:model - (required) model digest or model name
```

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) parameter name

## Call examples:

http://localhost:4040/api/model/modelOne/run/Default/parameter/ageSex/csv http://localhost:4040/api/model/modelOne/run/Default/parameter/ageSex/csv-bom http://localhost:4040/api/model/modelOne/run/f172e98da17beb058f30f11768053456/parameter/ageSex/csvhttp://localhost:4040/api/model/modelOne/run/f172e98da17beb058f30f11768053456/parameter/ageSex/csv-bom http://localhost:4040/api/model/modelOne/run/f172e98da17beb058f30f11768053456/parameter/ageSex/csv-bom http://localhost:4040/api/model/modelOne/run/f172e98da17beb058f30f11768053456/parameter/ageSex/csv-bom

### **Return example:**

sub\_id,dim0,dim1,param\_value 0,10-20,M,0.1 0,10-20,F,0.2 0,20-30,M,0.3 0,20-30,F,0.4 0,30-40,M,0.5 0,30-40,F,0.6 0,40+,M,0.7 0,40+,F,0.8

# GET csv parameter values from model run (enum id's)

Read entire parameter values from model run as csv file.

Response stream is UTF-8 parameter.csv file attachment, optionally starts with byte order mark (BOM).

Dimension(s) and enum-based parameters returned as enum id, not enum codes.

# Methods:

```
GET /api/model/:model/run/:run/parameter/:name/csv-id
GET /api/model/:model/run/:run/parameter/:name/csv-id-bom
```

### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) parameter name

### Call examples:

http://localhost:4040/api/model/modelOne/run/Default/parameter/ageSex/csv-id http://localhost:4040/api/model/modelOne/run/Default/parameter/ageSex/csv-id-bom http://localhost:4040/api/model/modelOne/run/f172e98da17beb058f30f11768053456/parameter/ageSex/csv-id http://localhost:4040/api/model/modelOne/run/f172e98da17beb058f30f11768053456/parameter/ageSex/csv-id-bom http://localhost:4040/api/model/modelOne/run/f172e98da17beb058f30f11768053456/parameter/ageSex/csv-id-bom

# **Return example:**

oub id dim0 dim1 param valua

sub_id,dimu,dim1,param_value
0,10,0,0.1
0,10,1,0.2
0,20,0,0.3
0,20,1,0.4
0,30,0,0.5
0,30,1,0.6
0,40,0,0.7
0,40,1,0.8

# GET csv output table expressions from model run

Read entire output table expression(s) values from model run as csv file.

Response stream is UTF-8 outputTable.csv file attachment, optionally starts with byte order mark (BOM).

Dimension(s) returned as enum codes.

# Methods:

GET /api/model/:model/run/:run/table/:name/expr/csv GET /api/model/:model/run/:run/table/:name/expr/csv-bom

### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) output table name

### Call examples:

http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/expr/csv

http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/expr/csv-bom

http://localhost:4040/api/model/\_201208171604590148\_/run/f172e98da17beb058f30f11768053456/table/salarySex/expr/csv

http://localhost:4040/api/model/\_201208171604590148\_/run/2019\_01\_17\_19\_59\_52\_998/table/salarySex/expr/csv

expr\_name,dim0,dim1,expr\_value expr0,L,M,50 expr0,L,F,60 expr0,L,all,1 expr0,M,M,51.6 expr0,M,F,62 expr0,M,all,2 expr0,H,M,53.2 expr0,H,F,64 expr0,H,all,3 expr1,L,M,1 expr1,L,F,2 expr1,L,all,801 expr1,M,M,3 expr1,M,F,4 expr1,M,all,803 expr1,H,M,4 expr1,H,F,5 expr1,H,all,804 expr2,L,M,50 expr2,L,F,60 expr2,L,all,1 expr2,M,M,51.6 expr2,M,F,62 expr2,M,all,2 expr2,H,M,53.2 expr2,H,F,64 expr2,H,all,3 expr3,L,M,50 expr3,L,F,120 expr3,L,all,801 expr3,M,M,154.8 expr3,M,F,248 expr3,M,all,1606 expr3,H,M,212.8 expr3,H,F,320 expr3,H,all,2412

# GET csv output table expressions from model run (enum id's)

Read entire output table expression(s) values from model run as csv file.

Response stream is UTF-8 outputTable.csv file attachment, optionally starts with byte order mark (BOM).

Dimension(s) returned as enum id's.

## Methods:

GET /api/model/:model/run/:run/table/:name/expr/csv-id GET /api/model/:model/run/:run/table/:name/expr/csv-id-bom

### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) output table name

### Call examples:

http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/expr/csv-id http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/expr/csv-id-bom

http://localhost:4040/api/model/\_201208171604590148\_/run/f172e98da17beb058f30f11768053456/table/salarySex/expr/csv-id

http://localhost:4040/api/model/\_201208171604590148\_/run/2019\_01\_17\_19\_59\_52\_998/table/salarySex/expr/csv-id

expr\_id,dim0,dim1,expr\_value 0,100,0,50 0,100,1,60 0,100,800,1 0,200,0,51.6 0,200,1,62 0,200,800,2 0,300,0,53.2 0,300,1,64 0,300,800,3 1,100,0,1 1,100,1,2 1,100,800,801 1,200,0,3 1,200,1,4 1,200,800,803 1,300,0,4 1,300,1,5 1,300,800,804 2,100,0,50 2,100,1,60 2,100,800,1 2,200,0,51.6 2,200,1,62 2,200,800,2 2,300,0,53.2 2,300,1,64 2,300,800,3 3,100,0,50 3,100,1,120 3,100,800,801 3,200,0,154.8 3,200,1,248 3,200,800,1606 3,300,0,212.8 3,300,1,320 3,300,800,2412

# GET csv output table accumulators from model run

Read entire output table accumulator(s) values from model run as csv file.

Response stream is UTF-8 outputTable.csv file attachment, optionally starts with byte order mark (BOM).

Dimension(s) returned as enum codes.

# Methods:

GET /api/model/:model/run/:run/table/:name/acc/csv GET /api/model/:model/run/:run/table/:name/acc/csv-bom

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) output table name

## Call examples:

http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/acc/csv http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/acc/csv-bom http://localhost:4040/api/model/\_201208171604590148\_/run/f172e98da17beb058f30f11768053456/table/salarySex/acc/csv http://localhost:4040/api/model/\_201208171604590148\_/run/2019\_01\_17\_19\_59\_52\_998/table/salarySex/acc/csv

acc_name,sub_id,dim0,dim1,acc_value
acc0,0,L,M,50
acc0,0,L,F,60
acc0,0,L,all,1
acc0,0,M,M,51.6
acc0,0,M,F,62
acc0,0,M,all,2
acc0,0,H,M,53.2
acc0,0,H,F,64
acc0,0,H,all,3
acc1,0,L,M,1
acc1,0,L,F,2
acc1,0,L,all,801
acc1,0,M,M,3
acc1,0,M,F,4
acc1,0,M,all,803
acc1,0,H,M,4
acc1,0,H,F,5
acc1,0,H,all,804

# GET csv output table accumulators from model run (enum id's)

Read entire output table accumulator(s) values from model run as csv file.

Response stream is UTF-8 outputTable.csv file attachment, optionally starts with byte order mark (BOM).

Dimension(s) returned as enum id's.

## Methods:

```
GET /api/model/:model/run/:run/table/:name/acc/csv-id
GET /api/model/:model/run/:run/table/:name/acc/csv-id-bom
```

### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) output table name

## Call examples:

http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/acc/csv-id http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/acc/csv-id-bom http://localhost:4040/api/model/\_201208171604590148\_/run/f172e98da17beb058f30f11768053456/table/table/salarySex/acc/csv-id http://localhost:4040/api/model/\_201208171604590148\_/run/2019\_01\_17\_19\_59\_52\_998/table/table/salarySex/acc/csv-id

acc_id,sub_id,dim0,dim1,acc_value
0,0,100,0,50
0,0,100,1,60
0,0,100,800,1
0,0,200,0,51.6
0,0,200,1,62
0,0,200,800,2
0,0,300,0,53.2
0,0,300,1,64
0,0,300,800,3
1,0,100,0,1
1,0,100,1,2
1,0,100,800,801
1,0,200,0,3
1,0,200,1,4
1,0,200,800,803
1,0,300,0,4
1,0,300,1,5
1,0,300,800,804

# GET csv output table all accumulators from model run

Read entire output table "all-accumulators" view values from model run as csv file.

Response stream is UTF-8 outputTable.csv file attachment, optionally starts with byte order mark (BOM).

Dimension(s) returned as enum codes.

# Methods:

```
GET /api/model/:model/run/:run/table/:name/all-acc/csv
GET /api/model/:model/run/:run/table/:name/all-acc/csv-bom
```

### Arguments:

```
:model - (required) model digest or model name
```

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) output table name

## Call examples:

```
http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/all-acc/csv
http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/all-acc/csv-bom
http://localhost:4040/api/model/_201208171604590148_/run/f172e98da17beb058f30f11768053456/table/salarySex/all-acc/csv
http://localhost:4040/api/model/modelOne/run/2019_01_17_19_59_52_998/table/salarySex/all-acc/csv
```

### **Return example:**

sub\_id,dim0,dim1,acc0,acc1,acc2 0,L,M,50,1,51 0,L,F,60,2,62 0,L,all,1,801,802 0,M,M,51.6,3,54.6 0,M,e2,4,66 0,M,all,2,803,805 0,H,M,53.2,4,57.2 0,H,F,64,5,69 0,H,all,3,804,807

# GET csv output table all accumulators from model run (enum id's)

Read entire output table "all-accumulators" view values from model run as csv file.

Response stream is UTF-8 outputTable.csv file attachment, optionally starts with byte order mark (BOM).

Dimension(s) returned as enum id's.

## Methods:

GET /api/model/:model/run/:run/table/:name/all-acc/csv-id GET /api/model/:model/run/:run/table/:name/all-acc/csv-id-bom

### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) output table name

## Call examples:

http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/all-acc/csv-id http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/all-acc/csv-id-bom http://localhost:4040/api/model/\_201208171604590148\_/run/f172e98da17beb058f30f11768053456/table/salarySex/all-acc/csv-id http://localhost:4040/api/model/modelOne/run/2019\_01\_17\_19\_59\_52\_998/table/salarySex/all-acc/csv-id

### **Return example:**

sub\_id,dim0,dim1,acc0,acc1,acc2 0,100,0,50,1,51 0,100,1,60,2,62 0,100,800,1,801,802 0,200,0,51.63,54.6 0,200,1,62,4,66 0,200,800,2,803,805 0,300,0,53.2,4,57.2 0,300,1,64,5,69 0,300,800,3,804,807

# GET csv calculated table expressions from model run

Calculate and read output table expression(s) values from model run as csv file.

Read output table expressions, calculate additional measure for each expression and get it as response stream UTF-8 outputTable.csv file attachment, optionally starts with byte order mark (BOM).

Measures calculated as one of the following:

- for each table expression calculate one of: avg, sum, count, max, min, var, sd, se, cv
- · as arbitrary aggreagated expressions provided as comma separated list

Dimension(s) returned as enum codes.

# Methods:

GET /api/model/:model/run/:run/table/:name/calc/:calc/csv GET /api/model/:model/run/:run/table/:name/calc/:calc/csv-bom

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) output table name

:calc - (required) name of additional measure to calculate

Additional measure must be one of:

- avg mean of expression sub-values
- sum sum of expression sub-values
- count count of expression sub-values (excluding NULL's)
- max maximum of expression sub-values
- min minimum of expression sub-values
- var variance of expression sub-values
- sd standard deviation of expression sub-values
- se standard error of expression sub-values
- cv coefficient of variation of expression sub-values

Or a list of comma-separated aggreagated expressions, for example: OM\_AVG(acc0) , 2 \* SQRT(OM\_SUM(acc1) - OM\_SD(acc0))

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: OM\_COUNT\_IF(acc1 > param.High), where param.High is a value of scalar parameter High in that model run.

Following aggregation functions avaliable:

- OM\_AVG mean of accumulators sub-values
- OM\_SUM sum of accumulators sub-values
- OM\_COUNT count of accumulators sub-values (excluding NULL's)
- OM\_COUNT\_IF count values matching condition
- OM\_MAX maximum of accumulators sub-values
- OM\_MIN minimum of accumulators sub-values
- OM\_VAR variance of accumulators sub-values
- OM\_SD standard deviation of accumulators sub-values
- OM\_SE standard error of accumulators sub-values
- OM\_CV coefficient of variation of accumulators sub-values

For more details please see: Model Output Expressions

## Call examples:

http://localhost:4040/api/model/RiskPaths/run/RiskPaths\_Default/table/T04\_FertilityRatesByAgeGroup/calc/avg/csv http://localhost:4040/api/model/RiskPaths/run/RiskPaths\_Default/table/T04\_FertilityRatesByAgeGroup/calc/sd/csv-bom http://localhost:4040/api/model/\_201208171604590148\_/run/f172e98da17beb058f30f11768053456/table/salarySex/calc/se/csv http://localhost:4040/api/model/\_201208171604590148\_/run/2019\_01\_17\_19\_59\_52\_998/table/salarySex/calc/cv/csv

http://localhost:4040/api/model/model/one/run/Default-4/table/salarySex/calc/OM\_AVG(acc0),2\*SQRT(OM\_SUM(acc1)-OM\_SD(acc0))/csv http://localhost:4040/api/model/model/one/run/Default-4/table/salarySex/calc/OM\_COUNT\_IF(acc0%3Cparam.StartingSeed)/csv

Note: OM\_COUNT\_IF(acc0%3Cparam.StartingSeed) is URL encoded: OM\_COUNT\_IF(acc0<param.StartingSeed)

## **Return example:**

curl http://localhost:4040/api/model/RiskPaths/run/RiskPaths Default 4/table/T04 FertilityRatesByAgeGroup/calc/avg/csv

```
run_digest,calc_name,Dim0,Dim1,calc_value
b794d3399099035740e117378c523feb,Expr0,"(-∞,15)",US_NEVER_IN_UNION,0
b794d3399099035740e117378c523feb,Expr0,"(-∞,15)",US_FIRST_UNION_PERIOD1,null
b794d3399099035740e117378c523feb,Expr0,"(-∞,15)",US_FIRST_UNION_PERIOD2,null
b794d3399099035740e117378c523feb,Expr0,"(-∞,15)",US_AFTER_FIRST_UNION,null
b794d3399099035740e117378c523feb,Expr0,"(-∞,15)",US_SECOND_UNION,null
b794d3399099035740e117378c523feb,Expr0,"(-∞,15)",US_AFTER_SECOND_UNION,null
b794d3399099035740e117378c523feb,Expr0,"[15,17.5)",US_NEVER_IN_UNION,0.0183139978773642
b794d3399099035740e117378c523feb,Expr0,"[15,17.5)",US_FIRST_UNION_PERIOD1,0.315246747433367
b794d3399099035740e117378c523feb,Expr0,"[15,17.5)",US_FIRST_UNION_PERIOD2,null
b794d3399099035740e117378c523feb,Expr0,"[15,17.5)",US_AFTER_FIRST_UNION,0
b794d3399099035740e117378c523feb,Expr0,"[15,17.5)",US_SECOND_UNION,0
b794d3399099035740e117378c523feb,Expr0,"[15,17.5)",US_AFTER_SECOND_UNION,null
b794d3399099035740e117378c523feb,Expr0,"[17.5,20)",US_NEVER_IN_UNION,0.0537541294539804
b794d3399099035740e117378c523feb,Expr0,"[17.5,20)",US FIRST UNION PERIOD1,0.713129647941936
b794d3399099035740e117378c523feb,Expr0,"[17.5,20]",US_FIRST_UNION_PERIOD2,0.27913884088947
b794d3399099035740e117378c523feb,Expr0,"[17.5,20)",US_AFTER_FIRST_UNION,0.0340306112997705
b794d3399099035740e117378c523feb,Expr0,"[17.5,20)",US_SECOND_UNION,0.631356771396228
b794d3399099035740e117378c523feb,Expr0,"[17.5,20)",US_AFTER_SECOND_UNION,null
b794d3399099035740e117378c523feb,Expr0,"[20,22.5)",US_NEVER_IN_UNION,0.0544540553970037
b794d3399099035740e117378c523feb,Expr0,"[20,22.5)",US_FIRST_UNION_PERIOD1,0.814226115392992
b794d3399099035740e117378c523feb,Expr0,"[20,22.5)",US_FIRST_UNION_PERIOD2,0.225999767108206
b794d3399099035740e117378c523feb,Expr0,"[20,22.5)",US_AFTER_FIRST_UNION,0.0225289422479095
b794d3399099035740e117378c523feb,Expr0,"[20,22.5)",US_SECOND_UNION,0.552801004995511
b794d3399099035740e117378c523feb,Expr0,"[20,22.5)",US_AFTER_SECOND_UNION,0
b794d3399099035740e117378c523feb,Expr0,"[22.5,25]",US_NEVER_IN_UNION,0.0539099306643693
b794d3399099035740e117378c523feb,Expr0,"[22.5,25)",US_FIRST_UNION_PERIOD1,0.809582230266138
b794d3399099035740e117378c523feb,Expr0,"[22.5,25)",US_FIRST_UNION_PERIOD2,0.195155708061047
b794d3399099035740e117378c523feb,Expr0,"[22.5,25)",US_AFTER_FIRST_UNION,0.0414901238939861
b794d3399099035740e117378c523feb,Expr0,"[22.5,25)",US_SECOND_UNION,0.59945794749404
b794d3399099035740e117378c523feb,Expr0,"[22.5,25)",US_AFTER_SECOND_UNION,0
b794d3399099035740e117378c523feb,Expr0,"[25,27.5]",US_NEVER_IN_UNION,0.0415985067709889
b794d3399099035740e117378c523feb,Expr0,"[25,27.5)",US_FIRST_UNION_PERIOD1,0.602459144412015
b794d3399099035740e117378c523feb,Expr0,"[25,27.5)",US_FIRST_UNION_PERIOD2,0.187080449150788
b794d3399099035740e117378c523feb,Expr0,"[25,27.5)",US_AFTER_FIRST_UNION,0.0203496069483281
b794d3399099035740e117378c523feb,Expr0,"[25,27.5]",US_SECOND_UNION,1.00906724659711
b794d3399099035740e117378c523feb,Expr0,"[25,27.5)",US_AFTER_SECOND_UNION,0
b794d3399099035740e117378c523feb,Expr0,"[27.5,30)",US_NEVER_IN_UNION,0.0314673689946165
b794d3399099035740e117378c523feb,Expr0,"[27.5,30)",US_FIRST_UNION_PERIOD1,0.462198924442823
```

b794d3399099035740e117378c523feb,Expr0,"[27.5,30)",US\_FIRST\_UNION\_PERIOD2,0.137851629822403 b794d3399099035740e117378c523feb,Expr0,"[27.5,30)",US\_AFTER\_FIRST\_UNION,0.0229824909841167 b794d3399099035740e117378c523feb,Expr0,"[27.5,30)",US\_SECOND\_UNION,0.362222813716797 b794d3399099035740e117378c523feb,Expr0,"[27.5,30)",US\_AFTER\_SECOND\_UNION,0.0572026776260319 b794d3399099035740e117378c523feb,Expr0,"[30,32.5)",US\_NEVER\_IN\_UNION,0.0416497396600501 b794d3399099035740e117378c523feb,Expr0,"[30,32.5)",US\_FIRST\_UNION\_PERIOD1,0.549536875782365 b794d3399099035740e117378c523feb,Expr0,"[30,32.5)",US\_FIRST\_UNION\_PERIOD2,0.110088801281195 b794d3399099035740e117378c523feb,Expr0,"[30,32.5]",US\_AFTER\_FIRST\_UNION,0.0468326974687102 b794d3399099035740e117378c523feb,Expr0,"[30,32.5)",US\_SECOND\_UNION,0.330292197388013 b794d3399099035740e117378c523feb,Expr0,"[30,32.5)",US\_AFTER\_SECOND\_UNION,0 b794d3399099035740e117378c523feb,Expr0,"[32.5,35)",US\_NEVER\_IN\_UNION,0.0221476827597504 b794d3399099035740e117378c523feb,Expr0,"[32.5,35)",US\_FIRST\_UNION\_PERIOD1,0.240119203514267 b794d3399099035740e117378c523feb,Expr0,"[32.5,35)",US\_FIRST\_UNION\_PERIOD2,0.0732205051114689 b794d3399099035740e117378c523feb,Expr0,"[32.5,35)",US\_AFTER\_FIRST\_UNION,0 b794d3399099035740e117378c523feb,Expr0,"[32.5,35)",US\_SECOND\_UNION,0.391609286784764 b794d3399099035740e117378c523feb,Expr0,"[32.5,35)",US\_AFTER\_SECOND\_UNION,0 b794d3399099035740e117378c523feb,Expr0,"[35,37.5)",US\_NEVER\_IN\_UNION,0.0118488890311401 b794d3399099035740e117378c523feb,Expr0,"[35,37.5)",US\_FIRST\_UNION\_PERIOD1,0.131862730376457 b794d3399099035740e117378c523feb,Expr0,"[35,37.5)",US\_FIRST\_UNION\_PERIOD2,0.0830998727570066 b794d3399099035740e117378c523feb,Expr0,"[35,37.5)",US\_AFTER\_FIRST\_UNION,0.0221047417383149 b794d3399099035740e117378c523feb,Expr0,"[35,37.5)",US\_SECOND\_UNION,0.279863987999404 b794d3399099035740e117378c523feb,Expr0,"[35,37.5)",US\_AFTER\_SECOND\_UNION,0.114442750608107 b794d3399099035740e117378c523feb,Expr0,"[37.5,40)",US\_NEVER\_IN\_UNION,0.017525081049452 b794d3399099035740e117378c523feb,Expr0,"[37.5,40)",US\_FIRST\_UNION\_PERIOD1,0.157747779554811 b794d3399099035740e117378c523feb,Expr0,"[37.5,40)",US\_FIRST\_UNION\_PERIOD2,0.0572711925357155 b794d3399099035740e117378c523feb,Expr0,"[37.5,40)",US\_AFTER\_FIRST\_UNION,0 b794d3399099035740e117378c523feb,Expr0,"[37.5,40)",US\_SECOND\_UNION,0.169455199059931 b794d3399099035740e117378c523feb,Expr0,"[37.5,40)",US\_AFTER\_SECOND\_UNION,0 b794d3399099035740e117378c523feb,Expr0,"[40,∞)",US\_NEVER\_IN\_UNION,0 b794d3399099035740e117378c523feb,Expr0,"[40,∞)",US\_FIRST\_UNION\_PERIOD1,0 b794d3399099035740e117378c523feb,Expr0,"[40,∞)",US\_FIRST\_UNION\_PERIOD2,0 b794d3399099035740e117378c523feb,Expr0,"[40,∞)",US\_AFTER\_FIRST\_UNION,0 b794d3399099035740e117378c523feb,Expr0,"[40,∞)",US\_SECOND\_UNION,0 b794d3399099035740e117378c523feb,Expr0,"[40,∞)",US\_AFTER\_SECOND\_UNION,0 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"(-∞,15)",US\_NEVER\_IN\_UNION,0 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"(-∞,15)",US\_FIRST\_UNION\_PERIOD1,null b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"(-∞,15)",US\_FIRST\_UNION\_PERIOD2,null b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"(-∞,15)",US\_AFTER\_FIRST\_UNION,null b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"(-∞,15)",US\_SECOND\_UNION,null b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"(-∞,15)",US\_AFTER\_SECOND\_UNION,null b794d3399099035740e117378c523feb,OM AVG Expr0,"[15,17.5]",US NEVER IN UNION,0.0183150153186944 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[15,17.5)",US\_FIRST\_UNION\_PERIOD1,0.316271343152912 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[15,17.5)",US\_FIRST\_UNION\_PERIOD2,null b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[15,17.5)",US\_AFTER\_FIRST\_UNION,0 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[15,17.5)",US\_SECOND\_UNION,0 b794d3399099035740e117378c523feb,OM AVG Expr0,"[15,17.5]",US AFTER SECOND UNION,null b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[17.5,20)",US\_NEVER\_IN\_UNION,0.0537675746731247 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[17.5,20]",US\_FIRST\_UNION\_PERIOD1,0.713529542211133 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[17.5,20]",US\_FIRST\_UNION\_PERIOD2,0.290605057165821 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[17.5,20)",US\_AFTER\_FIRST\_UNION,0.0257953477423063 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[17.5,20]",US\_SECOND\_UNION,0.971013422710935 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[17.5,20)",US\_AFTER\_SECOND\_UNION,null b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[20,22.5)",US\_NEVER\_IN\_UNION,0.054451507853128 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[20,22.5]",US\_FIRST\_UNION\_PERIOD1,0.815769510398502 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[20,22.5]",US\_FIRST\_UNION\_PERIOD2,0.229287238004696 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[20,22.5)",US\_AFTER\_FIRST\_UNION,0.0127116167313564 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[20,22.5)",US\_SECOND\_UNION,0.429415814994704 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[20,22.5)",US\_AFTER\_SECOND\_UNION,0 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[22.5,25)",US\_NEVER\_IN\_UNION,0.0541040962861145 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[22.5,25)",US\_FIRST\_UNION\_PERIOD1,0.80980843837352 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[22.5,25]",US\_FIRST\_UNION\_PERIOD2,0.195232130104512 b794d3399099035740e117378c523feb,OM AVG Expr0,"[22.5,25)",US AFTER FIRST UNION,0.0425462458785113 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[22.5,25)",US\_SECOND\_UNION,0.831967409785808 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[22.5,25)",US\_AFTER\_SECOND\_UNION,0 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[25,27.5)",US\_NEVER\_IN\_UNION,0.0417067099443355 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[25,27.5)",US\_FIRST\_UNION\_PERIOD1,0.602467976857289 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[25,27.5)",US\_FIRST\_UNION\_PERIOD2,0.186968206655534 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[25,27.5)",US\_AFTER\_FIRST\_UNION,0.0315133813846249 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[25,27.5)",US\_SECOND\_UNION,1.28700220240812 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[25,27.5)",US\_AFTER\_SECOND\_UNION,0 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[27.5,30)",US\_NEVER\_IN\_UNION,0.0314820070793188 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[27.5,30)",US\_FIRST\_UNION\_PERIOD1,0.462127063133201 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[27.5,30)",US\_FIRST\_UNION\_PERIOD2,0.137897098019438 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[27.5,30)",US\_AFTER\_FIRST\_UNION,0.0295557293946093 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[27.5,30]",US\_SECOND\_UNION,0.268318808255325 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[27.5,30)",US\_AFTER\_SECOND\_UNION,0.0267057657548253 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[30,32.5]",US\_NEVER\_IN\_UNION,0.0416625733706113 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[30,32.5]",US\_FIRST\_UNION\_PERIOD1,0.567544621403048 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[30,32.5)",US\_FIRST\_UNION\_PERIOD2,0.111089012753633 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[30,32.5)",US\_AFTER\_FIRST\_UNION,0.0452064833182238 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[30,32.5)",US\_SECOND\_UNION,0.463879691400302 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[30,32.5)",US\_AFTER\_SECOND\_UNION,0 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[32.5,35)",US\_NEVER\_IN\_UNION,0.022442211806591 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[32.5,35)",US\_FIRST\_UNION\_PERIOD1,0.26518578732689 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[32.5,35)",US\_FIRST\_UNION\_PERIOD2,0.0759259959848827 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[32.5,35)",US\_AFTER\_FIRST\_UNION,0 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[32.5,35)",US\_SECOND\_UNION,0.557998028374596 b794d3399099035740e117378c523feb.OM AVG Expr0."[32.5.35)".US AFTER SECOND UNION.0

b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[35,37.5)",US\_NEVER\_IN\_UNION,0.0110885846008521 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[35,37.5)",US\_FIRST\_UNION\_PERIOD1,0.13577342261578 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[35,37.5)",US\_FIRST\_UNION\_PERIOD2,0.0815471990733788 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[35,37.5)",US\_AFTER\_FIRST\_UNION,0.0123398583333944 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[35,37.5)",US\_SECOND\_UNION,0.235867044941869 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[35,37.5)",US\_AFTER\_SECOND\_UNION,0.0534359868184371 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[37.5,40)",US\_NEVER\_IN\_UNION,0.0172608633104785 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[37.5,40)",US\_FIRST\_UNION\_PERIOD1,0.165574819914602 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[37.5,40)",US\_FIRST\_UNION\_PERIOD2,0.0569355432493007 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[37.5,40)",US\_AFTER\_FIRST\_UNION,0 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[37.5,40)",US\_SECOND\_UNION,0.165135000822642 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[37.5,40)",US\_AFTER\_SECOND\_UNION,0 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[40,∞)",US\_NEVER\_IN\_UNION,0 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[40,∞)",US\_FIRST\_UNION\_PERIOD1,0 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[40,∞)",US\_FIRST\_UNION\_PERIOD2,0  $b794d3399099035740e117378c523feb, OM\_AVG\_Expr0,"[40,\infty)", US\_AFTER\_FIRST\_UNION, 0$ b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[40,∞)",US\_SECOND\_UNION,0 b794d3399099035740e117378c523feb,OM\_AVG\_Expr0,"[40,∞)",US\_AFTER\_SECOND\_UNION,0

# GET csv calculated table expressions from model run (enum id's)

Calculate and read output table expression(s) values from model run as csv file.

Read output table expressions, calculate additional measure for each expression and get it as response stream UTF-8 outputTable.csv file attachment, optionally starts with byte order mark (BOM).

Measures calculated as one of the following:

- for each table expression calculate one of: avg, sum, count, max, min, var, sd, se, cv
- · as arbitrary aggreagated expressions provided as comma separated list

Dimension(s) returned as enum id's.

## Methods:

GET /api/model/:model/run/:run/table/:name/calc/:calc/csv-id GET /api/model/:model/run/:run/table/:name/calc/:calc/csv-id-bom

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) output table name

:calc - (required) name of additional measure to calculate

Additional measure must be one of:

- avg mean of expression sub-values
- sum sum of expression sub-values
- count count of expression sub-values (excluding NULL's)
- max maximum of expression sub-values
- min minimum of expression sub-values
- var variance of expression sub-values
- sd standard deviation of expression sub-values
- se standard error of expression sub-values
- cv coefficient of variation of expression sub-values

Or a list of comma-separated aggreagated expressions, for example: OM\_AVG(acc0) , 2 \* SQRT(OM\_SUM(acc1) - OM\_SD(acc0))

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: OM\_COUNT\_IF(acc1 > param.High), where param.High is a value of scalar parameter High in that model run.

Following aggregation functions avaliable:

- OM\_AVG mean of accumulators sub-values
- OM\_SUM sum of accumulators sub-values
- OM\_COUNT count of accumulators sub-values (excluding NULL's)
- OM\_COUNT\_IF count values matching condition
- OM\_MAX maximum of accumulators sub-values
- OM\_MIN minimum of accumulators sub-values
- OM\_VAR variance of accumulators sub-values
- OM\_SD standard deviation of accumulators sub-values
- OM\_SE standard error of accumulators sub-values
- OM\_CV coefficient of variation of accumulators sub-values

For more details please see: Model Output Expressions

# Call examples:

http://localhost:4040/api/model/RiskPaths/run/RiskPaths\_Default/table/T04\_FertilityRatesByAgeGroup/calc/avg/csv-id http://localhost:4040/api/model/RiskPaths/run/RiskPaths\_Default/table/T04\_FertilityRatesByAgeGroup/calc/sd/csv-id-bom http://localhost:4040/api/model/\_201208171604590148\_/run/f172e98da17beb058f30f11768053456/table/salarySex/calc/se/csv-id http://localhost:4040/api/model/\_201208171604590148\_/run/2019\_01\_17\_19\_59\_52\_998/table/salarySex/calc/ve/csv-id-bom

http://localhost:4040/api/model/modelOne/run/Default-4/table/salarySex/calc/OM\_AVG(acc0),2\*SQRT(OM\_SUM(acc1)-OM\_SD(acc0))/csv-id http://localhost:4040/api/model/modelOne/run/Default-4/table/salarySex/calc/OM\_COUNT\_IF(acc0%3Cparam.StartingSeed)/csv-id

Note: OM\_COUNT\_IF(acc0%3Cparam.StartingSeed) is URL encoded: OM\_COUNT\_IF(acc0<param.StartingSeed)

# **Return example:**

calc\_id column contains output table expression id's: 0 <= expr\_id < 12000 or id's of calculated values: expr\_id + 12000. For example, id of calculated value SE(Expr2) is: calc\_id = 12002

curl http://localhost:4040/api/model/RiskPaths/run/RiskPaths\_Default\_4/table/T04\_FertilityRatesByAgeGroup/calc/avg/csv-id

run_id,calc_id,Dim0,Dim1,calc_value
102,0,0,0,0
102,0,0,1,null
102,0,0,2,null
102,0,0,3,null
102,0,0,4,null
102,0,0,5,null
102,0,1,0,0.0183139978773642
102,0,1,1,0.315246747433367
102,0,1,2,null
102,0,1,3,0
102,0,1,4,0
102,0,1,5,null
102,0,2,0,0.0537541294539804
102,0,2,1,0.713129647941936
102,0,2,2,0.27913884088947
102,0,2,3,0.0340306112997705
102,0,2,4,0.631356771396228
102,0,2,5,null
102,0,3,0,0.0544540553970037
102,0,3,1,0.814226115392992
102,0,3,2,0.225999767108206
102,0,3,3,0.0225289422479095
102,0,3,4,0.552801004995511
102,0,3,5,0
102,0,4,0,0.0539099306643693
102,0,4,1,0.809582230266138
102,0,4,2,0.195155708061047
102,0,4,3,0.0414901238939861
102,0,4,4,0.59945794749404
102,0,4,5,0
102,0,5,0,0.0415985067709889
102,0,5,1,0.602459144412015
102,0,5,2,0.187080449150788
102,0,5,3,0.0203496069483281

102,0,5,4,1.00906724659711 102.0.5.5.0 102,0,6,0,0.0314673689946165 102,0,6,1,0.462198924442823 102,0,6,2,0.137851629822403 102,0,6,3,0.0229824909841167 102 0 6 4 0 362222813716797 102,0,6,5,0.0572026776260319 102,0,7,0,0.0416497396600501 102,0,7,1,0.549536875782365 102,0,7,2,0.110088801281195 102,0,7,3,0.0468326974687102 102,0,7,4,0.330292197388013 102,0,7,5,0 102,0,8,0,0.0221476827597504 102,0,8,1,0.240119203514267 102.0.8.2.0.0732205051114689 102.0.8.3.0 102,0,8,4,0.391609286784764 102,0,8,5,0 102,0,9,0,0.0118488890311401 102,0,9,1,0.131862730376457 102 0 9 2 0 0830998727570066 102.0.9.3.0.0221047417383149 102,0,9,4,0.279863987999404 102,0,9,5,0.114442750608107 102,0,10,0,0.017525081049452 102.0.10.1.0.157747779554811 102,0,10,2,0.0572711925357155 102,0,10,3,0 102,0,10,4,0.169455199059931 102,0,10,5,0 102.0.11.0.0 102,0,11,1,0 102,0,11,2,0 102,0,11,3,0 102,0,11,4,0 102,0,11,5.0 102,12000,0,0,0 102,12000,0,1,null 102,12000,0,2,null 102,12000,0,3,null 102.12000.0.4.null 102.12000.0.5.null 102,12000,1,0,0.0183150153186944 102,12000,1,1,0.316271343152912 102,12000,1,2,null 102.12000.1.3.0 102.12000.1.4.0 102,12000,1,5,null 102,12000,2,0,0.0537675746731247 102,12000,2,1,0.713529542211133 102,12000,2,2,0.290605057165821 102,12000,2,3,0.0257953477423063 102,12000,2,4,0.971013422710935 102,12000,2,5,null 102,12000,3,0,0.054451507853128 102,12000,3,1,0.815769510398502 102,12000,3,2,0.229287238004696  $102,\!12000,\!3,\!3,\!0.0127116167313564$ 102,12000,3,4,0.429415814994704 102,12000,3,5,0 102,12000,4,0,0.0541040962861145 102.12000.4.1.0.80980843837352 102,12000,4,2,0.195232130104512 102,12000,4,3,0.0425462458785113 102,12000,4,4,0.831967409785808 102,12000,4,5,0 102.12000.5.0.0.0417067099443355 102,12000,5,1,0.602467976857289 102,12000,5,2,0.186968206655534 102,12000,5,3,0.0315133813846249 102,12000,5,4,1.28700220240812 102,12000,5,5,0 102,12000,6,0,0.0314820070793188 102,12000,6,1,0.462127063133201 102,12000,6,2,0.137897098019438 102,12000,6,3,0.0295557293946093 102.12000.6.4.0.268318808255325 102,12000,6,5,0.0267057657548253 102,12000,7,0,0.0416625733706113 102,12000,7,1,0.567544621403048 102,12000,7,2,0.111089012753633 102,12000,7,3,0.0452064833182238 102,12000,7,4,0.463879691400302 102,12000,7,5,0 102,12000,8,0,0.022442211806591

102,12000,8,1,0.26518578732689

102,12000,8,2,0.0759259959848827
102,12000,8,3,0
102,12000,8,4,0.557998028374596
102,12000,8,5,0
102,12000,9,0,0.0110885846008521
102,12000,9,1,0.13577342261578
102,12000,9,2,0.0815471990733788
102,12000,9,3,0.0123398583333944
102,12000,9,4,0.235867044941869
102,12000,9,5,0.0534359868184371
102,12000,10,0,0.0172608633104785
102,12000,10,1,0.165574819914602
102,12000,10,2,0.0569355432493007
102,12000,10,3,0
102,12000,10,4,0.165135000822642
102,12000,10,5,0
102,12000,11,0,0
102,12000,11,1,0
102,12000,11,2,0
102,12000,11,3,0
102,12000,11,4,0
102,12000,11,5,0

# GET csv model runs comparison table expressions

Compare model runs and return results as csv file.

Compare [base] and [variant] model runs output values for each expression and get it as response stream UTF-8 outputTable.csv file attachment, optionally starts with byte order mark (BOM).

Comparison can be calculated as one of the following:

- for each table expression use one of: diff, ratio or percent comparison between [base] and [variant] model runs.
- use comma separated list of comparison expressions between [base] and [variant] or simple expression for each run.

Dimension(s) returned as enum codes.

## Methods:

GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/csv GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/csv-bom

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

```
:run - (required) base model run digest, run stamp or run name
:variant - (required) variant model run(s): comma-separated list of digests, run stamps or run names
```

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) output table name

:compare - (required) comparison to calculate

- diff difference of values between variant and base run, e.g.: Expro[variant] Expro[base]
- ratio ratio of values between variant and base run, e.g.: Expr0[variant] / Expr0[base]
- percent proportional difference multipled by 100, e.g.: 100 \* (Expr0[variant] Expr0[base]) / Expr0[base]

Or a list of comma-separated expressions, for example: expr0, expr1[variant] + expr2[base]

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: (Expr1[variant] - Expr1[base]) \* param.Scale[base], where param.Scale is a value of scalar parameter Scale in [base] model run.

# Call examples:

http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/diff/variant/Default-4/csv http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/ratio/variant/Default-4/csv http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/percent/variant/Default-4/csv

http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/diff/variant/Default-4/csv-bom

 $http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/expr0,expr1,expr2/variant/Default-4/csv \\ http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/expr0%2Cexpr1%5Bvariant%5D%2Bexpr2%5Bbase%5D/variant/Default-4/csv \\ http://localhost:4040/api/model/model/modelOne/run/Default/table/salarySex/compare/expr0%2Cexpr1%5Bvariant%5D%2Bexpr2%5Bbase%5D/variant/Default-4/csv \\ http://localhost:4040/api/model/model/modelOne/run/Default/table/salarySex/compare/expr0%2Cexpr1%5Bvariant%5D%2Bexpr2%5Bbase%5D/variant/Default-4/csv \\ http://localhost:4040/api/model/mod$ 

Note: above expr0%2Cexpr1%5Bvariant%5D%2Bexpr2%5Bbase%5D is URL encoded: expr0,expr1[variant]+expr2[base] .

## Example:

run\_digest,calc\_name,dim0,dim1,calc\_value ca663651953bae94d0afdf71edba4c91,expr0,L,M,50 ca663651953bae94d0afdf71edba4c91,expr0,L,F,60 ca663651953bae94d0afdf71edba4c91,expr0,L,all,1 ca663651953bae94d0afdf71edba4c91,expr0,M,M,51.6 ca663651953bae94d0afdf71edba4c91,expr0,M,F,62 ca663651953bae94d0afdf71edba4c91,expr0,M,all,2 ca663651953bae94d0afdf71edba4c91,expr0,H,M,53.2 ca663651953bae94d0afdf71edba4c91.expr0.H.F.64 ca663651953bae94d0afdf71edba4c91.expr0.H.all.3 ca663651953bae94d0afdf71edba4c91.expr1.L.M.0 ca663651953bae94d0afdf71edba4c91,expr1,L,F,1 ca663651953bae94d0afdf71edba4c91,expr1,L,all,800 ca663651953bae94d0afdf71edba4c91,expr1,M,M,1 ca663651953bae94d0afdf71edba4c91.expr1.M.F.2 ca663651953bae94d0afdf71edba4c91,expr1,M,all,801 ca663651953bae94d0afdf71edba4c91,expr1,H,M,2 ca663651953bae94d0afdf71edba4c91,expr1,H,F,3 ca663651953bae94d0afdf71edba4c91,expr1,H,all,802 ca663651953bae94d0afdf71edba4c91.expr2.L.M.50 ca663651953bae94d0afdf71edba4c91,expr2,L,F,61 ca663651953bae94d0afdf71edba4c91,expr2,L,all,801 ca663651953bae94d0afdf71edba4c91,expr2,M,M,52.6 ca663651953bae94d0afdf71edba4c91,expr2,M,F,64 ca663651953bae94d0afdf71edba4c91.expr2.M.all.803 ca663651953bae94d0afdf71edba4c91.expr2.H.M.55.2 ca663651953bae94d0afdf71edba4c91,expr2,H,F,67 ca663651953bae94d0afdf71edba4c91,expr2,H,all,805 ca663651953bae94d0afdf71edba4c91,expr3,L,M,0 ca663651953bae94d0afdf71edba4c91.expr3.L.F.60 ca663651953bae94d0afdf71edba4c91.expr3.L.all.800 ca663651953bae94d0afdf71edba4c91,expr3,M,M,51.6 ca663651953bae94d0afdf71edba4c91,expr3,M,F,124 ca663651953bae94d0afdf71edba4c91,expr3,M,all,1602 ca663651953bae94d0afdf71edba4c91,expr3,H,M,106.4 ca663651953bae94d0afdf71edba4c91,expr3,H,F,192 ca663651953bae94d0afdf71edba4c91,expr3,H,all,2406 c519fc5869f244ac4c80ae44695a4272,expr0,L,M,50 c519fc5869f244ac4c80ae44695a4272,expr0,L,F,60 c519fc5869f244ac4c80ae44695a4272,expr0,L,all,1201 c519fc5869f244ac4c80ae44695a4272,expr0,M,M,51.6 c519fc5869f244ac4c80ae44695a4272,expr0,M,F,62 c519fc5869f244ac4c80ae44695a4272,expr0,M,all,1202 c519fc5869f244ac4c80ae44695a4272,expr0,H,M,53.2 c519fc5869f244ac4c80ae44695a4272,expr0,H,F,64 c519fc5869f244ac4c80ae44695a4272,expr0,H,all,1203 c519fc5869f244ac4c80ae44695a4272,expr1,L,M,6 c519fc5869f244ac4c80ae44695a4272,expr1,L,F,10 c519fc5869f244ac4c80ae44695a4272,expr1,L,all,3206 c519fc5869f244ac4c80ae44695a4272,expr1,M,M,10 c519fc5869f244ac4c80ae44695a4272.expr1.M.F.14 c519fc5869f244ac4c80ae44695a4272,expr1,M,all,3210 c519fc5869f244ac4c80ae44695a4272,expr1,H,M,14 c519fc5869f244ac4c80ae44695a4272.expr1.H.F.18 c519fc5869f244ac4c80ae44695a4272,expr1,H,all,3214 c519fc5869f244ac4c80ae44695a4272.expr2.L.M.51.5 c519fc5869f244ac4c80ae44695a4272,expr2,L,F,62.5 c519fc5869f244ac4c80ae44695a4272,expr2,L,all,2002.5 c519fc5869f244ac4c80ae44695a4272,expr2,M,M,54.1 c519fc5869f244ac4c80ae44695a4272,expr2,M,F,65.5 c519fc5869f244ac4c80ae44695a4272.expr2.M.all.2004.5 c519fc5869f244ac4c80ae44695a4272,expr2,H,M,56.7 c519fc5869f244ac4c80ae44695a4272,expr2,H,F,68.5 c519fc5869f244ac4c80ae44695a4272,expr2,H,all,2006.5 c519fc5869f244ac4c80ae44695a4272,expr3,L,M,75 c519fc5869f244ac4c80ae44695a4272.expr3.L.F.150 c519fc5869f244ac4c80ae44695a4272,expr3,L,all,963601.5 c519fc5869f244ac4c80ae44695a4272,expr3,M,M,129 c519fc5869f244ac4c80ae44695a4272,expr3,M,F,217 c519fc5869f244ac4c80ae44695a4272.expr3.M.all.965605 c519fc5869f244ac4c80ae44695a4272.expr3.H.M.186.2 c519fc5869f244ac4c80ae44695a4272,expr3,H,F,288 c519fc5869f244ac4c80ae44695a4272,expr3,H,all,967610.5 c519fc5869f244ac4c80ae44695a4272,ratio\_expr0,L,M,1 c519fc5869f244ac4c80ae44695a4272,ratio\_expr0,L,F,1 c519fc5869f244ac4c80ae44695a4272.ratio expr0.L.all.1201 c519fc5869f244ac4c80ae44695a4272,ratio\_expr0,M,M,1 c519fc5869f244ac4c80ae44695a4272,ratio\_expr0,M,F,1 c519fc5869f244ac4c80ae44695a4272,ratio\_expr0,M,all,601 c519fc5869f244ac4c80ae44695a4272,ratio\_expr0,H,M,1 c519fc5869f244ac4c80ae44695a4272,ratio\_expr0,H,F,1 c519fc5869f244ac4c80ae44695a4272,ratio\_expr0,H,all,401 c519fc5869f244ac4c80ae44695a4272,ratio expr1,L,M,null

c519fc5869f244ac4c80ae44695a4272,ratio\_expr1,L,F,10 c519fc5869f244ac4c80ae44695a4272,ratio expr1,L,all,4.0075 c519fc5869f244ac4c80ae44695a4272,ratio expr1,M,M,10 c519fc5869f244ac4c80ae44695a4272,ratio\_expr1,M,F,7 c519fc5869f244ac4c80ae44695a4272,ratio\_expr1,M,all,4.00749063670412 c519fc5869f244ac4c80ae44695a4272,ratio\_expr1,H,M,7 c519fc5869f244ac4c80ae44695a4272,ratio expr1,H,F,6 c519fc5869f244ac4c80ae44695a4272,ratio\_expr1,H,all,4.0074812967581 c519fc5869f244ac4c80ae44695a4272,ratio\_expr2,L,M,1.03 c519fc5869f244ac4c80ae44695a4272,ratio\_expr2,L,F,1.02459016393443 c519fc5869f244ac4c80ae44695a4272,ratio\_expr2,L,all,2.5 c519fc5869f244ac4c80ae44695a4272,ratio expr2,M,M,1.02851711026616 c519fc5869f244ac4c80ae44695a4272,ratio expr2,M,F,1.0234375 c519fc5869f244ac4c80ae44695a4272,ratio\_expr2,M,all,2.49626400996264 c519fc5869f244ac4c80ae44695a4272,ratio\_expr2,H,M,1.02717391304348 c519fc5869f244ac4c80ae44695a4272,ratio\_expr2,H,F,1.02238805970149 c519fc5869f244ac4c80ae44695a4272,ratio\_expr2,H,all,2.49254658385093 c519fc5869f244ac4c80ae44695a4272.ratio\_expr3.L.M.null c519fc5869f244ac4c80ae44695a4272,ratio\_expr3,L,F,2.5 c519fc5869f244ac4c80ae44695a4272,ratio\_expr3,L,all,1204.501875 c519fc5869f244ac4c80ae44695a4272,ratio\_expr3,M,M,2.5 c519fc5869f244ac4c80ae44695a4272,ratio\_expr3,M,F,1.75 c519fc5869f244ac4c80ae44695a4272.ratio\_expr3.M.all.602.749687890137 c519fc5869f244ac4c80ae44695a4272,ratio\_expr3,H,M,1.75 c519fc5869f244ac4c80ae44695a4272,ratio\_expr3,H,F,1.5 c519fc5869f244ac4c80ae44695a4272,ratio\_expr3,H,all,402.165627597672 ffad6e8ed4449dafe11b82c7aea82f74,expr0,L,M,50 ffad6e8ed4449dafe11b82c7aea82f74.expr0.L.F.60 ffad6e8ed4449dafe11b82c7aea82f74.expr0.L.all.1201 ffad6e8ed4449dafe11b82c7aea82f74,expr0,M,M,51.6 ffad6e8ed4449dafe11b82c7aea82f74,expr0,M,F,62 ffad6e8ed4449dafe11b82c7aea82f74,expr0,M,all,1202 ffad6e8ed4449dafe11b82c7aea82f74.expr0.H.M.53.2 ffad6e8ed4449dafe11b82c7aea82f74.expr0.H.F.64 ffad6e8ed4449dafe11b82c7aea82f74,expr0,H,all,1203 ffad6e8ed4449dafe11b82c7aea82f74,expr1,L,M,6 ffad6e8ed4449dafe11b82c7aea82f74,expr1,L,F,10 ffad6e8ed4449dafe11b82c7aea82f74,expr1,L,all,3206 ffad6e8ed4449dafe11b82c7aea82f74.expr1.M.M.10 ffad6e8ed4449dafe11b82c7aea82f74,expr1,M,F,14 ffad6e8ed4449dafe11b82c7aea82f74,expr1,M,all,3210 ffad6e8ed4449dafe11b82c7aea82f74,expr1,H,M,14 ffad6e8ed4449dafe11b82c7aea82f74,expr1,H,F,18 ffad6e8ed4449dafe11b82c7aea82f74,expr1,H,all,3214 ffad6e8ed4449dafe11b82c7aea82f74,expr2,L,M,51.5 ffad6e8ed4449dafe11b82c7aea82f74,expr2,L,F,62.5 ffad6e8ed4449dafe11b82c7aea82f74,expr2,L,all,2002.5 ffad6e8ed4449dafe11b82c7aea82f74,expr2,M,M,54.1 ffad6e8ed4449dafe11b82c7aea82f74.expr2.M.F.65.5 ffad6e8ed4449dafe11b82c7aea82f74.expr2.M.all.2004.5 ffad6e8ed4449dafe11b82c7aea82f74,expr2,H,M,56.7 ffad6e8ed4449dafe11b82c7aea82f74,expr2,H,F,68.5 ffad6e8ed4449dafe11b82c7aea82f74,expr2,H,all,2006.5 ffad6e8ed4449dafe11b82c7aea82f74.expr3.L.M.75 ffad6e8ed4449dafe11b82c7aea82f74.expr3.L.F.150 ffad6e8ed4449dafe11b82c7aea82f74,expr3,L,all,963601.5 ffad6e8ed4449dafe11b82c7aea82f74,expr3,M,M,129 ffad6e8ed4449dafe11b82c7aea82f74,expr3,M,F,217 ffad6e8ed4449dafe11b82c7aea82f74,expr3,M,all,965605 ffad6e8ed4449dafe11b82c7aea82f74,expr3,H,M,186.2 ffad6e8ed4449dafe11b82c7aea82f74,expr3,H,F,288 ffad6e8ed4449dafe11b82c7aea82f74,expr3,H,all,967610.5 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr0,L,M,1 ffad6e8ed4449dafe11b82c7aea82f74,ratio expr0,L,F,1 ffad6e8ed4449dafe11b82c7aea82f74,ratio expr0,L,all,1201 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr0,M,M,1 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr0,M,F,1 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr0,M,all,601 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr0,H,M,1 ffad6e8ed4449dafe11b82c7aea82f74.ratio expr0.H.F.1 ffad6e8ed4449dafe11b82c7aea82f74,ratio expr0,H,all,401 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr1,L,M,null ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr1,L,F,10 ffad6e8ed4449dafe11b82c7aea82f74,ratio expr1,L,all,4.0075 ffad6e8ed4449dafe11b82c7aea82f74,ratio expr1,M,M,10 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr1,M,F,7 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr1,M,all,4.00749063670412 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr1,H,M,7 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr1,H,F,6 ffad6e8ed4449dafe11b82c7aea82f74,ratio expr1,H,all,4.0074812967581 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr2,L,M,1.03 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr2,L,F,1.02459016393443 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr2,L,all,2.5 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr2,M,M,1.02851711026616 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr2,M,F,1.0234375 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr2,M,all,2.49626400996264 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr2,H,M,1.02717391304348 ffad6e8ed4449dafe11b82c7aea82f74,ratio expr2,H,F,1.02238805970149

ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr2,H,all,2.49254658385093 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr3,L,M,null ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr3,L,F,2.5 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr3,L,all,1204.501875 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr3,M,M,2.5 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr3,M,F,1.75 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr3,M,all,602.749687890137 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr3,H,M,1.75 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr3,H,F,1.5 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr3,H,F,1.5 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr3,H,F,1.5 ffad6e8ed4449dafe11b82c7aea82f74,ratio\_expr3,H,All,402.165627597672

# GET csv model runs comparison table expressions (enum id's)

Compare model runs and return results as csv file.

Compare [base] and [variant] model runs output values for each expression and get it as response stream UTF-8 outputTable.csv file attachment, optionally starts with byte order mark (BOM).

Comparison can be calculated as one of the following:

- for each table expression use one of: diff, ratio or percent comparison between [base] and [variant] model runs.
- use comma separated list of comparison expressions between [base] and [variant] or simple expression for each run.

Dimension(s) returned as enum id's.

## Methods:

GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/csv-id GET /api/model/:model/run/:run/table/:name/compare/:compare/variant/:variant/csv-id-bom

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

```
:run - (required) base model run digest, run stamp or run name
:variant - (required) variant model run(s): comma-separated list of digests, run stamps or run names
```

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) output table name

:compare - (required) comparison to calculate

- diff difference of values between variant and base run, e.g.: Expro[variant] Expro[base]
- ratio ratio of values between variant and base run, e.g.: Expr0[variant] / Expr0[base]
- percent proportional difference multipled by 100, e.g.: 100 \* (Expr0[variant] Expr0[base]) / Expr0[base]

Or a list of comma-separated expressions, for example: expr0, expr1[variant] + expr2[base]

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: (Expr1[variant] - Expr1[base]) \* param.Scale[base], where param.Scale is a value of scalar parameter Scale in [base] model run.

# Call examples:

http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/diff/variant/Default-4/csv http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/ratio/variant/Default-4/csv http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/percent/variant/Default-4/csv

http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/diff/variant/Default-4/csv-bom

 $http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/expr0,expr1,expr2/variant/Default-4/csv \\ http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/expr0%2Cexpr1%5Bvariant%5D%2Bexpr2%5Bbase%5D/variant/Default-4/csv \\ http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/expr0%2Cexpr1%5Bvariant%5D%2Bexpr2%5Bbase%5D/variant/Default-4/csv \\ http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/expr0%2Cexpr1%5Bvariant%5D%2Bexpr2%5Bbase%5D/variant/Default-4/csv \\ http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/expr0%2Cexpr1%5Bvariant%5D%2Bexpr2%5Bbase%5D/variant/Default-4/csv \\ http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/expr0%2Cexpr1%5Bvariant%5D%2Bexpr2%5Bbase%5D/variant/Default-4/csv \\ http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/expr0%2Cexpr1%5Bvariant%5D%2Bexpr2%5Bbase%5D/variant/Default-4/csv \\ http://localhost:4040/api/model/modelOne/run/Default-4/csv \\ http://local$ 

Note: above expr0%2Cexpr1%5Bvariant%5D%2Bexpr2%5Bbase%5D is URL encoded: expr0,expr1[variant]+expr2[base] .

Example:

In output below Calcid contains output table expression id's: 0 <= Exprld < 12000 or id's of calculated values: Exprld + 12000. For example, id of calculated value Expr2[variant] - Expr2[base] is: Calcid = 12002

 $curl\ http://localhost:4040/api/model/modelOne/run/Default/table/salarySex/compare/ratio/variant/Default-4, Sub-values_4/csv-identers/salarySex/compare/ratio/variant/Default-4, Sub-values_4/csv-identers/salarySex/compare/ratio/variant/SalarySex/compare/rat$ 

run\_id,calc\_id,dim0,dim1,calc\_value 201,0,100,0,50 201,0,100,1,60 201,0,100,800,1 201,0,200,0,51.6 201,0,200,1,62 201.0.200.800.2 201,0,300,0,53.2 201,0,300,1,64 201,0,300,800,3 201,1,100,0,0 201.1.100.1.1 201,1,100,800,800 201,1,200,0,1 201,1,200,1,2 201,1,200,800,801 201,1,300,0,2 201,1,300,1,3 201,1,300,800,802 201,2,100,0,50 201,2,100,1,61 201.2.100.800.801 201,2,200,0,52.6 201,2,200,1,64 201,2,200,800,803 201,2,300,0,55.2 201,2,300,1,67 201.2.300.800.805 201,3,100,0,0 201,3,100,1,60 201,3,100,800,800 201,3,200,0,51.6 201.3.200.1.124 201,3,200,800,1602 201,3,300,0,106.4 201,3,300,1,192 201,3,300,800,2406 202,0,100,0,50 202,0,100,1,60 202,0,100,800,1201 202,0,200,0,51.6 202,0,200,1,62 202,0,200,800,1202 202,0,300,0,53.2 202,0,300,1,64 202,0,300,800,1203 202,1,100,0,6 202.1.100.1.10 202.1.100.800.3206 202,1,200,0,10 202,1,200,1,14 202,1,200,800,3210 202,1,300,0,14 202.1.300.1.18 202,1,300,800,3214 202,2,100,0,51.5 202,2,100,1,62.5 202,2,100,800,2002.5 202,2,200,0,54.1 202,2,200,1,65.5 202,2,200,800,2004.5 202,2,300,0,56.7 202,2,300,1,68.5 202,2,300,800,2006.5 202,3,100,0,75 202,3,100,1,150 202,3,100,800,963601.5 202,3,200,0,129 202.3.200.1.217 202,3,200,800,965605 202,3,300,0,186.2 202,3,300,1,288 202,3,300,800,967610.5 202.12000.100.0.1 202,12000,100,1,1 202,12000,100,800,1201 202,12000,200,0,1 202,12000,200,1,1 202,12000,200,800,601

202,12000,300,0,1 202,12000,300,1,1 202,12000,300,800,401 202,12001,100,0,null 202,12001,100,1,10 202,12001,100,800,4.0075 202,12001,200,0,10 202,12001,200,1,7 202,12001,200,800,4.00749063670412 202.12001.300.0.7 202,12001,300,1,6 202,12001,300,800,4.0074812967581 202,12002,100,0,1.03 202,12002,100,1,1.02459016393443 202.12002.100.800.2.5 202,12002,200,0,1.02851711026616 202,12002,200,1,1.0234375 202,12002,200,800,2.49626400996264 202,12002,300,0,1.02717391304348 202,12002,300,1,1.02238805970149 202,12002,300,800,2.49254658385093 202,12003,100,0,null 202,12003,100,1,2.5 202,12003,100,800,1204.501875 202,12003,200,0,2.5 202,12003,200,1,1.75 202,12003,200,800,602.749687890137 202,12003,300,0,1.75 202,12003,300,1,1.5 202,12003,300,800,402.165627597672 208,0,100,0,50 208,0,100,1,60 208,0,100,800,1201 208,0,200,0,51.6 208.0.200.1.62 208,0,200,800,1202 208,0,300,0,53.2 208,0,300,1,64 208,0,300,800,1203 208,1,100,0,6 208,1,100,1,10 208,1,100,800,3206 208,1,200,0,10 208,1,200,1,14 208,1,200,800,3210 208,1,300,0,14 208,1,300,1,18 208,1,300,800,3214 208,2,100,0,51.5 208,2,100,1,62.5 208.2.100.800.2002.5 208,2,200,0,54.1 208,2,200,1,65.5 208,2,200,800,2004.5 208.2.300.0.56.7 208.2.300.1.68.5 208,2,300,800,2006.5 208,3,100,0,75 208,3,100,1,150 208,3,100,800,963601.5 208.3.200.0.129 208,3,200,1,217 208,3,200,800,965605 208,3,300,0,186.2 208,3,300,1,288 208,3,300,800,967610.5 208,12000,100,0,1 208,12000,100,1,1 208,12000,100,800,1201 208,12000,200,0,1 208.12000.200.1.1 208.12000.200.800.601 208,12000,300,0,1 208,12000,300,1,1 208,12000,300,800,401 208.12001.100.0.null 208.12001.100.1.10 208,12001,100,800,4.0075 208,12001,200,0,10 208,12001,200,1,7 208,12001,200,800,4.00749063670412 208,12001,300,0,7 208,12001,300,1,6 208,12001,300,800,4.0074812967581 208,12002,100,0,1.03 208,12002,100,1,1.02459016393443 208,12002,100,800,2.5 208,12002,200,0,1.02851711026616

208,12002,200,1,1.0234375 208,12002,200,800,2.49626400996264 208,12002,300,0,1.02717391304348 208,12002,300,1.02238805970149 208,12002,300,800,2.49254658385093 208,12003,100,0,null 208,12003,100,1,2.5 208,12003,100,800,1204.501875 208,12003,200,0,2.5 208,12003,200,1.75 208,12003,200,800,602.749687890137 208,12003,300,0,1.75 208,12003,300,1,1.5 208,12003,300,800,402.165627597672

# GET csv microdata values from model run

Read entire microdata values from model run as csv file.

Response stream is UTF-8 microdata.csv file attachment, optionally starts with byte order mark (BOM).

Enum-based microdata attributes returned as enum codes.

# Methods:

```
GET /api/model/:model/run/:run/microdata/:name/csv
GET /api/model/:model/run/:run/microdata/:name/csv-bom
```

### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) microdata entity name

## Call examples:

http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/csv http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/csv-bom http://localhost:4040/api/model/modelOne/run/f172e98da17beb058f30f11768053456/microdata/Person/csv-bom http://localhost:4040/api/model/modelOne/run/2019\_01\_17\_19\_59\_52\_998/microdata/Person/csv http://localhost:4040/api/model/\_201208171604590148\_/run/Microdata%20in%20database/microdata/Person/csv

### **Return example:**

key,Age,AgeGroup,Sex,Income,Salary,SalaryGroup,FullTime,IsOldAge,Pension 0,91,40+,F,23000,0,L,Part,true,23000 1,82,40+,M,23000,0,L,Part,true,23000 2,73,40+,F,29900,6900,L,Part,true,23000 3,64,40+,M,32764,24573,L,Full,false,0

844424930164731,97,40+,F,53678899.4,0,L,Part,true,53678899.4

# GET csv microdata values from model run (enum id's)

Read entire microdata values from model run as csv file.

Response stream is UTF-8 microdata.csv file attachment, optionally starts with byte order mark (BOM).

Enum-based microdata attributes returned as enum id, not enum codes.

### Methods:

```
GET /api/model/:model/run/:run/microdata/:name/csv-id
GET /api/model/:model/run/:run/microdata/:name/csv-id-bom
```

### Arguments:

```
:model - (required) model digest or model name
```

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) microdata entity name

### Call examples:

http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/csv-id http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/csv-id-bom http://localhost:4040/api/model/modelOne/run/f172e98da17beb058f30f11768053456/microdata/Person/csv-id-bom http://localhost:4040/api/model/modelOne/run/2019\_01\_17\_19\_59\_52\_998/microdata/Person/csv-id http://localhost:4040/api/model/\_201208171604590148\_/run/Microdata%20in%20database/microdata/Person/csv-id

### **Return example:**

key,Age,AgeGroup,Sex,Income,Salary,SalaryGroup,FullTime,IsOldAge,Pension 0,91,40,1,23000,0,100,33,true,23000 1,82,40,0,23000,0,100,33,true,23000 2,73,40,1,29900,6900,100,33,true,23000 3,64,40,0,32764,24573,100,22,false,0

.....

844424930164728,24,20,0,268369924,201277443,300,22,false,0 844424930164729,15,10,1,0,0,100,33,false,0 844424930164730,6,10,0,0,0,100,33,false,0 844424930164731,97,40,1,53678899.4,0,100,33,true,53678899.4

# GET csv aggregated microdata from model run

Aggregate microdata values and read it as csv file.

Aggregate microdata value attributes, group by dimension attributes and get it as response stream UTF-8 Entity.csv file attachment, optionally starts with byte order mark (BOM).

Result can include multiple aggregations of value attributes (float of integer type) and group by dimension attributes (enum-based or bool type). Aggregation(s) is a comma-separated list of Model Output Expressions of microdata value attributes. For example, two aggregations: OM\_AVG(Income), OM\_MAX(Salary + Pension) and group by two dimension attributes: AgeGroup, Sex.

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: OM\_COUNT\_IF(Income > param.High), where param.High is a value of scalar parameter High in that model run.

Enum-based microdata attributes returned as enum codes.

Following aggregation functions avaliable:

- OM\_AVG mean of accumulators sub-values
- OM\_SUM sum of accumulators sub-values
- OM\_COUNT count of accumulators sub-values (excluding NULL's)
- OM\_COUNT\_IF count values matching condition
- OM\_MAX maximum of accumulators sub-values
- OM\_MIN minimum of accumulators sub-values
- OM\_VAR variance of accumulators sub-values
- OM\_SD standard deviation of accumulators sub-values
- OM\_SE standard error of accumulators sub-values
- OM\_CV coefficient of variation of accumulators sub-values

For more details please see: Model Output Expressions

### Methods:

GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/csv GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/csv-bom

### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) microdata entity name

:group-by - (required) comma-separated list of dimension attribute(s) to group by aggreagated values, dimension attribute must be enum-based or boolean type.

:calc - (required) comma-separated list of aggregation of microdata value attribute(s), value attribute must be float of integer type.

#### Call examples:

http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income)/csv http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income),OM\_AVG(Salary+Pension)/csv http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income),OM\_AVG(Salary+Pension)/csv http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income),OM\_AVG(Salary+Pension)/csv-bom http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income),OM\_AVG(Salary+Pension)/csv-bom m

http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_COUNT\_IF(Income%3Eparam.StartingSeed)/csv

Note: OM\_COUNT\_IF(Income%3Eparam.StartingSeed) is is URL encoded: OM\_COUNT\_IF(Income>param.StartingSeed)

### **Return example:**

curl http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income)/csv

run\_digest,calc\_name,AgeGroup,Sex,calc\_value a59c91359c4cd98f6275529c798d2485,ex\_12000,10-20,M,13400876.3543608 a59c91359c4cd98f6275529c798d2485,ex\_12000,10-20,F,13403741.8890926 a59c91359c4cd98f6275529c798d2485,ex\_12000,20-30,M,134201344 a59c91359c4cd98f6275529c798d2485,ex\_12000,20-30,F,134209535 a59c91359c4cd98f6275529c798d2485,ex\_12000,30-40,M,134283254 a59c91359c4cd98f6275529c798d2485,ex\_12000,30-40,F,134291445 a59c91359c4cd98f6275529c798d2485,ex\_12000,40+,M,74645804.26116 a59c91359c4cd98f6275529c798d2485,ex\_12000,40+,F,71069306.5718732

curl http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income),OM\_AVG(Salary+Pension)/csv

run_digest,calc_name,AgeGroup,Sex,calc_value
a59c91359c4cd98f6275529c798d2485,ex_12000,10-20,M,13400876.3543608
a59c91359c4cd98f6275529c798d2485,ex_12000,10-20,F,13403741.8890926
a59c91359c4cd98f6275529c798d2485,ex_12000,20-30,M,134201344
a59c91359c4cd98f6275529c798d2485,ex_12000,20-30,F,134209535
a59c91359c4cd98f6275529c798d2485,ex_12000,30-40,M,134283254
a59c91359c4cd98f6275529c798d2485,ex_12000,30-40,F,134291445
a59c91359c4cd98f6275529c798d2485,ex_12000,40+,M,74645804.26116
a59c91359c4cd98f6275529c798d2485,ex_12000,40+,F,71069306.5718732
a59c91359c4cd98f6275529c798d2485,ex_12001,10-20,M,10050657.2657706
a59c91359c4cd98f6275529c798d2485,ex_12001,10-20,F,10052806.4168194
a59c91359c4cd98f6275529c798d2485,ex_12001,20-30,M,100651008
a59c91359c4cd98f6275529c798d2485,ex_12001,20-30,F,100657151.25
a59c91359c4cd98f6275529c798d2485,ex_12001,30-40,M,100712440.5
a59c91359c4cd98f6275529c798d2485,ex_12001,30-40,F,100718583.75
a59c91359c4cd98f6275529c798d2485,ex_12001,40+,M,60124633.8262087
a59c91359c4cd98f6275529c798d2485,ex_12001,40+,F,57665830.5421598

# GET csv aggregated microdata from model run (enum id's)

Aggregate microdata values and read it as csv file.

Aggregate microdata value attributes, group by dimension attributes and get it as response stream UTF-8 Entity.csv file attachment, optionally starts with byte order mark (BOM).

Result can include multiple aggregations of value attributes (float of integer type) and group by dimension attributes (enum-based or bool type). Aggregation(s) is a comma-separated list of Model Output Expressions of microdata value attributes. For example, two aggregations: OM\_AVG(Income), OM\_MAX(Salary + Pension) and group by two dimension attributes: AgeGroup, Sex.

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: OM\_COUNT\_IF(Income > param.High), where param.High is a value of scalar parameter High in that model run.

Enum-based microdata attributes returned as enum id, not enum codes.

Following aggregation functions avaliable:

- OM\_AVG mean of accumulators sub-values
- OM\_SUM sum of accumulators sub-values
- OM\_COUNT count of accumulators sub-values (excluding NULL's)
- OM\_COUNT\_IF count values matching condition
- OM\_MAX maximum of accumulators sub-values
- OM\_MIN minimum of accumulators sub-values
- OM\_VAR variance of accumulators sub-values
- OM\_SD standard deviation of accumulators sub-values
- OM\_SE standard error of accumulators sub-values
- OM\_CV coefficient of variation of accumulators sub-values

For more details please see: Model Output Expressions

## Methods:

GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/csv-id GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/calc/:calc/csv-id-bom

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) microdata entity name

:group-by - (required) comma-separated list of dimension attribute(s) to group by aggreagated values, dimension attribute must be enum-based or boolean type.

:calc - (required) comma-separated list of aggregation of microdata value attribute(s), value attribute must be float of integer type.

### Call examples:

http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income)/csv-id http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income)/csv-id-bom http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income),OM\_AVG(Salary+Pension)/csv-idhttp://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income),OM\_AVG(Salary+Pension)/csv-idhttp://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income),OM\_AVG(Salary+Pension)/csv-idb om

http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_COUNT\_IF(Income%3Eparam.StartingSeed)/csv-id

Note: OM\_COUNT\_IF(Income%3Eparam.StartingSeed) is is URL encoded: OM\_COUNT\_IF(Income>param.StartingSeed)

#### **Return example:**

curl http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income)/csv-id

run\_id,calc\_id,AgeGroup,Sex,calc\_value 219,12000,10,0,13400876.3543608 219,12000,10,1,13403741.8890926 219,12000,20,0,134201344 219,12000,20,1,134209355 219,12000,30,0,134283254 219,12000,30,0,134291445 219,12000,40,0,74645804.26116 219,12000,40,1,71069306.5718732

curl http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/calc/OM\_AVG(Income),OM\_AVG(Salary+Pension)/csv-id

run id,calc id,AgeGroup,Sex,calc value 219,12000,10,0,13400876.3543608 219.12000.10.1.13403741.8890926 219,12000,20,0,134201344 219,12000,20,1,134209535 219,12000,30,0,134283254 219.12000.30.1.134291445 219,12000,40,0,74645804.26116 219,12000,40,1,71069306.5718732 219,12001,10,0,10050657.2657706 219,12001,10,1,10052806.4168194 219.12001.20.0.100651008 219,12001,20,1,100657151.25 219,12001,30,0,100712440.5 219,12001,30,1,100718583.75 219,12001,40,0,60124633.8262087 219,12001,40,1,57665830.5421598

# GET csv microdata run comparison

Compare microdata values and return results as csv file.

Compare [base] and [variant] model runs microdata value attributes (float of integer type), group it by dimension attributes (enum-based or bool type) and get it as response stream UTF-8 Entity.csv file attachment, optionally starts with byte order mark (BOM).

Result can include multiple aggregated comparisons, grouped by multiple dimension attributes. Aggregated comparision(s) is a commaseparated list of Model Output Expressions of [base] and [variant] value attributes. For example, two comparisions: OM\_AVG(Income[variant] -Income[base]), OM\_MAX(100 \* (Salary[variant] + Pension[variant]) / Income[base]) and group by two dimension attributes: AgeGroup, Sex .

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: OM\_COUNT\_IF((Income[variant - Income[base]) > param.High[base]), where param.High[base] is a value of scalar parameter High in [base] model run.

Enum-based microdata attributes returned as enum codes.

Following aggregation functions avaliable:

- OM\_AVG mean of accumulators sub-values
- OM\_SUM sum of accumulators sub-values
- OM\_COUNT count of accumulators sub-values (excluding NULL's)
- OM\_COUNT\_IF count values matching condition
- OM\_MAX maximum of accumulators sub-values
- OM\_MIN minimum of accumulators sub-values
- OM\_VAR variance of accumulators sub-values
- OM\_SD standard deviation of accumulators sub-values
- OM\_SE standard error of accumulators sub-values
- OM\_CV coefficient of variation of accumulators sub-values

For more details please see: Model Output Expressions

### Methods:

GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/csv GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/csv-bom

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) base model run digest, run stamp or run name :variant - (required) variant model run(s): comma-separated list of digests, run stamps or run names

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) microdata entity name

:group-by - (required) comma-separated list of dimension attribute(s) to group by aggreagated values, dimension attribute must be enum-based or boolean type.

:compare - (required) comma-separated list of comparions of microdata value attribute(s), value attribute must be float of integer type

### Call examples:

http://localhost:4040/api/model/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG(Income%5Bvariant%5D-Income%5Bba se%5D)/variant/Microdata%20in%20database/csv

http://localhost:4040/api/model/model/one/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG(Income%5Bvariant%5D-Income%5Bba se%5D)/variant/Microdata%20in%20database/csv-bom

http://localhost:4040/api/model/model/one/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG(Income%5Bvariant%5D-Income%5Bba se%5D),OM\_AVG(Salary)/variant/Microdata%20in%20database/csv

http://localhost:4040/api/model/model/model/no/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG((Income%5Bvariant%5D-Income%5Bbase%5D)%2Aparam.StartingSeed%5Bbase%5D)/variant/Microdata%20other%20in%20database/csv

### Note:

- OM\_AVG(Income%5Bvariant%5D-Income%5Bbase%5D) is URL encoded: OM\_AVG(Income[variant]-Income[base])
- OM\_AVG((Income%5Bvariant%5D-Income%5Bbase%5D)%2Aparam.StartingSeed%5Bbase%5D)
   is URL encoded: OM\_AVG((Income[variant]-Income[base])\*param.StartingSeed)

#### **Return example:**

curl http://localhost:4040/api/model/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG(Income%5Bvariant%5D-Income%5Bbase%5D)/variant/Microdata%20in%20database/csv

run_digest,calc_name,AgeGroup,Sex,calc_value
86135ceed94d1239937a42e088a7fcb7,ex_12000,10-20,M,-6701256.20161906
86135ceed94d1239937a42e088a7fcb7,ex_12000,10-20,F,-6702689.14390467
86135ceed94d1239937a42e088a7fcb7,ex_12000,20-30,M,-67108864
86135ceed94d1239937a42e088a7fcb7,ex_12000,20-30,F,-67112960
86135ceed94d1239937a42e088a7fcb7,ex_12000,30-40,M,-67149824
86135ceed94d1239937a42e088a7fcb7,ex_12000,30-40,F,-67153920
86135ceed94d1239937a42e088a7fcb7,ex_12000,40+,M,-37327458.4707197
86135ceed94d1239937a42e088a7fcb7,ex_12000,40+,F,-35538991.0909255

curl http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG(Income%5Bvariant%5D-Income%5Bbase%5D),OM\_AVG(Salary)/variant/Microdata%20in%20database/csv

run digest,calc name,AgeGroup,Sex,calc value
a59c91359c4cd98f6275529c798d2485,ex 12001,10-20,M,10050657.2657706
a59c91359c4cd98f6275529c798d2485,ex 12001,10-20,F,10052806.4168194
a59c91359c4cd98f6275529c798d2485,ex 12001,20-30,M,100651008
a59c91359c4cd98f6275529c798d2485,ex 12001,20-30,F,100657151.25
a59c91359c4cd98f6275529c798d2485,ex_12001,30-40,M,100712440.5
a59c91359c4cd98f6275529c798d2485,ex_12001,30-40,F,100718583.75
a59c91359c4cd98f6275529c798d2485,ex_12001,40+,M,44905401.6613024
a59c91359c4cd98f6275529c798d2485,ex_12001,40+,F,41552168.3348642
86135ceed94d1239937a42e088a7fcb7,ex_12000,10-20,M,-6701256.20161906
86135ceed94d1239937a42e088a7fcb7,ex_12000,10-20,F,-6702689.14390467
86135ceed94d1239937a42e088a7fcb7,ex_12000,20-30,M,-67108864
86135ceed94d1239937a42e088a7fcb7,ex_12000,20-30,F,-67112960
86135ceed94d1239937a42e088a7fcb7,ex_12000,30-40,M,-67149824
86135ceed94d1239937a42e088a7fcb7,ex_12000,30-40,F,-67153920
86135ceed94d1239937a42e088a7fcb7,ex_12000,40+,M,-37327458.4707197
86135ceed94d1239937a42e088a7fcb7,ex_12000,40+,F,-35538991.0909255
86135ceed94d1239937a42e088a7fcb7,ex_12001,10-20,M,5024715.11455629
86135ceed94d1239937a42e088a7fcb7,ex_12001,10-20,F,5025789.55889093
86135ceed94d1239937a42e088a7fcb7,ex_12001,20-30,M,50319360
86135ceed94d1239937a42e088a7fcb7,ex_12001,20-30,F,50322431.25
86135ceed94d1239937a42e088a7fcb7,ex_12001,30-40,M,50350072.5
86135ceed94d1239937a42e088a7fcb7,ex_12001,30-40,F,50353143.75
86135ceed94d1239937a42e088a7fcb7,ex_12001,40+,M,22449959.7419271
86135ceed94d1239937a42e088a7fcb7,ex_12001,40+,F,20773547.8187544

# GET csv microdata run comparison (enum id's)

Compare microdata values and return results as csv file.

Compare [base] and [variant] model runs microdata value attributes (float of integer type), group it by dimension attributes (enum-based or bool type) and get it as response stream UTF-8 Entity.csv file attachment, optionally starts with byte order mark (BOM).

Result can include multiple aggregated comparisons, grouped by multiple dimension attributes. Aggregated comparision(s) is a commaseparated list of Model Output Expressions of [base] and [variant] value attributes. For example, two comparisions: OM\_AVG(Income[variant] -Income[base]), OM\_MAX(100 \* (Salary[variant] + Pension[variant]) / Income[base]) and group by two dimension attributes: AgeGroup, Sex .

It is also possible to use parameter(s) in calculation, parameter must be a scalar of float or integer type. For example: OM\_COUNT\_IF((Income[variant - Income[base]) > param.High[base]), where param.High[base] is a value of scalar parameter High in [base] model run.

Enum-based microdata attributes returned as enum id, not enum codes.

Following aggregation functions avaliable:

- OM\_AVG mean of accumulators sub-values
- OM\_SUM sum of accumulators sub-values
- OM\_COUNT count of accumulators sub-values (excluding NULL's)
- OM\_COUNT\_IF count values matching condition
- OM\_MAX maximum of accumulators sub-values
- OM\_MIN minimum of accumulators sub-values
- OM\_VAR variance of accumulators sub-values
- OM\_SD standard deviation of accumulators sub-values
- OM\_SE standard error of accumulators sub-values
- OM\_CV coefficient of variation of accumulators sub-values

For more details please see: Model Output Expressions

## Methods:

GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/csv-id GET /api/model/:model/run/:run/microdata/:name/group-by/:group-by/compare/:compare/variant/:variant/csv-id-bom

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) base model run digest, run stamp or run name :variant - (required) variant model run(s): comma-separated list of digests, run stamps or run names

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

:name - (required) microdata entity name

:group-by - (required) comma-separated list of dimension attribute(s) to group by aggreagated values, dimension attribute must be enum-based or boolean type.

:compare - (required) comma-separated list of comparions of microdata value attribute(s), value attribute must be float of integer type

#### Call examples:

http://localhost:4040/api/model/model/one/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG(Income%5Bvariant%5D-Income%5Bba se%5D)/variant/Microdata%20in%20database/csv-id

http://localhost:4040/api/model/model/one/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG(Income%5Bvariant%5D-Income%5Bba se%5D)/variant/Microdata%20in%20database/csv-id-bom

http://localhost:4040/api/model/model/one/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG(Income%5Bvariant%5D-Income%5Bba se%5D),OM\_AVG(Salary)/variant/Microdata%20in%20database/csv-id

http://localhost:4040/api/model/model/one/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG(Income%5Bvariant%5D-Income%5Bba se%5D),OM\_AVG(Salary)/variant/Microdata%20in%20database/csv-id-bom

http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG((Income%5Bvariant%5D-Income%5Bbase%5D)%2Aparam.StartingSeed%5Bbase%5D)/variant/Microdata%20other%20in%20database/csv-id

### Note:

- OM\_AVG(Income%5Bvariant%5D-Income%5Bbase%5D) is URL encoded: OM\_AVG(Income[variant]-Income[base])
- OM\_AVG((Income%5Bvariant%5D-Income%5Bbase%5D)%2Aparam.StartingSeed%5Bbase%5D)
   is URL encoded: OM\_AVG((Income[variant]-Income[base])\*param.StartingSeed)[base]

#### **Return example:**

curl http://localhost:4040/api/model/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG(Income%5Bvariant%5D-Income%5Bbase%5D)/variant/Microdata%20other%20in%20database/csv-id

run\_id,calc\_id,AgeGroup,Sex,calc\_value 221,12000,10,0,-6701256.20161906 221,12000,10,1,-6702689.14390467 221,12000,20,0,-67108864 221,12000,20,1,-67112960 221,12000,30,0,-67149824 221,12000,30,1,-67153920 221,12000,40,0,-37327458.4707197 221,12000,40,1,-35538991.0909255

curl http://localhost:4040/api/model/modelOne/run/Microdata%20in%20database/microdata/Person/group-by/AgeGroup,Sex/compare/OM\_AVG(Income%5Bvariant%5D-Income%5Bbase%5D),OM\_AVG(Salary)/variant/Microdata%20other%20in%20database/csv-id

run\_id,calc\_id,AgeGroup,Sex,calc\_value 219,12001,10,0,10050657.2657706 219,12001,10,1,10052806.4168194 219,12001,20,0,100651008 219,12001,20,1,100657151.25 219.12001.30.0.100712440.5 219,12001,30,1,100718583.75 219,12001,40,0,44905401.6613024 219,12001,40,1,41552168.3348642 221.12000.10.0.-6701256.20161906 221.12000.10.1.-6702689.14390467 221,12000,20,0,-67108864 221,12000,20,1,-67112960 221,12000,30,0,-67149824 221.12000.30.1.-67153920 221,12000,40,0,-37327458.4707197 221,12000,40,1,-35538991.0909255 221,12001,10,0,5024715.11455629 221,12001,10,1,5025789.55889093 221,12001,20,0,50319360 221,12001,20,1,50322431.25 221,12001,30,0,50350072.5 221,12001,30,1,50353143.75 221,12001,40,0,22449959.7419271 221.12001.40.1.20773547.8187544

# **GET list of modeling tasks**

Get list of modeling tasks: language-neutral part of task list metadata.

# Methods:

GET /api/model/:model/task-list

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

# Call examples from browser:

http://localhost:4040/api/model/modelOne/task-list http://localhost:4040/api/model/\_201208171604590148\_/task-list

```
[
{
    "ModelName": "modelOne",
    "NodelDigest": "_201208171604590148_",
    "Name": "taskOne",
    "Txt": [],
    "Set": [],
    "Set": [],
    "TaskRun": []
    }
]
```

# GET list of modeling tasks including text (description and notes)

Get list of modeling tasks, including text (description and notes).

## Methods:

GET /api/model/:model/task-list/text/ GET /api/model/:model/task-list/text/lang/:lang

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:lang - (optional) language code

If optional lang argument specified then result in that language else in browser language. If no such language exist then text portion of result (description and notes) is empty.

## Call examples from browser:

```
http://localhost:4040/api/model/modelOne/task-list/text
http://localhost:4040/api/model/modelOne/task-list/text/lang/EN
```

```
[
 {
  "ModelName": "modelOne",
  "ModelDigest": "_201208171604590148_",
  "Name": "taskOne",
  "Txt": [
   {
     "LangCode": "EN",
    "Descr": "Task One for Model One",
     "Note": "Task One: two set of input parameters"
   }
  1,
  "Set": [],
  "TaskRun": []
}
]
```

# GET modeling task input worksets

Get modeling task input sets: language-neutral part of task metadata.

# Methods:

GET /api/model/:model/task/:task/sets

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:task - (required) modeling task name

Task is uniquely identified by name (inside the model). Different models can have tasks with same name, i.e. each model can have task with name "My First Task".

# Call examples from browser:

```
http://localhost:4040/api/model/modelOne/task/taskOne/sets
http://localhost:4040/api/model/_201208171604590148_/task/taskOne/sets
```

```
{
    "ModelName": "modelOne",
    "ModelDigest": "_201208171604590148_",
    "Name": "taskOne",
    "Txt": [],
    "Default",
    "modelOne_other"
],
    "TaskRun": []
}
```

# GET modeling task run history

Get modeling task run history: language-neutral part of task metadata.

# Methods:

GET /api/model/:model/task/:task/runs

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

```
:task - (required) modeling task name
```

Task is uniquely identified by name (inside the model). Different models can have tasks with same name, i.e. each model can have task with name "My First Task".

## Call examples from browser:

```
http://localhost:4040/api/model/modelOne/task/taskOne/runs
http://localhost:4040/api/model/modelOne/task/taskOne/runs
```

```
{
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "taskOne",
 "Txt": [],
 "Set": [],
 "TaskRun": [
  {
   "Name": "First Task Run",
   "SubCount": 1.
   "CreateDateTime": "2020-03-24 16:29:20.427",
   "Status": "s",
   "UpdateDateTime": "2020-03-24 16:29:20.857",
   "RunStamp": "2020_03_24_16_29_20_427",
   "TaskRunSet": [
    {
      "Run": {
       "Name": "First_Task_Run_Default",
       "SubCompleted": 1,
       "CreateDateTime": "2020-03-24 16:29:20.459",
       "Status": "s",
       "RunDigest": "aa3bed04d833966853bdf04f841c5feb",
       "ValueDigest": "6c5c0f48e19f67899c868688bb8a23fd",
       "RunStamp": "2020_03_24_16_29_20_427"
      },
      "SetName": "Default"
     },
     {
      "Run": {
       "Name": "First_Task_Run_modelOne_other",
       "SubCompleted": 1,
       "CreateDateTime": "2020-03-24 16:29:20.667",
       "Status": "s",
       "RunDigest": "f8e078c414f15c79d19a2666b126dea5",
       "ValueDigest": "fb27d108fae2040fa1cae6f49704a1b7".
       "RunStamp": "2020_03_24_16_29_20_427"
      }
      "SetName": "modelOne_other"
    }
   1
  }
]
}
```

# GET status of modeling task run

Get status of modeling task run.

# Methods:

GET /api/model/:model/task/:task/run-status/run/:run

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:task - (required) modeling task name

Task is uniquely identified by name (inside the model). Different models can have tasks with same name, i.e. each model can have task with name "My First Task".

:run - (required) modeling task run stamp or task run name

Task run stamp and task run name can be explicitly specified as model run options. If task run stamp not specified then it automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is recommended to specify unique run stamp or run name when you are running the modeling task. If task run stamp or task run name is not unique then result of this call is undefined. You can use GET status of modeling task run list method to get status of multiple runs with same name or stamp.

# Call examples from browser:

http://localhost:4040/api/model/modelOne/task/taskOne/run-status/run/First%20Task%20Run http://localhost:4040/api/model/\_201208171604590148\_/task/taskOne/run-status/run/2019\_01\_17\_19\_59\_53\_260

Return example: This is a beta version and may change in the future.

```
{
    "TaskRunld": 101,
    "TaskId": 1,
    "Name": "First Task Run",
    "SubCount": 1,
    "CreateDateTime": "2019-01-17 19:59:53.260",
    "Status": "s",
    "UpdateDateTime": "2019-01-17 19:59:53.539",
    "RunStamp": "2019_01_17_19_59_53_260"
```

}

# GET status of modeling task run list

Get status of modeling task runs.

# Methods:

GET /api/model/:model/task/:task/run-status/list/:run

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:task - (required) modeling task name

Task is uniquely identified by name (inside the model). Different models can have tasks with same name, i.e. each model can have task with name "My First Task".

:run - (required) modeling task run stamp or task run name

Task run stamp and task run name can be explicitly specified as model run options. If task run stamp not specified then it automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is recommended to specify unique run stamp or run name when you are running the modeling task.

# Call examples from browser:

```
http://localhost:4040/api/model/modelOne/task/taskOne/run-status/list/First%20Task%20Run
http://localhost:4040/api/model/_201208171604590148_/task/taskOne/run-status/list/2019_01_17_19_59_53_260
```

```
[
    {
        "TaskRunld": 101,
        "Taskld": 1,
        "Name": "First Task Run",
        "SubCount": 1,
        "CreateDateTime": "2020-02-01 12:10:45.090",
        "Status": "s",
        "UpdateDateTime": "2020-02-01 12:10:45.523",
        "RunStamp": "2020_02_01_12_10_45_090"
    }
]
```

# GET status of modeling task first run

Get status of modeling task first run.

# Methods:

GET /api/model/:model/task/:task/run-status/first

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:task - (required) modeling task name

Task is uniquely identified by name (inside the model). Different models can have tasks with same name, i.e. each model can have task with name "My First Task".

# Call examples from browser:

```
{
    "TaskRunId": 101,
    "TaskId": 1,
    "Name": "First Task Run",
    "SubCount": 1,
    "CreateDateTime": "2019-01-17 19:59:53.260",
    "Status": "s",
    "UpdateDateTime": "2019-01-17 19:59:53.539",
    "RunStamp": "2019_01_17_19_59_53_260"
}
```

# GET status of modeling task last run

Get status of modeling task last (most recent) run.

# Methods:

GET /api/model/:model/task/:task/run-status/last

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:task - (required) modeling task name

Task is uniquely identified by name (inside the model). Different models can have tasks with same name, i.e. each model can have task with name "My First Task".

# Call examples from browser:

```
{
    "TaskRunId": 101,
    "TaskId": 1,
    "Name": "First Task Run",
    "SubCount": 1,
    "CreateDateTime": "2019-01-17 19:59:53.260",
    "Status": "s",
    "UpdateDateTime": "2019-01-17 19:59:53.539",
    "RunStamp": "2019_01_17_19_59_53_260"
}
```

# GET status of modeling task last completed run

Get status of modeling task last completed run. Run completed if run status one of: s=success, x=exit, e=error.

# Methods:

GET /api/model/:model/task/:task/run-status/last-completed

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:task - (required) modeling task name

Task is uniquely identified by name (inside the model). Different models can have tasks with same name, i.e. each model can have task with name "My First Task".

# Call examples from browser:

 $\label{eq:http://localhost:4040/api/model/modelOne/task/taskOne/run-status/last-completed \\ http://localhost:4040/api/model/_201208171604590148_/task/taskOne/run-status/last-completed \\ \end{task}$ 

```
{
    "TaskRunId": 101,
    "TaskId": 1,
    "Name": "First Task Run",
    "SubCount": 1,
    "CreateDateTime": "2019-01-17 19:59:53.260",
    "Status": "s",
    "UpdateDateTime": "2019-01-17 19:59:53.539",
    "RunStamp": "2019_01_17_19_59_53_260"
}
```

# GET modeling task including text (description and notes)

Get modeling task and task run history, including text (description and notes)

# Methods:

GET /api/model/:model/task/:task/text GET /api/model/:model/task/:task/text/lang/:lang

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:task - (required) modeling task name

Task is uniquely identified by name (inside the model). Different models can have tasks with same name, i.e. each model can have task with name "My First Task".

:lang - (optional) language code

If optional lang argument specified then result in that language else in browser language. If no such language exist then text portion of result (description and notes) is empty.

## Call examples from browser:

http://localhost:4040/api/model/modelOne/task/taskOne/text http://localhost:4040/api/model/modelOne/task/taskOne/text/lang/EN http://localhost:4040/api/model/\_201208171604590148\_task/taskOne/text/lang/EN

```
{
 "Task": {
  "ModelName": "modelOne",
  "ModelDigest": "_201208171604590148_",
  "Name": "taskOne",
  "Txt": [
   {
    "LangCode": "EN".
    "Descr": "Task One for Model One",
    "Note": "Task One: two set of input parameters"
   }
 ],
  "Set": [
   "Default".
   "modelOne_other"
  ],
  "TaskRun": [
   {
    "Name": "First Task Run",
    "SubCount": 1,
    "CreateDateTime": "2020-03-24 16:29:20.427",
    "Status": "s",
    "UpdateDateTime": "2020-03-24 16:29:20.857",
    "RunStamp": "2020_03_24_16_29_20_427",
    "TaskRunSet": [
     {
       "Run": {
        "Name": "First_Task_Run_Default",
        "SubCompleted": 1,
        "CreateDateTime": "2020-03-24 16:29:20.459",
        "Status": "s",
        "RunDigest": "aa3bed04d833966853bdf04f841c5feb",
        "ValueDigest": "6c5c0f48e19f67899c868688bb8a23fd",
        "RunStamp": "2020_03_24_16_29_20_427"
       }
       "SetName": "Default"
     },
     {
       "Run"
```

```
"Name": "First_Task_Run_modelOne_other",
        "SubCompleted": 1,
"CreateDateTime": "2020-03-24 16:29:20.667",
        "Status": "s",
         "RunDigest": "f8e078c414f15c79d19a2666b126dea5",
         "ValueDigest": "fb27d108fae2040fa1cae6f49704a1b7",
         "RunStamp": "2020_03_24_16_29_20_427"
       },
        "SetName": "modelOne_other"
      }
    ]
   }
  ]
},
"Txt": {
≏etT
  "SetTxt": {
   "Default": [
    {
    "LangCode": "EN",
    "Descr": "Model One default set of parameters",
    "The set of parameters",

     }
   ],
    "modelOne_other": [
     {
      "LangCode": "EN",
      "Descr": "Model One other set of parameters",
"Note": ""
    }
   ]
  },
  "RunTxt": {
    "aa3bed04d833966853bdf04f841c5feb": [
    {
"LangCode": "EN",
      "Descr": "Model One default set of parameters",
      "Note": ""
    }
   ],
    "f8e078c414f15c79d19a2666b126dea5": [
     {
      "LangCode": "EN",
      "Descr": "Model One other set of parameters",
      "Note": ""
    }
   ]
  }
}
```

}

## GET modeling task text in all languages

Get modeling task and task run history, including text (description and notes) in all languages.

### Methods:

GET /api/model/:model/task/:task/text-all

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:task - (required) modeling task name

Task is uniquely identified by name (inside the model). Different models can have tasks with same name, i.e. each model can have task with name "My First Task".

#### Call examples from browser:

```
http://localhost:4040/api/model/modelOne/task/taskOne/text-all
http://localhost:4040/api/model/_201208171604590148_/task/taskOne/text-all
```

### **Return example:**

```
{
 "Task": {
  "ModelName": "modelOne",
  "ModelDigest": " 201208171604590148 ",
  "Name": "taskOne",
  "Txt": [
   {
    "LangCode": "EN",
    "Descr": "Task One for Model One",
    "Note": "Task One: two set of input parameters"
   },
   {
    "LangCode": "FR",
    "Descr": "(FR) Task One for Model One",
    "Note"
   }
 ],
  "Set": [
   "Default",
   "modelOne_other"
  "TaskRun": [
   {
    "Name": "First Task Run",
    "SubCount": 1.
    "CreateDateTime": "2020-03-24 16:29:20.427",
    "Status": "s",
    "UpdateDateTime": "2020-03-24 16:29:20.857",
    "RunStamp": "2020_03_24_16_29_20_427",
    "TaskRunSet": [
     {
       "Run": {
        "Name": "First_Task_Run_Default",
        "SubCompleted": 1,
        "CreateDateTime": "2020-03-24 16:29:20.459",
        "Status": "s".
        "RunDigest": "aa3bed04d833966853bdf04f841c5feb",
        "ValueDigest": "6c5c0f48e19f67899c868688bb8a23fd",
        "RunStamp": "2020_03_24_16_29_20_427"
      }.
       "SetName": "Default"
     },
     {
       "Run": {
        "Name": "First_Task_Run_modelOne_other",
        "SubCompleted": 1,
        "CreateDateTime": "2020-03-24 16:29:20.667",
        "Status": "s",
```

```
"RunDigest": "f8e078c414f15c79d19a2666b126dea5",
         "ValueDigest": "fb27d108fae2040fa1cae6f49704a1b7",
"RunStamp": "2020_03_24_16_29_20_427"
       },
        "SetName": "modelOne_other"
      }
    ]
   }
  ]
 },
"Txt": {
   "SetTxt": {
    "Default": [
     {
      "LangCode": "EN",
      "Descr": "Model One default set of parameters",
      "Note": ""
     },
     {
      "LangCode": "FR",
      "Descr": "(FR) Model One default set of parameters",
      "Note": "
    }
   ],
    "modelOne_other": [
     {
      "LangCode": "EN",
      "Descr": "Model One other set of parameters",
      "Note": ""
     },
     {
      "LangCode": "FR",
      "Descr": "(FR) Model One other set of parameters",
      "Note": ""
     }
   ]
  },
"RunTxt": {
    "aa3bed04d833966853bdf04f841c5feb": [
     {
      "LangCode": "EN",
      "Descr": "Model One default set of parameters",
      "Note": ""
     },
     {
      "LangCode": "FR",
      "Descr": "(FR) Model One default set of parameters",
"Note": ""
     }
   ],
    "f8e078c414f15c79d19a2666b126dea5": [
     {
      "LangCode": "EN",
      "Descr": "Model One other set of parameters",
"Note": ""
     },
     {
      "LangCode": "FR",
      "Descr": "(FR) Model One other set of parameters",
"Note": ""
     }
   ]
  }
 }
}
```

## **PATCH create or replace profile**

Create new or replace existing profile.

Profile is a set of key-value options which can be used to run the model.

This method insert new or replace all existing profile options. If no such profile exist in database then new profile created.

If profile already exist then it is delete-insert operation:

- all existing profile key-value options deleted from database;
- new key-value options inserted.

Profile is uniquely identified by name (inside of the database). Profile are not a property of the model and you can use same profile for different models. *Beta version: beta version API uses model name or digest to find profile.* 

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

This is a beta version and may change in the future.

## Method:

PATCH /api/model/:model/profile

### For example:

curl -v -X PATCH -H "Content-Type: application/json" "http://localhost:4040/api/model/modelOne/profile" -d @m1.profile.json

## **JSON** arguments:

It is expected to be same JSON as return of GET model profile method.

For example (m1.profile.json file):

```
{
    "Name": "m1",
    "Opts": {
        "OpenM.SparseOutput": "false",
        "Parameter.StartingSeed": "192"
    }
}
```

# **DELETE** profile

Delete existing profile.

Profile is a set of key-value options which can be used to run the model.

This method does delete of existing profile and all profile options. If no such profile exist in database then nothing is changed (it is no-op).

Profile is uniquely identified by name (inside of the database). Profile are not a property of the model and you can use same profile for different models. *Beta version: beta version API uses model name or digest to find profile.* 

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

This is a beta version and may change in the future.

## Method:

DELETE /api/model/:model/profile/:profile

For example:

curl -v -X DELETE http://localhost:4040/api/model/modelOne/profile/m1 curl -v -X DELETE http://localhost:4040/api/model/\_201208171604590148\_/profile/m1

curl -v -X DELETE http://localhost:4040/api/model/modelOne/profile/m1

\* Trying ::1...

- \* TCP\_NODELAY set
- \* Trying 127.0.0.1...
- \* TCP\_NODELAY set
- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > DELETE /api/model/modelOne/profile/m1 HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.54.1 > Accept: \*/\*

5

- < HTTP/1.1 200 OK
- < Content-Location: /api/model/modelOne/profile/m1
- < Date: Fri. 28 Dec 2018 03:06:21 GMT
- < Content-Length: 0
- <
- \* Connection #0 to host localhost left intact

# POST create or replace profile option

Create new or replace existing profile option.

Profile is a set of key-value options which can be used to run the model.

This method insert new or replace all existing profile key-value options. If no such profile exist in database then new profile created. If no such key exist in that profile then new key-value inserted. If key already exist the value replaced.

Profile is uniquely identified by name (inside of the database). Profile are not a property of the model and you can use same profile for different models. *Beta version: beta version API uses model name or digest to find profile.* 

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

This is a beta version and may change in the future.

### Method:

POST /api/model/:model/profile/:profile/key/:key/value/:value

#### For example:

curl -v -X POST http://localhost:4040/api/model/modelOne/profile/m1/key/Parameter.StartingSeed/value/4095

- \* Trying ::1...
- \* TCP\_NODELAY set
- \* Trying 127.0.0.1...
- \* TCP\_NODELAY set
- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > PATCH /api/model/modelOne/profile/m1/key/Parameter.StartingSeed/value/4095 HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.54.1
- > Accept: \*/\*
- < HTTP/1.1 200 OK
- < Content-Location: /api/model/modelOne/profile/m1/key/Parameter.StartingSeed
- < Date: Fri, 28 Dec 2018 03:10:49 GMT
- < Content-Length: 0
- <
- \* Connection #0 to host localhost left intact

# **DELETE** profile option

Delete existing profile option.

Profile is a set of key-value options which can be used to run the model.

This method does delete of existing profile key and associated value. If no such option key exist in that profile then nothing is changed (it is noop).

Profile is uniquely identified by name (inside of the database). Profile are not a property of the model and you can use same profile for different models. *Beta version: beta version API uses model name or digest to find profile.* 

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

This is a beta version and may change in the future.

## Method:

DELETE /api/model/:model/profile/:profile/key/:key

## For example:

curl -v -X DELETE http://localhost:4040/api/model/modelOne/profile/m1/key/Parameter.StartingSeed

- \* Trying ::1...
- \* TCP\_NODELAY set
- \* Trying 127.0.0.1...
- \* TCP\_NODELAY set
- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > DELETE /api/model/modelOne/profile/m1/key/Parameter.StartingSeed HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.54.1
- > Accept: \*/\*
- < HTTP/1.1 200 OK
- < Content-Location: /api/model/modelOne/profile/m1/key/Parameter.StartingSeed
- < Date: Fri, 28 Dec 2018 03:15:15 GMT
- < Content-Length: 0
- <
- \* Connection #0 to host localhost left intact

# POST update workset read-only status

Update read-only status of model workset.

- Workset is a set of model input parameters (a.k.a. "scenario" input).
- Workset can be used to run the model.
- Workset is uniquely identified by name (in model context).
- Workset must be read-only in order to run the model with this set of input parameters.
- If user want to edit this set input parameters it must be read-write (not read-only status).

### Methods:

POST /api/model/:model/workset/:set/readonly/:readonly

### Arguments as URL parameters:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:set - (required) workset name

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

:readonly - (required) read-only status

Read-only status is a boolean value. It accepts 1, t, T, TRUE, true, True, 0, f, F, FALSE, false, False. Any other value returns an error.

### Examples:

curl -v -X POST http://localhost:4040/api/model/modelOne/workset/modelOne\_set/readonly/1

\* Trying ::1...

- \* TCP\_NODELAY set
- \* Trying 127.0.0.1...
- \* TCP\_NODELAY set
- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > POST /api/model/modelOne/workset/modelOne\_set/readonly/1 HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.55.1

> Accept: \*/\*

< HTTP/1.1 200 OK

- < Content-Location: /api/model/\_201208171604590148\_/workset/modelOne\_set
- < Content-Type: application/json

< Date: Thu, 20 Dec 2018 03:54:59 GMT

< Content-Length: 122

<

{"SetId":3, "BaseRunId":0, "ModeIId":1, "Name": "modelOne\_set", "IsReadonly": true, "UpdateDateTime": "2018-12-19 22:54:59.0583"}

curl -v -X POST http://localhost:4040/api/model/modelOne/workset/INVALID\_NAME/readonly/1

- \* Trying ::1... \* TCP\_NODELAY set
- \* Trying 127.0.0.1...
- \* TCP\_NODELAY set
- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > POST /api/model/modelOne/workset/INVALID\_NAME/readonly/1 HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.55.1
- > Accept: \*/\* >

< HTTP/1.1 200 OK

- < Content-Type: application/json
- < Date: Thu, 20 Dec 2018 03:56:50 GMT
- < Content-Length: 87
- <

{"SetId":0,"BaseRunId":0,"ModeIId":0,"Name":"","IsReadonly":false,"UpdateDateTime":""}

## PUT create new workset

Create new model workset and append new parameter(s) values.

- Workset is a set of model input parameters (a.k.a. "scenario" input).
- Workset can be used to run the model.
- Workset is uniquely identified by name (in model context).
- Workset must be read-only in order to run the model with this set of input parameters.
- If user want to edit this set input parameters it must be read-write (not read-only status).

This method creates new workset by inserting workset metadata, parameter(s) metadata and parameter(s) values from json request body. Workset metadata must contain model digest (or model name) and workset name, any other parts of metadata is optional.

Workset parameters are optional, you can create empty workset and add parameters later. Each parameter must have metadata and parameter value(s). Parameter metadata must contain parameter name and if cell values supplied then also number of sub-values (use 1 as default), all other metadata are optional. For each parameter values **must** be supplied. Workset cannot contain parameter metadata only, it must have all parameter values. See below for information about parameter values.

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

If workset with the same name already exist then method return an error.

If workset name not specified or empty then new workset created with unique name.

This is a beta version and may change in the future.

### Method:

PUT /api/workset-create

#### For example:

curl -v -X PUT -H "Content-Type: application/json" "http://localhost:4040/api/workset-create" -d @test.json

### JSON body:

It is expected to be same JSON metadata as return of Get Workset Metadata in All Languages method.

Parameter values must be one of:

- JSON cell values, identical to output of read parameter "page": Read parameter values from workset
- copy of parameter values from model run, use: { "Kind": "run", "From": "run digest or run name or run stamp" }
- copy of parameter values from other workset, use: {"Kind": "set", "From": "workset name" } Source workset must be readonly .

### JSON response:

```
{
    "SetId": 142,
    "BaseRunId": 101,
    "ModelId": 1,
    "Name": "auto_name_set_of_parameters_2020_05_01_15_22_54_807",
    "IsReadonly": false,
    "UpdateDateTime": "2020-05-01 15:22:54.809"
}
```

#### Example 1:

```
{
    "ModelName": "modelOne",
    "Name": "NewSet",
    "Txt": [
    {
        "LangCode": "EN",
        "Descr": "New Set of model One parameters"
    }
]
}
```

## Example 2:

```
{
"ModelName": "modelOne",
"" " 20120817
 "ModelDigest": "_201208171604590148_",
 "Name": "NewSet",
 "BaseRunDigest": ""
 "IsReadonly": false,
  "Txt": [
   {
    "LangCode": "EN",
    "Descr": "New Set of model One parameters"
   },
   {
    "LangCode": "FR",
    "Descr": "(FR) New Set of model One parameters",
    "Note": "(FR) Note for New Set of model One parameters"
   }
 ],
  "Param": [
   {
    "Name": "ageSex",
    "SubCount": 1,
    "DefaultSubId": 0,
    "Txt": [
      {
       "LangCode": "EN",
       "Note": "Age by Sex new set of values"
      },
      {
       "LangCode": "FR",
       "Note": "(FR) Age by Sex new set of values"
     }
    ],
    "Value": [
      {"Dims": ["10-20", "M"], "IsNull": false, "Value": 0.1, "SubId": 0},
      {"Dims": ["10-20","F"], "IsNull": false, "Value": 0.2, "SubId": 0},
      {"Dims": ["20-30", "M"], "IsNull": false, "Value": 0.3, "SubId": 0},
{"Dims": ["20-30", "M"], "IsNull": false, "Value": 0.4, "SubId": 0},
      {"Dims": ["30-40", "M"], "IsNull": false, "Value": 0.5, "SubId": 0},
      {"Dims": ["30-40", "F"], "IsNull": false, "Value": 0.6, "SubId": 0},
      {"Dims": ["40+", "M"], "IsNull": false, "Value": 0.7, "SubId": 0},
{"Dims": ["40+", "F"], "IsNull": false, "Value": 0.8, "SubId": 0}
    ]
   }
 ]
}
```

### Example 3:

Create workset based on existing model run and copy two parameters:

- copy parameter ageSex from model run Default-4
- copy parameter salaryAge from Default workset

```
{
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "m1_based_on_first_run",
 "BaseRunDigest": "09cf2735bbe8aa88fd427c20925ca14a",
 "Txt": [{
   "LangCode": "EN",
   "Descr": "modelOne based on first run",
   "Note": "modelOne copy parameters from Default-4 run and Default workset"
  }, {
   "LangCode": "FR",
   "Descr": "(FR) modelOne based on first run",
   "Note": "(FR) modelOne copy parameters from Default-4 run and Default workset"
  }
 ],
 "Param": [
  {
   "Name": "ageSex",
   "Kind": "run",
   "From": "Default-4"
  }.
  {
   "Name": "salaryAge",
   "Kind": "set",
   "From": "Default"
  }
1
}
```

curl -v -X PUT -H "Content-Type: application/json" "http://localhost:4040/api/workset-create" -d @m1\_ws\_new\_on\_run.json

- \* Trying ::1...
- \* TCP\_NODELAY set
- \* Connected to localhost (::1) port 4040 (#0)
- > PUT /api/workset-create HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.55.1
- > Accept: \*/\*
- > Content-Type: application/json
- > Content-Length: 399
- >
- \* upload completely sent off: 399 out of 399 bytes
- < HTTP/1.1 200 OK
- < Content-Location: /api/model/\_201208171604590148\_/workset/auto\_name\_set\_of\_parameters\_2020\_05\_01\_15\_22\_54\_807
- < Content-Type: application/json
- < Date: Fri, 01 May 2020 19:22:54 GMT
- < Content-Length: 165

{"SetId":142,"BaseRunId":101,"ModelId":1,"Name":"auto\_name\_set\_of\_parameters\_2020\_05\_01\_15\_22\_54\_807","IsReadonly":false,"UpdateDateTime":"2020-05-01 15:22:54.809" }

\* Connection #0 to host localhost left intact

## Example 4:

```
{
"ModelName": "modelOne",
"ModelDigest": "_201208171604590148_",
 "Name": "NewSet",
"IsReadonly": true,
 "Txt": [
 {
   "LangCode": "EN",
   "Descr": "New Set of model One parameters"
 },
  {
   "LangCode": "FR",
   "Descr": "(FR) New Set of model One parameters",
   "Note": "(FR) Note for New Set of model One parameters"
 }
],
 "Param": [
   "Name": "ageSex",
   "SubCount": 1,
   "DefaultSubId": 0,
   "Txt": [
    {
     "LangCode": "EN",
     "Note": "Age by Sex new set of values"
    },
    {
     "LangCode": "FR",
     "Note": "(FR) Age by Sex new set of values"
```

```
{"Dims": ["10-20", "M"], "IsNull": false, "Value": 0.1, "SubId": 0},
   {"Dims": ["10-20","F"], "IsNull": false, "Value": 0.2, "SubId": 0},
   {"Dims": ["20-30", "M"], "IsNull": false, "Value": 0.3, "SubId": 0},
  {"Dims": ["20-30", "F"], "IsNull": false, "Value": 0.4, "SubId": 0},
{"Dims": ["30-40", "M"], "IsNull": false, "Value": 0.5, "SubId": 0},
   {"Dims": ["30-40", "F"], "IsNull": false, "Value": 0.6, "SubId": 0},
  {"Dims": ["40+","M"], "ISNull": false, "Value": 0.7, "SubId": 0,
{"Dims": ["40+","F"], "IsNull": false, "Value": 0.8, "SubId": 0}
 1
}.
  "Name": "salaryAge",
 "SubCount": 1,
  "DefaultSubId": 0,
  "Txt": [
    "LangCode": "EN",
    "Note": "Salary by Age new set of values"
   }.
    "LangCode": "FR",
    "Note": "(FR) Salary by Age new set of values"
  }
 ],
  "Value": [
   {"Dims": ["L","10-20"], "IsNull": false, "Value": 10, "SubId": 0},
   {"Dims": ["L","20-30"], "IsNull": false, "Value": 20, "SubId": 0},
   {"Dims": ["L", "30-40"], "IsNull": false, "Value": 30, "SubId": 0},
   {"Dims": ["L","40+"], "IsNull": false, "Value": 40, "SubId": 0},
   {"Dims": ["M","10-20"], "IsNull": false, "Value": 11, "SubId": 0},
   {"Dims": ["M","20-30"], "IsNull": false, "Value": 21, "SubId": 0},
   {"Dims": ["M","30-40"], "IsNull": false, "Value": 31, "SubId": 0},
   {"Dims": ["M","40+"], "IsNull": false, "Value": 41, "SubId": 0},
   {"Dims": ["H","10-20"], "IsNull": false, "Value": 12, "SubId": 0},
   {"Dims": ["H","20-30"], "IsNull": false, "Value": 22, "SubId": 0},
   {"Dims": ["H","30-40"], "IsNull": false, "Value": 32, "SubId": 0},
   {"Dims": ["H","40+"], "IsNull": false, "Value": 42, "SubId": 0}
 1
},
  "Name": "StartingSeed",
  "SubCount": 1.
 "DefaultSubId": 0,
  "Txt": [
   {
    "LangCode": "EN",
    "Note": "Starting seed new set of value"
  }
 ],
  "Value": [
  {"Dims": [], "IsNull": false, "Value": 8191, "SubId": 0}
 ]
},
  "Name": "salaryFull",
  "SubCount": 4.
  "DefaultSubId": 3
 "Txt": [
   {
     "LangCode": "EN",
     "Note": "Full or part time by Salary new set of values"
  }
 ],
  "Value": [
   {"Dims": ["L"], "IsNull": false, "Value": "Part", "SubId": 0},
   {"Dims": ["M"], "IsNull": false, "Value": "Full", "SubId": 0},
   {"Dims": ["H"], "IsNull": false, "Value": "Full", "SubId": 0},
   {"Dims": ["L"], "IsNull": false, "Value": "Part", "SubId": 1},
   {"Dims": ["M"], "IsNull": false, "Value": "Part", "SubId": 1},
   {"Dims": ["H"], "IsNull": false, "Value": "Part", "SubId": 1},
  {"Dims": ["L"], "IsNull": false, "Value": "Full", "SubId": 2},
{"Dims": ["M"], "IsNull": false, "Value": "Full", "SubId": 2},
   {"Dims": ["H"], "IsNull": false, "Value": "Full", "SubId": 2},
   {"Dims": ["L"], "IsNull": false, "Value": "Full", "SubId": 3},
   {"Dims": ["M"], "IsNull": false, "Value": "Full", "SubId": 3},
   {"Dims": ["H"], "IsNull": false, "Value": "Part", "SubId": 3}
 1
},
  "Name": "baseSalary",
  "SubCount": 4.
  "DefaultSubId": 3
 "Txt": [],
 "Value": [
  {"Dims": [],"IsNull": false, "Value": "Full", "SubId": 0},
```

], "Value": [

```
{"Dims": [],"IsNull": false, "Value": "Part", "SubId": 1},
{"Dims": [],"IsNull": false, "Value": "Full", "SubId": 2},
   {"Dims": [],"IsNull": false, "Value": "Part", "SubId": 3}
 1
}.
  "Name": "filePath",
  "SubCount": 4,
  "DefaultSubId": 3,
  "Txt": [],
  "Value": [
   {"Dims": [], "IsNull": false, "Value": "file 0 path", "SubId": 0},
   {"Dims": [], "IsNull": false, "Value": "file 1 path", "SubId": 1},
   {"Dims": [], "IsNull": false, "Value": "file 2 path", "SubId": 2},
{"Dims": [], "IsNull": false, "Value": "file 3 path", "SubId": 3}
 ]
},
  "Name": "isOldAge",
  "SubCount": 4,
  "DefaultSubId": 3,
  "Txt": [
   {
     "LangCode": "EN",
     "Note": "Is old age new set of values"
   }
  ],
  "Value": [
   {"Dims": ["10-20"], "IsNull": false, "Value": false, "SubId": 0},
   {"Dims": ["20-30"], "IsNull": false, "Value": false, "SubId": 0},
   {"Dims": ["30-40"], "IsNull": false, "Value": false, "SubId": 0},
{"Dims": ["40+"], "IsNull": false, "Value": true, "SubId": 0},
   {"Dims": ["10-20"], "IsNull": false, "Value": false, "SubId": 1},
   {"Dims": ["20-30"], "IsNull": false, "Value": false, "SubId": 1},
   {"Dims": ["30-40"], "IsNull": false, "Value": false, "SubId": 1},
   ("Dims": ["40+"], "IsNull": false, "Value": true, "SubId": 1},
("Dims": ["40+"], "IsNull": false, "Value": true, "SubId": 1},
("Dims": ["10-20"], "IsNull": false, "Value": false, "SubId": 2},
   {"Dims": ["20-30"], "IsNull": false, "Value": false, "SubId": 2},
   {"Dims": ["30-40"], "IsNull": false, "Value": false, "SubId": 2},
   {"Dims": ["40+"], "IsNull": false, "Value": true, "SubId": 2},
   {"Dims": ["10-20"], "IsNull": false, "Value": false, "SubId": 3},
   {"Dims": ["20-30"], "IsNull": false, "Value": false, "SubId": 3},
   {"Dims": ["30-40"], "IsNull": false, "Value": false, "SubId": 3},
   {"Dims": ["40+"], "IsNull": false, "Value": true, "SubId": 3}
 1
```

} ] }

## PUT create or replace workset

Create new or replace existing model workset metadata, parameter(s) metadata and parameter(s) values.

- Workset is a set of model input parameters (a.k.a. "scenario" input).
- Workset can be used to run the model.
- Workset is uniquely identified by name (in model context).
- · Workset must be read-only in order to run the model with this set of input parameters.
- If user want to edit this set input parameters it must be read-write (not read-only status).

This method replace workset metadata, parameter(s) metadata and parameter(s) values from multipart-form, expected multipart form parts:

- · first workset part with workset metadata and parameters metadata in json
- optional multiple parts file-csv=parameterName.csv.

If no such workset exist in database then new workset created.

If workset name not specified or empty then new workset created with unique name.

If workset already exist then it is delete-insert operation:

- existing metadata, parameter list, parameter metadata and parameter values deleted from database;
- new metadata, parameters metadata and parameters values inserted.

For each parameter in the parameter list csv parameter values **must** be supplied. Workset cannot contain parameter metadata only, it must have parameter values as parameter.csv part.

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

This is a beta version and may change in the future.

## Method:

PUT /api/workset-replace

#### For example:

curl -v -X PUT -F "workset=@test.json" http://localhost:4040/api/workset-replace curl -v -X PUT -F "workset=@test.json" -F "parameter-csv=@new\_ageSex.csv;filename=ageSex.csv" http://localhost:4040/api/workset-replace

## **JSON** arguments:

It is expected to be same JSON as return of Get Workset Metadata in All Languages method.

For example (test.json file):

```
{
"ModelName": "modelOne",
20120817
 "ModelDigest": "_201208171604590148_",
 "Name": "modelOne_set2",
 "BaseRunDigest": ""
 "IsReadonly": false,
 "Txt": [{
   "LangCode": "EN",
   "Descr": "modelOne modified set of parameters",
"Note": ""
  }, {
   "LangCode": "FR",
   "Descr": "(FR) modelOne modified set of parameters",
    "Note": "(FR) modelOne workset notes"
  }
 ],
 "Param": [{
    "Name": "ageSex",
    "SubCount": 1,
   "DefaultSubId": 0,
    "Txt": [{
      "LangCode": "EN",
      "Note": "Age by Sex modified values"
     }, {
      "LangCode": "FR",
      "Note": "(FR) Age by Sex modified values"
    }
   ]
  }
 ]
}
```

Each parameter.csv part expected to be same as return of methods:

- GET parameter values from model run
- GET parameter values from workset

For example (new\_ageSex.csv file):

sub\_id,dim0,dim1,param\_value 0,10-20,M,1.1 0,10-20,F,1.2 0,20-30,M,1.3 0,20-30,F,1.4 0,30-40,M,1.5 0,30-40,F,1.6 0,40+,M,1.7 0,40+,F,1.8

## **JSON** response:

```
{
    "SetId": 142,
    "BaseRunId": 101,
    "ModelId": 1,
    "Name": "auto_name_set_of_parameters_2020_05_01_15_22_54_807",
    "IsReadonly": false,
    "UpdateDateTime": "2020-05-01 15:22:54.809"
}
```

## **PATCH create or merge workset**

Create new or merge existing model workset metadata, parameter(s) metadata and replace parameter(s) values.

- Workset is a set of model input parameters (a.k.a. "scenario" input).
- Workset can be used to run the model.
- Workset is uniquely identified by name (in model context).
- Workset must be read-only in order to run the model with this set of input parameters.
- If user want to edit this set input parameters it must be read-write (not read-only status).

This method merge workset metadata, parameter(s) metadata and parameter(s) values from multipart-form, expected multipart form parts:

- first workset part with workset metadata and parameters metadata in json
- optional multiple parts file-csv=parameterName.csv.

First part must have model digest or name and workset name:

- if no such workset exist in database then new workset created.
- if workset already exist then merge existing workset metadata with new.
- if workset name not specified or empty then new workset created with unique name.

Parameter list merged with existing workset parameter list:

- if parameter exist in workset then parameter metadata merged.
- if new parameter values supplied then replace parameter values.
- if parameter not already exist in workset then parameter values must be supplied.

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

This is a beta version and may change in the future.

## Method:

PATCH /api/workset-merge

### For example:

curl -v -X PATCH -F "workset=@test.json" http://localhost:4040/api/workset-merge curl -v -X PATCH -F "workset=@test.json" -F "parameter-csv=@new\_ageSex.csv;filename=ageSex.csv" http://localhost:4040/api/workset-merge

### **JSON** arguments:

It is expected to be same JSON as return of Get Workset Metadata in All Languages method.

For example (test.json file):

{ "ModelName": "modelOne", "" " 201208172 "ModelDigest": "\_201208171604590148\_", "Name": "modelOne\_set2", "BaseRunDigest": " "IsCleanBaseRun": true, "IsReadonly": false, "Txt": [{ "LangCode": "EN", "Descr": "modelOne modified set of parameters", "Note": " }, { "LangCode": "FR", "Descr": "(FR) modelOne modified set of parameters", "Note": "(FR) modelOne workset notes" } ], "Param": [{ "Name": "ageSex", "SubCount": 1, "Txt": [{ "LangCode": "EN", "Note": "Age by Sex modified values" }, { "LangCode": "FR", "Note": "(FR) Age by Sex modified values" } ] } ] }

Use "IsCleanBaseRun": true and "BaseRunDigest": "" if you want to update base run to empty NULL value. Use only "BaseRunDigest": "" if you do not wan to update base run.

Each parameter.csv part expected to be same as return of methods:

- GET parameter values from model run
- GET parameter values from workset

For example (new\_ageSex.csv file):

```
sub_id,dim0,dim1,param_value
0,10-20,M,1.1
0,10-20,F,1.2
0,20-30,M,1.3
0,20-30,F,1.4
0,30-40,M,1.5
0,30-40,F,1.6
0,40+,M,1.7
0,40+,F,1.8
```

## **JSON** response:

```
{
    "SetId": 142,
    "BaseRunId": 101,
    "ModelId": 1,
    "Name": "auto_name_set_of_parameters_2020_05_01_15_22_54_807",
    "IsReadonly": false,
    "UpdateDateTime": "2020-05-01 15:22:54.809"
}
```

## **DELETE** workset

Delete model workset and workset parameter(s) values from database.

Workset is a set of model input parameters (a.k.a. "scenario" input). Workset can be used to run the model.

## Method:

DELETE /api/model/:model/workset/:set

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:set - (required) workset name

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

#### Call examples:

curl -v -X DELETE http://localhost:4040/api/model/modelOne/workset/modelOne\_set2 curl -v -X DELETE http://localhost:4040/api/model/\_201208171604590148\_/workset/modelOne\_set2

curl -v -X DELETE http://localhost:4040/api/model/modelOne/workset/modelOne\_set2

- \* Trying ::1...
- \* TCP\_NODELAY set
- \* Trying 127.0.0.1...
- \* TCP\_NODELAY set
- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > DELETE /api/model/modelOne/workset/modelOne\_set2 HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.54.1
- > Accept: \*/\*
- < HTTP/1.1 200 OK
- < Location: /api/model/modelOne/workset/modelOne set2
- < Date: Tue, 19 Dec 2017 03:10:16 GMT
- < Content-Length: 0
- < Content-Type: text/plain; charset=utf-8
- \* Connection #0 to host localhost left intact

# **POST delete multiple worksets**

Delete multiple worksets and workset parameter(s) values from database.

Workset is a set of model input parameters (a.k.a. "scenario" input). Workset can be used to run the model.

## Method:

POST /api/model/:model/delete-worksets

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

#### JSON body request:

Array of workset names to delete, for example:

```
[
"modelOne_partial",
"modelOne_other"
]
```

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

## Call example:

```
curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/delete-worksets -d @del_m1_ws_lst.json
Note: Unnecessary use of -X or --request, POST is already inferred.
* Trying [::1]:4040..
* Connected to localhost (::1) port 4040
> POST /api/model/modelOne/delete-worksets HTTP/1.1
> Host: localhost:4040
> User-Agent: curl/8.4.0
> Accept: */*
> Content-Type: application/json
> Content-Length: 96
>
< HTTP/1.1 200 OK
< Content-Location: /api/model/modelOne//delete-worksets/2
< Content-Type: text/plain
< Date: Wed, 24 Jan 2024 04:49:52 GMT
< Content-Length: 0
<
* Connection #0 to host localhost left intact
```

## **DELETE** parameter from workset

Delete parameter from workset: delete workset parameter metadata and parameter values from database.

Workset is a set of model input parameters (a.k.a. "scenario" input). Workset can be used to run the model.

#### Method:

DELETE /api/model/:model/workset/:set/parameter/:name

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:set - (required) workset name

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

:name - (required) parameter name

#### Call examples:

curl -v -X DELETE http://localhost:4040/api/model/modelOne/workset/modelOne\_set2/parameter/ageSex curl -v -X DELETE http://localhost:4040/api/model/\_201208171604590148\_/workset/modelOne\_set2/parameter/ageSex

curl -v -X DELETE http://localhost:4040/api/model/modelOne/workset/modelOne\_set2/parameter/ageSex

\* Trying ::1..

- \* TCP\_NODELAY set
- \* Trying 127.0.0.1...
- \* TCP\_NODELAY set
- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > DELETE /api/model/modelOne/workset/modelOne set2/parameter/ageSex HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.54.1
- > Accept: \*/\*
- >

< HTTP/1.1 200 OK

- < Location: /api/model/modelOne/workset/modelOne\_set2/parameter/ageSex
- < Date: Fri, 22 Dec 2017 03:16:54 GMT

< Content-Length: 0

< Content-Type: text/plain; charset=utf-8

<

## **PATCH update workset parameter values**

Update existing parameter values in workset.

Workset is a set of model input parameters (a.k.a. "scenario" input). Workset can be used to run the model.

This method replace existing parameter values by new values. Typical use of this method is a parameter editing through UI when only small part of parameter rows replaced. Input data are json-encoded and expected to be same as Page part of JSON return from Read parameter values from workset method.

Dimension(s) and enum-based parameter values expected as enum codes.

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

This is a beta version and may change in the future.

## Method:

PATCH /api/model/:model/workset/:set/parameter/:name/new/value

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:set - (required) workset name

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

:name - (required) parameter name

#### Call examples:

curl -v -X PATCH -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/workset/modelOne\_set/parameter/ageSex/new/value -d @test.json curl -v -X PATCH -H "Content-Type: application/json" http://localhost:4040/api/model/\_201208171604590148\_/workset/modelOne\_set/parameter/ageSex/new/value -d @test.json

### JSON body:

It is expected to be same as Page part of JSON return from Read parameter values from workset method.

For example (test.json file):

```
{"Dims":["10-20","M"],"IsNull":false,"Value":1234.1,"SubId":0}
,{"Dims":["10-20","F"],"IsNull":false,"Value":5678.2,"SubId":0}
```

## PATCH update workset parameter values (enum id's)

Update existing parameter values in workset.

Workset is a set of model input parameters (a.k.a. "scenario" input). Workset can be used to run the model.

This method replace existing parameter values by new values. Typical use of this method is a parameter editing through UI when only small part of parameter rows replaced. Input data are json-encoded and expected to be the same as Page part of JSON return from Read parameter values from workset (enum id's) method.

Dimension(s) and enum-based parameter values expected as enum id, not enum codes.

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

This is a beta version and may change in the future.

## Method:

PATCH /api/model/:model/workset/:set/parameter/:name/new/value-id

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:set - (required) workset name

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

:name - (required) parameter name

#### Call examples:

```
curl -v -X PATCH -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/workset/modelOne_set/parameter/ageSex/new/value-id -d @test.json
curl -v -X PATCH -H "Content-Type: application/json" http://localhost:4040/api/model/_201208171604590148_/workset/modelOne_set/parameter/ageSex/new/value-id -d @test.json
```

#### •

## JSON body:

It is expected to be same as Page part of JSON return from Read parameter values from workset (enum id's) method.

For example (test.json file):

```
{"Dimlds":[10,0],"IsNull":false,"Value":9876.1,"SubId":0}
,{"Dimlds":[10,1],"IsNull":false,"Value":5432.2,"SubId":0}
]
```

## **PATCH update workset parameter(s) value notes**

Update parameter(s) value notes in workset.

Workset is a set of model input parameters (a.k.a. "scenario" input). Workset can be used to run the model.


This method merge (insert new or update existing) parameter(s) value notes in workset. Input data are json-encoded array of parameters, similat to the Param array part of JSON return from GET workset including text in all languages method.

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model.

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

Workset must be in read-write state (editable) otherwise error returned.

Each input element of parameters value notes array must have parameter Name and can have optional Txt array with LangCode and Note properties for each element. For example:



Parameter Name must be one of the name of workset parameter (parameter already included in workset). If parameter does not included in workset then error returned.

LangCode must be one of model alguage codes or dialect of such, for example, it can be fr-CA or fr-FR if model has FR language. Note value can be empty.

If parameter value notes already exist for such parameter Name and LngCode then it will be replaced with new Note value. If there is no such parameter note then new value will be inserted.

This is a beta version and may change in the future.

#### Method:

PATCH /api/model/:model/workset/:set/parameter-text

#### Arguments:

:model - (required) model digest or model name


Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

## **JSON** arguments:

It is expected to be same JSON as return of Get Workset Metadata in All Languages method.

For example (test.json file):



## Call examples:

curl -v -X PATCH -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/workset/Default/parameter-text -d @test.json curl -v -X PATCH -H "Content-Type: application/json" http://localhost:4040/api/model/\_201208171604590148\_/workset/Default/parameter-text -d @test.json

## Output example:

- \* Connected to localhost (::1) port 4040 (#0)
- > PATCH /api/model/\_201208171604590148\_/workset/Default/parameter-text HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.55.1
- > Accept: \*/\*
- > Content-Type: application/json
- > Content-Length: 469

>

\* upload completely sent off: 469 out of 469 bytes

< HTTP/1.1 200 OK

- < Content-Location: /api/model/\_201208171604590148\_/workset/Default/parameter-text
- < Content-Type: text/plain
- < Date: Tue, 26 Oct 2021 02:34:21 GMT

< Content-Length: 0

<

## PUT copy parameter from model run into workset

Copy and insert new parameter values and parameter value notes from model run into workset.

If parameter with that name already exist in workset then error returned. There is similar method PATCH merge parameter from model run into workset which does insert new or replace existing parameter.

- Workset is a set of model input parameters (a.k.a. "scenario" input).
- Workset can be used to run the model.
- Workset must be read-only in order to run the model with this set of input parameters.
- If user want to edit this set input parameters it must be read-write (not read-only status).

## Method:

PUT /api/model/:model/workset/:set/copy/parameter/:name/from-run/:run

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

```
:set - (required) workset name
```

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default". Destination workset must be in read-write state (editable), use POST update workset read-only status method to make workset editable.

:name - (required) parameter name

If parameter with that name already exist in workset then error returned. You can delete parameter from workset by DELETE parameter from workset method.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

## Call examples:

- curl -v -X PUT http://localhost:4040/api/model/modelOne/workset/set2/copy/parameter/ageSex/from-run/Default-4
- $curl v X \ PUT \ http://localhost: 4040/api/model/\_201208171604590148\_/workset/set2/copy/parameter/ageSex/from-run/6fbad822cb9ae42deea1ede626890711$
- curl -v -X PUT http://localhost:4040/api/model/modelOne/workset/set2/copy/parameter/ageSex/from-run/2019\_01\_17\_19\_59\_52\_998

curl -v -X PUT http://localhost:4040/api/model/modelOne/workset/set2/copy/parameter/ageSex/from-run/Default-4

- \* Trying ::1... \* TCP\_NODELAY set
- \* Trying 127.0.0.1...
- \* TCP\_NODELAY set
- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > PUT /api/model/modelOne/workset/set2/copy/parameter/ageSex/from-run/Default-4 HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.54.1
- > Accept: \*/\*

> < HTTP/1.1 200 OK

- < Content-Location: /api/model/modelOne/workset/set2/parameter/ageSex
- < Date: Mon, 31 Dec 2018 19:34:21 GMT
- < Content-Length: 0
- <

## PATCH merge parameter from model run into workset

Copy and insert or replace parameter values and parameter value notes from model run into workset.

If parameter with that name already exist in workset then existing values and parameter metadata replaced by new copy from model run. There is similar method PUT copy parameter from model run into workset which returns error if parameter already exist in workset.

- Workset is a set of model input parameters (a.k.a. "scenario" input).
- Workset can be used to run the model.
- Workset must be read-only in order to run the model with this set of input parameters.
- If user want to edit this set input parameters it must be read-write (not read-only status).

## Method:

PATCH /api/model/:model/workset/:set/merge/parameter/:name/from-run/:run

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

```
:set - (required) workset name
```

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default". Destination workset must be in read-write state (editable), use POST update workset read-only status method to make workset editable.

:name - (required) parameter name

If parameter with that name already exist in workset then it is delete and insert operation: existing parameter values and metadata will be replaced by copy from model run.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

## Call examples:

- curl -v -X PATCH http://localhost:4040/api/model/modelOne/workset/NewSet/merge/parameter/salaryFull/from-run/Default-4
- curl -v -X PATCH http://localhost:4040/api/model/\_201208171604590148\_/workset/NewSet/Merge/parameter/salaryFull/from-run/3356660729aaaaccf04f1699248c4355 curl -v -X PATCH http://localhost:4040/api/model/modelOne/workset/NewSet/Merge/parameter/salaryFull/from-run/2021\_10\_04\_21\_19\_18\_975

curl -v -X PATCH http://localhost:4040/api/model/modelOne/workset/NewSet/merge/parameter/salaryFull/from-run/Default-4

\* Trying ::1... \* TCP\_NODELAY set

\* Connected to localhost (::1) port 4040 (#0)

> PATCH /api/model/modelOne/workset/NewSet/merge/parameter/salaryFull/from-run/Default-4 HTTP/1.1

> Host: localhost:4040

> User-Agent: curl/7.55.1

> Accept: \*/\*

>

< HTTP/1.1 200 OK

< Content-Location: /api/model/modelOne/workset/NewSet/parameter/salaryFull

< Content-Type: text/plain

< Date: Sat, 30 Oct 2021 03:36:11 GMT

< Content-Length: 0

<

## PUT copy parameter from workset to another

Copy and insert new parameter values and parameter value notes from one workset to another.

If parameter with that name already exist in workset then error returned. There is similar method PATCH merge parameter from workset to another which does insert new or replace existing parameter.

- Workset is a set of model input parameters (a.k.a. "scenario" input).
- Workset can be used to run the model.
- Workset must be read-only in order to run the model with this set of input parameters.
- If user want to edit this set input parameters it must be read-write (not read-only status).

## Method:

PUT /api/model/:model/workset/:set/copy/parameter/:name/from-workset/:from-set

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

```
:set - (required) destination workset name
```

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default". Destination workset must be in read-write state (editable), use POST update workset read-only status method to make workset editable.

:name - (required) parameter name

If parameter with that name already exist in workset then error returned. You can delete parameter from workset by DELETE parameter from workset method.

:from-set - (required) source workset name

Source workset must be in read-only state.

#### Call examples:

curl -v -X PUT http://localhost:4040/api/model/modelOne/workset/set2/copy/parameter/ageSex/from-workset/modelOne\_other curl -v -X PUT http://localhost:4040/api/model/\_201208171604590148\_/workset/set2/copy/parameter/ageSex/from-workset/modelOne\_other

curl -v -X PUT http://localhost:4040/api/model/modelOne/workset/set2/copy/parameter/ageSex/from-workset/modelOne\_other

\* Trying ::1...

- \* TCP\_NODELAY set
- \* Trying 127.0.0.1...
- \* TCP\_NODELAY set
- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > PUT /api/model/modelOne/workset/set2/copy/parameter/ageSex/from-workset/modelOne\_other HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.54.1

> Accept: \*/\*

< HTTP/1.1 200 OK

- < Content-Location: /api/model/modelOne/workset/set2/parameter/ageSex
- < Date: Mon, 31 Dec 2018 19:50:05 GMT
- < Content-Length: 0

<

## PATCH merge parameter from workset to another

Copy and insert or replace parameter values and parameter value notes from one workset to another.

If parameter with that name already exist in workset then existing values and parameter metadata replaced by new copy from source workset. There is similar method PUT copy parameter from workset to another which returns error if parameter already exist in workset.

- Workset is a set of model input parameters (a.k.a. "scenario" input).
- Workset can be used to run the model.
- Workset must be read-only in order to run the model with this set of input parameters.
- If user want to edit this set input parameters it must be read-write (not read-only status).

### Method:

PATCH /api/model/:model/workset/:set/merge/parameter/:name/from-workset/:from-set

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

```
:set - (required) destination workset name
```

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default". Destination workset must be in read-write state (editable), use POST update workset read-only status method to make workset editable.

:name - (required) parameter name

If parameter with that name already exist in workset then it is delete and insert operation: existing parameter values and metadata will be replaced by copy from source workset.

:from-set - (required) source workset name

Source workset must be in read-only state.

#### Call examples:

curl -v -X PATCH http://localhost:4040/api/model/modelOne/workset/NewSet/merge/parameter/salaryFull/from-workset/Default

\* Connected to localhost (::1) port 4040 (#0)

- > PATCH /api/model/modelOne/workset/NewSet/merge/parameter/salaryFull/from-workset/Default HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.55.1
- > Accept: \*/\*

>

- < HTTP/1.1 200 OK
- < Content-Location: /api/model/modelOne/workset/NewSet/parameter/salaryFull < Content-Type: text/plain
- < Date: Sat, 30 Oct 2021 02:59:59 GMT
- < Content-Length: 0

<

## PATCH update model run text (description and notes)

Merge (add new or update existing) model run text (description and notes and run parameters value notes.

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

Model run must be completed (successfully or with error) before you can modify run text description or notes. If model run still in progress then error returned.

This is a beta version and may change in the future.

## Method:

PATCH /api/run/text

### For example:

curl -v -X PATCH -H "Content-Type: application/json" http://localhost:4040/api/run/text -d @test.json

### **JSON** arguments:

It is expected to be same JSON as return of GET run including text in all languages method.

Only following parts are used from input json:

- model digest or model name
- run digest, run stamp or run name
- · run text language code, description and notes
- parameter value text language code and notes Any other parts on json body are silently ignored because it is not possible to modify model run data, only run text (dexcription and notes) can be updated.

For example (test.json file):

```
{
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_",
 "Name": "Default-4",
 "Digest": "05403de52f30f59b050417561914fbb8",
 "Txt": [
  {
   "LangCode": "EN",
   "Descr": "UPDATED Model One default set of parameters",
   "Note": "UPDATED Note"
  }
 ]
 "Param": [
  {
   "Name": "ageSex",
   "Txt": [
    {
      "LangCode": "EN",
      "Note": "UPDATED Age by Sex default values"
    }
   ]
  },
   "Name": "salaryAge",
   "Txt": [
    {
      "LangCode": "EN",
      "Note": "UPDATED Salary by Age default values"
    }
   1
  }
]
}
```

# **DELETE model run**

Delete model run results from database, including output table values, input parameters and microdata.

## Method:

DELETE /api/model/:model/run/:run

This method is asynchronous: it starts run delete return a response immediately. You need to check the results later by using GET status of model run or GET list of model runs or other methods to make sure that particular model run deleted and no longer exist in the list of model runs.

### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

#### Call examples:

curl -v -X DELETE http://localhost:4040/api/model/modelOne/run/Default-4 curl -v -X DELETE http://localhost:4040/api/model/ 201208171604590148 /run/05403de52f30f59b050417561914fbb8 curl -v -X DELETE http://localhost:4040/api/model/modelOne/run/2019\_01\_17\_19\_59\_52\_998 curl -v -X DELETE http://localhost:4040/api/model/modelOne/unlink/run/Default-4 curl -v -X DELETE http://localhost:4040/api/model/modelOne/run/Default-4 \* Trying ::1... \* TCP\_NODELAY set \* Connected to localhost (::1) port 4040 (#0) > DELETE /api/model/modelOne/run/Default-4 HTTP/1.1 > Host: localhost:4040 > User-Agent: curl/7.54.1 > Accept: \*/\* < HTTP/1.1 200 OK < Content-Location: /api/model/modelOne/run/Default-4 < Date: Fri, 11 Jan 2019 02:25:48 GMT < Content-Length: 0 \* Connection #0 to host localhost left intact

# POST delete model runs

Delete multiple model runs from database, including output table values, input parameters and microdata.

## Method:

POST /api/model/:model/delete-runs

This method is asynchronous: it starts runs delete return a response immediately. You need to check the results later by using GET list of model runs or other methods to make sure model runs are deleted and no longer exist in the list of model runs.

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

### **JSON body request:**

Array of model run digests, run stamps or run names, for example:

```
[
"ae4546791da1b828a4fe0c0ca0935e7a",
"2023_12_29_23_46_19_255",
"First Task Run_modelOne_other",
"Task Run with Suppressed Tables_modelOne_other"
]
```

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

## Call example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/delete-runs -d @del\_m1\_runs.json

Note: Unnecessary use of -X or --request, POST is already inferred.

- \* Trying [::1]:4040..
- \* Connected to localhost (::1) port 4040
- > POST /api/model/modelOne/delete-runs HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/8.4.0
- > Accept: \*/\*
- > Content-Type: application/json
- > Content-Length: 172
- < HTTP/1.1 200 OK
- < Content-Location: /api/model/modelOne/delete-runs/4
- < Content-Type: text/plain
- < Date: Wed, 24 Jan 2024 04:02:54 GMT
- < Content-Length: 0
- <
- \* Connection #0 to host localhost left intact

# PATCH update run parameter(s) value notes

Update parameter(s) value notes in model run.

This method merge (insert new or update existing) parameter(s) value notes in model run. Input data are json-encoded array of parameters, similat to the Param array part of JSON return from GET model run including text in all languages method.

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model.

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run.

Each input element of parameters value notes array must have parameter Name and can have optional Txt array with LangCode and Note properties for each element. For example:

```
[
 {
   "Name": "ageSex",
   "Txt": [
    {
     "LangCode": "EN",
     "Note": "Age by Sex Default values"
   },
    {
     "LangCode": "FR",
     "Note": "Valeurs par défaut de l'âge par sexe"
   }
  1
 },
   "Name": "salaryAge"
   "Txt": [
   {
     "LangCode": "EN",
     "Note": "Salary by Age default values'
    },
    {
     "LangCode": "FR",
     "Note": "Salaire par âge valeurs par défaut"
   }
  1
 }
]
```

LangCode must be one of model alguage codes or dialect of such, for example, it can be fr-CA or fr-FR if model has FR language. Note value can be empty.

If parameter value notes already exist for such parameter Name and LngCode then it will be replaced with new Note value. If there is no such parameter note then new value will be inserted.

This is a beta version and may change in the future.

#### Method:

PATCH /api/model/:model/run/:run/parameter-text

#### Arguments:

```
:model - (required) model digest or model name
```

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.


:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

#### **JSON** arguments:

It is expected to be same JSON as return of GET model run including text in all languages method.

For example (test.json file):



#### Call examples:

curl -v -X PATCH -H "Content-Type: application/json" http://localhost:4040/api/model/modelOne/run/Default-4/parameter-text -d @test.json curl -v -X PATCH -H "Content-Type: application/json" http://localhost:4040/api/model/\_201208171604590148\_/run/3356660729aaaaccf04f1699248c4355/parameter-text -d @test.js on

## Output example:

- \* Connected to localhost (::1) port 4040 (#0)
- > PATCH /api/model/\_201208171604590148\_/run/3356660729aaaaccf04f1699248c4355/parameter-text HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.55.1
- > Accept: \*/\*
- > Content-Type: application/json
- > Content-Length: 469

>

- \* upload completely sent off: 469 out of 469 bytes
- < HTTP/1.1 200 OK
- < Content-Location: /api/model/\_201208171604590148\_/run/3356660729aaaaccf04f1699248c4355/parameter-text
- < Content-Type: text/plain
- < Date: Tue, 26 Oct 2021 02:48:34 GMT
- < Content-Length: 0
- <
- \* Connection #0 to host localhost left intact

# PUT create or replace modeling task

Create new or replace existing modeling task definition: including task text (description and notes) and list of task input sets (worksets).

It does delete existing and insert new rows into task\_txt and task\_set db tables. If task does not exist then new task created by inserting into task lst table.

Following parts can be submitted as JSON body (see example below):

- model name
- model digest
- task name
- task text as array of: language code, description, notes
- · task input worksets as array of workset names

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

Task is uniquely identified by name (inside the model). Different models can have tasks with same name, i.e. each model can have task with name "My First Task".

If task name not specified or empty then new task created with unique name.

Task input worksets must already exist in database: all workset names must exist in workset\_lst table.

This is a beta version and may change in the future.

### Method:

PUT /api/task-new

## For example:

curl -v -X PUT -H "Content-Type: application/json" http://localhost:4040/api/task-new -d @test.json

### **JSON** argument:

It is expected to be similar JSON return of GET task including text in all languages method. It can include only following parts of GET results:

- Task.ModelName
- Task.ModelDigest
- Task.Name
- Task.Txt
- Task.Set

For example (test.json file):

```
{
    "ModelName": "modelOne",
    "ModelDigest": "_201208171604590148_",
    "Name": "task-2",
    "Txt": [{
        "LangCode": "EN",
        "Descr": "Task Two for Model One",
        "Note": "Task Two: two set of input parameters"
    }, {
        "LangCode": "FR",
        "Descr": "(FR) Task Two for Model One",
        "Note": ""
    }
    ],
    "Set": [
        "modelOne_other"
    ]
}
```

## JSON response:

{ "Name":"auto\_name\_task\_2020\_05\_01\_15\_25\_38\_208" }

## PATCH create or update modeling task

Create new or merge existing modeling task definition: including task text (description and notes) and list of task input sets (worksets).

It does update existing or insert new rows into task\_txt and task\_set db tables. If task does not exist then new task created by inserting into task lst table.

Following parts can be submitted as JSON body (see example below):

- model name
- model digest
- task name
- task text as array of: language code, description, notes
- · task input worksets as array of workset names

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

Task is uniquely identified by name (inside the model). Different models can have tasks with same name, i.e. each model can have task with name "My First Task".

If task name not specified or empty then new task created with unique name.

Task input worksets must already exist in database: all workset names must exist in workset\_lst table.

This is a beta version and may change in the future.

## Method:

PATCH /api/task

## For example:

curl -v -X PATCH -H "Content-Type: application/json" http://localhost:4040/api/task -d @test.json

## **JSON** argument:

It is expected to be similar JSON return of GET task including text in all languages method. It can include only following parts of GET results:

- Task.ModelName
- Task.ModelDigest
- Task.Name
- Task.Txt
- Task.Set

For example (test.json file):

```
{
"ModelName": "modelOne",
"" " 201208172
 "ModelDigest": "_201208171604590148_",
 "Name": "task-2",
 "Txt": [{
    "LangCode": "EN",
    "Descr": "UPDATED Task Two for Model One",
    "Note": "UPDATED Task Two: two set of input parameters"
  }, {
    "LangCode": "FR",
    "Descr": "(FR) Task Two for Model One",
"Note": "UPDATED notes"
  }
 ],
 "Set": [
  "Default"
 ]
}
```

## **JSON** response:

{ "Name":"auto\_name\_task\_2020\_05\_01\_15\_25\_38\_208" }

## Example:

curl -v -X PATCH -H "Content-Type: application/json" http://localhost:4040/api/task -d @task\_t2\_def\_merge.json

- \* Trying ::1...
- \* TCP\_NODELAY set
- \* Connected to localhost (::1) port 4040 (#0)
- > PATCH /api/task HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.55.1
- > Accept: \*/\*
- > Content-Type: application/json
- > Content-Length: 364
- >
- \* upload completely sent off: 364 out of 364 bytes
- < HTTP/1.1 200 OK
- < Content-Location: /api/model/\_201208171604590148\_/task/auto\_name\_task\_2020\_05\_01\_15\_25\_38\_208
- < Content-Type: application/json
- < Date: Fri, 01 May 2020 19:25:38 GMT
- < Content-Length: 50

<

- {"Name":"auto\_name\_task\_2020\_05\_01\_15\_25\_38\_208"}
- \* Connection #0 to host localhost left intact

# **DELETE modeling task**

Delete modeling task and task run history from database.

Model run results are not deleted and model input parameter values are not deleted. Only task and task run history deleted. Delete done only from task\_lst, task\_txt, task\_set, task\_run\_lst and task\_run\_set db tables.

#### Method:

DELETE /api/model/:model/task/:task

### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:task - (required) modeling task name

Task is uniquely identified by name (inside the model). Different models can have tasks with same name, i.e. each model can have task with name "My First Task".

#### Call examples:

```
curl -v -X DELETE http://localhost:4040/api/model/modelOne/task/task-2
curl -v -X DELETE http://localhost:4040/api/model/_201208171604590148_/task/task-2
curl -v -X DELETE http://localhost:4040/api/model/modelOne/task/task-2
* Trying ::1...
* TCP_NODELAY set
* Connected to localhost (::1) port 4040 (#0)
> DELETE /api/model/modelOne/task/task-2 HTTP/1.1
> Host: localhost:4040
> User-Agent: curl/7.54.1
```

> Accept: \*/\*

> < HTTP/1.1 200 OK

< Content-Location: /api/model/modelOne/task/task-2

< Date: Sat, 12 Jan 2019 00:50:07 GMT

< Content-Length: 0

\* Connection #0 to host anatolyv17om left intact

## POST a request to run the model

Start new model run.

This is a beta version and may change in the future.

### Method:

POST /api/run

#### For example:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/run -d @run\_modelOne.json

#### JSON request body: Request body is JSON of following Go structure

```
{
 ModelName string
                            // model name to run
 ModelDigest string
                           // model digest to run
 RunStamp string
                           // run stamp, if empty then auto-generated as timestamp
                      // working directory to run the model, if relative then must be relative to oms root directory
 Dir
       string
         map[string]string // model run options, e.g.: -OpenM.SubValues 16
 Opts
 Env
         map[string]string // environment variables to set
 Threads int
                        // number of modelling threads
 IsMpi bool
                        // if true then it use MPI to run the model
 Mpi struct {
          int // if non-zero then number of MPI processes
  Np
  IsNotOnRoot bool // if true then do no run modelling threads on MPI root process
  IsNotByJob bool // if true then do not allocate resources by job, use CPU, threads and memory as is
 }
 Template string // template file name to make run model command line
 Tables []string // if not empty then output tables or table groups to retain, by default retain all tables
 Microdata struct {
  IsToDb bool // if true then store entity microdata in database: -Microdata.ToDb true
  IsInternal bool
                     // if true then allow to use internal attributes: -Microdata.UseInternal true
  Entity []struct { // list of entities and attributes: -Microdata.Person age,income -Microdata.Other All

        Name string
        // entity name

        Attr []string
        // list of microdata attributes, it is also can be All

  }
 RunNotes []struct {
  LangCode string // model language code
  Note
         string // run notes
}
}
```

Template is a name of template file inside of etc sub-directory to make model run command line. Template file is required only if you want to run the model on MPI cluster, when Mpi.Np > 0. If template file name not specified then by default it is: etc/mpiModelRun.template.txt.

#### JSON response example:

{	
"ModelName":	"modelOne",
"ModelDigest":	"_201208171604590148_",
"RunStamp":	"2019_01_29_21_02_14_452",
"SubmitStamp":	"2019_01_29_21_02_14_448",
"IsFinal": fal	se,
"UpdateDateTim	e": "2019-01-29 21:02:14.452",
"RunName":	····· ,
"TaskRunName"	
}	

IsFinal: if true then model run failed to start.

RunStamp: model run stamp, use it to GET model run status and log or to PUT stop model run.

Model console output redirected to log file: models/log/modelName.RunStamp.console.log , for example: modelOne.2019\_01\_29\_21\_02\_14\_452.console.log .


#### Example 1:

Run modelOne.exe with 2 sub-values (sub-value is similar to Modgen "sub-sample"):

{
 "ModelName": "modelOne",
 "Opts": {
 "OpenM.SubValues": "2"
 }
}

Important: Opts values must be a "quoted string". In above JSON number of sub-values is "2" and not 2.

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/run -d @run\_modelOne.json



Oms web-service execute following command:

./modelOne -OpenM.RunStamp 2019\_01\_29\_21\_02\_14\_452 -OpenM.LogToConsole true -OpenM.SubValues 2

As result modelOne executable started on server with 2 sub-values. Model console output redirected to log file

modelOne.2019\_01\_29\_21\_02\_14\_452.console.log :

2019-01-29 21:02:14.469 modelOne 2019-01-29 21:02:14.486 Run: 138 2019-01-29 21:02:14.486 Reading Parameters 2019-01-29 21:02:14.487 Running Simulation 2019-01-29 21:02:14.487 Writing Output Tables 2019-01-29 21:02:14.567 Running Simulation 2019-01-29 21:02:14.622 Done.

## Example 2:

Run RiskPaths model in models/work directory:

```
{
   "ModelName": "RiskPaths",
   "Dir": "models/work",
   "Opts": {
    "OpenM.Database": "Database=../bin/RiskPaths.sqlite;OpenMode=ReadWrite;Timeout=86400;"
   },
   "RunNotes": [{
    "LangCode": "EN",
    "Note": "Model run notes.\n------\n\nThis is model run notes in English"
   }, {
    "LangCode": "FR",
    "Note": "FR",
    "Note": "(FR) Model run notes.\n------\n\nJe suis désolé je ne parle pas français"
   }
}
```

Oms web-service execute following commands:

```
cd models/work
../bin/RiskPaths \
-OpenM.RunStamp 2019_01_29_21_32_41_179 \
-OpenM.LogToConsole true \
-OpenM.Database Database=../bin/RiskPaths.sqlite;OpenMode=ReadWrite;Timeout=86400; \
-EN.2019_01_29_21_32_41_179.run_notes.EN.md \
-FR.2019_01_29_21_32_41_179.run_notes.EN.md
```

#### Example 3:

Run RiskPaths mpi model executable on two nodes of small MPI cluster, 4 threads on each node, to calculate 16 sub-values:

```
{
    "ModelName": "RiskPaths",
    "Opts": {
        "OpenM.SubValues": "16"
    },
    "Threads": 4,
    "Mpi": {
        "Np": 2
    },
    "Template": "mpiSmallCluster.template.txt"
}
```

Oms web-service execute following commands:

```
mpirun -n 2 -wdir models/bin ./RiskPaths_mpi -OpenM.RunStamp 2019_01_29_21_32_10_577 -OpenM.LogToConsole true -OpenM.Threads 4 -OpenM.SubValues 16
```

Because Mpi.Np = 2 model is executed on MPI cluster. If we do not specify template file name mpiSmallCluster.template.txt then by default etc/mpiModelRun.template.txt will be used.

### Example 4:

Run OzProj model, which may required OM\_OzProj environment variable:

```
{
   "ModelName": "OzProj",
   "RunStamp": "My-uniqueStamp-of-OzProj-run",
   "Env": {
    "OM_OzProj": "../../OzProj"
   },
   "Opts": {
    "OpenM.ProgressPercent": "25"
   }
}
```

Oms web-service execute following commands:

 $OM\_OzProj=.../../OzProj-./OzProj-OpenM.RunStamp \ My-uniqueStamp-of-OzProj-run-OpenM.LogToConsole \ true-OpenM.ProgressPercent \ 25Mu \ 25Mu$ 

Because RunStamp explicitly specified model console output log file name is: OzProj.My-uniqueStamp-of-OzProj-run.console.log. It is strongly recommended to use unique run stamps for each model run (modeling task run, if you running modeling task).

## GET state of current model run

Get status of model run and view model console output.

This method allow get current model run and model stdout and stderr. It can be used to monitor modeling progress or it can be invoke later to see final model run status and console output.

This is a beta version and may change in the future.

#### Method:

GET /api/run/log/model/:model/stamp/:stamp GET /api/run/log/model/:model/stamp/:stamp/start/:start/count/:count

### Call examples:

```
http://localhost:4040/api/run/log/model/modelOne/stamp/2016_08_17_21_07_55_123
http://localhost:4040/api/run/log/model/modelOne/stamp/My-own-run-uniqueStamp
http://localhost:4040/api/run/log/model/modelOne/stamp/My-own-run-uniqueStamp/start/0
http://localhost:4040/api/run/log/model/modelOne/stamp/My-own-run-uniqueStamp/start/0/count/100
```

#### Arguments as URL parameters:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:stamp - (required) model run stamp or run submission stamp or modeling task run stamp

Model run identified by submission stamp or by run stamp. Submission stamp is automatically generated by server as timestamp string, e.g.: 2016\_08\_17\_21\_07\_55\_111. Run stamp can be either explicitly specified as part of request to run the model call or automatically generated as timestamp string. By default oms service store in memory history of 1000 most recent model runs (it can be configured).

:start - (optional) start "page" line number from log output, zero-based.
:count - (optional) "page" size, number of log text lines to view, if count <= 0 then all lines selected.</p>

### Example:

```
{
 "ModelName": "modelOne",
 "ModelDigest": "_201208171604590148_"
 "RunStamp": "2019_01_29_20_03_58_681",
 "SubmitStamp": "2019_01_29_20_03_58_677",
 "IsFinal": true,
 "UpdateDateTime": "2019-01-29 20:03:58.818",
 "RunName": ""
 "TaskRunName": "",
 "Offset": 0,
 "Size": 6,
 "TotalSize": 6.
 "Lines": [
  "2019-01-29 20:03:58.694 modelOne",
  "2019-01-29 20:03:58.712 Run: 135'
  "2019-01-29 20:03:58.712 Reading Parameters",
  "2019-01-29 20:03:58.713 Running Simulation",
  "2019-01-29 20:03:58.713 Writing Output Tables",
  "2019-01-29 20:03:58.809 Done.
}
```

IsFinal: if true then model run completed.

## PUT stop model run

Stop model run by killing the process.

This method allow to stop model run by sending kill signal to the model process (or to the leading process in case of MPI model run).

This is a beta version and may change in the future.

### Method:

PUT /api/run/stop/model/:model/stamp/:stamp

Call examples:

 $\label{eq:http://ocalhost:4040/api/run/stop/model/modelOne/stamp/2016_08_17_21_07_55_123 \\ http://ocalhost:4040/api/run/stop/model/modelOne/stamp/My-own-run-uniqueStamp \\ \end{tabular}$ 

## Arguments as URL parameters:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:stamp - (required) model run stamp or modeling task run stamp

Model run identified by run stamp, which either explicitly specified as part of request to run the model call or automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123.

#### Example:

curl -v -X PUT http://localhost:4040/api/run/stop/model/dd41bca43ea03484916be3088957f2ce/stamp/2022\_06\_07\_16\_25\_30\_105

\* Trying 127.0.0.1:4040..

- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > PUT /api/run/stop/model/dd41bca43ea03484916be3088957f2ce/stamp/2022\_06\_07\_16\_25\_30\_105 HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.79.1
- > Accept: \*/\*
- >
- \* Mark bundle as not supporting multiuse < HTTP/1.1 200 OK
- < Content-Location: /api/model/dd41bca43ea03484916be3088957f2ce/run/2022\_06\_07\_16\_25\_30\_105/true
- < Date: Tue, 07 Jun 2022 20:25:52 GMT

< Content-Length: 0

<

\* Connection #0 to host localhost left intact

## GET download log file

GET download log file from download directory on the server.

This method only avaliable if server configured to create downloads for user.

This is a beta version and may change in the future.

Download can be initiated through UI or by direct API call:

- POST initiate model download
- POST initiate model run download
- POST initiate workset download

For each download oms service does create a download log file, for example:

- RiskPaths.run.102.ready.download.log
   RiskPaths model run results, download ready for user
- RiskPaths.run.102.progress.download.log RiskPaths model run results, download preparation in progress
- RiskPaths.run.102.error.download.log RiskPaths model run results, download preparation failed

Example of RiskPaths.run.102.ready.download.log :

2021-07-31 18:13:10.293 Download of: RiskPaths.run.102 Model Name : RiskPaths Model Version : 3.0.0.0 2021-07-16 13:14:14.451 Model Digest : 0f71660ba32bc002282c995e4552a14a Run Name : Default Run Version : 102 2021-07-16 13:14:22.227 Run Digest : 4354632979ec90f48441ccdeb0ca803b : RiskPaths.run.102 Folder 2021-07-31 18:13:10.293 delete: RiskPaths.run.102.ready.download.log 2021-07-31 18:13:10.293 delete: RiskPaths.run.102.error.download.log 2021-07-31 18:13:10.293 delete: RiskPaths.run.102.zip 2021-07-31 18:13:10.293 delete: RiskPaths.run.102 2021-07-31 18:13:10.330 Model RiskPaths 2021-07-31 18:13:10.339 Model run 102 Default 2021-07-31 18:13:10.401 Packed C:\go\_ws\models\home\out\download\RiskPaths.run.102.zip 2021-07-31 18:13:10.402 Done.

As result oms service does create:

- download archive, for example: RiskPaths.run.102.zip
- model run .csv files for parameters and output tables in RiskPaths.run.102 folder
- model run .json metadata files

## Method:

GET /api/download/log/file/:name

#### Arguments:

:name - (required) download log file name, for example: `RiskPaths.run.102.ready.download.log`

#### Call example from browser:

http://localhost:4040/api/download/log/file/RiskPaths.run.102.ready.download.log

#### **Return example:**

```
{
"Status": "ready",
"Kind": "run",
"ModelDigest": "0f71660ba32bc002282c995e4552a14a",
"RunDigest": "4354632979ec90f48441ccdeb0ca803b",
 "WorksetName": "",
"IsFolder": true,
"Folder": "RiskPaths.run.102",
"IsZip": true,
"ZipFileName": "RiskPaths.run.102.zip",
 "ZipModTime": 1627769590401,
 "ZipSize": 16525,
"LogFileName": "RiskPaths.run.102.ready.download.log",
 "LogNsTime": 1627769590402950000,
 "Lines": [
  "2021-07-31 18:13:10.293 Download of: RiskPaths.run.102 ",
  "----- ",
 "Model Name : RiskPaths ",
  "Model Version : 3.0.0.0 2021-07-16 13:14:14.451 ",
  "Model Digest : 0f71660ba32bc002282c995e4552a14a ",
 "Run Name : Default ",
"Run Version : 102 2021-07-16 13:14:22.227 ",
  "Run Digest : 4354632979ec90f48441ccdeb0ca803b ",
  "Folder : RiskPaths.run.102 ",
  "_____ "
 "2021-07-31 18:13:10.293 delete: RiskPaths.run.102.ready.download.log ",
 "2021-07-31 18:13:10.293 delete: RiskPaths.run.102.error.download.log ",
  "2021-07-31 18:13:10.293 delete: RiskPaths.run.102.zip ",
  "2021-07-31 18:13:10.293 delete: RiskPaths.run.102 ",
 "2021-07-31 18:13:10.330 Model RiskPaths ",
  "2021-07-31 18:13:10.339 Model run 102 Default ",
 "2021-07-31 18:13:10.401 Packed C:\\go_ws\\models\\home\\out\\download\\RiskPaths.run.102.zip ",
 "2021-07-31 18:13:10.402 Done. ",
]
```

}

## GET model download log files

GET all model downloads log files from download directory on the server.

This method only available if server configured to create downloads for user.

This is a beta version and may change in the future.

Download can be initiated through UI or by direct API call:

- POST initiate model download
- POST initiate model run download
- POST initiate model download

For each download oms service does create a download log file, for example:

- RiskPaths.run.102.ready.download.log
   RiskPaths model run results, download ready for user
- RiskPaths.run.102.progress.download.log RiskPaths model run results, download preparation in progress
- RiskPaths.run.102.error.download.log RiskPaths model run results, download preparation failed

Example of RiskPaths.run.102.ready.download.log :

2021-07-31 18:13:10.293 Download of: RiskPaths.run.102 Model Name : RiskPaths Model Version : 3.0.0.0 2021-07-16 13:14:14.451 Model Digest : 0f71660ba32bc002282c995e4552a14a Run Name : Default Run Version : 102 2021-07-16 13:14:22.227 Run Digest : 4354632979ec90f48441ccdeb0ca803b : RiskPaths.run.102 Folder 2021-07-31 18:13:10.293 delete: RiskPaths.run.102.ready.download.log 2021-07-31 18:13:10.293 delete: RiskPaths.run.102.error.download.log 2021-07-31 18:13:10.293 delete: RiskPaths.run.102.zip 2021-07-31 18:13:10.293 delete: RiskPaths.run.102 2021-07-31 18:13:10.330 Model RiskPaths 2021-07-31 18:13:10.339 Model run 102 Default 2021-07-31 18:13:10.401 Packed C:\go\_ws\models\home\out\download\RiskPaths.run.102.zip 2021-07-31 18:13:10.402 Done.

As result oms service does create:

- download archive, for example: RiskPaths.run.102.zip
- model run .csv files for parameters and output tables in RiskPaths.run.102 folder
- model run .json metadata files

## Method:

GET /api/download/log/model/:model

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database then result is undefined.

#### Call examples from browser:

```
http://localhost:4040/api/download/log/model/RiskPaths
http://localhost:4040/api/download/log/model/0f71660ba32bc002282c995e4552a14a
```

l

"Status": "ready", "Kind": "model" "ModelDigest": "0f71660ba32bc002282c995e4552a14a", "RunDigest": " "WorksetName": "", "IsFolder": true, "Folder": "RiskPaths", "IsZip": true, "ZipFileName": "RiskPaths.zip", "ZipModTime": 1628178307162, "ZipSize": 30323, "LogFileName": "RiskPaths.ready.download.log", "LogNsTime": 0, "Lines": [ "2021-08-05 11:45:06.371 Download of: RiskPaths ", "Model Name : RiskPaths ", "Model Version : 3.0.0.0 2021-08-02 14:16:34.584 ", "Model Digest : 0f71660ba32bc002282c995e4552a14a ", : RiskPaths ", "Folder "2021-08-05 11:45:06.371 delete: RiskPaths.ready.download.log ", "2021-08-05 11:45:06.373 delete: RiskPaths.error.download.log ", "2021-08-05 11:45:06.373 delete: RiskPaths.zip ", "2021-08-05 11:45:06.378 delete: RiskPaths ", "2021-08-05 11:45:07.025 Model RiskPaths "2021-08-05 11:45:07.056 Model run 102 RiskPaths\_Default ", "2021-08-05 11:45:07.129 Workset 101 Default " "2021-08-05 11:45:07.162 Packed C:\\go\_ws\\models\\home\\out\\download\\RiskPaths.zip ", "2021-08-05 11:45:07.163 Done. ", 1 }, "Status": "ready", "Kind": "run" "ModelDigest": "0f71660ba32bc002282c995e4552a14a", "RunDigest": "4354632979ec90f48441ccdeb0ca803b", "WorksetName": "", "IsFolder": true, "Folder": "RiskPaths.run.102", "IsZip": true, "ZipFileName": "RiskPaths.run.102.zip", "ZipModTime": 1627769590401, "ZipSize": 16525, "LogFileName": "RiskPaths.run.102.ready.download.log", "LogNsTime": 0, "Lines": [ "2021-07-31 18:13:10.293 Download of: RiskPaths.run.102 ", -- ", "Model Name : RiskPaths ", "Model Version : 3.0.0.0 2021-07-16 13:14:14.451 ", "Model Digest : 0f71660ba32bc002282c995e4552a14a ", "Run Name : Default " "Run Version : 102 2021-07-16 13:14:22.227 ", "Run Digest : 4354632979ec90f48441ccdeb0ca803b ", : RiskPaths.run.102 ", "Folder "2021-07-31 18:13:10.293 delete: RiskPaths.run.102.ready.download.log ", "2021-07-31 18:13:10.293 delete: RiskPaths.run.102.error.download.log ", "2021-07-31 18:13:10.293 delete: RiskPaths.run.102.zip ", "2021-07-31 18:13:10.293 delete: RiskPaths.run.102 ", "2021-07-31 18:13:10.330 Model RiskPaths ' "2021-07-31 18:13:10.339 Model run 102 Default ", "2021-07-31 18:13:10.401 Packed C:\\go\_ws\\models\\home\\out\\download\\RiskPaths.run.102.zip ", "2021-07-31 18:13:10.402 Done. ", 1 }. "Status": "ready", "Kind": "workset", "ModelDigest": "0f71660ba32bc002282c995e4552a14a", "RunDigest": " "WorksetName": "Default", "IsFolder": true, "Folder": "RiskPaths.set.Default", "IsZip": true, "ZipFileName": "RiskPaths.set.Default.zip", "ZipModTime": 1627770244509, "ZipSize": 3691, "LogFileName": "RiskPaths.set.Default.ready.download.log", "LogNsTime": 0, "Lines": [

"	2021-07-31 18:24:04.069 Download of: RiskPaths.set.Default ",
	·
	'Model Name : RiskPaths ",
	'Model Version : 3.0.0.0 2021-07-16 13:14:14.451 ",
	'Model Digest : 0f71660ba32bc002282c995e4552a14a ",
	'Scenario Name : Default ",
	'Scenario Version : 2021-07-30 01:58:34.496 ",
	'Folder : RiskPaths.set.Default ",
	·
	2021-07-31 18:24:04.071 delete: RiskPaths.set.Default.ready.download.log ",
	2021-07-31 18:24:04.071 delete: RiskPaths.set.Default.error.download.log ",
	2021-07-31 18:24:04.071 delete: RiskPaths.set.Default.zip ",
	2021-07-31 18:24:04.074 delete: RiskPaths.set.Default ",
	2021-07-31 18:24:04.461 Model RiskPaths ",
	2021-07-31 18:24:04.469 Workset 101 Default ",
	2021-07-31 18:24:04.509 Packed C:\\go_ws\\models\\home\\out\\download\\RiskPaths.set.Default.zip ",
	2021-07-31 18:24:04.510 Done. ",
]	
}	
]	

## GET all download log files

GET all downloads log files for from download directory on the server.

This method only avaliable if server configured to create downloads for user.

This is a beta version and may change in the future.

Download can be initiated through UI or by direct API call:

- POST initiate model download
- POST initiate model run download
- POST initiate model download

For each download oms service does create a download log file, for example:

- RiskPaths.run.102.ready.download.log
   RiskPaths model run results, download ready for user
- RiskPaths.run.102.progress.download.log RiskPaths model run results, download preparation in progress
- RiskPaths.run.102.error.download.log RiskPaths model run results, download preparation failed

Example of RiskPaths.run.102.ready.download.log :

2021-07-31 18:13:10.293 Download of: RiskPaths.run.102 Model Name : RiskPaths Model Version : 3.0.0.0 2021-07-16 13:14:14.451 Model Digest : 0f71660ba32bc002282c995e4552a14a Run Name : Default Run Version : 102 2021-07-16 13:14:22.227 Run Digest : 4354632979ec90f48441ccdeb0ca803b : RiskPaths.run.102 Folder 2021-07-31 18:13:10.293 delete: RiskPaths.run.102.ready.download.log 2021-07-31 18:13:10.293 delete: RiskPaths.run.102.error.download.log 2021-07-31 18:13:10.293 delete: RiskPaths.run.102.zip 2021-07-31 18:13:10.293 delete: RiskPaths.run.102 2021-07-31 18:13:10.330 Model RiskPaths 2021-07-31 18:13:10.339 Model run 102 Default 2021-07-31 18:13:10.401 Packed C:\go\_ws\models\home\out\download\RiskPaths.run.102.zip 2021-07-31 18:13:10.402 Done.

As result oms service does create:

- download archive, for example: RiskPaths.run.102.zip
- model run .csv files for parameters and output tables in RiskPaths.run.102 folder
- model run .json metadata files

### Method:

GET /api/download/log-all

#### Call example from browser:

http://localhost:4040/api/download/log-all

### Return example:

{ "Status": "ready", "Kind": "model" "ModelDigest": "c87bd08cc86da61332336384a491203b", "RunDigest": " "WorksetName": "", "IsFolder": true, "Folder": "IDMM", "IsZip": true, "ZipFileName": "IDMM.zip", "ZipModTime": 1627790748053, "ZipSize": 29126, "LogFileName": "IDMM.ready.download.log", "LogNsTime": 0, "Lines": [ "2021-08-01 00:05:47.551 Download of: IDMM ", "----- ", "Model Name : IDMM ", "Model Version : 2.0.0.0 2021-07-16 13:13:40.085 ", "Model Digest : c87bd08cc86da61332336384a491203b ", : IDMM ", "Folder "2021-08-01 00:05:47.551 delete: IDMM.ready.download.log ", "2021-08-01 00:05:47.552 delete: IDMM.error.download.log ", "2021-08-01 00:05:47.553 delete: IDMM.zip ", "2021-08-01 00:05:47.553 delete: IDMM ", "2021-08-01 00:05:47.934 Model IDMM " "2021-08-01 00:05:47.946 Model run 102 Default ", "2021-08-01 00:05:47.968 Model run 103 IDMM\_Default\_2021\_07\_31\_21\_40\_28\_624 ", "2021-08-01 00:05:47.990 Workset 101 Default ", "2021-08-01 00:05:48.053 Packed C:\\go\_ws\\models\\home\\out\\download\\IDMM.zip ", "2021-08-01 00:05:48.054 Done. ", ] }, { "Status": "ready", "Kind": "model" "ModelDigest": "b4f2100f8d308a5bd3bf3b470077d906", "RunDigest": " "WorksetName": "" "IsFolder": true, "Folder": "NewTimeBased", "IsZip": true, "ZipFileName": "NewTimeBased.zip", "ZipModTime": 1627848086688, "ZipSize": 8199. "LogFileName": "NewTimeBased.ready.download.log", "LogNsTime": 0, "Lines": [ "2021-08-01 16:01:26.574 Download of: NewTimeBased ", "Model Name : NewTimeBased ". "Model Version : 1.0.1.0 2021-07-16 13:14:32.196 ", "Model Digest : b4f2100f8d308a5bd3bf3b470077d906 ", "Folder : NewTimeBased ", "2021-08-01 16:01:26.574 delete: NewTimeBased.ready.download.log ", "2021-08-01 16:01:26.574 delete: NewTimeBased.error.download.log ", "2021-08-01 16:01:26.574 delete: NewTimeBased.zip ", "2021-08-01 16:01:26.574 delete: NewTimeBased ", "2021-08-01 16:01:26.610 Model NewTimeBased ", "2021-08-01 16:01:26.641 Model run 102 Default ", "2021-08-01 16:01:26.666 Workset 101 Default " "2021-08-01 16:01:26.689 Packed C:\\go\_ws\\models\\home\\out\\download\\NewTimeBased.zip ", "2021-08-01 16:01:26.693 Done. ", ..... 1 }

[

1

## **GET download files tree**

GET download files tree from download directory on the server.

This method only avaliable if server configured to create downloads for user.

This is a beta version and may change in the future.

Download can be initiated through UI or by direct API call:

- POST initiate model download
- POST initiate model run download
- POST initiate model download

For each above method oms service will create:

- download archive, for example: RiskPaths.run.102.zip
- model run .csv files for parameters and output tables in RiskPaths.run.102 folder
- model run .json metadata files

This method retruns file tree in download folder, for exmaple in RiskPaths.run.102 folder.

#### Method:

GET /api/download/file-tree/:folder

### Arguments:

:folder - (required) download folder file name, for example: `RiskPaths.run.102`

## Call example from browser:

http://localhost:4040/api/download/file-tree/RiskPaths.run.102

### **Return example:**

```
[
 {
  "Path": "RiskPaths.run.102",
  "IsDir": true,
  "Size": 0,
  "ModTime": 1627769590376
 },
 {
  "Path": "RiskPaths.run.102/RiskPaths.run.102.Default.json",
  "IsDir": false,
  "Size": 1880,
  "ModTime": 1627769590376
 },
 {
  "Path": "RiskPaths.run.102/run.102.Default",
  "IsDir": true,
  "Size": 0,
  "ModTime": 1627769590374
 },
 {
  "Path": "RiskPaths.run.102/run.102.Default/AgeBaselineForm1.csv",
  "IsDir": false,
  "Size": 283,
  "ModTime": 1627769590340
 },
 {
  "Path": "RiskPaths.run.102/run.102.Default/AgeBaselinePreg1.csv",
  "IsDir": false,
  "Size": 265
  "ModTime": 1627769590341
 }.
 {
  "Path": "RiskPaths.run.102/run.102.Default/CanDie.csv",
  "leDir", falee
```

```
เวมา . เลเวย
 "Size": 27,
 "ModTime": 1627769590344
}
 "Path": "RiskPaths.run.102/run.102.Default/ProbMort.csv",
 "IsDir": false,
 "Size": 1022.
 "ModTime": 1627769590347
},
 "Path": "RiskPaths.run.102/run.102.Default/SeparationDurationBaseline.csv",
 "IsDir": false,
 "Size": 133,
 "ModTime": 1627769590347
}.
 "Path": "RiskPaths.run.102/run.102.Default/SimulationCases.csv",
 "IsDir": false,
 "Size": 26,
 "ModTime": 1627769590349
},
 "Path": "RiskPaths.run.102/run.102.Default/SimulationSeed.csv",
 "IsDir": false,
 "Size": 23,
 "ModTime": 1627769590350
},
{
 "Path": "RiskPaths.run.102/run.102.Default/T01_LifeExpectancy.acc-all.csv",
 "IsDir": false,
 "Size": 65,
 "ModTime": 1627769590356
}
 "Path": "RiskPaths.run.102/run.102.Default/T01_LifeExpectancy.acc.csv",
 "IsDir": false,
 "Size": 52,
 "ModTime": 1627769590352
},
 "Path": "RiskPaths.run.102/run.102.Default/T01_LifeExpectancy.csv",
 "IsDir": false,
 "Size": 55.
 "ModTime": 1627769590352
},
 "Path": "RiskPaths.run.102/run.102.Default/T02_TotalPopulationByYear.acc-all.csv",
 "IsDir"<sup>,</sup> false
 "Size": 2544.
 "ModTime": 1627769590361
},
 "Path": "RiskPaths.run.102/run.102.Default/T02_TotalPopulationByYear.acc.csv",
 "IsDir": false,
 "Size": 3040,
 "ModTime": 1627769590359
},
 "Path": "RiskPaths.run.102/run.102.Default/T02_TotalPopulationByYear.csv",
 "IsDir": false,
 "Size": 2833,
 "ModTime": 1627769590357
},
 "Path": "RiskPaths.run.102/run.102.Default/T03_FertilityByAge.acc-all.csv",
 "IsDir": false,
 "Size": 1665,
 "ModTime": 1627769590364
},
 "Path": "RiskPaths.run.102/run.102.Default/T03_FertilityByAge.acc.csv",
 "IsDir": false,
 "Size": 2080,
 "ModTime": 1627769590362
},
 "Path": "RiskPaths.run.102/run.102.Default/T03_FertilityByAge.csv",
 "IsDir": false,
 "Size": 1532,
 "ModTime": 1627769590362
},
 "Path": "RiskPaths.run.102/run.102.Default/T04_FertilityRatesByAgeGroup.acc-all.csv",
 "IsDir": false,
 "Size": 4583,
 "ModTime": 1627769590367
},
```

```
"Path": "RiskPaths.run.102/run.102.Default/T04_FertilityRatesByAgeGroup.acc.csv",
 "IsDir": false,
 "Size": 6905,
  "ModTime": 1627769590366
}.
 "Path": "RiskPaths.run.102/run.102.Default/T04_FertilityRatesByAgeGroup.csv",
 "IsDir": false,
  "Size": 3676,
  "ModTime": 1627769590365
},
 "Path": "RiskPaths.run.102/run.102.Default/T05_CohortFertility.acc-all.csv",
 "IsDir": false,
  "Size": 100,
 "ModTime": 1627769590369
},
{
  "Path": "RiskPaths.run.102/run.102.Default/T05_CohortFertility.acc.csv",
 "IsDir": false,
 "Size": 74.
 "ModTime": 1627769590368
},
{
  "Path": "RiskPaths.run.102/run.102.Default/T05_CohortFertility.csv",
 "IsDir": false,
"Size": 70,
 "ModTime": 1627769590368
}.
  "Path": "RiskPaths.run.102/run.102.Default/T06_BirthsByUnion.acc-all.csv",
 "IsDir": false,
 "Size": 218,
 "ModTime": 1627769590371
}.
 "Path": "RiskPaths.run.102/run.102.Default/T06_BirthsByUnion.acc.csv",
 "IsDir": false,
 "Size": 234,
 "ModTime": 1627769590371
},
{
  "Path": "RiskPaths.run.102/run.102.Default/T06_BirthsByUnion.csv",
 "IsDir": false,
 "Size": 222,
  "ModTime": 1627769590370
},
{
 "Path": "RiskPaths.run.102/run.102.Default/T07_FirstUnionFormation.acc-all.csv",
 "IsDir": false,
  "Size": 604,
  "ModTime": 1627769590374
},
{
  "Path": "RiskPaths.run.102/run.102.Default/T07_FirstUnionFormation.acc.csv",
 "IsDir": false,
  "Size": 707,
 "ModTime": 1627769590374
},
  "Path": "RiskPaths.run.102/run.102.Default/T07 FirstUnionFormation.csv",
 "IsDir": false.
 "Size": 428.
 "ModTime": 1627769590373
},
 "Path": "RiskPaths.run.102/run.102.Default/UnionDurationBaseline.csv",
 "IsDir": false,
 "Size": 395,
 "ModTime": 1627769590350
},
 "Path": "RiskPaths.run.102/run.102.Default/UnionStatusPreg1.csv",
 "IsDir": false,
 "Size": 196,
  "ModTime": 1627769590352
}
```

]

## POST initiate entire model download

POST model download request: server will prepare entire model data for download.

This method only avaliable if server configured to create downloads for user.

This is a beta version and may change in the future.

As result of this call oms service will create:

- download archive, for example: RiskPaths.zip
- model run .csv files for parameters and output tables in RiskPaths folder
- model run .json metadata files

#### Method:

POST /api/download/model/:model

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

#### Form body

Posted form can include optional JSON body:

{ "NoAccumulatorsCsv": true, "NoMicrodata": true, "Utf8BomIntoCsv": true }

Use "NoAccumulatorsCsv": true and "NoMicrodata": true options to produce download faster. By default this method create full Model.zip archive, which allow you to copy model into desktop database by using dbcopy utility or even transfer it to the other server.

If you want only to analyze model run output CSV files then it maybe better to download run results without accumulators (a.k.a. sub-samples or sub-values) and include only output table expressions. For example, if you are only interested in output average value and don't want to analyze 32 sub-samples then use "NoAccumulatorsCsv": true option.

Also model run microdata can be huge and if you are not intersted in it then use "NoMicrodata": true option to suppress it.

Use "Utf8BomIntoCsv": true option to start CSV files with Byte Order Mark. Byte order mark may be neccessary for some programs (e.g. Microsoft Excel) to correctly process UTF-8 files.

## Call examples:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/download/model/modelOne
curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/download/model/c87bd08cc86da61332336384a491203b
curl -v -X POST -H "Content-Type: application/ison" http://localhost:4040/api/download/model/modelOne -d @options ison

## POST initiate model run download

POST model run download request: server will prepare model run data for download.

This method only avaliable if server configured to create downloads for user.

This is a beta version and may change in the future.

As result of this call oms service will create:

- download archive, for example: RiskPaths.run.102.zip
- model run .csv files for parameters and output tables in RiskPaths.run.102 folder
- model run .json metadata files

## Method:

POST /api/download/model/:model/run/:run

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (required) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run. Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined.

## Form body

Posted form can include optional JSON body:

```
{
    "NoAccumulatorsCsv": true,
    "NoMicrodata": true,
    "Utf8BomIntoCsv": true
}
```

Use "NoAccumulatorsCsv": true and "NoMicrodata": true options to produce download faster. By default this method create full ModelRun.zip archive, which allow you to copy model into desktop database by using dbcopy utility or even transfer it to the other server.

If you want only to analyze model run output CSV files then it maybe better to download run results without accumulators (a.k.a. sub-samples or sub-values) and include only output table expressions. For example, if you are only interested in output average value and don't want to analyze 32 sub-samples then use "NoAccumulatorsCsv": true option.

Also model run microdata can be huge and if you are not intersted in it then use "NoMicrodata": true option to suppress it.

Use "Utf8BomIntoCsv": true option to start CSV files with Byte Order Mark. Byte order mark may be neccessary for some programs (e.g. Microsoft Excel) to correctly process UTF-8 files.

#### Call examples:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/download/model/c87bd08cc86da61332336384a491203b/run/Default

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/download/model/c87bd08cc86da61332336384a491203b/run/D3f26c4492bad08b9d6c8373719ff53e7

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/download/model/modelOne/run/Default -d @options.json

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/download/model/modelOne/run/Default

## POST initiate model workset download

POST model workset download request: server will prepare model workset data for download.

This method only avaliable if server configured to create downloads for user.

This is a beta version and may change in the future.

Workset is a set of model input parameters (a.k.a. "scenario" input). Workset can be used to run the model.

As result of this call oms service will create:

- download archive, for example: RiskPaths.set.Default.zip
- model workset .csv files for parameters and output tables in RiskPaths.set.Default folder
- model workset .json metadata files

### Method:

POST /api/download/model/:model/workset/:set

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:set - (required) workset name

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default".

#### Form body

Posted form can include optional JSON body:

```
{
"Utf8BomIntoCsv": true
}
```

Use "Utf8BomIntoCsv": true option to start CSV files with Byte Order Mark. Byte order mark may be neccessary for some programs (e.g. Microsoft Excel) to correctly process UTF-8 files.

#### Call examples:

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/download/model/RiskPaths/workset/Default curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/download/model/c87bd08cc86da61332336384a491203b/workset/Default

curl -v -X POST -H "Content-Type: application/json" http://localhost:4040/api/download/model/RiskPaths/workset/Default -d @options.json

## **DELETE download files**

DELETE download files from the server.

This method only avaliable if server configured to allow downloads by user.

Download can be initiated through UI or by direct API call:

- POST initiate model download
- POST initiate model run download
- POST initiate model download

For each above method oms service will create:

- download archive, for example: RiskPaths.run.102.zip
- model run .csv files for parameters and output tables in RiskPaths.run.102 folder
- model run .json metadata files

## Methods:

```
DELETE /api/download/delete/:folder
DELETE /api/download/start/delete/:folder
```

First method deletes download files from the server. Second method will initiate deleting of download files from the server. Actual delete performed in background and results can be checked through log file.

## Arguments:

:folder - (required) download folder file name, for example: `RiskPaths.run.102`

## Call examples:

curl -v -X DELETE http://localhost:4040/api/download/delete/RiskPaths.run.102 curl -v -X DELETE http://localhost:4040/api/download/start/delete/RiskPaths.run.102

# **DELETE all download files**

DELETE all download files from the server.

This method only avaliable if server configured to allow downloads by user.

It does delete all files from server download folder.

Download can be initiated through UI or by direct API call:

- POST initiate model download
- POST initiate model run download
- POST initiate model download

For each above method oms service will create:

- download archive, for example: RiskPaths.run.102.zip
- model run .csv files for parameters and output tables in RiskPaths.run.102 folder
- model run .json metadata files

### Methods:

DELETE /api/download/delete-all DELETE /api/download/start/delete-all

First method deletes all files from server download folder. Second method will initiate deleting the files. Actual delete performed in background and user may need to refresh page to verify the results.

### Call examples:

```
curl -v -X DELETE http://localhost:4040/api/download/delete-all
curl -v -X DELETE http://localhost:4040/api/download/start/delete-all
```

# GET upload log file

GET upload log file from upload directory on the server.

This method only avaliable if server configured to create uploads for user.

This is a beta version and may change in the future.

Upload can be initiated through UI or by direct API call:

- POST initiate model run upload
- POST initiate workset upload

For each upload oms service does create a upload log file, for example:

- RiskPaths.set.New-Data.ready.upload.log
   RiskPaths New-Data workset, upload completed and ready to use
- RiskPaths.set.New-Data.progress.upload.log RiskPaths New-Data, upload in progress
- RiskPaths.set.New-Data.error.upload.log RiskPaths New-Data, upload failed

Example of RiskPaths.set.New-Data.ready.upload.log :

2022-03-09 00:21:45.195 Upload of: RiskPaths.set.New-Data : RiskPaths.set.New-Data.zip Upload Model Name : RiskPaths Model Version : 3.0.0.0 2022-03-07 23:37:41.202 Model Digest : d90e1e9a49a06d972ecf1d50e684c62b Scenario Name : New-Data Folder : RiskPaths.set.New-Data 2022-03-09 00:21:45.195 delete: RiskPaths.set.New-Data.ready.upload.log 2022-03-09 00:21:45.195 delete: RiskPaths.set.New-Data.error.upload.log 2022-03-09 00:21:45.195 delete: RiskPaths.set.New-Data 2022-03-09 00:21:45.195 dbcopy -m RiskPaths -dbcopy.IdOutputNames=false -dbcopy.SetName New-Data -dbcopy.To db -dbcopy.Zip -dbcopy.InputDir models\home\io\upload 2022-03-09 00:21:45.219 Model RiskPaths 2022-03-09 00:21:45.219 Unpack RiskPaths.set.New-Data.zip 2022-03-09 00:21:45.249 Workset New-Data into: 103 New-Data 2022-03-09 00:21:45.249 Parameters: 3 2022-03-09 00:21:45.277 Done.

As result of workset upload oms service does:

- upload archive, for example: RiskPaths.set.New-Data.zip
- extract workset .csv files with parameters into RiskPaths.set.New-Data folder
- extract workset .json metadata file
- · create new or update existing New-Data workset in RiskPaths model database

## Method:

GET /api/upload/log/file/:name

#### Arguments:

:name - (required) upload log file name, for example: `RiskPaths.set.New-Data.ready.upload.log

### Call example from browser:

http://localhost:4040/api/upload/log/file/RiskPaths.set.New-Data.ready.upload.log

#### **Return example:**

"Status": "ready", "Kind": "upload", "ModelDigest": "d90e1e9a49a06d972ecf1d50e684c62b", "RunDigest": "" "WorksetName": "New-Data", "IsFolder": true, "Folder": "RiskPaths.set.New-Data", "FolderModTime": 1646803541985, "IsZip": true, "ZipFileName": "RiskPaths.set.New-Data.zip", "ZipModTime": 1646803541965, "ZipSize": 1690, "LogFileName": "RiskPaths.set.New-Data.ready.upload.log", "LogModTime": 1646803542034, "Lines": [ "2022-03-09 00:25:41.964 Upload of: RiskPaths.set.New-Data ", "\_\_\_\_\_ ' : RiskPaths.set.New-Data.zip ", "Upload "Model Name : RiskPaths ", "Model Version : 3.0.0.0 2022-03-07 23:37:41.202 ", "Model Digest : d90e1e9a49a06d972ecf1d50e684c62b ", "Scenario Name : New-Data ", "Folder : RiskPaths.set.New-Data ", "\_\_\_\_\_". "2022-03-09 00:25:41.965 delete: RiskPaths.set.New-Data.ready.upload.log ", "2022-03-09 00:25:41.965 delete: RiskPaths.set.New-Data.error.upload.log ", "2022-03-09 00:25:41.965 delete: RiskPaths.set.New-Data ", "2022-03-09 00:25:41.966 dbcopy -m RiskPaths -dbcopy.IdOutputNames=false -dbcopy.SetName New-Data -dbcopy.To db -dbcopy.Zip -dbcopy.InputDir models\\home\\io\\uplo ad ", "2022-03-09 00:25:41.983 Model RiskPaths ", "2022-03-09 00:25:41.983 Unpack RiskPaths.set.New-Data.zip ", "2022-03-09 00:25:42.004 Workset New-Data into: 103 New-Data ", "2022-03-09 00:25:42.004 Parameters: 3 ", "2022-03-09 00:25:42.034 Done. ", .....

{

] }

# GET all upload log files for the model

GET all model uploads log files from upload directory on the server.

This method only avaliable if server configured to create uploads for user.

This is a beta version and may change in the future.

Upload can be initiated through UI or by direct API call:

- POST initiate model run upload
- POST initiate workset upload

For each upload oms service does create a upload log file, for example:

- RiskPaths.set.New-Data.ready.upload.log RiskPaths New-Data workset, upload completed and ready to use
- RiskPaths.set.New-Data.progress.upload.log
   RiskPaths New-Data, upload in progress
- RiskPaths.set.New-Data.error.upload.log
   RiskPaths New-Data, upload failed

Example of RiskPaths.set.New-Data.ready.upload.log :

2022-03-09 00:21:45.195 Upload of: RiskPaths.set.New-Data : RiskPaths.set.New-Data.zip Upload : RiskPaths Model Name Model Version : 3.0.0.0 2022-03-07 23:37:41.202 Model Digest : d90e1e9a49a06d972ecf1d50e684c62b Scenario Name : New-Data Folder : RiskPaths.set.New-Data 2022-03-09 00:21:45.195 delete: RiskPaths.set.New-Data.ready.upload.log 2022-03-09 00:21:45.195 delete: RiskPaths.set.New-Data.error.upload.log 2022-03-09 00:21:45.195 delete: RiskPaths.set.New-Data 2022-03-09 00:21:45.195 dbcopy -m RiskPaths -dbcopy.IdOutputNames=false -dbcopy.SetName New-Data -dbcopy.To db -dbcopy.Zip -dbcopy.InputDir models\home\io\upload 2022-03-09 00:21:45.219 Model RiskPaths 2022-03-09 00:21:45.219 Unpack RiskPaths.set.New-Data.zip 2022-03-09 00:21:45.249 Workset New-Data into: 103 New-Data 2022-03-09 00:21:45.249 Parameters: 3 2022-03-09 00:21:45.277 Done

As result of workset upload oms service does:

- upload archive, for example: RiskPaths.set.New-Data.zip
- extract workset .csv files with parameters into RiskPaths.set.New-Data folder
- extract workset .json metadata file
- · create new or update existing New-Data workset in RiskPaths model database

## Method:

GET /api/upload/log/model/:model

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database then result is undefined.

#### Call examples from browser:

```
http://localhost:4040/api/upload/log/model/RiskPaths
http://localhost:4040/api/upload/log/model/0f71660ba32bc002282c995e4552a14a
```

"Status": "ready", "Kind": "upload", "ModelDigest": "d90e1e9a49a06d972ecf1d50e684c62b", "RunDigest": "" "WorksetName": "New-Data", "IsFolder": true, "Folder": "RiskPaths.set.New-Data", "FolderModTime": 1646803541985, "IsZip": true, "ZipFileName": "RiskPaths.set.New-Data.zip", "ZipModTime": 1646803541965, "ZipSize": 1690. "LogFileName": "RiskPaths.set.New-Data.ready.upload.log", "LogModTime": 1646803542034, "Lines": [ "2022-03-09 00:25:41.964 Upload of: RiskPaths.set.New-Data ", "\_\_\_\_\_ " "Upload : RiskPaths.set.New-Data.zip ". "Model Name : RiskPaths " "Model Version : 3.0.0.0 2022-03-07 23:37:41.202 ", "Model Digest : d90e1e9a49a06d972ecf1d50e684c62b ", "Scenario Name : New-Data ", : RiskPaths.set.New-Data ", "Folder "2022-03-09 00:25:41.965 delete: RiskPaths.set.New-Data.ready.upload.log ", "2022-03-09 00:25:41.965 delete: RiskPaths.set.New-Data.error.upload.log ", "2022-03-09 00:25:41.965 delete: RiskPaths.set.New-Data " "2022-03-09 00:25:41.966 dbcopy -m RiskPaths -dbcopy.IdOutputNames=false -dbcopy.SetName New-Data -dbcopy.To db -dbcopy.Zip -dbcopy.InputDir models\\home\\io\\upl oad " "2022-03-09 00:25:41.983 Model RiskPaths ", "2022-03-09 00:25:41.983 Unpack RiskPaths.set.New-Data.zip ", "2022-03-09 00:25:42.004 Workset New-Data into: 103 New-Data ", "2022-03-09 00:25:42.004 Parameters: 3 ". "2022-03-09 00:25:42.034 Done." 1 }, "Status": "ready", "Kind": "upload", "ModelDigest": "d90e1e9a49a06d972ecf1d50e684c62b", "RunDigest": "" "WorksetName": "New\_Scenario\_of\_union\_duration", "IsFolder": true, "Folder": "RiskPaths.set.New\_Scenario\_of\_union\_duration", "FolderModTime": 1646804668330, "IsZip": true, "ZipFileName": "RiskPaths.set.New\_Scenario\_of\_union\_duration.zip", "ZipModTime": 1646804668308, "ZipSize": 2460, "LogFileName": "RiskPaths.set.New\_Scenario\_of\_union\_duration.ready.upload.log", "LogModTime": 1646804668378, "Lines": [ "2022-03-09 00:44:28.308 Upload of: RiskPaths.set.New\_Scenario\_of\_union\_duration ", "Upload : RiskPaths.set.New\_Scenario\_of\_union\_duration.zip ", "Model Name : RiskPaths ", "Model Version : 3.0.0.0 2022-03-07 23:37:41.202 ", "Model Digest : d90e1e9a49a06d972ecf1d50e684c62b ", "Scenario Name : New\_Scenario\_of\_union\_duration ", : RiskPaths.set.New\_Scenario\_of\_union\_duration ", "Folder "2022-03-09 00:44:28.308 delete: RiskPaths.set.New\_Scenario\_of\_union\_duration.ready.upload.log ", "2022-03-09 00:44:28.308 delete: RiskPaths.set.New\_Scenario\_of\_union\_duration.error.upload.log ", "2022-03-09 00:44:28.308 delete: RiskPaths.set.New\_Scenario\_of\_union\_duration ", "2022-03-09 00:44:28.308 dbcopy -m RiskPaths -dbcopy.IdOutputNames=false -dbcopy.SetName New\_Scenario\_of\_union\_duration -dbcopy.To db -dbcopy.Zip -dbcopy.InputD ir models\\home\\io\\upload ", "2022-03-09 00:44:28.328 Model RiskPaths ", "2022-03-09 00:44:28.328 Unpack RiskPaths.set.New\_Scenario\_of\_union\_duration.zip ", "2022-03-09 00:44:28.341 Workset New\_Scenario\_of\_union\_duration into: 104 New\_Scenario\_of\_union\_duration ", "2022-03-09 00:44:28.341 Parameters: 3 ", "2022-03-09 00:44:28.378 Done. ",

] } ]

# GET all upload log files

GET all uploads log files for from upload directory on the server.

This method only avaliable if server configured to create uploads for user.

This is a beta version and may change in the future.

Upload can be initiated through UI or by direct API call:

- POST initiate model run upload
- POST initiate workset upload

For each upload oms service does create a upload log file, for example:

- RiskPaths.set.New-Data.ready.upload.log
   RiskPaths New-Data workset, upload completed and ready to use
- RiskPaths.set.New-Data.progress.upload.log RiskPaths New-Data, upload in progress
- RiskPaths.set.New-Data.error.upload.log RiskPaths New-Data, upload failed

Example of RiskPaths.set.New-Data.ready.upload.log :

2022-03-09 00:21:45.195 Upload of: RiskPaths.set.New-Data : RiskPaths.set.New-Data.zip Upload Model Name : RiskPaths Model Version : 3.0.0.0 2022-03-07 23:37:41.202 Model Digest : d90e1e9a49a06d972ecf1d50e684c62b Scenario Name : New-Data Folder : RiskPaths.set.New-Data 2022-03-09 00:21:45.195 delete: RiskPaths.set.New-Data.ready.upload.log 2022-03-09 00:21:45.195 delete: RiskPaths.set.New-Data.error.upload.log 2022-03-09 00:21:45.195 delete: RiskPaths.set.New-Data 2022-03-09 00:21:45.195 dbcopy -m RiskPaths -dbcopy.IdOutputNames=false -dbcopy.SetName New-Data -dbcopy.To db -dbcopy.Zip -dbcopy.InputDir models\home\io\upload 2022-03-09 00:21:45.219 Model RiskPaths 2022-03-09 00:21:45.219 Unpack RiskPaths.set.New-Data.zip 2022-03-09 00:21:45.249 Workset New-Data into: 103 New-Data 2022-03-09 00:21:45.249 Parameters: 3 2022-03-09 00:21:45.277 Done.

As result of workset upload oms service does:

- upload archive, for example: RiskPaths.set.New-Data.zip
- extract workset .csv files with parameters into RiskPaths.set.New-Data folder
- extract workset .json metadata file
- create new or update existing New-Data workset in RiskPaths model database

## Method:

GET /api/upload/log-all

#### Call example from browser:

http://localhost:4040/api/upload/log-all

#### **Return example:**

"Status": "readv". "Kind": "upload", "ModelDigest": "ec388f9e6221e63ac248818b04633515", "RunDigest": " "WorksetName": "Default". "IsFolder": true, "Folder": "NewCaseBased.set.Default", "FolderModTime": 1646804960744, "IsZip": true, "ZipFileName": "NewCaseBased.set.Default.zip", "ZipModTime": 1646804960719, "ZipSize": 1574, "LogFileName": "NewCaseBased.set.Default.ready.upload.log", "LogModTime": 1646804960806, "Lines": [ "2022-03-09 00:49:20.719 Upload of: NewCaseBased.set.Default ", : NewCaseBased.set.Default.zip ", "Upload "Model Name : NewCaseBased ", "Model Version : 1.0.0.0 2022-03-07 23:36:46.085 ", "Model Digest : ec388f9e6221e63ac248818b04633515 ", "Scenario Name : Default ", "Folder : NewCaseBased.set.Default ", -- " "2022-03-09 00:49:20.719 delete: NewCaseBased.set.Default.ready.upload.log ", "2022-03-09 00:49:20.719 delete: NewCaseBased.set.Default.error.upload.log ", "2022-03-09 00:49:20.719 delete: NewCaseBased.set.Default " "2022-03-09 00:49:20.719 dbcopy -m NewCaseBased -dbcopy.IdOutputNames=false -dbcopy.SetName Default -dbcopy.To db -dbcopy.Zip -dbcopy.InputDir models\\home\\io\\ upload ", "2022-03-09 00:49:20.742 Model NewCaseBased ", "2022-03-09 00:49:20.742 Unpack NewCaseBased.set.Default.zip ", "2022-03-09 00:49:20.767 Workset Default into: 101 Default ", "2022-03-09 00:49:20.767 Parameters: 3 ", "2022-03-09 00:49:20.806 Done. ", 1 }, "Status": "ready", "Kind": "upload", "ModelDigest": "d90e1e9a49a06d972ecf1d50e684c62b", "RunDigest": "" "WorksetName": "New-Data", "IsFolder": true, "Folder": "RiskPaths.set.New-Data", "FolderModTime": 1646803541985, "IsZip": true, "ZipFileName": "RiskPaths.set.New-Data.zip", "ZipModTime": 1646803541965, "ZipSize": 1690, "LogFileName": "RiskPaths.set.New-Data.ready.upload.log", "LogModTime": 1646803542034, "Lines": [ "2022-03-09 00:25:41.964 Upload of: RiskPaths.set.New-Data ", "Upload : RiskPaths.set.New-Data.zip ", "Model Name : RiskPaths ' "Model Version : 3.0.0.0 2022-03-07 23:37:41.202 ", "Model Digest : d90e1e9a49a06d972ecf1d50e684c62b ", "Scenario Name : New-Data ", "Folder : RiskPaths.set.New-Data ", "2022-03-09 00:25:41.965 delete: RiskPaths.set.New-Data.ready.upload.log ", "2022-03-09 00:25:41.965 delete: RiskPaths.set.New-Data.error.upload.log ", "2022-03-09 00:25:41.965 delete: RiskPaths.set.New-Data ", "2022-03-09 00:25:41.966 dbcopy -m RiskPaths -dbcopy.IdOutputNames=false -dbcopy.SetName New-Data -dbcopy.To db -dbcopy.Zip -dbcopy.InputDir models\\home\\io\\upl oad ". "2022-03-09 00:25:41.983 Model RiskPaths ", "2022-03-09 00:25:41.983 Unpack RiskPaths.set.New-Data.zip ", "2022-03-09 00:25:42.004 Workset New-Data into: 103 New-Data ", "2022-03-09 00:25:42.004 Parameters: 3 ", "2022-03-09 00:25:42.034 Done. ". 1 }

[

1

## **GET upload files tree**

GET upload files tree from upload directory on the server.

This method only available if server configured to create uploads for user.

This is a beta version and may change in the future.

Upload can be initiated through UI or by direct API call:

- POST initiate model run upload
- POST initiate workset upload

As result of workset upload oms service does:

- upload archive, for example: RiskPaths.set.New-Data.zip
- extract workset .csv files with parameters into RiskPaths.set.New-Data folder
- extract workset .json metadata file
- create new or update existing New-Data workset in RiskPaths model database

This method retruns file tree in upload folder, for exmaple in RiskPaths.set.New-Data folder.

### Method:

GET /api/upload/file-tree/:folder

## Arguments:

:folder - (required) upload folder file name, for example: RiskPaths.set.New-Data

## Call example from browser:

http://localhost:4040/api/upload/file-tree/RiskPaths.set.New-Data

**Return example:** 

```
[
 {
  "Path": "RiskPaths.set.New-Data",
"IsDir": true,
  "Size": 0,
  "ModTime": 1646803541985
 },
 {
  "Path": "RiskPaths.set.New-Data/RiskPaths.set.New-Data.json",
  "IsDir": false,
  "Size": 518,
  "ModTime": 1646803541984
 },
{
  "Path": "RiskPaths.set.New-Data/set.New-Data",
  "IsDir": true,
"Size": 0,
  "ModTime": 1646803541986
 },
 {
  "Path": "RiskPaths.set.New-Data/set.New-Data/AgeBaselinePreg1.csv",
  "IsDir": false,
  "Size": 268,
  "ModTime": 1646803541985
 },
 {
  "Path": "RiskPaths.set.New-Data/set.New-Data/SimulationCases.csv",
  "IsDir": false,
"Size": 29,
  "ModTime": 1646803541986
 },
 {
  "Path": "RiskPaths.set.New-Data/set.New-Data/UnionStatusPreg1.csv",
"IsDir": false,
  "Size": 199,
  "ModTime": 1646803541986
 }
]
```

# POST initiate model run upload

POST model run upload request: upload model run zip file on server and start copy it into database.

This method only avaliable if server configured to create uploads for user.

This is a beta version and may change in the future.

As result of model run upload oms service does:

- upload archive, for example: RiskPaths.run.New-Run.zip
- extract .csv files with all run parameters and output tables into RiskPaths.run.New-Run folder
- extract model run metadata file: modelOne.run.New-Run.json
- create new or update existing "New-Run" model run in RiskPaths model database

Model run .zip archive must contain .json metadata file, which is usually created by dbcopy utility. For example:

```
"ModelName": "RiskPaths",
"ModelDigest": "d90e1e9a49a06d972ecf1d50e684c62b",
"Name": "RiskPaths_Default",
"SubCount": 1,
"SubStarted": 1,
"SubCompleted": 1,
"CreateDateTime": "2022-03-22 20:49:24.341",
"Status": "s",
"UpdateDateTime": "2022-03-22 20:49:25.017",
"RunDigest": "feb022eed344533046de517bddea7d09",
"ValueDigest": "0f454b3af0d30f9f0614a9ce23e5cbfd",
"RunStamp": "2022_03_22_20_49_24_260",
"Txt": [{
     "LangCode": "EN",
    "Descr": "scenario",
"Note": ""
  }, {
     "LangCode": "FR",
     "Descr": "scenario",
     "Note": ""
 }
]
"Opts": {
  "OpenM.LogFilePath": "RiskPaths.log",
  "OpenM.ProgressPercent": "25",
  "OpenM.RunId": "102",
  "OpenM.RunName": "RiskPaths_Default",
  "OpenM.RunStamp": "2022_03_22_20_49_24_260",
  "OpenM.SetId": "101",
  "OpenM.SetName": "Default"
}.
"Param": [{
    "Name": "AgeBaselineForm1",
    "Txt": [],
     "SubCount": 1,
     "DefaultSubId": 0,
     "ValueDigest": "a9a4c2d9ef657aafd89bb098635f7098"
  }, {
     "Name": "AgeBaselinePreg1",
  }
],
"Table": [{
     "Name": "T01_LifeExpectancy",
     "ValueDigest": "5db49f190e7e2e999f77e1a7f796e3bc"
  }, {
     "Name": "T02_TotalPopulationByYear",
  }
1,
"Progress": [{
     "SubId": 0,
     "CreateDateTime": "2022-03-22 20:49:24.399",
     "Status": "s",
     "UpdateDateTime": "2022-03-22 20:49:24.818",
     "Count": 100.
     "Value": 5000
  }
]
```

## Method:

}

{

POST /api/upload/model/:model/run POST /api/upload/model/:model/run/:run

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:run - (optional) model run digest, run stamp or run name

Model run can be identified by run digest, run stamp or run name. It is recommended to use digest because it is uniquely identifies model run.

Run stamp, if not explicitly specified as model run option, automatically generated as timestamp string, ex.: 2016\_08\_17\_21\_07\_55\_123. It is also possible to use name, which is more human readable than digest, but if there are multiple runs with same name in database than result is undefined. This argument can committed because model run \_zip archive must contain contain \_json metadata file.

## Call examples:

curl -v -X POST -F "filename=@modelOne.run.Default-4.zip" http://localhost:4040/api/upload/model/modelOne/run/Default-4 curl -v -X POST -F "filename=@modelOne.run.Default-4.zip" http://localhost:4040/api/upload/model/modelOne/run

## POST initiate workset upload

POST model workset upload request: upload workset zip file on server and start copy it into database.

This method only avaliable if server configured to create uploads for user.

This is a beta version and may change in the future.

Workset is a set of model input parameters (a.k.a. "scenario" input). Workset can be used to run the model.

As result of workset upload oms service does:

- upload archive, for example: RiskPaths.set.New-Data.zip
- extract workset .csv files with parameters into RiskPaths.set.New-Data folder
- extract workset .json metadata file
- create new or update existing New-Data workset in RiskPaths model database

Workset \_zip archive does not have to conatin workset \_json metadata file, it can include only \_csv files with parameter values. If workset \_zip created by dbcopy utility or as result of UI download then it always contain workset \_json metadata file, for example:

```
{
 "ModelName": "RiskPaths",
 "ModelDigest":"d90e1e9a49a06d972ecf1d50e684c62b",
 "Name": "New-Data",
 "IsReadonly": false,
 "Txt": [{
   "LangCode": "EN",
   "Descr": "Model modified set of input parameters",
   "Note": ""
  }, {
   "LangCode": "FR",
   "Descr": "Modèle modifié ensemble de paramètres d'entrée",
   "Note": "Remarques sur l'ensemble d'entrées modifiées par le modèle"
  }
 1
 "Param": [{
   "Name": "AgeBySex",
   "SubCount": 1,
   "Txt": [{
      "LangCode": "EN",
      "Note": "Age by Sex modified values'
    }
   ]
  }
 ]
3
```

## Method:

POST /api/upload/model/:model/workset POST /api/upload/model/:model/workset/:set

## Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database than result is undefined.

:set - (optional) workset name

Workset is uniquely identified by name (inside the model). Different models can have worksets with same name, i.e. each model can have workset with name "Default". This argument is and can ommited if workset <u>\_\_\_\_\_\_</u> archive contain <u>\_\_\_\_\_\_</u>, file with workset metadata, which must include name.

### Multi-part form body

Posted multi-part form consists of two parts:

- (optional) "workset-upload-options" part with JSON upload options;
- (required) workset.zip file.

JSON upload options are:

{
 "NoDigestCheck": true
}

If NoDigestCheck is true then method calls dbcopy with -dbcopy.NoDigetCheck option. By default dbcopy imports workset only if ModelDigest from source json metadata identical to destination model digest. If you are using NoDigestCheck then dbcopy do ignore source digest and rely on model name only.

# Call examples:

curl -v -X POST -F "filename=@modelOne.set.New.zip" http://localhost:4040/api/upload/model/modelOne/workset/New curl -v -X POST -F "filename=@modelOne.set.Any.zip" http://localhost:4040/api/upload/model/modelOne/workset

curl -v -X POST -F "workset-upload-options=@options.json" -F "filename=@modelOne.set.Other.zip" http://localhost:4040/api/upload/model/zz\_201208171604590148\_/workset

# **DELETE upload files**

DELETE upload files from the server.

This method only avaliable if server configured to allow uploads to the server by user.

Upload can be initiated through UI or by direct API call:

- POST initiate model run upload
- POST initiate workset upload

As result of workset upload oms service does:

- upload archive, for example: RiskPaths.set.New-Data.zip
- extract workset .csv files with parameters into RiskPaths.set.New-Data folder
- extract workset .json metadata file
- create new or update existing New-Data workset in RiskPaths model database

## Methods:

DELETE /api/upload/delete/:folder DELETE /api/upload/start/delete/:folder

First method deletes upload files from the server.

Second method will initiate deleting of upload files from the server. Actual delete performed in background and results can be checked through log file.

### Arguments:

:folder - (required) upload folder file name, for example: RiskPaths.set.New-Data

# Call example:

curl -v -X DELETE http://localhost:4040/api/upload/delete/RiskPaths.set.New-Data curl -v -X DELETE http://localhost:4040/api/upload/start/delete/RiskPaths.set.New-Data

# **DELETE** all upload files

DELETE all upload files from the server.

This method only avaliable if server configured to allow uploads to the server by user.

It does delete all files from server download folder.

Upload can be initiated through UI or by direct API call:

- POST initiate model run upload
- POST initiate workset upload

As result of workset upload oms service does:

- upload archive, for example: RiskPaths.set.New-Data.zip
- extract workset .csv files with parameters into RiskPaths.set.New-Data folder
- extract workset .json metadata file
- create new or update existing New-Data workset in RiskPaths model database

#### Methods:

DELETE /api/upload/delete-all DELETE /api/upload/start/delete-all

First method deletes all files from server upload folder.

Second method will initiate deleting the files. Actual delete performed in background and results can be checked through log file.

# Call example:

```
curl -v -X DELETE http://localhost:4040/api/upload/delete-all
```

curl -v -X DELETE http://localhost:4040/api/upload/start/delete-all

# GET user views for the model

Get persistent views for the model from user home directory on the server.

This method only avaliable if server configured to save a user data in home directory.

This is a beta version and may change in the future.

#### Method:

GET /api/user/view/model/:model

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database then result is undefined.

## Call examples from browser:

```
http://localhost:4040/api/user/view/model/modelOne
http://localhost:4040/api/user/view/model/a5149e422b9df4a14be0a801ec195f19
```

#### **Return example:**

```
{
 "model": {
  "name": "modelOne"
   "parameterViews": [{
     "name": "ageSex",
     "view": {
      "rows": [],
      "cols": [{
         "name": "dim1",
         "values": ["M", "F"]
       }, {
         "name": "dim0",
         "values": ["10-20", "20-30", "30-40", "40+"]
       }
      ],
      "others": [],
      "isRowColControls": true,
      "rowColMode": 2
     }
   }, {
     "name": "salaryAge",
     "view": {
      "rows": [{
         "name": "dim0",
         "values": ["L", "M", "H"]
       }, {
         "name": "dim1",
         "values": ["10-20", "20-30", "30-40", "40+"]
       }
      1,
      "cols": [],
      "others": [],
      "isRowColControls": true,
      "rowColMode": 1
     }
   }
  1
 }
}
```

# PUT user views for the model

Create new or replace existing persistent views for the model as JSON file at user home directory on the server.

This method only avaliable if server configured to save a user data in home directory.

It does update existing or save new JSON file with persistent model views in user home directory on the server.

This is a beta version and may change in the future.

#### Method:

PUT /api/user/view/model/:model

### For example:

curl -v -X PUT -H "Content-Type: application/json" "http://localhost:4040/api/user/view/model/modelOne" -d @modelOne.view.json

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database then result is undefined.

#### **JSON** argument:

It is expected to be similar JSON return of GET user views for the model method.

For example (modelOne.view.json file):

```
{
  "model": {
   "name": "modelOne",
   "parameterViews": [{
     "name": "ageSex",
     "view": {
      "rows": [],
      "cols": [{
         "name": "dim1",
         "values": ["M", "F"]
       }, {
         "name": "dim0",
         "values": ["10-20", "20-30", "30-40", "40+"]
       }
      ],
      "others": [],
      "isRowColControls": true,
      "rowColMode": 2
     }
    }, {
     "name": "salaryAge",
     "view": {
      "rows": [{
         "name": "dim0",
         "values": ["L", "M", "H"]
       }, {
         "name": "dim1",
         "values": ["10-20", "20-30", "30-40", "40+"]
       }
      ],
      "cols": [],
      "others": [],
      "isRowColControls": true,
       "rowColMode": 1
     }
    }
  1
 }
}
```

curl -v -X PUT -H "Content-Type: application/json" "http://localhost:4040/api/user/view/model/modelOne" -d @modelOne.view.json

- \* Trying ::1... \* TCP\_NODELAY set
- \* Trying 127.0.0.1...
- \* TCP\_NODELAY set
- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > PUT /api/user/view/model/modelOne HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.55.1
- > Accept: \*/\*
- Content-Type: application/jsonContent-Length: 826

>

- \* upload completely sent off: 826 out of 826 bytes
- < HTTP/1.1 200 OK
- < Date: Tue, 20 Apr 2021 01:38:36 GMT
- < Content-Length: 0

<

# **DELETE** user views for the model

Delete persistent views for the model from user home directory on the server.

This method only avaliable if server configured to save a user data in home directory.

It does delete persistent user views JSON file from user home directory on the server. If such file does not exist then method does nothing and return success.

This is a beta version and may change in the future.

# Method:

DELETE /api/user/view/model/:model

For example:

curl -v -X DELETE http://localhost:4040/api/user/view/model/modelOne

# Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database then result is undefined.

#### Example:

curl -v -X DELETE http://localhost:4040/api/user/view/model/modelOne

\* Trying ::1...

- \* TCP\_NODELAY set
- \* Trying 127.0.0.1..
- \* TCP\_NODELAY set
- \* Connected to localhost (127.0.0.1) port 4040 (#0) > DELETE /api/user/view/model/modelOne HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.55.1
- > Oser-Agent: cun/7.55
  > Accept: \*/\*
- > Accept.

< HTTP/1.1 200 OK

- < Content-Location: /api/user/view/model/modelOne
- < Content-Type: text/plain
- < Date: Tue, 20 Apr 2021 01:41:22 GMT
- < Content-Length: 0

# **GET** service configuration

GET web-service configuration.

This method return web-service configuration and environment variables which names started from OM\_CFG\_ prefix.

This is a beta version and may change in the future.

#### Method:

GET /api/service/config

## Call examples:

http://localhost:4040/api/service/config

#### Example:

{     "OmsName": "_4040",     "DoubleFmt": "%.15g",     "LoginUrl": "",     "LogoutUrl": "",     "AllowUserHome": true,     "AllowDownload": true,     "AllowUpload": true,
"AllowMicrodata": true, "IsJobControl": true, "IsJobControl": true, "IsDiskUse": true, "IsDiskUse": true, "DiskUse": { "DiskScanMs": 11000, "Limit": 12884901888, "AllLimit": 85899345920
}, "Env": { "OM_CFG_INI_ALLOW": "true", "OM_CFG_INI_ANY_KEY": "true" }, "ModelCatalog": {
"ModelDir": "models/bin", "ModelLogDir": "models/log", "IsLogDirEnabled": true, "LastTimeStamp": "" }, "RunCatalog": { "RunTemplates": [
"run.Debug.template.txt" ], "DefaultMpiTemplate": "mpi.ModelRun.template.txt", "MpiTemplates": [ "mpi.ModelRun.template.txt", "mpi.RiskPaths.template.txt"
], "Presets": [ {     "Name": "any_model.1.Use_Defaults",     "Options": "(\/n \'Text\'': [{\/\n \'LangCode\'': \''EN\\'', \r\n \''ShortLabe\\'': \''Default Options\'', \r\n \''Descr\'': \''Use default model run options\''\r\n }, {\r\n \''LangCode\'': \''FR\'',\r\n \''ShortLabe\\'': \''Use tefault model run options\''\r\n }, {\r\n \''LangCode\'': \''FR\'',\r\n \''ShortLabe\\'': \''Utiliser les options d'exécution du modèle par défaut\''\r\n }\r\n \''subCount\'': 1,\r\n \''threadCount\'': 1,\r\n \'n \''workDir\'': \''\',\r\n \''csvDir\': \''\'',\r\n \''csvCodeld\'': \''enumCode\''; false,\r\n \''iniAnyKey\'': false,\r\n \''mpiTmpl\'': \''',\r\n \''sparseOutput\'': false,\r\n \''mpiTmpl\'': \'''\'',\r\n}

}, {

"Name": "any\_model.2.Large\_Run",

"Options": "{Irin \"Text\": {[Irin \"LangCode\": \"EN\",\r\n \"ShortLabe\\": \"Large Run\",\r\n \"Descr\": \"Large model run: use back-end MPI Cluster\"\r\n }, {\r\n \"LangCode\": \"FR\",\r\n \"ShortLabe\\": \"FR\",\r\n \"ShortLabe\\": \"Grande exécution de modèle : utilisez le cluster MPI back-end\"\r\n }\r\n ],\r\n \"threadCount\": 3,\r\n \" mpiNpCount\": 5,\r\n \"mpiOnRoot\": false,\r\n \"mpiTmpl\": \"mpi.c-all4.template.txt\"\r\n}\r\n"

} ] }

}

# GET job service state

GET web-service state.

This method return job service state: model runs queue, active runs and run history.

This is a beta version and may change in the future.

#### Method:

GET /api/service/state

## Call examples:

http://localhost:4040/api/service/state

#### Example:

```
{
"IsJobControl": true,
"Sourced": fr
 "IsQueuePaused": false,
 "JobUpdateDateTime": "2022-09-13 19:51:57.436",
 "MpiRes": {
  "Cpu": 8,
  "Mem": 0
 },
 "ActiveTotalRes": {
  "Cpu": 8,
  "Mem": 0
 },
 "ActiveOwnRes": {
  "Cpu": 8,
  "Mem": 0
},
"QueueTotalRes": {
  "Cpu": 6,
  "Mem": 0
 },
  "QueueOwnRes": {
  "Cpu": 6,
  "Mem": 0
 },
 "MpiErrorRes": {
  "Cpu": 0,
  "Mem": 0
 },
 "LocalRes": {
  "Cpu": 4,
  "Mem": 0
 },
"LocalActiveRes": {
  "Cpu": 0,
  "Mem": 0
 },
"LocalQueueRes": {
  "Cpu": 0,
"Mem": 0
 },
  "Queue": [
  {
    "SubmitStamp": "2022_09_13_19_51_25_588",
    "Pid": 0,
    "CmdPath": "",
    "ModelName": "RiskPaths",
    "ModelDigest": "d90e1e9a49a06d972ecf1d50e684c62b",
    "RunStamp": "",
    "Dir": "".
    "Opts": {
     "OpenM.BaseRunDigest": "66646f985fecfb1d59fd5ff81ee3b78a",
     "OpenM.LogRank": "true",
     "OpenM.MessageLanguage": "en-CA",
     "OpenM.NotOnRoot": "true",
     "OpenM.RunName": "RiskPaths_New-6-sub-values",
     "OpenM.SetName": "New_2022",
     "OpenM.SubValues": "6",
     "OpenM.Threads": "3"
    },
    "Env": {},
    "Threads": 3,
    "IsMpi": true,
```

```
"Mpi": {
    "Np": 3,
    "IsNotOnRoot": true,
    "IsNotByJob": true
  },
"Template": "mpi.ModelRun.template.txt",
  "Tables": [
    "T02_TotalPopulationByYear",
    "TG03_Union_Tables",
   "TG02_Birth_Tables"
  ],
  "RunNotes": [],
  "Res": {
    "Cpu": 6,
    "Mem": 0
  },
  "IsOverLimit": false,
  "QueuePos": 1,
  "LogFileName": "",
  "LogPath": ""
 }
],
"Active": [
 {
  "SubmitStamp": "2022_09_13_19_50_35_815",
  "Pid": 0,
  "CmdPath": ""
  "ModelName": "RiskPaths",
  "ModelDigest": "d90e1e9a49a06d972ecf1d50e684c62b",
  "RunStamp": "2022_09_13_19_51_54_081",
   "Dir":
   "Opts": {
    "OpenM.BaseRunDigest": "66646f985fecfb1d59fd5ff81ee3b78a",
    "OpenM.LogRank": "true",
    "OpenM.MessageLanguage": "en-CA",
   "OpenM.NotOnRoot": "true",
"OpenM.RunName": "RiskPaths 8 subValues",
"OpenM.SetName": "New_2022",
    "OpenM.SubValues": "8",
    "OpenM.Threads": "4"
  },
  "Env": {},
  "Threads": 4,
  "IsMpi": true,
  "Mpi": {
    "Np": 3.
    "IsNotOnRoot": true,
    "IsNotByJob": true
  },
  "Template": "mpi.ModelRun.template.txt",
   "Tables": [
    "T02_TotalPopulationByYear",
    "TG03_Union_Tables",
    "TG02_Birth_Tables"
  ],
   "RunNotes": [],
   "Res": {
    "Cpu": 8,
    "Mem": 0
  },
   "IsOverLimit": false,
   "QueuePos": 0,
  "LogFileName": "RiskPaths.2022_09_13_19_51_54_081.console.log",
"LogPath": ""
 }
1,
"History": [
 {
   "SubmitStamp": "2022_09_06_19_09_01_408",
  "ModelName": "RiskPaths",
  "ModelDigest": "d90e1e9a49a06d972ecf1d50e684c62b",
  "RunStamp": "no-run-time-stamp",
  "JobStatus": "error",
"RunTitle": "RiskPaths_descr_tables"
 },
 {
  "SubmitStamp": "2022_09_06_23_29_01_463",
  "ModelName": "RiskPaths",
"ModelDigest": "d90e1e9a49a06d972ecf1d50e684c62b",
  "RunStamp": "2022_09_06_23_29_05_344",
  "JobStatus": "error"
   "RunTitle": "RiskPaths_New_2022-mpi-2-descr-note"
 },
 {
  "SubmitStamp": "2022_09_06_23_30_15_733",
  "ModelName": "RiskPaths",
  "ModelDigest": "d90e1e9a49a06d972ecf1d50e684c62b",
```

```
"RunStamp": "2022_09_06_23_30_17_893",
  "JobStatus": "success"
  "RunTitle": "RiskPaths_New_2022-mpi-2-descr-note-re-run"
}.
 {
  "SubmitStamp": "2022_09_06_23_36_48_977",
  "ModelName": "RiskPaths",
  "ModelDigest": "d90e1e9a49a06d972ecf1d50e684c62b",
  "RunStamp": "2022_09_06_23_38_38_040",
"JobStatus": "success",
  "RunTitle": "RiskPaths next rate"
 }.
  "SubmitStamp": "2022_09_08_20_49_55_357",
  "ModelName": "RiskPaths",
  "ModelDigest": "d90e1e9a49a06d972ecf1d50e684c62b",
  "RunStamp": "2022_09_08_20_49_56_563",
  "JobStatus": "success",
  "RunTitle": "RiskPaths_descr_tables-2"
}
"ComputeState": [
{
  "Name": "cpc-1",
  "State": "ready",
  "TotalRes": {
   "Cpu": 2,
   "Mem": 0
  },
  "UsedRes": {
   "Cpu": 2,
   "Mem": 0
  },
  "OwnRes": {
   "Cpu": 2,
   "Mem": 0
  },
  "ErrorCount": 0,
  "LastUsedTs": 1663113117436
},
  "Name": "cpc-2",
  "State": "ready",
  "TotalRes": {
   "Cpu": 2,
   "Mem": 0
  },
  "UsedRes": {
   "Cpu": 2,
   "Mem": 0
 },
"OwnRes": {
   "Cpu": 2,
   "Mem": 0
  }.
  "ErrorCount": 0,
  "LastUsedTs": 1663113117436
},
 {
  "Name": "cpc-3",
  "State": "ready",
  "TotalRes": {
   "Cpu": 4,
   "Mem": 0
  },
  "UsedRes": {
   "Cpu": 4,
   "Mem": 0
  },
  "OwnRes": {
   "Cpu": 4,
   "Mem": 0
  },
  "ErrorCount": 0,
  "LastUsedTs": 1663113117436
 "IsDiskUse": true,
"IsDiskOver": false,
"DiskScanMs": 11000,
 "Limit": 12884901888,
 "AllLimit": 85899345920
```

}

# POST refresh disk space usage info

POST refresh disk space usage info.

This method can be used to refersh disk usage info on the server. Server periodically scan disk storage to GET disk usage state. It is a slow background process and disk usage info may be updated only every 2-3 times per hour. By using this method you can force the server to scan disk usage immediately.

## Method:

POST /api/service/disk-use/refersh

## Call example:

curl -v -X POST http://localhost:4040/api/service/disk-use/refersh

### Example:

curl -v -X POST http://localhost:4040/api/service/disk-use/refresh

- \* Trying [::1]:4040...
- \* Connected to localhost (::1) port 4040
- > POST /api/service/disk-use/refresh HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/8.4.0 > Accept: \*/\*

- < HTTP/1.1 200 OK
- < Content-Location: /api/service/disk-use/refresh/true
- < Date: Sat, 10 Feb 2024 08:27:59 GMT
- < Content-Length: 0

# GET state of active model run job

GET state of active model run job.

This method allow get state of model run job which is running now, results include:

- model run request options, for example: run name, number of sub-values (sub-samples);
- model run progress and sub-values progress information;
- model run log content.

This is a beta version and may change in the future.

#### Method:

GET /api/service/job/active/:job

# Arguments:

:job - (required) model run submission time stamp

## Call examples:

http://localhost:4040/api/service/job/active/2022\_09\_13\_21\_28\_38\_409

#### Example:

```
{
"JobStatus": "",
 "SubmitStamp": "2022_09_13_21_28_38_409",
 "Pid": 0,
 "CmdPath": ""
 "ModelName": "RiskPaths",
 "ModelDigest": "d90e1e9a49a06d972ecf1d50e684c62b",
 "RunStamp": "2022_09_13_21_30_27_952",
 "Dir": "
 "Opts": {
  "EN.RunDescription": "Run desription in English",
  "FR.RunDescription": "Run desription in French",
  "OpenM.BaseRunDigest": "66646f985fecfb1d59fd5ff81ee3b78a",
  "OpenM.LogRank": "true",
  "OpenM.MessageLanguage": "en-CA",
  "OpenM.NotOnRoot": "true",
  "OpenM.RunName": "RiskPaths New 4 sub-values",
"OpenM.SetName": "New_2022",
  "OpenM.SubValues": "4",
  "OpenM.Threads": "2"
 },
 "Env": {},
 "Threads": 2,
 "IsMpi": true,
 "Mpi": {
  "Np": 2,
  "IsNotOnRoot": true,
  "IsNotByJob": true
 },
 "Template": "mpi.ModelRun.template.txt",
 "Tables": [
  "T02_TotalPopulationByYear",
  "TG03_Union_Tables",
  "TG02_Birth_Tables"
 ],
 "RunNotes": [
  {
    "LangCode": "EN",
    "Note": "Run notes (English)"
  },
  {
    "LangCode": "FR",
    "Note": "Run notes (French)"
  }
 ],
  "Res": {
   "Cpu": 2.
   "Mem": 0
```

}. "IsOverLimit": false, "QueuePos": 0, "LogFileName": "RiskPaths.2022\_09\_13\_21\_30\_27\_952.console.log", "LogPath": " "RunStatus": [ { "ModelName": "RiskPaths", "ModelDigest": "d90e1e9a49a06d972ecf1d50e684c62b", "ModelVersion": "3.0.0.0", "ModelCreateDateTime": "2022-08-27 04:44:36.215", "Name": "RiskPaths New 4 sub-values", "SubCount": 4, "SubStarted": 4. "SubCompleted": 0. "CreateDateTime": "2022-09-13 21:30:28.188", "Status": "p" "UpdateDateTime": "2022-09-13 21:30:33.000", "RunDigest": "6d697389e6ca0d55b6615e02c1e453f6", "ValueDigest": " "RunStamp": "2022\_09\_13\_21\_30\_27\_952", "Txt": [], "Opts": {}, "Param": [], "Table": [], "Progress": [ ł "SubId": 0, "CreateDateTime": "2022-09-13 21:30:28.000", "Status": "p". "UpdateDateTime": "2022-09-13 21:30:33.000", "Count": 3, "Value": 92588 }. "SubId": 1. "CreateDateTime": "2022-09-13 21:30:28.000", "Status": "p", "UpdateDateTime": "2022-09-13 21:30:32.000", "Count": 3, "Value": 92588 } 1 } 1, "Lines": [ "2022-09-13 21:30:28.010 RiskPaths", "2022-09-13 21:30:28.010 RiskPaths", "2022-09-13 21:30:28.030 [0] Reading C:\\go-ompp\\models\\log\\2022\_09\_13\_21\_30\_27\_952.run\_notes.EN.md", "2022-09-13 21:30:28.030 [0] Reading C:\\go-ompp\\models\\log\\2022\_09\_13\_21\_30\_27\_952.run\_notes.FR.md", "2022-09-13 21:30:28.101 [0] Model version : 3.0.0.0". "2022-09-13 21:30:28.101 [0] Model created : 2022-08-27 04:44:36.215", "2022-09-13 21:30:28.101 [0] Model digest : d90e1e9a49a06d972ecf1d50e684c62b", "2022-09-13 21:30:28.101 [0] OpenM++ version: 2022-05-05 003df091e5b05b7208562c626e7dd72b4dd5055e v1.9.9", "2022-09-13 21:30:28.101 [0] OpenM++ build : Windows 64 bit Release MPI", "2022-09-13 21:30:28.101 [0] Parallel run of 2 modeling processes, 2 thread(s) each", "2022-09-13 21:30:28.101 [0] OM\_ROOT=C:\\go-ompp" "2022-09-13 21:30:28.101 [0] Model build : Windows 64 bit Release", "2022-09-13 21:30:28.101 [0] Prepare fixed and missing parameters", "2022-09-13 21:30:28.102 [0] Run: 2022\_09\_13\_21\_30\_27\_952", "2022-09-13 21:30:28.116 [1] Model version : 3.0.0.0", "2022-09-13 21:30:28.116 [1] Model created : 2022-08-27 04:44:36.215", "2022-09-13 21:30:28.116 [1] Model digest : d90e1e9a49a06d972ecf1d50e684c62b", "2022-09-13 21:30:28.116 [1] OpenM++ version: 2022-05-05 003df091e5b05b7208562c626e7dd72b4dd5055e v1.9.9", "2022-09-13 21:30:28.116 [1] OpenM++ build : Windows 64 bit Release MPI", "2022-09-13 21:30:28.116 [1] OM\_ROOT=C:\\go-ompp" "2022-09-13 21:30:28.117 [1] Model build : Windows 64 bit Release", "2022-09-13 21:30:28.117 [1] Prepare fixed and missing parameters", "2022-09-13 21:30:28.117 [1] Run: 2022\_09\_13\_21\_30\_27\_952", "2022-09-13 21:30:28.219 [1] Run: 142 RiskPaths New 4 sub-values", "2022-09-13 21:30:28.219 [1] Get scenario parameters for process" "2022-09-13 21:30:28.220 [1] member=0 Bind scenario parameters" "2022-09-13 21:30:28.220 [1] member=0 Compute derived parameters", "2022-09-13 21:30:28.220 [1] member=1 Bind scenario parameters" "2022-09-13 21:30:28.221 [1] member=1 Compute derived parameters", "2022-09-13 21:30:28.221 [1] member=1 Prepare for simulation". "2022-09-13 21:30:28.221 [1] member=1 Simulation progress=0% cases=0", "2022-09-13 21:30:28.222 [1] member=0 Prepare for simulation", "2022-09-13 21:30:28.222 [1] member=0 Simulation progress=0% cases=0", "2022-09-13 21:30:29.687 [1] member=1 Simulation progress=1% cases=30863", "2022-09-13 21:30:29.849 [1] member=0 Simulation progress=1% cases=30863", "2022-09-13 21:30:31.153 [1] member=1 Simulation progress=2% cases=61725", "2022-09-13 21:30:31.483 [1] member=0 Simulation progress=2% cases=61725", "2022-09-13 21:30:32.618 [1] member=1 Simulation progress=3% cases=92588" "2022-09-13 21:30:33.139 [1] member=0 Simulation progress=3% cases=92588", "2022-09-13 21:30:34.089 [1] member=1 Simulation progress=4% cases=123450", "2022-09-13 21:30:34.781 [1] member=0 Simulation progress=4% cases=123450" "2022-09-13 21:30:35.550 [1] member=1 Simulation progress=5% cases=154313"

] }

# Example: empty response if model run job not found on server

{ "JobStatus": "", "SubmitStamp": "2022\_07\_08\_22\_36\_46\_203", "Pid": 0, "CmdPath": "", "ModelName": "", "RunStamp": "", "Dir": "", "Opts": {}, "Env": {}, "Threads": 0, "IsMpi": false, "Mpi": { "Np": 0, "IsNotOnRoot": false, "IsNotByJob": false "Template": "", "Tables": [], "RunNotes": [], "Res": { "Cpu": 0, "Mem": 0 }, "IsOverLimit": false, "QueuePos": 0, "LogFileName": "", "LogPath": "", "RunStatus": [], "Lines": [] }

# GET state of model run job from queue

GET state of model run job from queue.

This method allow get model run job request from the queue, results include:

• model run request options, for example: run name, number of sub-values (sub-samples);

This is a beta version and may change in the future.

## Method:

GET /api/service/job/queue/:job

# Arguments:

:job - (required) model run submission time stamp

## Call examples:

http://localhost:4040/api/service/job/queue/2022\_09\_13\_21\_28\_38\_409

#### Example:

```
{
"JobStatus": "",
 "SubmitStamp": "2022_09_13_21_28_38_409",
 "Pid": 0,
 "CmdPath": "",
 "ModelName": "RiskPaths",
 "ModelDigest": "d90e1e9a49a06d972ecf1d50e684c62b",
 "RunStamp": "",
 "Dir": ""
 "Opts": {
  "EN.RunDescription": "Run desription in English",
"FR.RunDescription": "Run desription in French",
  "OpenM.BaseRunDigest": "66646f985fecfb1d59fd5ff81ee3b78a",
  "OpenM.LogRank": "true",
  "OpenM.MessageLanguage": "en-CA",
  "OpenM.NotOnRoot": "true",
"OpenM.RunName": "RiskPaths New 4 sub-values",
  "OpenM.SetName": "New_2022",
  "OpenM.SubValues": "4",
  "OpenM.Threads": "2"
},
"Env": {},
"Threads": 2,
 "IsMpi": true,
 "Mpi": {
  "Np": 2,
  "IsNotOnRoot": true,
  "IsNotByJob": true
 },
 "Template": "mpi.ModelRun.template.txt",
 "Tables": [
  "T02_TotalPopulationByYear",
  "TG03_Union_Tables",
"TG02_Birth_Tables"
 ],
 "RunNotes": [
  {
    "LangCode": "EN",
    "Note": "Run notes (English)"
  },
  {
    "LangCode": "FR",
    "Note": "Run notes (French)"
  }
 ],
 "Res": {
  "Cpu": 2,
  "Mem": 0
 },
 "IsOverLimit": false,
 "QueuePos": 0,
 "LogFileName": "",
 "LogPath": "
 "RunStatus": [],
 "Lines": []
}
```

Example: empty response if model run job not found on server

{
 "JobStatus": "",
 "SubmitStamp": "2022\_09\_12\_21\_18\_36\_413",
 "Pid": 0,
 "CmdPath": "",
 "ModelName": "",
 "ModelDigest": "",
 "RunStamp": "",
 "Dir": "",
 "Opts": {},
 "Env": {},
 "Inreads": 0,
 "IsMpi": false,
 "Mpi": {
 "Np": 0,
 "IsNotDnRoot": false,
 "IsNotByJob": false
 },
 "Template": "",
 "Tables": [],
 "RunNotes": [],
 "Res": {
 "Cpu": 0,
 "Mem": 0
 },
 "IsOverLimit": false,
 "QueuePos": 0,
 "LogFileName": "",
 "RunStatus": [],
 "Lines": []
}

# GET state of model run job from history

GET state of model run job from history.

This method allow get a history of model run job, results include:

- model run request options, for example: run name, number of sub-values (sub-samples);
- model run status (success or error) and sub-values progress information;
- model run log content.

This is a beta version and may change in the future.

## Method:

GET /api/service/job/history/:job

## Arguments:

:job - (required) model run submission time stamp

### Call examples:

http://localhost:4040/api/service/job/history/2022\_09\_13\_21\_28\_38\_409

### Example:

```
{
 "JobStatus": "success",
 "SubmitStamp": "2022_09_13_21_28_38_409",
 "Pid": 0,
 "CmdPath": ""
 "ModelName": "RiskPaths",
 "ModelDigest": "d90e1e9a49a06d972ecf1d50e684c62b",
 "RunStamp": "2022_09_13_21_30_27_952",
 "Dir": "
 "Opts": {
  "EN.RunDescription": "Run desription in English",
  "FR.RunDescription": "Run desription in French"
  "OpenM.BaseRunDigest": "66646f985fecfb1d59fd5ff81ee3b78a",
  "OpenM.LogRank": "true",
  "OpenM.MessageLanguage": "en-CA",
  "OpenM.NotOnRoot": "true",
  "OpenM.RunName": "RiskPaths New 4 sub-values",
"OpenM.SetName": "New_2022",
  "OpenM.SubValues": "4",
  "OpenM.Threads": "2"
},
 "Env": {},
 "Threads": 2,
 "IsMpi": true,
 "Mpi": {
  "Np": 2,
  "IsNotOnRoot": true,
  "IsNotByJob": true
 },
 "Template": "mpi.ModelRun.template.txt",
 "Tables": [
  "T02_TotalPopulationByYear",
  "TG03_Union_Tables",
  "TG02_Birth_Tables"
 ],
 "RunNotes": [
  {
   "LangCode": "EN",
   "Note": "Run notes (English)"
  },
  {
   "LangCode": "FR",
   "Note": "Run notes (French)"
  }
 ],
 "Res": {
  "Cpu": 2.
  "Mem": 0
```

```
}.
"IsOverLimit": false,
"QueuePos": 0,
"LogFileName": "RiskPaths.2022_09_13_21_30_27_952.console.log",
"LogPath": "
"RunStatus": [
{
  "ModelName": "RiskPaths",
  "ModelDigest": "d90e1e9a49a06d972ecf1d50e684c62b",
  "ModelVersion": "3.0.0.0",
  "ModelCreateDateTime": "2022-08-27 04:44:36.215",
  "Name": "RiskPaths New 4 sub-values",
  "SubCount": 4,
  "SubStarted": 4.
  "SubCompleted": 4,
  "CreateDateTime": "2022-09-13 21:30:28.188",
  "Status": "s"
  "UpdateDateTime": "2022-09-13 21:35:37.090",
  "RunDigest": "6d697389e6ca0d55b6615e02c1e453f6",
  "ValueDigest": "eabadea9394ae40012fe8b70d303966e",
  "RunStamp": "2022_09_13_21_30_27_952",
  "Txt": [],
  "Opts": {},
  "Param": [],
  "Table": [],
  "Progress": [
   ł
    "SubId": 0,
    "CreateDateTime": "2022-09-13 21:30:28.000",
    "Status": "s".
    "UpdateDateTime": "2022-09-13 21:33:11.000",
    "Count": 100,
    "Value": 3086250
   }.
    "SubId": 1,
    "CreateDateTime": "2022-09-13 21:30:28.000",
    "Status": "s",
    "UpdateDateTime": "2022-09-13 21:32:54.000",
    "Count": 100,
    "Value": 3086250
   {
    "SubId": 2,
    "CreateDateTime": "2022-09-13 21:32:54.000",
    "Status": "s"
    "UpdateDateTime": "2022-09-13 21:35:18.000",
    "Count": 100
    "Value": 3086250
   }.
    "SubId": 3,
    "CreateDateTime": "2022-09-13 21:33:11.000",
    "Status": "s",
     "UpdateDateTime": "2022-09-13 21:35:36.000",
    "Count": 100
    "Value": 3086250
   }
 1
3
"Lines": [
 "2022-09-13 21:30:28.010 RiskPaths",
 "2022-09-13 21:30:28.010 RiskPaths",
 "2022-09-13 21:30:28.030 [0] Reading C:\\go-ompp\\models\\log\\2022_09_13_21_30_27_952.run_notes.EN.md",
 "2022-09-13 21:30:28.030 [0] Reading C:\\go-ompp\\models\\log\\2022_09_13_21_30_27_952.run_notes.FR.md",
 "2022-09-13 21:30:28.101 [0] Model version : 3.0.0.0",
 "2022-09-13 21:30:28.101 [0] Model created : 2022-08-27 04:44:36.215",
 "2022-09-13 21:30:28.101 [0] Model digest : d90e1e9a49a06d972ecf1d50e684c62b",
 "2022-09-13 21:30:28.101 [0] OpenM++ version: 2022-05-05 003df091e5b05b7208562c626e7dd72b4dd5055e v1.9.9",
 "2022-09-13 21:30:28.101 [0] OpenM++ build : Windows 64 bit Release MPI"
"2022-09-13 21:30:28.101 [0] Parallel run of 2 modeling processes, 2 thread(s) each",
"2022-09-13 21:30:28.101 [0] OM_ROOT=C:\\go-ompp"
 "2022-09-13 21:30:28.101 [0] Model build : Windows 64 bit Release",
"2022-09-13 21:30:28.101 [0] Prepare fixed and missing parameters",
 "2022-09-13 21:30:28.102 [0] Run: 2022_09_13_21_30_27_952",
"2022-09-13 21:30:28.116 [1] Model version : 3.0.0.0",
"2022-09-13 21:30:28.116 [1] Model created : 2022-08-27 04:44:36.215",
 "2022-09-13 21:30:28.116 [1] Model digest : d90e1e9a49a06d972ecf1d50e684c62b",
"2022-09-13 21:30:28.116 [1] OpenM++ version: 2022-05-05 003df091e5b05b7208562c626e7dd72b4dd5055e v1.9.9",
 "2022-09-13 21:30:28.116 [1] OpenM++ build : Windows 64 bit Release MPI",
 "2022-09-13 21:30:28.116 [1] OM_ROOT=C:\\go-ompp"
 "2022-09-13 21:30:28.117 [1] Model build : Windows 64 bit Release",
 "2022-09-13 21:30:28.117 [1] Prepare fixed and missing parameters"
 "2022-09-13 21:30:28.117 [1] Run: 2022_09_13_21_30_27_952",
 "2022-09-13 21:30:28.219 [1] Run: 142 RiskPaths New 4 sub-values",
 "2022-09-13 21:30:28.219 [1] Get scenario parameters for process"
```

```
"2022-09-13 21:30:28.220 [1] member=0 Bind scenario parameters",
```

```
"2022-09-13 21:30:28.220 [1] member=0 Compute derived parameters",
"2022-09-13 21:30:28.220 [1] member=1 Bind scenario parameters",
"2022-09-13 21:30:28.221 [1] member=1 Compute derived parameters",
"2022-09-13 21:30:28.221 [1] member=1 Prepare for simulation",
"2022-09-13 21:30:28.221 [1] member=1 Simulation progress=0% cases=0",
"2022-09-13 21:30:28.222 [1] member=0 Prepare for simulation",
"2022-09-13 21:30:28.222 [1] member=0 Prepare for simulation",
"2022-09-13 21:30:28.222 [1] member=0 Simulation progress=0% cases=0",
"2022-09-13 21:35:37.058 [0] Writing into aggregated output tables, run: 142",
"2022-09-13 21:35:37.090 [0] Digest output tables, run: 142",
"2022-09-13 21:35:37.090 [0] Digest output tables, run: 142",
"2022-09-13 21:35:38.251 [0] Done.",
"2022-09-13 21:35:38.251 [1] Done."
```

Example: empty response if model run job not found on server

```
{
"JobStatus": "",
 "SubmitStamp": "2022_07_05_19_55_38_626",
 "Pid": 0,
 "CmdPath": "",
 "ModelName": "",
 "ModelDigest": "",
 "RunStamp": "",
 "Dir": "",
 "Opts": {},
 "Env": {},
 "Threads": 0,
 "IsMpi": false,
 "Mpi": {
  "Np": 0,
  "IsNotOnRoot": false,
  "IsNotByJob": false
 },
 "Template": "",
 "Tables": [],
 "RunNotes": [],
 "Res": {
  "Cpu": 0,
  "Mem": 0
 },
 "IsOverLimit": false,
 "QueuePos": 0,
 "LogFileName": "",
 "LogPath": "",
 "RunStatus": [],
 "Lines": []
}
```

# PUT model run job into other queue position

PUT model run job into other queue position.

This method is moving model run job request into other queue position, for example: move it to the top of the queue.

Only MPI cluster jobs queue can be re-ordered, using this on localhost queue does not actually change job position.

User can re-order only his own queue, other users queues are not affected. It is also impossible to move the job in front of other users job: if other user submitted model run before then it will be processed first.

This is a beta version and may change in the future.

#### Method:

PUT /api/service/job/move/:pos/:job

#### Arguments:

:pos - (required) new position in the queue.

Zero position is a top of the queue, if pos is negative it is treated as zero. If pos is greater then queue length it is terated as last position.

:job - (required) model run submission time stamp

#### Call examples:

curl -v -X PUT http://localhost:4040/api/service/job/move/99/2022\_09\_13\_21\_45\_29\_375

#### Example 1:

Move model run job 2022\_09\_13\_21\_45\_29\_375 to the top of the queue:

curl -v -X PUT http://localhost:4040/api/service/job/move/0/2022\_09\_13\_21\_45\_29\_375

- \* Trying 127.0.0.1:4040...
- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > PUT /api/service/job/move/0/2022\_09\_13\_21\_45\_29\_375 HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.83.1
- > Accept: \*/\*
- >
- \* Mark bundle as not supporting multiuse
- < HTTP/1.1 200 OK
- < Content-Location: service/job/move/true/0/2022\_09\_13\_21\_45\_29\_375
- < Content-Type: text/plain
- < Date: Wed, 14 Sep 2022 01:48:02 GMT
- < Content-Length: 0

<

\* Connection #0 to host localhost left intact

#### Example 2:

Move model run job 2022\_09\_13\_21\_45\_29\_375 to the bottom of the queue using position 999999999 :

curl -v -X PUT http://localhost:4040/api/service/job/move/99999999/2022\_09\_13\_21\_45\_29\_375

\* Trying 127.0.0.1:4040...

- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > PUT /api/service/job/move/99999999/2022\_09\_13\_21\_45\_29\_375 HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.83.1
- > Accept: \*/\*

>

- \* Mark bundle as not supporting multiuse
- < HTTP/1.1 200 OK
- < Content-Location: service/job/move/true/99999999/2022\_09\_13\_21\_45\_29\_375
- < Content-Type: text/plain
- < Date: Wed, 14 Sep 2022 01:50:22 GMT
- < Content-Length: 0

<

# DELETE state of model run job from history

DELETE state of model run job from history.

This method delete a history record of model run job. It does NOT delete actual model run data, output tables and run parameters are NOT deleted from database. Only history record of model run job is deleted.

It is a convenient method for deleting a history of failed model runs.

This is a beta version and may change in the future.

## Method:

DELETE /api/service/job/delete/history/:job

### Arguments:

:job - (required) model run submission time stamp

#### Call example:

curl -v -X DELETE http://localhost:4040/api/service/job/delete/history/2022\_09\_13\_23\_20\_50\_995

\* Trying 127.0.0.1:4040...

- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > DELETE /api/service/job/delete/history/2022\_09\_13\_23\_20\_50\_995 HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.83.1

> Accept: \*/\*

- \* Mark bundle as not supporting multiuse
- < HTTP/1.1 200 OK
- < Content-Location: /api/service/job/delete/history/2022\_09\_13\_23\_20\_50\_995
- < Date: Wed, 14 Sep 2022 03:24:17 GMT

< Content-Length: 0

- <
- \* Connection #0 to host localhost left intact

# POST a request to refresh models catalog

On start oms web-service scan models directory tree (by default it models/bin directory and sub-directories) to collect all models metadata from \*.sqlite database files. If we want to add, remove or overwrite model.sqlite database file(s) then it is necessary:

- close model.sqlite file(s) by POST a request to close models catalog
- · refresh list of models by POST a request to refresh models catalog

This is a beta version and may change in the future.

## Method:

POST /api/admin/all-models/refresh

#### For example:

curl -v -X POST http://localhost:4040/api/admin/all-models/refresh

- \* Trying ::1...
- \* TCP\_NODELAY set
- \* Trying 127.0.0.1...
- \* TCP\_NODELAY set
- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > POST /api/admin/all-models/refresh HTTP/1.1
- > Host: localhost:4040 > User-Agent: curl/7.54.1
- > Accept: \*/\*
- >

< HTTP/1.1 200 OK

- < Content-Location: /api/admin/all-models/refresh/models/bin
- < Date: Tue, 18 March 2019 01:02:27 GMT
- < Content-Length: 0 <
- \* Connection #0 to host localhost left intact

# POST a request to close models catalog

On start oms web-service scan models directory tree (by default it models/bin directory and sub-directories) to collect all models metadata from \*.sqlite database files. If we want to add, remove or overwrite model.sqlite database file(s) then it is necessary:

- close model.sqlite file(s) by POST a request to close models catalog
- · refresh list of models by POST a request to refresh models catalog

This is a beta version and may change in the future.

## Method:

POST /api/admin/all-models/close

#### For example:

curl -v -X POST http://localhost:4040/api/admin/all-models/close

- \* Trying ::1...
- \* TCP\_NODELAY set
- \* Trying 127.0.0.1...
- \* TCP\_NODELAY set
- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > POST /api/admin/all-models/close HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.54.1 > Accept: \*/\*
- >

< HTTP/1.1 200 OK

- < Content-Location: /api/admin/all-models/close/models/bin
- < Date: Tue, 18 March 2019 01:00:56 GMT
- < Content-Length: 0
- <
- \* Connection #0 to host localhost left intact

# POST a request to close model database

User can close model database connection, for example, to cleanup database file and reduce storage space. After database connection is closed model would not be available until it is opened again by POST a request to open database file or POST a request to refresh models catalog.

#### Method:

POST /api/admin/model/:model/close

#### Arguments:

:model - (required) model digest or model name

Model can be identified by digest or by model name. It is recommended to use digest because it is uniquely identifies model. It is possible to use model name, which is more human readable than digest, but if there are multiple models with same name in database then result is undefined.

#### Call examples:

curl -v -X POST http://localhost:4040/api/admin/model/RiskPaths/close curl -v -X POST http://localhost:4040/api/admin/model/d90e1e9a49a06d972ecf1d50e684c62b/close

#### For example:

curl -v -X POST http://localhost:4040/api/admin/model/d90e1e9a49a06d972ecf1d50e684c62b/close

\* Trying [::1]:4040...

- \* Connected to localhost (::1) port 4040
- > POST /api/admin/model/d90e1e9a49a06d972ecf1d50e684c62b/close HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/8.4.0

> Accept: \*/\*

>

< HTTP/1.1 200 OK

< Content-Location: /api/admin/model/d90e1e9a49a06d972ecf1d50e684c62b/close

< Content-Type: text/plain

< Date: Sat, 09 Mar 2024 04:43:35 GMT

< Content-Length: 0

# POST a request to open database file

User can open a connection to database file in models/bin directory or sub-directories. There is also a method to open all database files in models/bin tree: POST a request to refresh models catalog.

#### Method:

POST /api/admin/db-file-open/:path

## Arguments:

:path - (required) path to model database file

Path must be relative to models/bin folder. If there any subfolders in the path then / slashes must be replaced with \* stars.

#### Call examples:

curl -v -X POST http://localhost:4040/api/admin/db-file-open/RiskPaths.sqlite curl -v -X POST http://localhost:4040/api/admin/db-file-open/OncoSimX\*v3.6.5.2\*OncoSimX-allcancers.sqlite

#### For example:

curl -v -X POST http://localhost:4040/api/admin/db-file-open/RiskPaths.sqlite

\* Trying [::1]:4040...

- \* Connected to localhost (::1) port 4040
- > POST /api/admin/db-file-open/RiskPaths.sqlite HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/8.4.0
- > Accept: \*/\*
- >
- < HTTP/1.1 200 OK
- < Content-Location: /api/admin/db-file-open/RiskPaths.sqlite
- < Content-Type: text/plain
- < Date: Sat, 09 Mar 2024 05:01:54 GMT
- < Content-Length: 0
- <
- \* Connection #0 to host localhost left intact

# POST a request to cleanup database file

User can reduce database file size by invoking database cleanup script.

#### Method:

POST /api/admin/db-cleanup/:path POST /api/admin/db-cleanup/:path/name/:name POST /api/admin/db-cleanup/:path/name/:name/digest/:digest

#### Arguments:

:path - (required) path to model database file :name - (optional) model name :digest - (optional) model digest

Path must be relative to models/bin folder. If there any sub-folders in the path then / slashes must be replaced with \* stars.

Path, model name and model digest are passed as an arguments to the database cleanup script, for example: Linux script to cleanup database file.

#### Call examples:

curl -v -X POST http://localhost:4040/api/admin/db-cleanup/RiskPaths.sqlite

curl -v -X POST http://localhost:4040/api/admin/db-cleanup/OncoSimX\*v3.6.5.2\*OncoSimX-allcancers.sqlite/name/OncoSimX-AllCancers

curl -v -X POST http://localhost:4040/api/admin/db-cleanup/RiskPaths.sqlite/name/RiskPaths/digest/d90e1e9a49a06d972ecf1d50e684c62b

#### For example:

curl -v -X POST http://localhost:4040/api/admin/db-cleanup/RiskPaths.sqlite

\* Trying [::1]:4040...

- \* Connected to localhost (::1) port 4040
- > POST /api/admin/db-cleanup/RiskPaths.sqlite HTTP/1.1

> Host: localhost:4040

> User-Agent: curl/8.4.0

> Accept: \*/\*

< HTTP/1.1 200 OK

- < Content-Type: application/json
- < Date: Sat, 09 Mar 2024 05:15:49 GMT

< Content-Length: 82

<

{"LogFileName":"db-cleanup.2024\_03\_09\_00\_15\_49\_684.RiskPaths.sqlite.console.txt"}

# GET the list of database cleanup log(s)

User can reduce database file size by invoking database cleanup script. Console output from cleanup script captured into the log file. This method allow to get the list of database cleanup log files. Use GET database cleanup log file method to get the content of the log file by name.

### Method:

GET /api/admin/db-cleanup/log-all

## Example:

curl http://localhost:4040/api/admin/db-cleanup/log-all

```
[{
  "DbName": "OncoSimX-allcancers.sqlite",
  "LogStamp": "2024_03_05_01_08_24_223",
  "LogFileName": "db-cleanup.2024_03_05_01_08_24_223.OncoSimX-allcancers.sqlite.console.txt"
}, {
"DbName": "modelOne.sqlite",
  "LogStamp": "2024_03_05_01_31_56_780",
  "LogFileName": "db-cleanup.2024_03_05_01_31_56_780.modelOne.sqlite.console.txt"
 }, {
  "DbName": "RiskPaths.sqlite",
  "LogStamp": "2024_03_09_00_15_39_343",
  "LogFileName": "db-cleanup.2024_03_09_00_15_39_343.RiskPaths.sqlite.console.txt"
 }, {
  "DbName": "RiskPaths.sqlite",
  "LogStamp": "2024_03_09_00_15_49_684",
  "LogFileName": "db-cleanup.2024_03_09_00_15_49_684.RiskPaths.sqlite.console.txt"
}
]
```

# GET database cleanup log file(s)

User can reduce database file size by invoking database cleanup script. Console output from cleanup script captured into the log file. This method allow to get the content of database cleanup log file by name. Use GET the list of database cleanup log(s) method to obtain log file names.

#### Method:

GET /api/admin/db-cleanup/log/:name

#### Arguments:

:name - (required) database cleanup log file name.

#### Example:

}

 $curl\ http://localhost: 4040/api/admin/db-cleanup/log/db-cleanup.2024_03_09\_00\_15\_49\_684. RiskPaths. sqlite. console.txt the state of the state of$ 

{ "DbName": "RiskPaths.sqlite", "LogStamp": "2024\_03\_09\_00\_29\_10\_038" "LogFileName": "db-cleanup.2024\_03\_09\_00\_29\_10\_038.RiskPaths.sqlite.console.txt", "Size": 729, "ModTs": 1709962150344, "Lines": [ "2024-03-09 00:29:10.038 etc/db-cleanup\_linux.sh models/bin/RiskPaths.sqlite", "Model db : RiskPaths.sqlite", "Model : RiskPaths", "OM\_ROOT : /home/anatoly/ompp-main", "/usr/bin/sqlite3" "Source model run status count:", "s|1", "Update source input scenario: set read-only", "Source input scenario count:", "1", "2024-03-09 00:29:10.259 Model RiskPaths", "2024-03-09 00:29:10.296 Model run from 102 RiskPaths\_Default to 101", "2024-03-09 00:29:10.296 Parameters: 9", "2024-03-09 00:29:10.315 Tables: 7", "2024-03-09 00:29:10.329 Workset Default from id 101 to 102", "2024-03-09 00:29:10.329 Parameters: 9", "2024-03-09 00:29:10.341 Done.", "Results model run status:", "s|1", "Results input scenario count:", "1". "Done: models/bin/RiskPaths.sqlite", "2024-03-09 00:29:10.348 Done. 1

# POST a request to pause model run queue

POST a request to pause or to resume model runs queue processing.

This is a beta version and may change in the future.

## Method:

POST /api/admin/jobs-pause/:pause

## Arguments:

:pause - (required) boolean value to pause or resume model runs queue processing.

It must be one of: 1, t, T, TRUE, true, True, 0, f, F, FALSE, false, False. Any other value returns an error.

#### Call examples:

curl -v -X POST http://localhost:4040/api/admin/jobs-pause/true

curl -v -X POST http://localhost:4040/api/admin/jobs-pause/1

curl -v -X POST http://localhost:4040/api/admin/jobs-pause/0

curl -v -X POST http://localhost:4040/api/admin/jobs-pause/false

#### Example:

curl -v -X POST http://localhost:4040/api/admin/jobs-pause/1

- \* Trying 127.0.0.1:4040...
- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > POST /api/admin/jobs-pause/1 HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.83.1
- > Accept: \*/\*
- >
- \* Mark bundle as not supporting multiuse
- < HTTP/1.1 200 OK
- < Content-Location: /api/admin/jobs-pause/true
- < Content-Type: text/plain
- < Date: Fri, 22 Jul 2022 03:32:49 GMT

< Content-Length: 0

<

# POST a request to pause all model runs queue

POST a request to pause or to resume model runs queue processing for all oms instances

This method is pausing or resuming jobs queue processing for **all** oms web-service instances.

For example if there are 3 web-services: localhost:5050, localhost:4040, localhost:3030 are sharing the same job queue then:

curl -v -X POST http://localhost:4040/api/admin-all/jobs-pause/TRUE

would pause jobs from all 3 web-services, not only from localhost:4040.

This is a beta version and may change in the future.

#### Method:

POST /admin-all/jobs-pause/:pause

# Arguments:

:pause - (required) boolean value to pause or resume model runs queue processing.

It must be one of: 1, t, T, TRUE, true, True, 0, f, F, FALSE, false, False. Any other value returns an error.

#### Call examples:

curl -v -X POST http://localhost:4040/api/admin-all/jobs-pause/true

curl -v -X POST http://localhost:4040/api/admin-all/jobs-pause/1

curl -v -X POST http://localhost:4040/api/admin-all/jobs-pause/0 curl -v -X POST http://localhost:4040/api/admin-all/jobs-pause/false

#### Example:

curl -v -X POST http://localhost:4040/api/admin-all/jobs-pause/true

\* Trying 127.0.0.1:4040...

- \* Connected to localhost (127.0.0.1) port 4040 (#0)
- > POST /api/admin-all/jobs-pause/true HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/8.0.1

> Accept: \*/\*

- >
- < HTTP/1.1 200 OK
- < Content-Location: /api/admin-all/jobs-pause/true
- < Content-Type: text/plain
- < Date: Fri, 04 Aug 2023 00:01:31 GMT

< Content-Length: 0

# PUT a request to shutdown web-service

PUT a request to shutdown web-service.

This method shutdown web-service. It is expected to close connection and does not return any response, as result client (ex.: browser AJAX) would return an error.

This is a beta version and may change in the future.

### Method:

PUT /shutdown

# Example:

curl -v -X PUT http://localhost:4040/shutdown

- \* Trying ::1...
- \* TCP NODELAY set
- Trying 127.0.0.1...
  TCP\_NODELAY set
- \* Connected to localhost (127.0.0.1) port 4040 (#0) > PUT /shutdown HTTP/1.1
- > Host: localhost:4040
- > User-Agent: curl/7.55.1
- > Accept: \*/\*

>

- < HTTP/1.1 200 OK
- < Date: Tue, 14 Apr 2020 01:33:18 GMT < Content-Length: 18
- < Content-Type: text/plain; charset=utf-8
- < Connection: close
- Shutdown completed\* Closing connection 0